JULY 1983
Volume 55/Number 1
Part 2 of Two Parts
ISSN 0161-7567

Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology

Author and Subject Indexes
Volumes 40–53

PUBLISHED BY
THE AMERICAN PHYSIOLOGICAL SOCIETY

Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology

Editor: A. P. FISHMAN

Associate Editors:
N. R. ANTHONISEN
E. R. BUSKIRK
N. S. CHERNIACK
R. P. DANIELE
A. P. GAGGE
R. A. KLOCKE
A. E. TAYLOR

Editorial Board:
K. M. BALDWIN
V. S. BISHOP
F. BOOTH
J. D. BRAIN
G. L. BRENGELMANN
K. L. BRIGHAM
A. C. BRYAN
H. K. CHANG
M. I. COHEN
C. A. DAWSON
J. A. DEMPSEY
J. M. DRAZEN
N. H. EDELMAN
V. R. EDGERTON
R. M. EFFROS
R. ELIZONDO
M. EPSTEIN
M. J. FREGLY
M. A. B. FREY
J. GIL
R. J. GOERKE
W. M. GOLD
P. D. GOLLNICK
L. H. HAMILTON
G. G. HADDAD
E. P. HILL
M. P. HLASTALA
J. C. HOGG
J. O. HOLLOSZY
S. K. HONG
F. G. HOPPIN, JR.
J. M. HOROWITZ
R. W. HYDE
R. H. INGRAM, JR.
J. M. JOHNSON
D. E. LEITH
W. J. LONGMORE
M. LOPATA
P. LYNNE-DAVIES
D. MASSARO
I. F. MCMURTRY
H. A. MENKES
W. MITZNER
L. G. MYHRE
E. R. NADEL
E. E. NATTIE
K. REHDER
J. E. REMMERS
H. Y. REYNOLDS
H. A. SALTZMAN
J. T. SHARP
G. B. SPURR
N. L. STEPHENS
J. T. STITT
H. L. STONE
J. R. SUTTON
J. P. SZIDON
B. T. THACH
J. A. VOGEL
P. D. WAGNER
A. WANNER
S. A. WARD
T. A. WILSON
M. YOUNES
Statistical Consultant:
L. D. HOMER

***Publications Committee of the American Physiological* Society**
H. E. MORGAN, *Chairman*
E. E. WINDHAGER
L. E. FARHI

S. R. GEIGER
Publications Manager and Executive Editor

B. B. RAUNER
Production Manager

W. A. SONNENBERG
Business Manager

J. BLOOMER, R. FOUST, K. LATTERELL, G. O'BRIEN, J. PERRY
Copy Editors

Address all editorial and business correspondence to:
JOURNAL OF APPLIED PHYSIOLOGY
9650 Rockville Pike,
Bethesda, MD 20814

The *Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology* (ISSN-0161-7567) is published monthly (two volumes per year) by the American Physiological Society, 9650 Rockville Pike, Bethesda, MD 20814. *Subscription Price:* $150.00 per year postpaid, U.S.; $170.00, elsewhere.

Subscriptions from outside the United States are payable in U. S. currency or full equivalent. Subscriptions are accepted on a calendar-year basis only. *Single Copies; Back Issues:* When available, $20.00 each post paid. Second-class postage paid at Bethesda, MD and at additional mailing offices. POSTMASTER: send address changes to the American Physiological Society, 9650 Rockville Pike, Bethesda, MD 20814.

Copyright © 1983 by the American Physiological Society. Printed in the United States of America. The code at the bottom of the first page of an article indicates the copyright owner's consent that copies of that article may be made beyond that permitted by sections 107 and 108 of the U. S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. 0161-7567/83 $1.50.

Change of Address: The Journal must be advised of a change of address at least 6 weeks prior to date of issue, with both the subscriber's old and new address given. Undelivered copies resulting from address change will not be replaced.

Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology

Author and Subject Index to
Volumes 40–53 (1976–1982)

The American Physiological Society
Bethesda, Maryland

Individual copies of cumulative indexes to journals published by the American Physiological Society may be purchased from the Subscription Office, American Physiological Society, 9650 Rockville Pike, Bethesda, Maryland 20814.

American Journal of Physiology, 1938–1951 (volumes 121–167). 325 pages.	$5.00
American Journal of Physiology, 1952–1975 (volumes 168–229). 490 pages.	$15.00
American Journal of Physiology, 1976–1982 (volumes 230–243).	$5.00
Journal of Applied Physiology, 1948–1975 (volumes 1–39). 260 pages.	$8.00
Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology, 1976–1982 (volumes 40–53). 182 pages.	$5.00
Journal of Neurophysiology, 1938–1977 (volumes 1–40). 173 pages.	$10.00
Physiological Reviews, 1936–1951 (volumes 16–31). 118 pages.	$5.00
Physiological Reviews, 1952–1966 (volumes 32–46). 207 pages.	$5.00
Physiological Reviews, 1967–1981 (volumes 47–61). 179 pages.	$5.00

Introduction

The Publications Committee of the American Physiological Society is pleased to continue the series of cumulative indexes to the journals published by the Society. This segment is for the *Journal of Applied Physiology* of 1976 and the *Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology* of 1977–1982. Although the title was modified in 1977, the volume numbers did not change (see following table).

The author indexes include all of the authors' names for a particular article, complete title, volume number, and initial page number of the article. Coauthors are listed alphabetically with a *see* reference to the first author. In the subject indexes main headings are printed in bold face and secondary headings in regular type. *See* and *see also* cross-references are included.

The author indexes were prepared from the table of contents. A computer program that sorted and merged entries was designed and run at Science Press. The subject indexes were prepared at Waverly Press from the indexes that are printed in the last issue of each volume. B. B. Rauner coordinated the project. The indexes are being distributed to all regular subscribers to the Journal.

Publications Committee

H. E. Morgan, *Chairman*
L. E. Farhi
E. E. Windhager

Volume–Year Guide

Volumes	*Years*
40, 41	1976
42, 43	1977
44, 45	1978
46, 47	1979
48, 49	1980
50, 51	1981
52, 53	1982

Author Index to Volumes 40-53

A

Abbott, R. A. *see* Robertson, R. J.

Abboud, F. M.
see Eckberg, D. L.
Marcus, M. L.

Abdul-Rasool, I. H., Chamberlain, J. H., Swan, P. C., and Mitchell, F. T. Measurement of respiratory gas exchange during artificial respiration. 51:1451

Abe, M., and Tierney, D. F. Lung lipid metabolism after 7 days of hydrocortisone administration to adult rats. 42:202

Abel, F. L. Comparative evaluation of pressure and time factors in estimating left ventricular performance. 40:196

Abendschein, D. R., Fewell, J. E., Carlson, C. J., and Rapaport, E. Myocardial blood flow during acute isovolumic anemia and treadmill exercise in dogs. 53:203

Abildgaard, C. F. *see* Davis, G. L.

Abraham, B. *see* Weissman, C.

Abraham, W. M., Januszkiewicz, A. J., Mingle, M., Welker, M., Wanner, A, and Sackner, M. A. Sensitivity of broncoprovocation and tracheal mucous velocity in detecting airway responses to O_3. 48:789

Abraham, W. M., Oliver, W., Jr., Welker, M. J., King, M. M., Wanner, A., and Sackner, M. A. Differences in airway reactivity in normal and allergic sheep after exposure to sulfur dioxide. 51:1651

Abraham, W. M., and Terjung, R. L. Increased δ-aminolevulinic acid synthetase activity in rat ventricle after acute exercise. 44:507

Abraham, W. M., Watson, H., Schneider, A., King, M., Yerger, L., and Sackner, M. A. Noninvasive ventilatory monitoring by respiratory inductive plethysmography in conscious sheep. 51:1657

Abraham, W. M.
see Dudley, G. A.
Küng, M.
Maurer, D. R.

Abrams, R. M., Clapp, J. F., Notelovitz, M., Tyler, T., and Cassin, S. Heat production of fetal sheep brain in utero. 43:747

Abrams, R. M., Royston, J. P., Humphrey, S. J. E., and Wolff, H. S. Thermal features of the female axilla. 49:1042

Abroms, I. F.
see Frantz, I. D., III
Thach, B. T.

Abu-Osba, Y. K.
see Mathew, O. P.
Wilson, S. L.

Acheson, K. J. *see* Pahud, P.

Adair, E. R. Autonomic thermoregulation in squirrel monkey when behavioral regulation is limited. 40:694

Adair, E. R. Skin, preoptic, and core temperatures influence behavioral thermoregulation. 42:559

Adair, E. R., and Adams, B. W. Adjustments in metabolic heat production by squirrel monkeys exposed to microwaves. 52:1049

Adair, E. R. *see* Lynch, W. C.

Adair, T. H. *see* Moffatt, D. S.

Adams, B. W.
see Adair, E. R.
Lynch, W. C.

Adams, E. M. *see* Walker, B. R.

Adams, G. K., Aharonson, E. F., Reasor, M. J., and Proctor, D. F. Collection of normal canine tracheobronchial secretions. 40:247

Adams, G. K., III
see Man, S. F. P.
Reasor, M. J.

Adams, G. M. *see* Wilson, J. M.

Adams, J. M., and Severns, M. L. Interaction of chemoreceptor effects and its dependence on the intensity of stimuli. 52:602

Adams, R. P., Dieleman, L. A., and Cain, S. M. A critical value for O_2 transport in the rat. 53:660

Adams, R. P., and Welch, H. G. Oxygen uptake, acid-base status, and performance with varied inspired oxygen fractions. 49:863

Adams, T. D. *see* Yeh, M. P.

Adams, W. C., Savin, W. M., and Christo, A. E. Detection of ozone toxicity during continuous exercise via the effective dose concept. 51:415

Adams, W. C.
see DeLucia, A. J.
Greenleaf, J. E.
Savin, W. M.

Adamson, T. M. *see* Bowes, G.

Adaro, F. *see* Worth, H.

Adcock, D. K. *see* Drake, R. E.

Adkinson, N. F., Jr. *see* Schulman, E. S.

Adlecreutz, H. *see* Kosunen, K. J.

Adler, J. H. *see* Horowitz, M.

Adler, S. M., Thach, B. T., and Frantz, I. D., III. Maturational changes of effective elastance on the first 10 days of life. 40:539

Adler, S. M.
see Frantz, I. D., III
Thach, B. T.

Adomian, G. E. *see* Blaufuss, A.

Agnoli, A. *see* Benzi, G.

Agostoni, E. *see* Citterio, G.

Aguggini, G. *see* Saibene, F.

Aharon, M. *see* Chayoth, R.

Aharonson, E. F. *see* Adams, G. K.

Ahlborg, G., and Felig, P. Influence of glucose ingestion on fuel-hormone response during prolonged exercise. 41:683

Ahluwalia, J. M. Abolition of a viscerosomatic reflex during oxygen deprivation. 46:1143

Ahmed, T., Eyre, P., Januszkiewicz, A. J., and Wanner, A. Role of H_1- and H_2-receptors in airway reactions to histamine in conscious sheep. 49:826

Ahmed, T., Januszkiewicz, A., Eyre, P., Robinson, M. J., and Sackner, M. A. Acute pulmonary hemodynamic effects of intravenous copper sulfate: role of α-adrenergic system. 51:1204

Ahmed, T., Mirbahar, K. B., Oliver, W., Jr., Eyre, P., and Wanner, A. Characterization of H_1- and H_2-receptor function in pulmonary and systemic circulations of sheep. 53:175

Aida, S. *see* Shimoji, K.

Aihara, K. *see* Kikuchi, Y.

Akeson, W. H. *see* Garfin, S. R.

Akiyama, S., Oshima, T., Saito, Y., and Matsuda, K. New device for automatic recording and processing AV transmission intervals of the heart. 41:784

Al-Awqati, Q. *see* Al-Bazzaz, F. J.

Al-Bazzaz, F. J., and Al-Awqati, Q. Interaction between sodium and chloride transport in canine tracheal mucosa. 46:111

Al-Bazzaz, F. J., and Cheng, E. Effect of catecholamines on ion transport in dog tracheal epithelium. 47:397

Al-Bazzaz, F. J. *see* Westenfelder, C.

Albersheim, S., Boychuk, R., Seshia, M. M. K., Cates, D., and Rigatto, H. Effects of CO_2 on immediate ventilatory response to O_2 in preterm infants. 41:609

Albert, R. E.
see Bohning, D. E.
Foster, W. M.
Yeates, D. B.

Albert, R. K., Lakshminarayan, S., Huang, T. W., and Butler, J. Fluid leaks from extra-alveolar vessels in living dog lungs. 44:759

Albert, R. K., Lakshminarayan, S., Kirk, W., and Butler, J. Lung inflation can cause pulmonary edema in zone I of in situ dog lungs. 49:815

Alberti, K. G. M. M.
see Hanson, R. de G.
Twentyman, O. P.

Albery, W. J., Brooks, W. N., Gibson, S. P., and Hahn, C. E. W. An electrode for P_{N_2O} and PO_2 analysis in blood and gas. 45:637

Albo, D. *see* Brantigan, J. W.

Albright, J. P. *see* Martin, R. K.

Alderman, B. *see* Leff, A. R.

Alexander, A. F.
see Tucker, A.
Weir, E. K.

Alexander, J. *see* Gillespie, J. R.

Alexander, J. K. *see* Grover, R. F.

Alexander, J. M., Nyby, M. D., and Jasberg, K. A. Effect of angiotensin on hypoxic pulmonary vasoconstriction in isolated dog lung. 41:84

Alexander, J. M., Nyby, M. D., and Jasberg, K. A. Prostaglandin synthesis inhibition restores hypoxic pulmonary vasoconstriction. 42:903

Ali, J. *see* Breen, P. H.

Alkon, P. U. *see* Degen, A. A.

Allegra, C. *see* Cowley, J. R. M.

Allen, C. *see* O'Hara, W. J.

Allen, G. *see* O'Hara, W. J.

Allen, W. W., Power, G. G., and Longo, L. D. Fetal O_2 changes in response to hypoxic stress: a mathematical model. 42:179

Allison, R. C., Murphy, T. L., Weisman, I. M., McCaffree, D. R., and Gray, B. A. Effect of methysergide on the acute lung mechanics response to endotoxin. 50:185

Allison, R. C.
see Murphy, T. L.
Parker, J. C.

Allison, T. G. *see* Robertson, R. J.

Allsop, J. R., Wolfe, R. R., and Burke, J. F. Tracer priming the bicarbonate pool. 45:137

Almirall, J. *see* Grassino, A. E.

Alpas, A. P. *see* Simmons, D. H.

Alric, R., Quatrefages, R., and Comallonga, J. An electrocapillary flowmeter usable as a quantitative sweat detector. 49:342

Alroy, G. *see* Gavriely, N.

Al-Samkari, O. *see* Sawka, M. N.

Al-Shway, S. F., and Mortola, J. P. Respiratory effects of airflow through the upper airways in newborn kittens and puppies. 53:805
Alter, I. *see* Stinger, R. B.
Altland, P. D., and Rattner, B. A. Age and altitude tolerance in rats: temperature, plasma enzymes, and corticosterone. 50:367
Altland, P. D. *see* Rattner, B. A.
Altman, D. G. *see* Jordan, C.
Altose, M. D., Kelsen, S. G., Stanley, N. N., Cherniack, N. S., and Fishman, A. P. Effects of hypercapnia and flow-resistive loading on tracheal pressure during airway occlusion. 40:345
Altose, M. D., Kelsen, S. G., Stanley, N. N., Levinson, R. S., Cherniack, N. S., and Fishman, A. P. Effects of hypercapnia on mouth pressure during airway occlusion in conscious man. 40:338
Altose, M. D.
see DiMarco, A. F.
Gliner, J. A.
Gothe, B.
Kelsen, S. G.
Patrick, G. B.
Tack, M.
Wolkove, N.
Altura, B. M. *see* Chand, N.
Alvestrand, A. *see* Sahlin, K.
Amar, J. *see* Whitelaw, W. A.
Amery, A.
see Fagard, R.
Lijnen, P.
Reybrouck, T.
Aminoff, D. *see* Rotman, H.
Amis, T. C., Jones, H. A., and Hughes, J. M. B. A conscious dog model for study of regional lung function. 53:1050
Ammann, A. *see* Bachofen, H.
Amundsen, L. R. *see* Carter, C. L.
Amyot, R. *see* Sergysels, R.
Anand, S. *see* Guha, S. K.
Anch, A. M., Remmers, J. E., and Bunce H., III. Supraglottic airway resistance in normal subjects and patients with occlusive sleep apnea. 53:1158
Anch, A. M. *see* Remmers, J. E.
Anderson, D. F. *see* Stock, M. K.
Anderson, J. V., Jr., Martin, R. J., Lough, M. D., and Martinez, A. An improved nasal mask pneumotachometer for measuring ventilation in neonates. 53:1307
Anderson, L. C. *see* Stock, M. K.
Anderson, M. *see* Richardson, P.
Anderson, R. W. *see* Hammon, J. W., Jr.
Andoh, Y. *see* Kobayashi, Y.
Andres, R. *see* McGuire, E. A. H.
Andrew, G. *see* Paterson, D. H.
Andrews, J. D. *see* Nery, L. E.
Andrews, W. *see* Knill, R.
Andrey, S. M. *see* Bowes, G.
Angoff, G. *see* Hubbard, R. W.
Anholm, J. D., Foster, C., Carpenter, J., Pollock, M. L., Hellman, C. K., and Schmidt, D. H. Effect of habitual exercise on left ventricular response to exercise. 52:1648
Anholt, E. C. *see* Wang, L. C. H.
Ankin, M. G. *see* Fish, J. E.
Annis, J. F. *see* Convertino, V. A.
Ansari, A. N. *see* Susskind, H.
Antezana, G.
see Capderou, A.
Lockhart, A.
Anthonisen, N. R.
see Bradley, C. A.
Ford, G. T.
Forkert, L.
Gillett, D.
Prefaut, C.
Savoy, J.
Zidulka, A.
Anthony, A. *see* Stere, A. J.
Antonissen, L. A., Mitchell, R. W., Kroeger, E. A., Kepron, W., Tse, K. S., and Stephens, N. L. Mechanical alterations of airway smooth muscle in a canine asthmatic model. 46:681
Anton-Kuchly, B. *see* Vaida, P.
Apple, J. S. *see* Young, S. L.
Aqleh, K. A.
see Bellville, J. W.
Swanson, G. D.
Ward, S. A.
Ar, A.
see Arieli, R.
Ohta, Y.
Tazawa, H.
Arad, I. *see* Taussig, L. M.
Araki, T., Matsushita, K., Umeno, K., Tsujino, A., and Toda, Y. Effect of physical training on exercise-induced sweating in women. 51:1526
Arancibia, A. B. *see* Swanson, G. D.
Arborelius, M., Jr. *see* Christensson, P.
Ardila, R. *see* Nagao, K.
Arena, L. *see* Swanson, G. D.
Arens, J. *see* Polacheck, J.
Areson, J. G. *see* Bartlett, D., Jr.
Arhan, P., Faverdin, C., Persoz, B., Devroede, G., Dubois, F., Dornic, C., and Pellerin, D. Relationship between viscoelastic properties of the rectum and anal pressure in man. 41:677
Arieli, R., and Ar, A. Ventilation of a fossorial mammal *(Spalax ehrenbergi)* in hypoxic and hypercapnic conditions. 47:1011
Arieli, R., Olszowka, A. J., and Van Liew, H. D. Postinspiratory mixing in the lung and cardiogenic oscillations. 51:922
Arieli, R., and Van Liew, H. D. Corrections for the response time and delay of mass spectrometers. 51:1417
Arieli, R. *see* Van Liew, H. D.
Armstrong, J. D., Jr. *see* Farney, R. J.
Armstrong, R. B., Marum, P., Saubert, C. W., IV, Seeherman, H. J., and Taylor, C. R. Muscle fiber activity as a function of speed and gait. 43:672
Armstrong, R. B., Marum, P., Tullson, P., and Saubert, C. W., IV. Acute hypertrophic response of skeletal muscle to removal of synergists. 46:835
Armstrong, R. B., and Peterson, D. F. Patterns of glycogen loss in muscle fibers: response to arterial occlusion during exercise. 51:552
Armstrong, R. B.
see Laughlin, M. H.
Sullivan, T. E.
Arnon, H. *see* Degen, A. A.
Arnup, M.-E. *see* Savoy, J.
Aronsson, H., Solymar, L., Dempsey, J., Bjure, J., Olsson, T., and Bake, B. A modified forced oscillation technique for measurements of respiratory resistance. 42:650
Arora, N. S., and Gal, T. J. Cough dynamics during progressive expiratory muscle weakness in healthy curarized subjects. 51:494
Arora, N. S., and Rochester, D. F. Effect of body weight and muscularity on human diaphragm muscle mass, thickness, and area. 52:64
Arora, N. S.
see Braun, N. M. T.
Gal, T. J.
Ruth, R. A.
Arrigoni, E. *see* Benzi, G.
Arzbaecher, R. *see* Teague, S.
Asanuma, Y. *see* Kawakami, Y.
Asher, M. I., Coates, A. L., Collinge, J. M., and Milic-Emili, J. Measurement of pleural pressure in neonates. 52:491
Asimakis, G. K.
see Dowell, R. T.
Sordahl, L. A.
Askanazi, J., Milic-Emili, J., Broell, J. R., Hyman, A. I., and Kinney, J. M. Influence of exercise and CO_2 on breathing pattern of normal man. 47:192
Askanazi, J., Silverberg, P. A., Foster, R. J., Hyman, A. I., Milic-Emili, J., and Kinney, J. M. Effects of respiratory apparatus on breathing pattern. 48:577
Askanazi, J. *see* Weissman, C.
Astrand, P.-O. *see* Ekblom, B.
Atkins, H. L. *see* Susskind, H.
Atkins, J. M., and Horwitz, L. D. Cardiac autonomic blockade in exercising dogs. 42:878
Atkins, M. *see* Unger, M.
Atkins, N. *see* Sackner, M. A.
Atkinson, B. *see* Magno, M.
Atlan, G.
see Harf, A.
Lorino, H.
Proulx, P. A.
Attah, M. Y., and Besch, E. L. Estrous cycle variations of food and water intake in rats in the heat. 42:874
Aubier, M., Farkas, G., De Troyer, A., Mozes, R., and Roussos, C. Detection of diaphragmatic fatigue in man by phrenic stimulation. 50:538
Aubier, M., Trippenbach, T., and Roussos, C. Respiratory muscle fatigue during cardiogenic shock. 51:499
Aubier, M. *see* Moxham, J.
Auchincloss, J. H., Gilbert, R., Kuppinger, M., and Peppi, D. Mixed venous CO_2 tension during exercise. 48:933
Auchincloss, J. H., Jr., Gilbert, R., Kuppinger, M., Peppi, D., and Teperow-Putter, K. One- and three-minute exercise response in coronary artery disease. 46:1132
Auchincloss, J. H., Jr. *see* Gilbert, R.
Auerbach, S. *see* Woodson, R. D.
Aulick, L. H., Robinson, S., and Tzankoff, S. P. Arm and leg intravascular temperatures of men during submaximal exercise. 51:1092
Avellini, B. *see* Kamon, E.
Avellini, B. A., Kamon, E., and Krajewski, J. T. Physiological responses of physically fit men and women to acclimation to humid heat. 49:254
Avellini, B. A., Shapiro, Y., Fortney, S. M., Wenger, C. B., and Pandolf, K. B. Effects on heat tolerance of physical training in water and on land. 53:1291
Avellini, B. A. *see* Shapiro, Y.
Averill, D. B. *see* Ferrario, C. M.
Avery, P. *see* Brackenbury, J. H.
Awazu, S. *see* Yokota, M.
Axen, K. Ventilatory responses to mechanical loads in cervical cord-injured humans. 52:748
Axen, K., and Bergofsky, E. H. Thoracic reflexes stabilizing loaded ventilation in normal and cord-injured man. 43:339
Axen, K., and Haas, S. S. Range of first-breath ventilatory responses to added mechanical loads in naive men. 46:743
Axen, K., and Haas, S. S. Effect of thoracic deafferentation on load-compensating mechanisms in humans. 52:757
Axen, K. *see* Haas, F.
Ayash, R. *see* Sybert, A.
Azus, J. L. *see* Caiozzo, V. J.

B

Bachofen, H., Ammann, A., Wangensteen, D., and Weibel, E. R. Perfusion fixation of lungs for structure-function analysis: credits and limitations. 53:528
Bachofen, H., Gehr, P., and Weibel, E. R. Alterations of mechanical properties and morphology in excised rabbit lungs rinsed with a detergent. 47:1002

Bachofen, H., Wangensteen, D., and Weibel, E. R. Surfaces and volumes of alveolar tissue under zone II and zone III conditions. 53:879
Bachofen, H.
see Gil, J.
Wangensteen, D.
Weibel, E. R.
Wilson, T. A.
Bachrach, A. J. *see* Spencer, J.
Back, L. H., Crawford, D. W., and Barndt, R., Jr. Flow field and mass transport analysis in arteries with longitudinal ridges. 41:910
Baden, J. M., Doré, C. J., Green, C. J., Monk, S., Halsey, M. J., and Wardley-Smith, B. Reduction in fertility of male mice after exposure to high environmental pressure. 53:1207
Bagby, G. J., Green, H. J., Katsuta, S., and Gollnick, P. D. Glycogen depletion in exercising rats infused with glucose, lactate, or pyruvate. 45:425
Balnson, H. T. *see* Robertson, R. J.
Baier, H., Wanner, A., Zarzecki, S., and Sackner, M. A. Relationships among glottis opening, respiratory flow, and upper airway resistance in humans. 43:603
Baile, E. *see* Todd, T. R. J.
Baile, E. M., Nelems, J. M. B., Schulzer, M., and Paré, P. D. Measurement of regional bronchial arterial blood flow and bronchovascular resistance in dogs. 53:1044
Baile, E. M., Paré, P. D., Brooks, L. A., and Hogg, J. C. Relationship between regional lung volume and regional pulmonary vascular resistance. 52:914
Baile, E. M., Paré, P. D., Dahlby, R. W., and Hogg, J. C. Regional distribution of extravascular water and hematocrit in the lung. 46:937
Baile, E. M. *see* Paré, P. D.
Bailey, C. P., Green, C. J., Halsey, M. J., and Wardley-Smith, B. High pressure and intravenous steroid anesthesia in rats. 43:183
Bailey, J. C. *see* Lathrop, D. A.
Bailey, J. S. *see* Geddes, D. M.
Bailly, Y. *see* Dunel-Erb, S.
Bainton, C. R. Canine ventilation after acid-base infusions, exercise, and carotid body denervation. 44:28
Bake, B.
see Aronsson, H.
Holtz, B.
Baker, D. G.
see Coleridge, J. C. G.
Kaufman, M. P.
Lin, Y. C.
Roberts, A. M.
Baker, J. *see* Younes, M. K.
Baker, J. P., Jr., and Remmers, J. E. Characteristics of sustained graded inspiratory inhibition by phasic lung volume changes. 48:302
Baker, J. P., Jr., Remmers, J. E., and Younes, M. K. Graded inspiratory inhibition: specific effects of flow rate. 46:669
Baker, M. A., Hawkins, M. J., and Rader, R. D. Thermoregulatory influences on common carotid blood flow in the dog. 52:1138
Baker, M. A. *see* Doris, P. A.
Bakker, H. K., Struikenkamp, R. S., and De Vries, G. A. Dynamics of ventilation, heart rate, and gas exchange: sinusoidal and impulse work loads in man. 48:289
Balasse, E. O., Fery, F., and Neef, M.-A. Changes induced by exercise in rates of turnover and oxidation of ketone bodies in fasting man. 44:5
Balasubramanian, V.
see Hoon, R. S.
Sharma, S. C.
Baldoni, F. *see* Tallarida, G.
Baldwin, K. M., Campbell, P. J., and Cooke, D. A. Glycogen, lactate, and alanine changes in muscle fiber types during graded exercise. 43:288
Baldwin, K. M., Cheadle, W. G., Martinez, O. M., and Cooke, D. A. Effect of functional overload on enzyme levels in different types of skeletal muscle. 42:312
Baldwin, K. M., Cooke, D. A., and Cheadle, W. G. Time course adaptations in cardiac and skeletal muscle to different running programs. 42:267
Baldwin, K. M., Ernst, S. B., Herrick, R. E., Hooker, A. M., and Mullin, W. J. Exercise capacity and cardiac function in trained and untrained thyroid-deficient rats. 49:1022
Baldwin, K. M., Ernst, S. B., Mullin, W. J., Schrader, L. F., and Herrick, R. E. Exercise capacity and cardiac function of rats with drug-induced cardiac enlargement. 52:591
Baldwin, K. M., Hooker, A. M., Herrick, R. E., and Schrader, L. F. Respiratory capacity and glycogen depletion in thyroid-deficient muscle. 49:102
Baldwin, K. M., Valdez, V., Herrick, R. E., MacIntosh, A. M., and Roy, R. R. Biochemical properties of overloaded fast-twitch skeletal muscle. 52:467
Baldwin, K. M., Valdez, V., Schrader, L. F., and Herrick, R. E. Effect of functional overload on substrate oxidation capacity of skeletal muscle. 50:1272
Baldwin, K. M.
see Barnard, R. J.
Ernst, S. B.
Gleeson, T. T.
Roy, R. R.
Tibbits, G.
Bales, T. E. *see* Waugh, W. H.
Balkenhol, S. *see* Leitch, A. G.
Ballam, G. O., Clanton, T. L., and Kunz, A. L. Ventilatory phase duration in the chicken: role of mechanical and CO_2 feedback. 53:1378
Ballam, G. O. *see* Clanton, T. L.
Ballard, P. L. *see* Kitterman, J. A.
Balmer, R. T., and Strobusch, A. D. Critical size of newborn homeotherms. 42:571
Balon, T. W. *see* Shepherd, R. E.
Bamford, O. S., and Maloiy, G. M. O. Energy metabolism and heart rate during treadmill exercise in the Marabou stork. 49:491
Bamford, O. S. *see* Maskrey, M.
Bancalari, E. *see* Gerhardt, T.
Banchero, N. *see* Lechner, A. J.
Band, D. M., McClelland, M., Phillips, D. L., Saunders, K. B., and Wolff, C. B. Sensitivity of the carotid body to within-breath changes in arterial PCO_2. 45:768
Banderet, L. E. *see* Horstman, D. H.
Banet, M. *see* Hensel, H.
Banzett, R., Strohl, K., Geffroy, B., and Mead, J. Effect of transrespiratory pressure on $P_{ET}{}_{CO_2} - Pa_{CO_2}$ and ventilatory reflexes in humans. 51:660
Banzett, R. B., Inbar, G. F., Brown, R., Goldman, M., Rossier, A., and Mead, J. Diaphragm electrical activity during negative lower torso pressure in quadriplegic men. 51:654
Banzett, R. B., and Lehr, J. L. Gas exchange during high-frequency ventilation of the chicken. 53:1418
Banzett, R. B. *see* Strohl, K. P.
Barabé, B. *see* LeBlanc, J.
Barac-Nieto, M., Spurr, G. B., Maksud, M. G., and Lotero, H. Aerobic work capacity in chronically undernourished adult males. 44:209
Barajas, L. *see* Jobe, A.
Baran, D. *see* De Troyer, A.
Barclay, J. K., Boulianne, C. M., Wilson, B. A., and Tiffin, S. J. Interaction of hyperoxia and blood flow during fatigue of canine skeletal muscle in situ. 47: 1018
Barclay, J. K. *see* Stainsby, W. N.
Bard, H., Fouron, J.-C., Robillard, J. E., Cornet, A., and Soukini, M. A. Red cell oxygen affinity in fetal sheep: role of 2,3-DPG and adult hemoglobin. 45:7
Barie, P. S., Hakim, T. S., and Malik, A. B. Effect of pulmonary artery occlusion and reperfusion on extravascular fluid accumulation. 50:102
Barie, P. S., and Malik, A. B. Effect of pulmonary arterial occlusion on lung fluid and protein exchange. 53:543
Barie, P. S.
see Hakim, T. S.
Minnear, F. L.
Barlett, H. L. *see* Deno, N. S.
Barnard, E. E. P. *see* Weathersby, P. K.
Barnard, J. *see* Silverman, F.
Barnard, R. J., Duncan, H. W., Baldwin, K. M., Grimditch, G., and Buckberg, G. D. Effects of intensive exercise training on myocardial performance and coronary blood flow. 49:444
Barnard, R. J., Duncan, H. W., Livesay, J. J., and Buckberg, G. D. Coronary vasodilator reserve and flow distribution during near-maximal exercise in dogs. 43:988
Barnard, R. J.
see Corre, K. A.
Grimditch, G. K.
Tibbits, G.
Barndt, R., Jr. *see* Back, L. H.
Barnes, C. C. *see* Branch, C. E.
Barnes, C. D. *see* Hughes, M. J.
Barnes, C. W. *see* Elliott, S. E.
Barnes, P. J., Gribbin, H. R., Osmanliev, D., and Pride, N. B. Partial flow-volume curves to measure bronchodilator dose-response curves in normal humans. 50:1193
Barnes, W. S. *see* Girandola, R. N.
Barnett, D. *see* Nisam, M. R.
Barney, C. C., and Elizondo, R. S. Effect of ambient temperature on development of prostaglandin E_1 hyperthermia in the rhesus monkey. 44:751
Barney, C. C., and Elizondo, R. S. Prostaglandins and temperature regulation in the rhesus monkey. 50:1248
Barney, C. C., Katovich, M. J., Fregly, M. J., and Tyler, P. E. Changes in β-adrenergic responsiveness of rats during chronic cold exposure. 49:923
Barney, C. C.
see Scammell, J. G.
Smiles, K. A.
Barney, J. A. *see* Ebert, T. J.
Barnikol, W. K. R. *see* Burkhard, O.
Bar-Or, O., Dotan, R., Inbar, O., Rotshtein, A., and Zonder, H. Voluntary hypohydration in 10- to 12-year-old boys. 48:104
Bar-Or, O. *see* Inbar, O.
Barr, C. F. *see* Ferguson, E. W.
Barr, H. A. *see* Nicholas, T. E.
Barrow, R. E. Nonbreathing valve system for small animal respiratory measurements. 40:108
Barrow, R. E., and Shult, M. D. Atraumatic measuring of pulmonary capillary blood flow in dogs. 42:980
Barrow, R. E. *see* Hills, B. A.
Barry, B. E. *see* Hayatdavoudi, G.
Bar-Sagie, D., Mayevsky, A., and Bartoov, B. Effects of hyperbaric oxygenation on spermatozoan motility driven by mitochondrial respiration. 50:531
Barthelemy, L. *see* Belaud, A.
Bartlett, D., Jr. Effects of Valsalva and Mueller maneuvers on breath-holding time. 42:717

Bartlett, D., Jr., and Areson, J. G. Quantitative lung morphology in Japanese waltzing mice. 44:446
Bartlett, D., Jr.
see Boggs, D. F.
England, S. J.
Remmers, J. E.
St. John, W. M.
Bartlett, S. *see* Russell, J. A.
Bartoletti, A. L. *see* Ostrander, C. R.
Bartoov, B. *see* Bar-Sagie, D.
Bärtsch, P., Schmidt, E. K., and Straub, P. W. Fibrinopeptide A after strenuous physical exercise at high altitude. 53:40
Bar-Yishay, E. *see* Hyatt, R. E.
Basset, G., Martet, G., Bouchonnet, F., Marsac, J., Sutton, J., Botter, F., and Capitini, R. Simultaneous detection of deuterium oxide and indocyanine green in flowing blood. 50:1367
Bassett, D. J. P., and Fisher, A. B. Glucose metabolism in rat lung during exposure to hyperbaric O_2. 46:943
Bassingthwaighte, J. B. *see* Davies, D. R.
Bastanier, C. K. *see* Wessel, H. U.
Bastenier, J. *see* De Troyer, A.
Bastenier-Geens, J. *see* De Troyer, A.
Bastian, B. C. *see* Schutte, J. E.
Bastow, H., III *see* Eckberg, D. L.
Batra, G., Traystman, R., Rudnick, H., and Menkes, H. Effects of body position and cholinergic blockade on mechanics of collateral ventilation. 50:358
Batra, G.
see Cohen, A. B.
Emery, D. L.
Goldberg, H. S.
Batra, G. K. *see* Traystman, R. J.
Battaglia, F. C. *see* Jones, M. D., Jr.
Battarbee, H. D., Farrar, G. E., and Braley, J. K. Extraction and radioimmunoassay of urinary aldosterone in the rat. 42:643
Bau, S. K. *see* Wood, L. D. H.
Bauer, C. *see* Petschow, D.
Bauer, J. H. Oral administration of radioactive sulfate to measure extracellular fluid space in man. 40:648
Baum, E., Brück, K., and Schwennicke, H. P. Adaptive modifications in the thermoregulatory system of long-distance runners. 40:404
Baumann, R., Padeken, S., and Haller, E.-A. Functional properties of embryonic chicken hemoglobins. 53:1439
Baumann, R. *see* Petschow, D.
Baumgardner, F. W. *see* Besch, E. L.
Baun, W. B., Jackson, A., Patton, R. W., and Raven, P. B. Comparison of heart rate measurement protocols used during autonomic function tests. 51:516
Bayne, L. L. *see* Simon, R. P.
Baz, A. *see* Tepper, R. S.
Beardsmore, C. S., Helms, P., Stocks, J., Hatch, D. J., and Silverman, M. Improved esophageal balloon technique for use in infants. 49:735
Beardsmore, C. S., Stocks, J., and Silverman, M. Problems in measurement of *thoracic gas volume in infancy. 52:995*
Beardsmore, C. S. *see* Helms, P.
Beattie, M. *see* Gisolfi, C. V.
Beaver, R. W., Brauer, R. W., and Fuquay, J. Changes in heart rate associated with high-pressure convulsions in rodents. 47:834
Beaver, R. W., Brauer, R. W., and Lahser, S. Interaction of central nervous system effects of high pressures with barbiturates. 43:221
Beaver, R. W. *see* Brauer, R. W.
Beaver, W. L., Lamarra, N., and Wasserman, K. Breath-by breath measurement *of true alveolar gas exchange. 51:1662*
Beaver, W. L. *see* Casaburi, R.
Beck, G. J. *see* Bouhuys, A.
Beck, G. R., Rabinovitch, P., and Brown, A. C. Acceleration forces at eye level experienced with rotation on the horizontal bar. 46:1119
Beck, K.
see Hildebrandt, J.
Modell, H. I.
Beck, K. C. *see* Lai-Fook, S. J.
Becker, L. *see* Muller, N.
Becker, R. *see* Robertson, R. J.
Beckett, R. C., and Gray, B. A. Effect of atelectasis and embolization on extravascular thermal volume of the lung. 53:1614
Beckett, S. D. *see* Branch, C. E.
Bedford, T. G., Tipton, C. M., Wilson, N. C., Oppliger, R. A., and Gisolfi, C. V. Maximum oxygen consumption of rats and its changes with various experimental procedures. 47:1278
Bedford, T. G. *see* Edwards, J. G.
Bedi, J. F.
see Drinkwater, B. L.
Folinsbee, L. J.
Wagner, J. A.
Bedrossian, C. W. M. *see* Miller, W. C.
Beecher, G. R. *see* Dohm, G. L.
Begin, R., Epstein, M., Sackner, M. A., Levinson, R., Dougherty, R., and Duncan, D. Effects of water immersion to the neck on pulmonary circulation and tissue volume in man. 40:293
Bégin, R., Rola-Pleszcynski, M., Sirois, P., Masse, S., Nadeau, D., and Bureau, M. A. Sequential analysis of the bronchoalveolar milieu in conscious sheep. 50:665
Begin, R.
see Bureau, M. A.
Wanner, A.
Beinfield, W. H., and Seifter, J. Spontaneous mechanical activities of dog trachealis muscle in vivo. 48:320
Beinfield, W. H., and Seifter, J. Contraction of dog trachealis muscle in vivo: role of α-adrenergic receptors. 48:329
Béland, J. *see* Richardson, J.
Belanger, A. Y., and McComas, A. J. Extent of motor unit activation during effort. 51:1131
Belanger, A. Y. *see* Sale, D.
Bélanger, J. *see* Cormier, Y.
Belaud, A., Barthelemy, L., and Peyraud, C. Temperature and *per se* hydrostatic pressure reversal of pentobarbital anesthesia in fish. 42:329
Belcastro, A. N., *Wenger, H., Nihei, T.,* Secord, D., and Bonen, A. Functional overload of rat fast-twitch skeletal muscle during development. 49:583
Belcastro, A. N.
see Bonen, A.
Tan, M. H.
Belenky, D. *see* Woodrum, D. E.
Belenky, D. A., *Standaert, T. A., and* Woodrum, D. E. Maturation of hypoxic ventilatory response of the newborn *lamb. 47:927*
Belenky, D. A. *see* Godal, A.
Bell, G. H. *see* Mengesha, Y. A.
Bellemare, F., and Grassino, A. Effect of pressure and timing of contraction on human diaphragm fatigue. 53:1190
Bellemare, F., and Grassino, A. Evaluation of human diaphragm fatigue. 53:1196
Beller, T. A. *see* Hasan, F. M.
Bellville, J. W., Whipp, B. J., Kaufman, *R. D., Swanson, G. D., Aqleh, K. A., and* Wiberg, D. M. Central and peripheral chemoreflex loop gain in normal and car*otid body-resected subjects. 46:843*
Bellville, J. W. *see* Swanson, G. D.
Belman, M. J. *see* Hary, D.
Bencowitz, H. Z., Wagner, P. D., and West, J. B. Effect of change in P_{50} on exercise tolerance at high altitude: a theoretical study. 53:1487
Benevenga, N. J. *see* Lemon, P. W. R.
Bennett, F. M., Reischl, P., Grodins, F. S., Yamashiro, S. M., and Fordyce, W. E. Dynamics of ventilatory response to exercise in humans. 51:194
Bennett, G. W. *see* Orr, G. W.
Bennett, P. B. *see* Parmentier, J. L.
Bennett, R. M. *see* Bondi, K. R.
Ben-Simchon, C. *see* Shapiro, Y.
Benson, M. K., and Graf, P. D. Bronchial reactivity: interaction between vagal stimulation and inhaled histamine. 43:643
Benumof, J. *see* Marshall, B. E.
Benumof, J. L. Mechanism of decreased blood flow to atelectatic lung. 46:1047
Benumof, J. L., Mathers, J. M., and Wahrenbrock, E. A. Cyclic hypoxic pulmonary vasoconstriction induced by concomitant carbon dioxide changes. 41: 466
Benumof, J. L., Pirlo, A. F., Johanson, I., and Trousdale, F. R. Interaction of $P\bar{v}_{O_2}$ with $P_{A_{O_2}}$ on hypoxic pulmonary vasoconstriction. 51:871
Benumof, J. L., and Wahrenbrock, E. A. Dependency of hypoxic pulmonary vasoconstriction on temperature. 42:56
Benumof, J. L.
see Pease, R. D.
Pirlo, A. F.
Scanlon, T. S.
Zasslow, M. A.
Benzi, G., Arrigoni, E., Dagani, F., Pastoris, O., Villa, R. F., and Agnoli, A. Cerebral energy state during or after hypoxia and complete or incomplete ischemia. 45:312
Beppu, M. *see* Homma, I.
Beran, A. V., Huxtable, R. F., Shigezawa, G. Y., and Yeung, H. N. In vivo evaluation of transcutaneous CO_2 partial pressure monitoring. 50:1220
Beran, A. V., Huxtable, R. F., and Sperling, D. R. Electrochemical sensor for continuous transcutaneous P_{CO_2} measurement. 41:442
Beran, A. V., Shigezawa, G. Y., Whiteside, D. A., Yeung, H. N., and Huxtable, R. F. In vitro evaluations of monopolar intravascular oxygen sensors. 44:969
Beran, A. V., *Shinto, R. A., Proctor, K. G.,* and Sperling, D. R. Effect of inhalate thermal conductivity and high O_2 in producing hypothermia. 47:228
Berberich, J. J. *see* Jaeger, J. J.
Berdine, G. G. *see* Slutsky, A. S.
Berend, N., Skoog, C., and Thurlbeck, W. M. Pressure-volume characteristics of excised human lungs: *effects of sex, age,* and emphysema. 49:558
Berend, N., Skoog, C., and Thurlbeck, W. *M. Collateral ventilation in excised* human lungs. 50:927
Berend, N., Skoog, C., and Thurlbeck, W. *M.* Single-breath nitrogen test in excised human lung. 51:1568
Berend, N., and Thurlbeck, W. M. Correlations of maximum expiratory flow with small airway dimensions and pathology. 52:346
Berend, N., and Thurlbeck, W. M. Exponential analysis of pressure-volume *relationship in excised human lungs.* 52:838
Berend, N. *see* Klassen, T.
Berger, A. J., and Cooney, K. A. Ventilatory effects of kainic acid injection of the ventrolateral solitary nucleus. 52:131
Berger, P. J., and Tallman, R. D., Jr. Lengthening of inspiration by intrapulmonary chemoreceptor discharge in ducks. 53:1392
Berger, R. J. *see* Haskell, E. H.

Berger, R. L. *see* Winslow, R. M.
Bergh, U., and Ekblom, B. Physical performance and peak aerobic power at different body temperatures. 46:885
Bergh, U., Kanstrup, I.-L., and Ekblom, B. Maximal oxygen uptake during exercise with various combinations of arm and leg work. 41:191
Bergin, M. B. *see* Nattie, E. E.
Berglund, L. G., and Gonzalez, R. R. Evaporation of sweat from sedentary man in humid environments. 42:767
Berglund, L. G. *see* Gonzalez, R. R.
Bergofsky, E. H.
see Axen, K.
Foster, W. M.
Muravchick, S.
Porcelli, R. J.
Smaldone, G. C.
Berlin, S. L. *see* Crapo, R. O.
Berlyne, G. M.
see Finberg, J. P. M.
Yagil, R.
Berman, H. *see* Fisher, A. B.
Berman, M. *see* McGuire, E. A. H.
Bernard, T. F. Aspects of on-line digital integration of pulmonary gas transfer. 43:375
Bernauer, E. M.
see Convertino, V. A.
Davis, G. L.
Dressendorfer, R. H.
Greenleaf, J. E.
Stremel, R. W.
Berne, R. M.
see Fenton, R. A.
Fishman, A. P.
Bernier, L. L. *see* Ferguson, E. W.
Bernink, M. J. E. *see* Huisveld, I. A.
Bernstein, M. H., Hudson, D. M., Stearns, J. M., and Hoyt, R. W. Measurement of evaporative water loss in small animals by dew-point hygrometry. 43:382
Berry, J. D. *see* Kosch, P. C.
Berry, L. J.
see Couch, R. E., Jr.
Moore, R. N.
Berry, M. A. *see* Tucker, C. E.
Bersohn, M. M. *see* Giusti, R.
Berssenbrugge, A. *see* Iber, C.
Berthelin, F. *see* Jammes, Y.
Berthiaume, Y. *see* Bureau, M. A.
Besch, E. L., Baumgardner, F. W., Burton, R. R., Gillingham, K. K., McPherson, R. F., and Leverett, S. D., Jr. Calibration of a new ear oximeter in humans during exposure to centrifugation. 44:483
Besch, E. L.
see Attah, M. Y.
Kadono, H.
Bessman, S. P. *see Towell, M. E.*
Betts, M. F. *see* Saunders, N. A.
Bezucha, G. R., Lenser, M. C., Hanson, P. G., and Nagle, F. J. Comparison of hemodynamic responses to static and dynamic exercise. 53:1589
Bhansali, P. V., Irvin, C. G., Dempsey, J. A., Bush, R., and Webster, J. G. Human pulmonary resistance: effect of frequency and gas physical properties. 47:161
Bhattacharya, A., Knapp, C. F., McCutcheon, E. P., and Edwards, R. G. Parameters for assessing vibration-induced cardiovascular responses in awake dogs. 42:682
Bhattacharya, A., Knapp, C. F., McCutcheon, E. P., and Evans, J. M. Cardiac responses of dogs to nonsynchronous and heart synchronous whole-body vibration. 46:549
Bhattacharya, A., Knapp, C. F., McCutcheon, E. P., and Evans, J. M. Modification of cardiac function by synchronized oscillating acceleration. 47:612
Bhattacharya, A., McCutcheon, E. P., Shvartz, E., and Greenleaf, J. E. Body acceleration distribution and O_2 uptake in humans during running and jumping. 49:881
Bhattacharya, A. *see* Shvartz, E.
Bhattacharya, J., Nakahara, K., and Staub, N. C. Effect of edema on pulmonary blood flow in the isolated perfused dog lung lobe. 48:444
Bhattacharya, J., Nanjo, S., and Staub, N. C. Micropuncture measurement of lung microvascular pressure during 5-HT infusion. 52:634
Bickler, P. E. Effects of temperature on acid-base balance and ventilation in desert iguanas. 51:452
Bickler, P. E. Intracellular pH in lizard *Dipsosaurus dorsalis* in relation to changing body temperatures. 53:1466
Bidani, A., and Crandall, E. D. Slow postcapillary changes in blood pH in vivo: titration with acetazolamide. 45:565
Bidani, A., and Crandall, E. D. Analysis of P_{CO_2} differences during rebreathing due to slow pH equilibration in blood. 45:666
Bidani, A., and Crandall, E. D. Slow postcapillary pH changes in blood in anesthetized animals. 45:674
Bidani, A., and Crandall, E. D. Analysis of the effects of hematocrit in pulmonary CO_2 transfer. 53:413
Bidani, A., Crandall, E. D., and Forster, R. E. Analysis of postcapillary pH changes in blood in vivo after gas exchange. 44:770
Bidani, A. *see* Crandall, E. D.
Biersteker, M. W. A. *see* Huisveld, I. A.
Bigland-Ritchie, B., Donovan, E. F., and Roussos, C. S. Conduction velocity and EMG power spectrum changes in fatigue of sustained maximal efforts. 51:1300
Bigler, A. H. *see* Clark, J. S.
Billiet, L.
see Demedts, M.
Fagard, R.
Lândsér, F. J.
Reybrouck, T.
Billing, J. E. *see* Wilmore, J. H.
Billman, G. E., Dickey, D. T., Sandler, H., and Stone, H. L. Effects of horizontal body casting on the baroreceptor reflex control of heart rate. 52:1552
Billman, G. E. *see* Ordway, G. A.
Binder, A. *see* Ohkuda, K.
Binder, A. S., Kageler, W., Perel, A., Flick, M. R., and Staub, N. C. Effect of platelet depletion on lung vascular permeability after microemboli in sheep. 48:414
Binder, A. S., *Nakahara, K., Ohkuda, K.,* Kageler, W., and Staub, N. C. Effect of heparin or fibrinogen depletion on lung fluid balance in sheep after emboli. 47:213
Bindslev, L. *see* Hedenstierna, G.
Binkhorst, R. A., Hoofd, L., and Vissers, A. C. A. Temperature and force-velocity relationship of human muscles. 42:471
Birch, S. J. *see* Sackner, M. A.
Birchard, G. F.
see Kilgore, D. L., Jr.
Snyder, G. K.
Birnfeld, H. *see* Shvartz, E.
Biron, R., and Dittmar, A. High-sensitivity device for continuous measurements of tissue O_2 uptake. 43:370
Bisgard, G. E., Forster, H. V., Byrnes, B., Stanek, K., Klein, J., and Manohar, M. Cerebrospinal fluid acid-base balance during muscular exercise. 45:94
Bisgard, G. E., Forster, H. V., and Klein, J. P. Recovery of peripheral chemoreceptor function after denervation in ponies. 49:964
Bisgard, G. E., Forster, H. V., Mesina, J., and Sarazin, R. G. Role of the carotid body in hyperpnea of moderate exercise in goats. 52:1216
Bisgard, G. E., Forster, H. V., Orr, J. A., Buss, D. D., Rawlings, C. A., and Rasmussen, B. Hypoventilation in ponies after carotid body denervation. 40:184
Bisgard, G. E.
see Forster, H. V.
Kaminski, R. P.
Klein, J. P.
Stanek, K. A.
Bishop, B., Hirsch, J., and Thursby, M. Volume, flow, and timing of each breath during positive-pressure breathing in man. 45:495
Bishop, B., Settle, S., and Hirsch, J. Single motor unit activity in the diaphragm of cat during pressure breathing. 50:348
Bishop, B.
see Hirsch, J. A.
Koehler, R. C.
Russell, J. A.
Bishop, P. *see* Green, H.
Bishop, R. *see* Nakamura, Y.
Bishop, V. S. *see* Peterson, D. F.
Bissonnette, J. M., Hohimer, A. R., and Richardson, B. S. Ventriculocisternal cerebrospinal fluid perfusion in unanesthetized fetal lambs. 50:880
Bissonnette, J. M., and Longo, L. D. Placental diffusing capacity for carbon monoxide (Letter to the Editor). 45:155
Biswas, H. M., Patra, P. B., and Boral, M. C. Body fluid and hematologic changes in the toad exposed to 48 h of simulated high altitude. 51:794
Bittel, J. *see* Henane, R.
Björntorp, P.
see Holm, G.
Wirth, A.
Bjure, J. *see* Aronsson, H.
Bjurstedt, H., Rosenhamer, G., Hesser, C. M., and Lindborg, B. Responses to continuous negative-pressure breathing in man at rest and during exercise. 48:977
Black, C. P. *see* Snyder, G. K.
Black, D. J. *see* Fregly, M. J.
Black, J. A. *see* Bristow, J. D.
Blackburn, J. P.
see Geddes, D. M.
Heneghan, C. P. H.
Pang, J. A.
Blackmon, J. R. *see* Rowell, L. B.
Blair, W. D., Gilliland, B. E., and Sauer, B. W. An intraluminal transducer/telemetry system for oviductal motility studies. 40:999
Blais, B. *see* LeBlanc, J.
Blais, M. *see Sue, D. Y.*
Bland, R. D., Hansen, T. N., Haberkern, C. M., Bressack, M. A., Hazinski, T. A., Raj, J. U., and Goldberg, R. B. Lung fluid balance in lambs before and after birth. 53:992
Bland, R. D., McMillan, D. D., Bressack, M. A., and Dong, L. Clearance of liquid from lungs of newborn rabbits. 49:171
Bland, R. D. *see* Haberkern, C. M.
Blank, D. L. *see* Walsh, L. F.
Blankena, H. J. *see Kiers, A.*
Blankenship, J. E. *see* Bryant, H. J.
Blatteis, C. M. Fever: exchange of shivering by nonshivering pyrogenesis in cold-acclimated guinea pigs. 40:29
Blatteis, C. M. Effect of propranolol on endotoxin-induced pyrogenesis in newborn and adult guinea pigs. 40:35
Blatteis, C. M. Comparison of endotoxin and leukocytic pyrogen pyrogenicity in newborn guinea pigs. 42:355
Blatteis, C. M., *and Lutherer, L. O.* Effect of altitude exposure on thermoregulatory response of man to cold. 41:848

Blatteis, C. M.
see Doherty, D. W., Jr.
Gilbert, T. M.
Blaufuss, A., Garner, D., Adomian, G. E., Criley, J. M., and Laks, M. M. Technique for serial right and left ventricular endocardial biopsy in dogs. 40:832
Bledsoe, S. W., Eng, D. Y., and Hornbein, T. F. Evidence of active regulation of cerebrospinal fluid-base balance. 51:369
Bleecker, E. R.
see Cotton, D. J.
Lee, L.-Y.
Blimkie, C. J. R., Cunningham, D. A., and Nichol, P. M. Gas transport capacity and echocardiographically determined cardiac size in children. 49:994
Bloch Thomsen, P. E. *see* Toftegaard Nielsen, T.
Block, E. R., and Fisher, A. B. Depression of serotonin clearance by rat lungs during oxygen exposure. 42:33
Block, E. R., and Fisher, A. B. Effect of hyperbaric oxygen exposure on pulmonary clearance of 5-hydroxytryptamine. 43:254
Block, E. R., and Stalcup, S. A. Depression of serotonin uptake by cultured endothelial cells exposed to high O_2 tension. 50:1212
Block, E. R. *see* Cloutier, M. M.
Blomqvist, C. G.
see Bonde-Petersen, F.
Cassidy, S. S.
Nixon, J. V.
Schutte, J. E.
Bloomfield, S. *see* Gisolfi, C. V.
Bloor, C. *see* Sanders, M.
Bloor, C. M.
see Foreman, D. L.
Hastings, A. B.
Sanders, T. M.
Bó, G., Hauge, A., and Nicolaysen, G. Alveolar pressure and lung volume as determinants of net transvascular fluid filtration. 42:476
Bobbaers, H., Clement, J., and Van de Woestijne, K. P. Dynamic viscoelastic properties of the canine trachea. 44:137
Boddy, K. *see* Womersley, J.
Bode, F. R., Dosman, J., Martin, R. R., Ghezzo, H., and Macklem, P. T. Age and sex differences in lung elasticity, and in closing capacity in nonsmokers. 41:129
Boelkins, J. N. *see* Boerboom, L. E.
Boer, P. *see* Leenen, F. H. H.
Boerboom, L. E., and Boelkins, J. N. Hemodynamics in awake rabbits during hyperbaric helium-oxygen exposure. 48:281
Bogaard, J. M.
see Jansen, J. R. C.
Schreuder, J. J.
Bogaert, M. *see* Fagard, R.
Boggs, D. F., and Bartlett, D., Jr. Chemical specificity of a laryngeal apneic reflex in puppies. 53:455
Boggs, D. F. *see* Kilgore, D. L., Jr.
Bohadana, A. B., Peslin, R., Hannhart, B., and Teculescu, D. Influence of panting frequency on plethysmographic measurements of thoracic gas volume. 52:739
Bohlen, H. G. *see* Proctor, K. G.
Bohn, D. J., Miyasaka, K., Marchak, B. E., Thompson, W. K., Froese, A. B., and Bryan, A. C. Ventilation by high-frequency oscillation. 48:710
Bohning, D. E., Albert, R. E., Lippmann, M., and Cohen, V. R. Effect of pretest temperature on aerosol penetration and clearance in donkeys. 41:920
Bohning, D. E. *see* Foster, W. M.
Boileau, R.
see Chang, H. K.
Delaunois, L.
Bojsen, J., and Vadstrup, S. Storage telemetric system for detection of radionuclide tracers in humans. 41:416
Bolduan, N. W. *see* Folinsbee, L. J.
Bolter, C. P. *see* Kan, W. O.
Bomze, H. A. *see* Hickson, R. C.
Bonchek, L. I., Doctor, A., and Rees, P. M. Baroreflex sensitivity and carotid sinus dimensions in dogs with coarctation. 41:36
Bonde-Petersen, F., Rowell, L. B., Murray, R. G., Blomqvist, C. G., White, R., Karlsson, E., Campbell, W., and Mitchell, J. H. Role of cardiac output in the pressor responses to graded muscle ischemia in man. 45:574
Bonde-Petersen, F., and Suzuki, Y. Heart contractility at pressure loads induced by ischemia of exercised muscle in humans. 52:340
Bonde-Petersen, F. *see* Welch, H. G.
Bondi, K. R., Young, J. M., Bennett, R. M., and Bradley, M. E. Closing volumes in man immersed to the neck in water. 40:736
Bonen, A. Effects of exercise on excretion rates of urinary free cortisol. 40:155
Bonen, A., Belcastro, A. N., Ling, W. Y., and Simpson, A. A. Profiles of selected hormones during menstrual cycles of teenage athletes. 50:545
Bonen, A., Malcolm, S. A., Kilgour, R. D., MacInytre, K. P., and Belcastro, A. N. Glucose ingestion before and during intense exercise. 50:766
Bonen, A., Wilson, B. A., Yarkony, M., and Belcastro, A. N. Maximal oxygen uptake during free, tethered, and flume swimming. 48:232
Bonen, A.
see Belcastro, A. N.
Tan, M. H.
Bonet, J. F. *see* Finley, J. P.
Böning, D., Ross, B. K., and Hlastala, M. P. Oxygen affinity and muscle oxygen consumption (Letter to the Editor). 52:1678
Böning, D. *see* Braumann, K.-M.
Bonner, R. M., Harrison, M. H., Hall, C. J., and Edwards, R. J. Effect of heat acclimatization on intravascular responses to acute heat stress in man. 41:708
Bonora, M.
see Gautier, H.
Siafakas, N. M.
Booth, F. W. Time course of muscular atrophy during immobilization of hindlimbs in rats. 43:656
Booth, F. W. Regrowth of atrophied skeletal muscle in adult rats after ending immobilization. 44:225
Booth, F. W. Effect of limb immobilization on skeletal muscle. 52:1113
Booth, F. W., MacKenzie, W. F., Seider, M. J., and Gould, E. W. Longevity of exercising obese hypertensive rats. 49:634
Booth, F. W., and Seider, M. J. Recovery of skeletal muscle after 3 mo of hindlimb immobilization in rats. 47:435
Booth, F. W., and Seider, M. J. Early change in skeletal muscle protein synthesis after limb immobilization of rats. 47:974
Booth, F. W.
see Krieger, D. A.
Tucker, K. R.
Boral, M. C. *see* Biswas, H. M.
Bordachar, J. *see* Raynaud, J.
Borgia, J. F., and Horvath, S. M. Effects of acute prolonged hypoxia on cardiovascular dynamics in dogs. 43:784
Borison, H. L., Gonsalves, S. F., Montgomery, S. P., and McCarthy, L. E. Dynamics of respiratory VT response to isocapnic pH_a forcing in chemodenervated cats. 45:502
Borovetz, H. S. *see* Griffith, B. P.
Borson, D. B., Chinn, R. A., Davis, B., and Nadel, J. A. Adrenergic and cholinergic nerves mediate fluid secretion from tracheal glands of ferrets. 49:1027
Botter, F. *see* Basset, G.
Bottomley, M. G., and Mainwood, G. W. A square-pulse flow method for measuring characteristics of the arterial bed. 40:425
Boucher, J. H., Ferguson, E. W., Wilhelmsen, C. L., Statham, N., and McMeekin, R. R. Erythrocyte alterations during endurance exercise in horses. 51:131
Boucher, J. H. *see* Ferguson, E. W.
Boucher, R.
see Michoud, M.-C.
Paré, P. D.
Patterson, R.
Boucher, R. C., and Gatzy, J. T. Regional effects of autonomic agents on ion transport across excised canine airways. 52:893
Boucher, R. C., Ranga, V., Paré, P. D., Inoue, S., Moroz, L. A., and Hogg, J. C. Effect of histamine and methacholine on guinea pig tracheal permeability to HRP. 45:939
Boucher, R. C., Stutts, M. J., Bromberg, P. A., and Gatzy, J. T. Regional differences in airway surface liquid composition. 50:613
Boucher, R. C., Stutts, M. J., and Gatzy, J. T. Regional differences in bioelectric properties and ion flow in excised canine airways. 51:706
Boucher, R. C., Jr., Bromberg, P. A., and Gatzy, J. T. Airway transepithelial electric potential in vivo: species and regional differences. 48:169
Bouchonnet, F. *see* Basset, G.
Boughner, D. R. *see* Paulsen, W.
Bougues, L. *see* Boutelier, C.
Bouhuys, A., Beck, G. J., Crosbie, W. A., Reed, J. W., and Clarke, M. C. Large lungs in divers? (Letter to the Editor). 47:1136
Boulay, M. *see* LeBlanc, J.
Boulianne, C. M. *see* Barclay, J. K.
Bouma, B. N. *see* Huisveld, I. A.
Bourassa, M. *see* Cousineau, D.
Bourne, H. R. *see* Gold, W. M.
Boushey, H. A. *see* Sheppard, D.
Boutelier, C., Bougues, L., and Timbal, J. Experimental study of convective heat transfer coefficient for the human body in water. 42:93
Boutelier, C. *see* Radomski, M. W.
Boutellier, U., Gomez, U., and Mäder, G. A piston pump for respiration simulation. 50:663
Bove, A. A., Hultgren, P. B., Ritzer, T. F., and Carey, R. A. Myocardial blood flow and hemodynamic responses to exercise training in dogs. 46:571
Bove, A. A.
see Greenleaf, J. F.
Levin, L. L.
Ritzer, T. F.
Santamore, W. P.
Bove, J. R. *see* Fortney, S. M.
Boving, R. *see* De Wilde, R.
Bowden, J. A. *see* Schweitzer, T. W.
Bower, J. S. *see* Dantzker, D. R.
Bowers, R. E. *see* Brigham, K. L.

Bowers, W. *see* Bynum, G.
Bowers, W. D. *see* Hubbard, R. W.
Bowes, C., Cumming, G., Horsfield, K., Loughhead, J., and Preston, S. Gas mixing in a model of the pulmonary acinus with asymmetrical alveolar ducts. 52:624
Bowes, G., Adamson, T. M., Ritchie, B. C., Dowling, M., Wilkinson, M. H., and Maloney, J. E. Development of patterns of respiratory activity in unanesthetized fetal sheep in utero. 50:693
Bowes, G., Andrey, S. M., Kozar, L. F., and Phillipson, E. A. Role of the carotid chemoreceptors in regulation of inspiratory onset. 52:863
Bowes, G., Townsend, E. R., Kozar, L. F., Bromley, S. M., and Phillipson, E. A. Effect of carotid body denervation on arousal response to hypoxia in sleeping dogs. 51:40
Bowes, G., Wilkinson, M. H., Dowling, M., Ritchie, B. C., Brodecky, V., and Maloney, J. E. Hypercapnic stimulation of respiratory activity in unanesthetized fetal sheep in utero. 50:701
Bowes, G. *see* Phillipson, E. A.
Boychuk, R. *see* Albersheim, S.
Boyd, R. L., and Mangos, J. A. Pulmonary mechanics of the normal ferret. 50:799
Braasch, P. S. *see* Snapper, J. R.
Brach, B. B. *see* Minh, V.-D.
Brachfeld, N. *see* Kligfield, P.
Brackenbury, J. H., Gleeson, M., and Avery, P. Control of ventilation in running birds: effects of hypoxia, hyperoxia, and CO_2. 53:1397
Bradbury, K. *see* Elder, G. C. B.
Bradford, J. M., Jr. *see* Ingram, R. H., Jr.
Bradley, C. A., and Anthonisen, N. R. Rib cage and abdominal restrictions have different effects on lung mechanics. 49:946
Bradley, C. A. *see* Ford, G. T.
Bradley, M. *see* Leith, D. E.
Bradley, M. E., and Leith, D. E. Ventilatory muscle training and the oxygen cost of sustained hyperpnea. 45:885
Bradley, M. E.
see Bondi, K. R.
Robertson, C. H., Jr.
Bradley, P. W., and Younes, M. Relation between respiratory valve dead space and tidal volume. 49:528
Brady, J. P. *see* Dumpit, F. M.
Braganza, A., and Wilson, W. O. Elevated temperature effects on catecholamines and serotonin in brains of male Japanese quail. 45:705
Brain, J. D.
see Grant, M. M.
Kavet, R. I.
Mensah, G. A.
Sneddon, S. L.
Valberg, P. A.
Braley, J. K. *see* Battarbee, H. D.
Brammell, H. L. *see* Morgan, B. J.
Branch, C. E., Barnes, C. C., Waldo, A. L., and Beckett, S. D. Digital stimulator control system for introducing premature stimuli. 40:987
Brandt, R. *see* Sahlin, K.
Bransford, D. R.
see Diaz, F. J.
Kobayashi, K.
Miles, D. S.
Branthwaite, M. *see* Rendas, A.
Brantigan, J. W., Dunn, K. L., and Albo, D. A clinical catheter for continuous blood gas measurement by mass spectrometry. 40:443
Brasel, J. A. *see* Inselman, L. S.
Brash, H. *see* Flenley, D. C.
Brash, H. M. *see* Douglas, N.J.
Braslow, N. M., Hales, C. A., Hoop, B., Kanarek, D. J., and Kazemi, H. Noninvasive cardiac output determination using inhaled oxygen-15-labeled carbon dioxide. 53:1125
Brasseur, L.
see Nemery, B.
Stanescu, D.
Brauer, R. W., and Beaver, R. W. Synergism of hyperoxia and high helium pressures in the causation of convulsions. 53:192
Brauer, R. W., Beaver, R. W., and Gillen, H. W. Correlation studies of individual variation in susceptibility to various components of HPNS in mice. 50:272
Brauer, R. W., Beaver, R. W., Lahser, S., Mansfield, W. M., and Sheehan, M. E. Time, rate, and temperature factors in the onset of high-pressure convulsions. 43:173
Brauer, R. W., Beaver, R. W., Lahser, S., McCall, R. D., and Venters, R. Comparative physiology of the high-pressure neurological syndrome—compression rate effects. 46:128
Brauer, R. W., Mansfield, W. M., Jr., Beaver, R. W., and Gillen, H. W. Stages in development of high-pressure neurological syndrome in the mouse. 46:756
Brauer, R. W.
see Beaver, R. W.
Mansfield, W.
Brault, Y. *see* Lorino, H.
Braumann, K.-M., Böning, D., and Trost, F. Bohr effect and slope of the oxygen dissociation curve after physical training. 52:1524
Braun, N. M. T., Arora, N. S., and Rochester, D. F. Force-length relationship of the normal human diaphragm. 53:405
Braunitzer, G. *see* Petschow, D.
Bray, G. *see* Koyal, S. N.
Bredenberg, C. E. *see* Nieman, G. F.
Breen, P. H., Schumacker, P. T., Hedenstierna, G., Ali, J., Wagner, P. D., and Wood, L. D. H. How does increased cardiac output increase shunt in pulmonary edema? 53:1273
Brehier, A. *see* Gross, I.
Brengelmann, G. L., Johnson, J. M., Hermansen, L., and Rowell, L. B. Altered control of skin blood flow during exercise at high internal temperatures. 43:790
Brengelmann, G. L., Johnson, J. M., and Hong, P. A. Electrocardiographic verification of esophageal temperature probe position. 47:638
Brengelmann, G. L., McKeag, M., and Rowell, L. B. Temperature control system for water-perfused suits. 42:656
Brengelmann, G. L.
see Freund, P. R.
Johnson, J. M.
Rowell, L. B.
Brennan, M. F. *see* Norton, J. A.
Brennan, N. J.
see Knoblauch, A.
Peake, M. D.
Brenneisen, G. *see* Reinhardt, H.
Breslin, F. J., McFadden, E. R., Jr., Ingram, R. H., Jr., and Deal, E. C., Jr. Effects of atropine on respiratory heat loss in asthma. 48:619
Breslin, F. J.
see Rossing, T. H.
Stearns, D. R.
Bressack, M. A. *see* Bland, R. D.
Bridges, C. *see* McCaffree, D. R.
Briggs, J. *see* Elings, V. B.
Brigham, K. L., Harris, T. R., and Owen, P. J. [^{14}C]urea and [^{14}C]sucrose as permeability indicators in histamine pulmonary edema. 43:99
Brigham, K. L., Padove, S. J., Bryant, D., McKeen, C. R., and Bowers, R. E. Diphenhydramine reduces endotoxin effects on lung vascular permeability in sheep. 49:516
Brigham, K. L.
see Collins, J. C.
Esbenshade, A. M.
Foy, T.
Harris, T. R.
Ogletree, M. L.
Sheller, J. R.
Snapper, J. R.
Briscoe, W. A. *see* Unger, M.
Bristow, J. D., Metcalfe, J., Krall, M. A., Welch, J. E., Black, J. A., and Dhindsa, D. S. Reduction of blood oxygen affinity in dogs by infusion of glycolytic intermediates. 43:102
Britten, J. S. *see* Linberg, S. E.
Britton, M. *see* Davis, G. L.
Britton, S. L., Lutherer, L. O., and Davies, D. G. Effect of cerebral extracellular fluid acidity on total and regional cerebral blood flow. 47:818
Brix, O. A modified Van Slyke apparatus. 50:1093
Brock, P. J.
see Convertino, V. A.
Greenleaf, J. E.
Shvartz, E.
Brockman, R. P. Effect of somatostatin on plasma glucagon and insulin, and glucose turnover in exercising sheep. 47:273
Brockman, R. P., and Halvorson, R. Glucose, glucagon, and insulin during adrenergic blockade in exercising sheep. 52:315
Brodecky, V. *see* Bowes, G.
Brodman, M. L. *see* McNamee, J. E.
Brody, J. S., Lahiri, S., Simpser, M., Motoyama, E. K., and Velasquez, T. Lung elasticity and airway dynamics in Peruvian natives to high altitude. 42:245
Brody, J. S.
see Javaheri, S.
Lahiri, S.
Nardell, E. A.
Broell, J. R. *see* Askanazi, J.
Bromberg, P. A.
see Boucher, R. C.
Boucher, R. C., Jr.
Fouke, J. M.
Haddad, A. G.
Pimmel, R. L.
Tsai, M. J.
Bromberger, B. *see* Gertner, A.
Bromberger-Barnea, B.
see Robotham, J. L.
Wise, R. A.
Bromley, S. M. *see* Bowes, G.
Bronikowski, T. A. *see* Rickaby, D. A.
Brooke, M. H. *see* Hagberg, J. M.
Brooks, G. A., and Gaesser, G. A. End points of lactate and glucose metabolism after exhausting exercise. 49:1057
Brooks, G. A., and White, T. P. Determination of metabolic and heart rate responses of rats to treadmill exercise. 45:1009
Brooks, G. A.
see Donovan, C. M.
Gaesser, G. A.
Hughes, E. F.
Segal, S. S.
Brooks, J. A. *see* Peterson, B. T.
Brooks, L. A.
see Baile, E. M.
Paré, P. D.
Brooks, W. N. *see* Albery, W. J.
Brotherhood, J. R. *see* Davies, C. T. M.
Brouillette, R. T., and Thach, B. T. A neuromuscular mechanism maintaining extrathoracic airway patency. 46:772

Brouillette, R. T., and Thach, B. T. A self-retaining nasal flowmeter for preterm infants. 48:569
Brouillette, R. T., and Thach, B. T. Control of genioglossus muscle inspiratory activity. 49:801
Brouillette, R. T.
see Hunt, C. E.
Wilson, S. L.
Brown, A. C. *see* Beck, G. R.
Brown, B. S., Payne, T., Kim, C., Moore, G., Krebs, P., and Martin, W. Chronic response of rat brain norepinephrine and serotonin levels to endurance training. 46:19
Brown, E. R., Lawson, E. E., Jansen, A., Chernick, V., and Taeusch, H. W. Regular fetal breathing induced by pilocarpine infusion in the near-term fetal lamb. 50:1348
Brown, G. W. *see* Hasan, F. M.
Brown, H. V., Wasserman, K., and Whipp, B. J. Effect of β-adrenergic blockade during exercise on ventilation and exchange. 41:886
Brown, J. F., Jr. *see* LeBlanc, O. H., Jr.
Brown, J. G. *see* Fregly, M. J.
Brown, J. K., Leff, A. R., Frey, M. J., Reed, B. R., and Gold, W. M. Physiological and pharmacological properties of canine trachealis muscle in vivo. 49:84
Brown, J. K., Shields, R., and Gold, W. M. Parasympathetic innervation of the cervical trachealis muscle in living dogs. 53:617
Brown, J. K. *see* Roberts, A. M.
Brown, M. J., Erichsen, D. F., Helgerson, R., and Will, J. A. A modification for preparing the chronic lung-lymph fistula in sheep. 52:1664
Brown, N. E., McFadden, E. R., Jr., and Ingram, R. H., Jr. Airway responses to inhaled histamine in asymptomatic smokers and nonsmokers. 42:508
Brown, R., Hoppin, F. G., Jr., Ingram, R. H., Jr., Saunders, N. A., and McFadden, E. R., Jr. Influence of abdominal gas on the Boyle's law determination of thoracic gas volume. 44:469
Brown, R., Ingram, R. H., Jr., and McFadden, E. R., Jr. Effects of prostaglandin $F_{2\alpha}$ lung mechanics in nonasthmatic and asthmatic subjects. 44:150
Brown, R., Ingram, R. H., Jr., Wellman, J. J., and McFadden, E. R., Jr. Effects of intravenous histamine on pulmonary mechanics in nonasthmatic and asthmatic subjects. 42:221
Brown, R., Scharf, S., and Ingram, R. H., Jr. Nonhomogeneous alveolar pressure swings in the presence of airway closure. 49:398
Brown, R., Scharf, S. M., and Ingram, R., Jr. Nonhomogeneous alveolar pressure swings: effect of different respiratory muscles. 52:638
Brown, R.
see Banzett, R. B.
Scharf, S. M.
Urmey, W. F.
Wellman, J. J.
Bruce, E.
see Gillespie, J. R.
Melissinos, C. G.
Bruce, E. N., Goldman, M. D., and Mead, J. A digital computer technique for analyzing respiratory muscle EMG's. 43:551
Bruce, E. N., and Jackson, A. C. Smoothing of MEFV curves by digital filtering of flow as a function of volume. 48:202
Bruce, E. N., Mitra, J., and Cherniack, N. S. Central and peripheral chemoreceptor inputs to phrenic and hypoglossal motoneurons. 53:1504
Bruce, E. N.
see Melissinos, C. G.
Thach, B. T.
Bruce, R. A. *see* Hossack, K. F.
Brück, K.
see Baum, E.
Schmidt, V.
Brumley, G. W. *see* Young, S. L.
Brune, M. F. *see* Glaser, R. M.
Brusil, P. J., Waggener, T. B., and Kronauer, R. E. Using a comb filter to describe time-varying biological rhythmicities. 48:557
Brusil, P. J., Waggener, T. B., Kronauer, R. E., and Gulesian, P., Jr. Methods for identifying respiratory oscillations disclose altitude effects. 48:545
Bryan, A. C.
see Bohn, D. J.
Gledhill, N.
Hagan, R.
Keens, T. G.
Knill, R.
Lopes, J.
Mansell, A. L.
Muller, N.
Neuberger, N.
Robotham, J. L.
Tabachnik, E.
Thompson, W. K.
Tusiewicz, K.
Wood, L. D. H.
Bryan, M. H.
see Hagan, R.
Knill, R.
Lopes, J.
Muller, N.
Tusiewicz, K.
Bryant, C. *see* Nixon, J. V.
Bryant, D. *see* Brigham, K. L.
Bryant, H. J., and Blankenship, J. E. Action potentials in single axons: effects of hyperbaric air and hydrostatic pressure. 47:561
Bryant, H. J., and Blankenship, J. E. Modification of synaptic facilitation and bursting patterns in *Aplysia californica* by hyperbaric air. 47:568
Bucens, D. D. *see* Killian, K. J.
Bucher, J. R. *see* Frank, L.
Buckberg, G. D. *see* Barnard, R. J.
Buckman, M. *see* Horsfield, K.
Budohoski, L. *see* Terjung, R. L.
Bugaisky, L. B., and Penney, D. G. Chronic carbon monoxide poisoning: effects on performance of the isolated right ventricle. 40:324
Buguet, A. *see* Henane, R.
Buguet, A. G. C., Livingstone, S. D., Reed, L. D., and Limmer, R. E. Cold-induced shivering in men with thermoneutral skin temperatures. 41:142
Buick, F. J., Gledhill, N., Froese, A. B., Spriet, L., and Meyers, E. C. Effect of induced erythrocythemia on aerobic work capacity. 48:636
Buick, F. J. *see* Gledhill, N.
Bunce H., III *see* Anch, A. M.
Bunnik, G. S. J. *see* Keizer, H. A.
Buono, M. J., and Roby, F. B. Acid-base, metabolic, and ventilatory responses to repeated bouts of exercise. 53:436
Burdon, J. G. W., Killian, K. J., and Campbell, E. J. M. Effect of ventilatory drive on the perceived magnitude of added loads to breathing. 53:901
Bureau, M. A., and Bégin, R. Postnatal maturation of the respiratory response to O_2 in awake newborn lambs. 52:428
Bureau, M. A., Begin, R., and Berthiaume, Y. Central chemical regulation of respiration in term newborn. 47:1212
Bureau, M. A. *see* Bégin, R.
Burgher, L. W. *see* Rodarte, J. R.
Burgoyne, R. *see* Metcalfe, I. L.
Burke, J. F. *see* Allsop, J. R.
Burkhard, O., and Barnikol, W. K. R. Dependence of visible spectrum [$\epsilon(\lambda)$] of fully oxygenated hemoglobin on concentration of hemoglobin. 52:124
Burki, N. K. Effects of added inspiratory loads on load detection thresholds. 50:162
Burnham, C. *see* Hales, C. A.
Burns, B., and Shepard, R. H. $D_{L_{O_2}}$ in excised lungs perfused with blood containing sodium dithionite ($Na_2S_2O_4$). 46:100
Burns, B.
see Gurtner, G. H.
Mendoza, C.
Burns, J. J. *see* Moskowitz, R. M.
Burns, J. W. *see* Laughlin, M. H.
Burrus, C. S. *see* Watt, T. B., Jr.
Burse, R. *see* Lind, A. R.
Bursztein, S., Saphar, P., Glaser, P., Taitelman, U., De Myttenaere, S., and Nedey, R. Determination of energy metabolism from respiratory functions alone. 42:117
Bursztein, S. *see* Ultman, J. S.
Burton, R. R. *see* Besch, E. L.
Bush, R. *see* Bhansali, P. V.
Busija, D. W., Orr, J. A., Rankin, J. H. G., Liang, H. K., and Wagerle, L. C. Cerebral blood flow during normocapnic hyperoxia in the unanesthetized pony. 48:10
Busija, D. W. *see* Orr, J. A.
Buskirk, E. R. *Physiology and Biochemistry of Exercise* (Book Review). 53:535
Buskirk, E. R. *see* Deno, N. S.
Buss, D. D.
see Bisgard, G. E.
Forster, H. V.
Butland, R. J. A. *see* Pang, J. A.
Butler, B. D., and Hills, B. A. The lung as a filter for microbubbles. 47:537
Butler, B. D. *see* Hills, B. A.
Butler, J.
see Albert, R. K.
Colley, P. S.
Culver, B. H.
Huseby, J. S.
Luce, J. M.
Marini, J. J.
Modell, H. I.
Spiro, S. G.
Butler, J. P., and Mohler, J. G. Estimating a distribution's central moments: a specific tidal ventilation application. 46:47
Butler, J. P.
see Jackson, A. C.
Sinnett, E. E.
Webster, P. M.
Butler, P. J., and Woakes, A. J. Control of heart rate by carotid body chemoreceptors during diving in tufted ducks. 53:1405
Butler, P. J. *see* Taylor, E. W.
Butt, W. S. *see* Florio, J. T.
Bynum, G., Patton, J., Bowers, W., Leav, I., Wolfe, D., Hamlet, M., and Marsili, M. An anesthetized dog heatstroke model. 43:292
Bynum, G. D. *see* Francesconi, R. P.
Bynum, L. J., Wilson, J. E., III, and Pierce, A. K. Comparison of spontaneous and positive-pressure breathing in supine normal subjects. 41:341
Byrnes, B. *see* Bisgard, G. E.
Byrnes, W. C. *see* Stanek, K. A.

C

Cabanac, M. *see* Caputa, M.
Cade, D. *see* Muller, N.
Cadwallader, J. A. *see* Robinson, S. M.

Cafarelli, E.
see Kostka, C. E.
Nadel, E. R.
Cain, M. *see* Duvelleroy, M. A.
Cain, S. M. Arterial lactate responses in dogs made apneic or breathing nitrogen. 42:39
Cain, S. M. pH effects on lactate and excess lactate in relation to O_2 deficit in hypoxic dogs. 42:44
Cain, S. M. Oxygen delivery and uptake in dogs during anemic and hypoxic hypoxia. 42:228
Cain, S. M. Effects of time and vasoconstrictor tone on O_2 extraction during hypoxic hypoxia. 45:219
Cain, S. M., and Chapler, C. K. O_2 extraction by hind limb versus whole dog during anemic hypoxia. 45:966
Cain, S. M., and Chapler, C. K. Oxygen extraction by canine hindlimb during hypoxic hypoxia. 46:1023
Cain, S. M., and Chapler, C. K. O_2 extraction by canine hindlimb during α-adrenergic blockade and hypoxic hypoxia. 48:630
Cain, S. M., and Chapler, C. K. Effects of norepinephrine and α-block on O_2 uptake and blood flow in dog hindlimb. 51:1245
Cain, S. M., and Donald, T. C. An analog approach to measuring O_2 uptake on-line. 43:563
Cain, S. M.
see Adams, R. P.
Chapler, C. K.
Cain, W. A. *see* Pennock, B. E.
Caiozzo, V. J., Davis, J. A., Ellis, J. F., Azus, J. L., Vandagriff, R., Prietto, C. A., and McMaster, W. C. A comparison of gas exchange indices used to detect the anaerobic threshold. 53:1184
Caiozzo, V. J., Perrine, J. J., and Edgerton, V. R. Training-induced alterations of the in vivo force-velocity relationship of human muscle. 51:750
Caldwell, W. M. DC proportional heater-cooler temperature controller for physiological research. 43:160
Calkins, P. J. *see* Fleisch, J. H.
Callin, G. D. A shower spray facility for accurate control and rapid changes of skin temperature. 40:641
Campagna, P. D. *see* Russell, J. C.
Campbell, D. *see* Hughes, R. L.
Campbell, E. J. M.
see Burdon, J. G. W.
Davis, C.
Killian, K. J.
Morrison, S. C.
Saunders, N. A.
Campbell, I. T. *see* Stock, M. J.
Campbell, I. W. *see* Ewing, D. J.
Campbell, P. J. *see* Baldwin, K. M.
Campbell, R. G. *see* Thompson, D. A.
Campbell, W. *see* Bonde-Petersen, F.
Campe, H. *see* Niewoehner, D. E.
Campion, D. S. *see* Gregor, R. J.
Camporesi, E. M., Feezor, M., Fortune, J., and Salzano, J. An electromagnetic valve for inspiratory occlusion pressures. 45:481
Camporesi, E. M., Mortola, J. P., Sant'Ambrogio, F., and Sant'Ambrogio, G. Topical anesthesia of tracheal receptors. 47:1123
Campos, G. *see* Kitterman, J. A.
Campos, G. A. *see* Kitterman, J. A.
Canaday, P. G., and Fay, F. S. An ultrasensitive isometric force transducer for single smooth muscle cell mechanics. 40:243
Candas, V., Libert, J. P., and Vogt, J. J. Human skin wettedness and evaporative efficiency of sweating. 46:522
Candas, V., Libert, J. P., and Vogt, J. J. Influence of air velocity and heat acclimation on human skin wettedness and sweating efficiency. 47:1194
Candas, V. *see* Libert, J. P.
Capderou, A., Polianski, J., Mensch-Dechene, J., Drouet, L., Antezana, G., Zelter, M., and Lockhart, A. Splanchnic blood flow, O_2 consumption, removal of lactate, and output of glucose in highlanders. 43:204
Čápek, K. *see* Cherchowich, G. M.
Capen, R. L., Latham, L. P., and Wagner, W. W., Jr. Diffusing capacity of the lung during hypoxia: role of capillary recruitment. 50:165
Capen, R. L., and Wagner, W. W., Jr. Intrapulmonary blood flow redistribution during hypoxia increases gas exchange surface area. 52:1575
Capen, R. L. *see* Wagner, W. W., Jr.
Capitini, R. *see* Basset, G.
Caprihan, A. *see* Loeppky, J. A.
Caputa, M., and Cabanac, M. Bradycardia during face cooling in man may be produced by selective brain cooling. 46:905
Caputa, M., and Cabanac, M. Muscular work as thermal behavior in humans. 48:1020
Carey, R. A.
see Bove, A. A.
Ritzer, T. F.
Carithers, R. W., and Seagrave, R. C. Canine hyperthermia with cerebral protection. 40:543
Carlson, C. J. *see* Abendschein, D. R.
Carlson, D. *see* Urmey, W. F.
Carlson, J. L. *see* Hagberg, J. M.
Carlton, C. *see* McKean, T.
Carpenter, J.
see Anholm, J. D.
Foster, C.
Carpenter, M., and Musacchia, X. J. Intestinal transport of hexoses in the rat following chronic heat exposure. 47:87
Carrico, C. J. *see* Stothert, J. C., Jr.
Carroll, J. E. *see* Hagberg, J. M.
Carroll, R. G. *see* Griffith, B. P.
Carson, S. D. *see* Haynes, J. B.
Carter, C. L., and Amundsen, L. R. Infarct size and exercise capacity after myocardial infarction. 42:782
Caruso, R. A. *see* Oscai, L. B.
Casaburi, R., Stremel, R. W., Whipp, B. J., Beaver, W. L., and Wasserman, K. Alteration by hyperoxia of ventilatory dynamics during sinusoidal work. 48:1083
Casaburi, R., Weissman, M. L., Huntsman, D. J., Whipp, B. J., and Wasserman, K. Determinants of gas exchange kinetics during exercise in the dog. 46:1054
Casaburi, R., Whipp, B. J., Wasserman, K., Beaver, W. L., and Koyal, S. N. Ventilatory and gas exchange dynamics in response to sinusoidal work. 42:300
Casaburi, R., Whipp, B. J., Wasserman, K., and Koyal, S. N. Ventilatory and gas exchange responses to cycling with sinusoidally varying pedal rate. 44:97
Casaburi, R.
see Diamond, L. B.
Stremel, R. W.
Case, D. B. *see* Keim, H. J.
Caskanette, G. *see* Noble, W. H.
Casper, P. W., Jr. *see* Ramsey, J. M.
Cassidy, S. S., Eschenbacher, W. L., Robertson, C. H., Jr., Nixon, J. V., Blomqvist, G., and Johnson, R. L., Jr. Cardiovascular effects of positive-pressure ventilation in normal subjects. 47:453
Cassidy, S. S., Ramanathan, M., Rose, G. L., and Johnson, R. L., Jr. Hysteresis in the relation between diffusing capacity of the lung and lung volume. 49:566
Cassidy, S. S., Robertson, C. H., Jr., Pierce, A. K., and Johnson, R. L., Jr. Cardiovascular effects of positive end-expiratory pressure in dogs. 44:743
Cassidy, S. S.
see Johnson, R. L., Jr.
Rose, G. L.
Cassin, S. *see* Abrams, R. M.
Cassuto, Y., and Farhi, L. E. Circulatory response to arterial hyperoxia. 46:973
Cassuto, Y. *see* Rabi, T.
Castell, D. O. *see* Hollis, J. B.
Castile, R., Mead, J., Jackson, A., Wohl, M. E., and Stokes, D. Effects of posture on flow-volume curve configuration in normal humans. 53:1175
Castile, R. G., Hyatt, R. E., and Rodarte, J. R. Determinants of maximal expiratory flow and density dependence in normal humans. 49:897
Castile, R. G. *see* Pedersen, O. F.
Castronova, V.
see Jones, G. S.
Wright, J. R.
Cates, D.
see Albersheim, S.
Leahy, F. A. N.
Catley, D. M. *see* Milledge, J. S.
Cauberghs, M. *see* Stănescu, D. C.
Cavestri, R. *see* Marazzini, L.
Cavness, C. *see* Walker, J. M.
Cefalo, R. C. *see* Oakes, G. K.
Celli, B. R. *see* Lucey, E. C.
Čermáková, M. *see* Herget, J.
Cerny, F. J.
see Fisher, J. T.
Taylor, P. B.
Cerretelli, P. Limiting factors to oxygen transport on Mount Everest. 40:658
Cerretelli, P., Pendergast, D., Paganelli, W. C., and Rennie, D. W. Effects of specific muscle training on $\dot{V}O_2$ on-response and early blood lactate. 47:761
Cerretelli, P., Veicsteinas, A., Fumagalli, M., and Dell'Orto, L. Energetics of isometric exercise in man. 41:136
Cerretelli, P.
see Pendergast, D.
Samaja, M.
Chadha, K. S.
see Hoon, R. S.
Sharma, S. C.
Chaisson, C. F., and Massaro, D. 2-Deoxy-D-glucose uptake by lung slices from fed and fasted rats. 44:380
Chamberlain, J. H. *see* Abdul-Rasool, I. H.
Chance, B. *see* Harbig, K.
Chand, N., and Altura, B. M. Reactivity and contractility of rat main pulmonary artery to vasoactive agents. 49:1016
Chand, N., Dhawan, B. N., Srimal, R. C., Rahmani, N. H., Shukla, R. K., and Altura, B. M. Reactivity of trachea, bronchi, and lung strips to histamine and carbachol in rhesus monkeys. 49:729
Chand, N., Dhawan, B. N., Srimal, R. C., Rahmani, N. H., Shukla, R. K., and Altura, B. M. Reactivity of airway smooth muscles to bronchoactive agents in langur monkeys. 50:513
Chandler, D. K. F. *see* Lussier, L. M.
Chang, H. K., Delaunois, L., Boileau, R., and Martin, R. R. Redistribution of pulmonary blood flow during experimental air embolism. 51:211
Chang, H. K., and Mortola, J. P. Fluid dynamic factors in tracheal pressure measurement. 51:218
Chang, H. K., Weber, M. E., Thomson, J., and Martin, R. R. Hydrodynamic features of pulmonary air embolism: a model study. 51:1002

Chang, H. K.
see Hakim, T. S.
Isabey, D.
King, M.
Siafakas, N. M.
Chang, R. S. Y., Silverman, P., and Effros, R. M. Vascular and extravascular compartments of the isolated perfused rabbit lung. 46:74
Chang, R. S. Y., Wright, K., and Effros, R. M. Role of albumin in prevention of edema in perfused rabbit lungs. 50:1065
Chang, R. S. Y. *see* Effros, R. M.
Chapler, C. K., and Cain, S. M. Blood flow and O_2 uptake in dog hindlimb with anemia, norepinephrine, and propranolol. 51:565
Chapler, C. K., and Cain, S. M. Effects of α-adrenergic blockade during acute anemia. 52:16
Chapler, C. K., Cain, S. M., and Stainsby, W. N. Blood flow and oxygen uptake in isolated canine skeletal muscle during acute anemia. 46:1035
Chapler, C. K. *see* Cain, S. M.
Chapman, C. *see* Stock, M. J.
Chapman, R. W., Santiago, T. V., and Edelman, N. H. Effects of graded reduction of brain blood flow on ventilation in unanesthetized goats. 47:104
Chapman, R. W., Santiago, T. V., and Edelman, N. H. Effects of graded reduction of brain blood flow on chemical control of breathing. 47:1289
Chapman, R. W., Santiago, T. V., and Edelman, N. H. Brain hypoxia and control of breathing: neuromechanical control. 49:497
Chapman, R. W., Santiago, T. V., and Edelman, N. H. Brain hypoxia and control of breathing: role of the vagi. 53:212
Chapman, R. W. *see* Doblar, D. D.
Chapnick, B. M. *see* Kadowitz, P. J.
Chappuis, P., Pittet, P., and Jéquier, E. Heat storage regulation in exercise during thermal transients. 40:384
Charache, S. *see* Winslow, R. M.
Charbonnier, J. P. *see* Henane, R.
Charles, J. B. *see* Ordway, G. A.
Chasiotis, D., Sahlin, K., and Hultman, E. Regulation of glycogenolysis in human muscle at rest and during exercise. 53:708
Chatham, M. *see* Sybert, A.
Chayoth, R. Carbohydrate metabolism of heat-acclimated hamsters. V. Control of gluconeogenesis. 41:871
Chayoth, R., Aharon, M., and Graziani, Y. Protein kinase activity in liver of heat-acclimated hamsters. 53:716
Chayoth, R., Krauthammer, N., Winikoff, J., and Sod-Moriah, U. A. Control of liver size in heat-acclimated hamsters. 43:445
Cheadle, W. G. *see* Baldwin, K. M.
Cheh, H.-Y.
see Downey, J. A.
Tam, H.-S.
Chen, C. C. *see* Jennings, D. B.
Chen, H., Silverton, N. P., and Hainsworth, R. Evaluation of a method for estimating cardiac output from a single breath in humans. 53:1034
Chen, H.-I. *see* Martin, B.
Chen, L. H. *see* Lin, Y. C.
Chen, R. Y. Z., Fan, F.-C., Kim, S., Jan, K.-M., Usami, S., and Chien, S. Tissue-blood partition coefficient for xenon: temperature and hematocrit dependence. 49:178
Chen, V.
see Ianuzzo, C. D.
Keens, T. G.
Chen, W.-C. *see* Hebert, L. A.
Cheney, F. W.
see Colley, P. S.
Modell, H. I.
Cheney, F. W., Jr.
see Palvin, J.
Pavlin, D. J.
Cheng, E. *see* Al-Bazzaz, F. J.
Cherchowich, G. M., Čapek, K., Jefremova, Z., Pohlová, I., and Jelínek, J. High salt intake on blood pressure in lower primates *(Papio hamadryas).* 40:601
Cherniack, N. S.
see Altose, M. D.
Bruce, E. N.
DiMarco, A. F.
Gliner, J. A.
Gothe, B.
Kelsen, S. G.
Ledlie, J. F.
Nochomovitz, M. L.
Tack, M.
Weiner, D.
Wolkove, N.
Cherniack, R. M. *see* Souhrada, M.
Chernick, V.
see Brown, E. R.
Jansen, A. H.
Chesrown, S. *see* Nisam, M. R.
Chesrown, S. E. *see* Lazarus, S. C.
Chester, E. H. *see* Saniie, J.
Cheung, B. S. *see* Leger, A.
Chevalier, P. A., Greenleaf, J. F., Robb, R. A., and Wood, E. H. Biplane videoroentgenographic analysis of dynamic regional lung strains in dogs. 40:118
Chevalier, P. A., Rodarte, J. R., and Harris, L. D. Regional lung expansion at total lung capacity in intact vs. excised canine lungs. 45:363
Chevalier, P. A.
see Greenleaf, J. F.
Kallok, M. J.
Chez, R. A.
see Kotas, R. V.
Oakes, G. K.
Walker, A. M.
Chiang, M. J., Whitney, P., Jr., and Massaro, D. Protein metabolism in lung: use of isolated perfused lung to study protein degradation. 47:72
Chiang, M.-J., and Massaro, D. Protein metabolism in lung. II. Influence of amino acids and glucose on protein degradation. 47:1058
Chien, S. *see* Chen, R. Y. Z.
Chimoskey, J. *see* Holloway, G. A., Jr.
Ching, K. S. *see* Longo, L. D.
Chinn, R. *see* Davis, B.
Chinn, R. A. *see* Borson, D. B.
Chiodi, H. Aging and high-altitude polycythemia (Letter to the Editor). 45:1019
Chirpaz, M. F. *see* Therminarias, A.
Chiu, C. S. *see* Rotman, H.
Chiu, L. K. *see* Hatcher, J. D.
Cho, H. *see* Corre, K. A.
Choma, L. *see* Kazemi, H.
Choo, Y. E. *see* Goldinger, J. M.
Chosy, L. W. *see* Dempsey, J. A.
Chouest, L. J. *see* Light, R. W.
Chowers, I. *see* Kornbluth, I.
Chowienczyk, P. J., Rees, P. J., Payne, J., and Clark, T. J. H. A new method for computer-assisted determination of airways resistance. 50:672
Christensen, E. *see* Horstman, D. H.
Christensen, N. J.
see Galbo, H.
Hesse, B.
Richter, E. A.
Christensson, P., Arborelius, M., Jr., and Kautto, R. Volume of trapped gas in lungs of healthy humans. 51:172
Christianson, L. C. *see* Lewis, M. L.
Christman, J. V., and Gisolfi, C. V. Effects of repeated heat exposure on hypothalamic sensitivity to norepinephrine. 49:942
Christman, J. V. *see* Gisolfi, C. V.
Christman, N. T. *see* Hamilton, L. H.
Christo, A. E. *see* Adams, W. C.
Christoforides, C., and Hedley-Whyte, J. Solubility of O_2 in blood with different hemoglobin concentrations at low temperatures. 40:815
Christopherson, S. K., and Hlastala, M. P. Pulmonary gas exchange during altered density gas breathing. 52:221
Chung, K. F. *see* Snashall, P. D.
Citterio, G., Agostoni, E., Del Santo, A., and Marazzini, L. Decay of inspiratory muscle activity in chronic airway obstruction. 51:1388
Clancy, L. *see* Flenley, D. C.
Clancy, R. L.
see Gonzalez, N. C.
Strome, D. R.
Clanton, T. L., Ballam, G. O., Moore, R. K., and Kunz, A. L. Rapid ventilatory responses to changes in insufflated CO_2 in awake roosters. 53:1371
Clanton, T. L. *see* Ballam, G. O.
Clapp, J. F. *see* Abrams, R. M.
Claremont, A. *see* Hanson, P.
Clark, D. F. *see* Knudson, R. J.
Clark, D. P. *see* Flaim, S. F.
Clark, J. C. *see* Jones, H. A.
Clark, J. H., and Conlee, R. K. Muscle and liver glycogen content: diurnal variation and endurance. 47:425
Clark, J. M. Effects of acute and chronic hypercapnia on oxygen tolerance in rats. 50:1036
Clark, J. M., Sinclair, R. D., and Lenox, J. B. Chemical and nonchemical components of ventilation during hypercapnic exercise in man. 48:1065
Clark, J. S., Bigler, A. H., Cutillo, A., Watanabe, S., and Renzetti, A. D., Jr. Measurement of oxygen consumption and carbon dioxide production rates by a tracer-bolus method. 50:898
Clark, T. J. H. *see* Chowienczyk, P. J.
Clark, W. R. *see* Nieman, G. F.
Clarke, B. F. *see* Ewing, D. J.
Clarke, J. R., Jaeger, M. J., Zumrick, J. L., O'Bryan, R., and Spaur, W. H. Respiratory resistance from 1 to 46 ATA measured with the interrupter technique. 52:549
Clarke, M. C.
see Bouhuys, A.
Crosbie, W. A.
Clausen, J. L.
see Ries, A. L.
Stamm, A. M.
Clausen, J. P. *see* Klausen, K.
Claustre, J., and Peyrin, L. Free and conjugated catecholamines and metabolites in cat urine after hypoxia. 52:304
Claybaugh, J. R., Wade, C. E., Sato, A. K., Cucinell, S. A., Lane, J. C., and Maher, J. T. Antidiuretic hormone responses to eucapnic and hypocapnic hypoxia in humans. 53:815
Claybaugh, J. R. *see* Wade, C. E.
Clement, J.
see Bobbaers, H.
De Wilde, R.
Nagels, J.
Clement, M. G. *see* Saibene, F.
Clements, J. A.
see Heldt, G. P.
Hildebran, J. N.
Kitterman, J. A.
Oyarzún, M. J.
Clendening, A. *see* Javaheri, S.
Cleophas, T. J. M., Fennis, J. F. M., and Van't Laar, A. Finger temperature after a finger-cooling test: influence of air temperature and smoking. 52:1167
Clerch, L. *see* Massaro, D.
Cléroux, J. *see* Péronnet, F.
Cloutier, M. M., and Block, E. R. Effects of hyperoxia on transtracheal chloramphenicol influx. 50:234
Clyde, W. A., Jr. *see* Strope, G. L.

Coalson, J. *see* McCaffree, D. R.
Coates, A. L. *see* Asher, M. I.
Coates, G., Gray, G., Mansell, A., Nahmias, C., Powles, A., Sutton, J., and Webber, C. Changes in lung volume, lung density, and distribution of ventilation during hypobaric decompression. 46:752
Coburn, R. F. *see* Yip, P.
Coceani, F. *see* Lock, J. E.
Cochrane, L. A.
see Davies, J. A.
Harrison, M. H.
Codeca, L. *see* Conconi, F.
Codini, M. A., Yipintsoi, T., and Scheuer, J. Cardiac responses to moderate training in rats. 42:262
Coffey, R. L. *see* Robertson, H. T.
Cohen, A. B., Batra, G., Petersen, R., Podany, J., and Nguyen, D. Size of the pool of alveolar neutrophils in normal rabbit lungs. 47:440
Cohen, D. *see* Reasor, M. J.
Cohen, E. N. *see* Kendig, J. J.
Cohen, J. J. *see* Weir, E. K.
Cohen, M. V., Yipintsoi, T., Malhotra, A., Penpargkul, S., and Scheuer, J. Effect of exercise on collateral development in dogs with normal coronary arteries. 45:797
Cohen, M. V., Yipintsoi, T., and Scheuer, J. Coronary collateral stimulation by exercise in dogs with stenotic coronary arteries. 52:664
Cohen, P. J. *see* Stark, R. A.
Cohen, V. R. *see* Bohning, D. E.
Cohn, J. N. *see* Mashiro, I.
Cohn, M. *see* Wanner, A.
Colby, H. D. *see* Wright, J. R.
Cole, P. *see* Niinimaa, V.
Cole, R. P., Sukanek, P. C., Wittenberg, J. B., and Wittenberg, B. A. Mitochondrial function in the presence of myoglobin. 53:1116
Colebatch, H. J. H., Greaves, I. A., and Ng, C. K. Y. Exponential analysis of elastic recoil and aging in healthy males and females. 47:683
Colebatch, H. J. H., Nail, B. S., and Ng, C. K. Y. Computerized measurement of pulmonary conductance and elastic recoil. 44:611
Colebatch, H. J. H., Ng, C. K. Y., and Nikov, N. Use of an exponential function for elastic recoil. 46:387
Coleridge, H. M.
see Coleridge, J. C. G.
Davis, B.
Kaufman, M. P.
Roberts, A. M.
Coleridge, J. C. G., Coleridge, H. M., Roberts, A. M., Kaufman, M. P., and Baker, D. G. Tracheal contraction and relaxation initiated by lung and somatic afferents in dogs. 52:984
Coleridge, J. C. G.
see Davis, B.
Kaufman, M. P.
Roberts, A. M.
Coleshaw, S. R. K. *see* Van Someren, R. N. M.
Collen, D., Semeraro, N., Tricot, J. P., and Vermylen, J. Turnover of fibrinogen, plasminogen, and prothrombin during exercise in man. 42:865
Colley, P. S., Cheney, F. W., and Butler, J. Mechanism of change in pulmonary shunt flow with hemorrhage. 42:196
Collier, A. M. *see* Williams, S. P.
Collier, C. R. O_2 affinity of human blood in presence of carbon monoxide. 40:487
Collier, C. R. *see* Hackney, J. D.
Collinge, J. M. *see* Asher, M. I.
Collins, J. C., Harris, T. R., McKeen, C. R., and Brigham, K. L. Increased lung lymph transport without heart failure after coronary ligation in sheep. 47:792
Collins, J. F. *see* Fine, R.
Collins, J. M. Isobaric inert gas supersaturation: observations, theory, and predictions. 44:914
Collins, R. G., Musasche, V. W., and Howley, E. T. Preparation of matched reagents for use with the Scholander gas analyzer. 43:164
Collins, S. *see* Teague, S.
Collis, M. L.
see Hayward, J. S.
Johnson, D. G.
Colt, E. W. D., Wang, J., and Pierson, R. N., Jr. Effect on body water of running 10 miles. 45:999
Comallonga, J. *see* Alric, R.
Conconi, F., Ferrari, M., Ziglio, P. G., Droghetti, P., and Codeca, L. Determination of the anaerobic threshold by a noninvasive field test in runners. 52:869
Conforti, N. *see* Kornbluth, I.
Conhaim, R. L., and Staub, N. C. Reflection spectrophotometric measurement of O_2 uptake in pulmonary arterioles of cats. 48:848
Conlee, R. K., and Tipton, C. M. Cardiac glycogen repletion after exercise: influence of synthase and glucose 6-phosphate. 42:240
Conlee, R. K.
see Clark, J. H.
Hickson, R. C.
Conn, M. L. *see* Morrison, J. B.
Connors, J. M., and Martin, L. G. Altitude-induced changes in plasma thyroxine, 3,5,3'-triiodothyronine, and thyrotropin in rats. 53:313
Connors, M. C. *see* Hagerman, F. C.
Conrad, M. C. Acute response to venous distention in the extremity of the dog. 41:865
Convertino, V. A., Brock, P. J., Keil, L. C., Bernauer, E. M., and Greenleaf, J. E. Exercise training-induced hypervolemia: role of plasma albumin, renin, and vasopressin. 48:665
Convertino, V. A., Greenleaf, J. E., and Bernauer, E. M. Role of thermal and exercise factors in the mechanism of hypervolemia. 48:657
Convertino, V. A., Keil, L. C., Bernauer, E. M., and Greenleaf, J. E. Plasma volume, osmolality, vasopressin, and renin activity during graded exercise in man. 50:123
Convertino, V. A., Sandler, H., Webb, P., and Annis, J. F. Induced venous pooling and cardiorespiratory responses to exercise after bed rest. 52:1343
Convertino, V. A.
see Greenleaf, J. E.
Shvartz, E.
Stremel, R. W.
Cooke, D. A. *see* Baldwin, K. M.
Cooke, N. J. *see* Flenley, D. C.
Cooke, W. J. Small inexpensive anesthetic apparatus for rats. 41:429
Cooligan, T. *see* Mink, S. N.
Coon, R. L., Lai, N. C. J., and Kampine, J. P. Evaluation of a dual-function pH and P_{CO_2} in vivo sensor. 40:625
Coon, R. L., Zuperku, E. J., and Kampine, J. P. Measurement of dead space ventilation using a pH_a servo-controlled ventilator. 51:154
Coon, R. L.
see Kostreva, D. R.
Nilsestuen, J. O.
Cooney, K. A. *see* Berger, A. J.
Cooper, D. *see* Sanders, M.
Cooper, D. M., Mellins, R. B., and Mansell, A. L. Changes in distribution of ventilation with lung growth. 51:699
Cooper, J. A. *see* Lloyd, T. C., Jr.
Cooper, J. D. *see* Phillipson, E. A.
Cooper, K. E., Martin, S., and Riben, P. Respiratory and other responses in subjects immersed in cold water. 40:903
Cooper, K. E. *see* Martin, S.
Cooper, K. R., and Phillips, B. A. Effect of short-term sleep loss on breathing. 53:855
Copley, D. P., Klocke, R. A., and Klocke, F. J. Quantitation of right-to-left shunting by double indicator and oxygen techniques. 41:409
Coppinger, R. P. *see* Phillips, C. J.
Corbet, A. J. S., Flax, P., and Rudolph, A. J. Reduced surface tension in lungs of fetal rabbits injected with pilocarpine. 41:7
Corbet, A. J. S., Flax, P., and Rudolph, A. J. Role of autonomic nervous system controlling surface tension in fetal rabbit lungs. 43:1039
Corbet, K. *see* Whitelaw, W. A.
Corbin, R. P. *see* Ploy-Song-Sang, Y.
Corey, P. *see* Verde, T.
Cormier, Y., and Bélanger, J. Contribution of gas exchange to slope of phase III of the single-breath nitrogen test. 50:1156
Cormier, Y., and Bélanger, J. Metabolic gas effect on phase III slopes of single-breath nitrogen tests. 53:789
Cormier, Y., and Nadeau, D. Ventilation, perfusion, and cardiogenic oscillations of the single-breath N_2 test. 49:552
Cornet, A.
see Bard, H.
Dewasmes, G.
Corrales, R. *see* German, V. F.
Corre, K. A., Cho, H., and Barnard, R. J. Maximum exercise heart rate reduction with maturation in the rat. 40:741
Corrin, B. *see* Pang, J. A.
Cortese, D. A., Rodarte, J. R., Rehder, K., and Hyatt, R. E. Effect of posture on the single-breath oxygen test in normal subjects. 41:474
Cortili, G. *see* Di Prampero, P. E.
Cosemans, J. *see* Demedts, M.
Cosio, M. *see* Fukuchi, Y.
Costill, D. L., Côté, R., and Fink, W. Muscle water and electrolytes following varied levels of dehydration in man. 40:6
Costill, D. L., Coyle, E., Dalsky, G., Evans, W., Fink, W., and Hoopes, D. Effects of elevated plasma FFA and insulin on muscle glycogen usage during exercise. 43:695
Costill, D. L., Coyle, E. F., Fink, W. F., Lesmes, G. R., and Witzmann, F. A. Adaptations in skeletal muscle following strength training. 46:96
Costill, D. L., Daniels, J., Evans, W., Fink, W., Krahenbuhl, G., and Saltin, B. Skeletal muscle enzymes and fiber composition in male and female track athletes. 40:149
Costill, D. L., Fink, W. J., Getchell, L. H., Ivy, J. L., and Witzmann, F. A. Lipid metabolism in skeletal muscle of endurance-trained males and females. 47:787
Costill, D. L., Sharp, R. L., Fink, W. J., and Katz, A. Determination of human muscle pH in needle-biopsy specimens. 53:1310
Costill, D. L. *see* Ivy, J. L.
Côté, J. *see* LeBlanc, J.
Cote, M. *see* Sylvester, J. T.
Côté, P. *see* Cousineau, D.
Côté, R. *see* Costill, D. L.
Cote, R. W., III
see Coyle, E. F.
Wilmore, J. H.
Cotes, J. E. *see* Patrick, J. M.
Cotton, D. J., Bleecker, E. R., Fischer, S. P., Graf, P. D., Gold, W. M., and Nadel, J. A. Rapid, shallow breathing after *Ascaris suum* antigen inhalation: role of vagus nerves. 42:101

Cotton, D. J., and Graham, B. L. Effect of ventilation and diffusion nonuniformity on $D_{L_{CO}}$(exhaled) in a lung model. 48:648

Cotton, D. J., Newth, C. J. L., Portner, P. M., and Nadel, J. A. Measurement of single-breath CO diffusing capacity by continuous rapid CO analysis in man. 46:1149

Cotton, D. J.
see Graham, B. L.
Newth, C. J. L.

Cotton, E. K., and Grunstein, M. M. Effects of hypoxia on respiratory control in neonates at high altitude. 48:587

Cotton, R. B., Lindstrom, D. P., Kanarek, K. S., Sundell, H., and Stahlman, M. T. Quantitation of cardiac output components in the presence of bidirectional shunts. 43:352

Couch, R. E., Jr., Moore, R. N., and Berry, L. J. Sensitization of tolerant mice to cold with a serum factor induced by endotoxin. 46:14

Coudert, J.
see Lockhart, A.
Raynaud, J.

Coulson, A. *see* Simmons, D. H.

Cousineau, D., Ferguson, R. J., De Champlain, J., Gauthier, P., Côté, P., and Bourassa, M. Catecholamines in coronary sinus during exercise in man before and after training. 43:801

Cousineau, D. *see* Péronnet, F.

Coutris, G. *see* Staub, J.-F.

Couture, J.
see Derenne, J.-P.
Whitelaw, W. A.

Covert, D. S. *see* Larson, T. V.

Cowan, G. S. M., Jr., Staub, N. C., and Edmunds, L. H., Jr. Changes in the fluid compartments and dry weights of reimplanted dog lungs. 40:962

Cowley, J. R. M., *Allegra, C.,* and Lambertsen, C. J. Subcutaneous tissue gas space pressure during superficial isobaric counterdiffusion. 47:224

Cowley, J. R. M., and Lambertsen, C. J. Isobaric gas counterdiffusion in rabbit eye. 47:220

Cox, C. L. see Strope, G. L.

Cox, C. P. *see Pennock, B. E.*

Cox, R. H. *see* Stuart, M. K.

Coyle, E. F., Feiring, D. C., Rotkis, T. C., *Cote, R. W., III, Roby, F. B., Lee, W.,* and Wilmore, J. H. Specificity of power improvements through slow and fast isokinetic training. 51:1437

Coyle, E. F.
see Costill, D. L.
Hagberg, J. M.
Wilmore, J. H.

Cradduck, T. D. *see Manyari, D. E.*

Craig, A. B., Jr. *see* Pendergast, D. R.

Craig, B. W. see Terblanche, S. E.

Craig, F. N. *see Stemler, F. W.*

Crain, C. R. *see* Silbaugh, S. A.

Crain, M. *see* Parker, J. C.

Crandall, E. D., and Bidani, A. Effects of red blood cell HCO_3^-/Cl^- exchange kinetics on lung CO_2 transfer: theory. 50:265

Crandall, E. D., Bidani, A., and Forster, R. E. Postcapillary changes in blood pH in vivo during carbonic anhydrase inhibition. 43:582

Crandall, E. D., and DeLong, J. A pressure- and flow-insensitive reference electrode liquid junction. 41:125

Crandall, E. D., and Kim, K.-J. Transport of water and solutes across bullfrog alveolar epithelium. 50:1263

Crandall, E. D.
see Bidani, A.
Kim, K.-J.
O'Brasky, J. E.

Crapo, J. D., Marsh-Salin, J., Ingram, P., and Pratt, P. C. Tolerance and cross-tolerance using NO_2 and O_2. II. Pulmonary morphology and morphometry. 44:370

Crapo, J. D., Sjostrom, K., and Drew, R. T. Tolerance and cross-tolerance using NO_2 and O_2. I. Toxicology and biochemistry. 44:364

Crapo, J. D.
see Crapo, R. O.
Hayatdavoudi, G.
Young, S. L.

Crapo, R. O., Crapo, J. D., Morris, A. H., Berlin, S. L., and Devries, W. C. Pulmonary tissue volume in isolated perfused dog lungs. 48:799

Crapo, R. O., Morris, A. H., Gardner, R. M., and Schaap, R. N. Computation techniques for rebreathing lung tissue volume and pulmonary capillary blood flow. 52:1375

Craven, K. D., Oppenheimer, L., and Wood, L. D. H. Effects of contusion and flail chest on pulmonary perfusion and oxygen exchange. 47:729

Craven, K. D., and Wood, L. D. H. Extrapericardial and esophageal pressures with positive end-expiratory pressure in dogs. 51:798

Craven, K. D. *see* Oppenheimer, L.

Crawford, D. W.
see Back, L. H.
Kanabus, E. W.

Crawford, R. D., and Severinghaus, J. W. CSF pH and ventilatory acclimatization to altitude. 45:275

Creagh, E. M. *see* Zwillich, C. W.

Creasy, R. K.
see Kitterman, J. A.
Liggins, G. C.
Zapol, W. M.

Cribbs, D. *see* Krumpe, P. E.

Crielaard, J. M. *see* Pirnay, F.

Criley, J. M. *see* Blaufuss, A.

Criss, R. E. L. *see* Hubbard, R. W.

Crist, J. L. *see* Drinkwater, B. L.

Crockatt, L. H., Lund, D. D., Schmid, P. G., *and Roskoski, R., Jr.* Hypoxia-induced changes in parasympathetic neurochemical markers in guinea pig heart. *50:1017*

Cronau, L. H. *see* Gillis, C. N.

Crosbie, W. A., Reed, J. W., and Clarke, M. C. Functional characteristics of the large lungs found in commercial divers. 46:639

Crosbie, W. A. *see* Bouhuys, A.

Cross, B. A. see Mitchell, G. S.

Cruz, J. C., *Grover, R. F., Reeves, J. T.,* Maher, J. T., Cymerman, A., and Denniston, J. C. Sustained venoconstriction in man supplemented with CO_2 at high altitude. 40:96

Cruz, J. C. *see* Denniston, J. C.

Cuche, J. L. *see* Marchand, G. R.

Cucinell, S. A. *see* Claybaugh, J. R.

Culver, B. H., *Marini, J. J., and Butler, J.* Lung volume and pleural pressure effects on ventricular function. 50:630

Culver, B. H.
see Marini, J. J.
Spiro, S. G.

Cumming, G.
see Bowes, C.
Horsfield, K.
Venkatesh, S.

Cumming, G. R. Recirculation times in exercising children. 45:1005

Cummings, L. A. *see* Gilbert, R. D.

Cunningham, D. see Paterson, D. H.

Cunningham, D. A.
see Blimkie, C. J. R.
Paulsen, W.
Wolfe, L. A.

Cunningham, D. J., Stolwijk, J. A. J., and Wenger, C. B. Comparative thermoregulatory responses of resting men and women. 45:908

Curet, L. B., Orr, J. A., Rankin, J. H. G., and Ungerer, T. Effect of exercise on cardiac output and distribution of uterine blood flow in pregnant ewes. 40:725

Curtis, F. C. *see* Hubbard, R. W.

Curtis, M. *see* Stamford, B. A.

Cutilletta, A. F., Edmiston, K., and Dowell, R. T. Effect of a mild exercise program on myocardial function and the development of hypertrophy. 46:354

Cutillo, A. *see* Clark, J. S.

Cymerman, A., Pandolf, K. B., Young, A. J., and Maher, J. T. Energy expenditure during load carriage at high altitude. 51:14

Cymerman, A.
see Cruz, J. C.
Denniston, J. C.
Jaeger, J. J.
Maher, J. T.
Sylvester, J. T.
Young, A. J.

Czajka, M. R. *see* Gross, I.

D

Dabrowski, B. *see* Ianuzzo, C. D.

Dagani, F. *see* Benzi, G.

Dahlby, R. *see* Martin, B. A.

Dahlby, R. W. *see* Baile, E. M.

Dahms, T. E. *see* Wagner, J. A.

Dain, D. S. *see* Gold, W. M.

Daley, J. *see* Nattie, E. E.

Dallevet, G. *see* Forichon, J.

Dalsky, G. *see* Costill, D. L.

Daly, C. H. *see* Holloway, G. A., Jr.

Damassa, D. A. *see* Gray, G. D.

Daniel, E. E. *see* Davis, C.

Daniel, P. M., Donaldson, J., Pratt, O. E., Patlak, C. S., and Pettigrew, K. D. Infusion schedules for prescribed blood concentration time courses (Letter to the *Editor*). *41:608*

Daniele, R. P.
see Forman, H. J.
Holian, A.

Daniels, J. *see* Costill, D. L.

Danon, J. *see* Kim, M. J.

Dantzker, D. R., and Bower, J. S. Pulmonary vascular tone improves $\dot{V}_A/\dot{Q}$ matching in obliterative pulmonary hypertension. 51:607

Dantzker, D. R.
see Lynch, J. P.
Snyder, B.

D'Aoust, B. *see* Richmond, V.

D'Aoust, B. G., Smith, K. H., and Swanson, H. T. Decompression-induced decrease in nitrogen elimination rate in awake dogs. 41:348

D'Aoust, B. G., Swanson, H. T., White, R., *Dunford, R., and Mahoney, J.* Central venous bubbles and mixed venous nitrogen in goats following decompression. *51:1238*

D'Aoust, B. G. *see* Young, C.

Darling, R. C.
see Downey, J. A.
Tam, H.-S.

Daróczy, B. *see* Hantos, Z.

Das, S. *see* Martin, C. J.

Dashkoff, N. *see* Matalon, S.

Dasler, R. *see* Fregly, M. J.

Daubenspeck, J. A. Ventilatory responses to elastic loading at constant $P_{A_{CO_2}}$ in hypercapnic hyperpnea. 47:778

Daubenspeck, J. A. Influence of small mechanical loads on variability of breathing pattern. 50:299

Daubenspeck, J. A., and Ogden, R. D. Estimation of response slopes in respiratory control using directional statistics. 45:823
Daubenspeck, J. A. *see* England, S. J.
Davidson, D. M. *see* Savin, W. M.
Davidson, J. M. *see* Gray, G. D.
Davidson, J. T. *see* Gross, P. M.
Davidson, S. B. *see* Smith, O. L. K.
Davies, A. *see* Horsfield, K.
Davies, C. *see* Polacheck, J.
Davies, C. T. M. Influence of skin temperature on sweating and aerobic performance during severe work. 47:770
Davies, C. T. M. Effects of wind assistance and resistance on the forward motion of a runner. 48:702
Davies, C. T. M. Effect of acclimatization to heat on the regulation of sweating during moderate and severe exercise. 50:741
Davies, C. T. M., Brotherhood, J. R., and ZeidiFard, E. Temperature regulation during severe exercise with some observations on effects of skin wetting. 41:772
Davies, C. T. M., and White, M. J. Muscle weakness following dynamic exercise in humans. 53:236
Davies, C. T. M. *see* Sargeant, A. J.
Davies, D. G. Cerebrospinal fluid sampling technique and Astrup pH and P_{CO_2} values. 40:123
Davies, D. G. Temperature-induced changes in blood acid-base status in the alligator, *Alligator mississipiensis*. 45:922
Davies, D. G., and Nolan, W. F. Cerebral interstitial fluid acid-base status follows arterial acid-base perturbations. 53:1551
Davies, D. G., Thomas, J. L., and Smith, E. N. Effect of body temperature on ventilatory control in the alligator. 52:114
Davies, D. G.
see Britton, S. L.
Nolan, W. F.
Weiskopf, R. B.
Davies, D. R., Bassingthwaighte, J. B., and Kelly, P. J. Transcapillary exchange of strontium and sucrose in canine tibia. 40:17
Davies, E. E.
see Grant, B. J. B.
Jones, H. A.
ZeidiFard, E.
Davies, J. A., Harrison, M. H., Cochrane, L. A., Edwards, R. J., and Gibson, T. M. Effect of saline loading during heat acclimatization on adrenocortical hormone levels. 50:605
Davies, J. A. *see* Harrison, M. H.
Davies, N. J. H. *see* McEvoy, R. D.
Davies, P., McBride, J., Murray, G. F., Wilcox, B. R., Shallal, J. A., and Reid, L. Structural changes in the canine lung and pulmonary arteries after pneumonectomy. 53:859
Davies, R. O. *see* Lahiri, S.
Davis, B., Chinn, R., Gold, J., Popovac, D., Widdicombe, J. G., and Nadel, J. A. Hypoxemia reflexly increases secretion from tracheal submucosal glands in dogs. 52:1416
Davis, B., Roberts, A. M., Coleridge, H. M., and Coleridge, J. C. G. Reflex tracheal gland secretion evoked by stimulation of bronchial C-fibers in dogs. 53:985
Davis, B.
see Borson, D. B.
Marin, M. G.
Davis, C., Campbell, E. J. M., Openshaw, P., Pride, N. B., and Woodroof, G. Importance of airway closure in limiting maximal expiration in normal man. 48:695
Davis, C., Kannan, M. S., Jones, T. R., and Daniel, E. E. Control of human airway smooth muscle: in vitro studies. 53:1080
Davis, E. *see* Smith, O. L. K.
Davis, G. L., Abildgaard, C. F., Bernauer, E. M., and Britton, M. Fibrinolytic and hemostatic changes during and after maximal exercise in males. 40:287
Davis, G. L. *see* Greenleaf, J. E.
Davis, G. M. *see* Wolfe, L. A.
Davis, J. A., Frank, M. H., Whipp, B. J., and Wasserman, K. Anaerobic threshold alterations caused by endurance training in middle-aged men. 46:1039
Davis, J. A., Vodak, P., Wilmore, J. H., Vodak, J., and Kurtz, P. Anaerobic threshold and maximal aerobic power for three modes of exercise. 41:544
Davis, J. A.
see Caiozzo, V. J.
Oren, A.
Whipp, B. J.
Wilmore, J. H.
Davis, J. R. *see* Hickson, R. C.
Davis, J. T., and DuBois, A. B. Immersion diuresis in dogs. 42:915
Davis, P. J. *see* Hawco, M. W.
Davis, T. P.
see El-Nouty, F. D.
Musacchia, X. J.
Dawson, C. A., Grimm, D. J., and Linehan, J. H. Effects of lung inflation on longitudinal distribution of pulmonary vascular resistance. 43:1089
Dawson, C. A., Grimm, D. J., and Linehan, J. H. Influence of hypoxia on the longitudinal distribution of pulmonary vascular resistance. 44:493
Dawson, C. A., Grimm, D. J., and Linehan, J. H. Lung inflation and longitudinal distribution of pulmonary vascular resistance during hypoxia. 47:532
Dawson, C. A.
see Grimm, D. J.
Hakim, T. S.
Linehan, J. H.
Maron, M. B.
Quebbeman, E. J.
Rickaby, D. A.
Dawson, G. *see* Pollock, M. L.
Dawson, S. V., and Elliott, E. A. Wave-speed limitation on expiratory flow—a unifying concept. 43:498
Dawson, S. V.
see Dorkin, H. L.
Elliott, E. A.
Jackson, A. C.
Dawson, T. J. *see* Denny, M. J. S.
Deal, E. C., Jr., McFadden, E. R., Jr., Ingram, R. H., Jr., and Jaeger, J. J. Effects of atropine on potentiation of exercise-induced bronchospasm by cold air. 45:238
Deal, E. C., Jr., McFadden, E. R., Jr., Ingram, R. H., Jr., and Jaeger, J. J. Hyperpnea and heat flux: initial reaction sequence in exercise-induced asthma. 46:476
Deal, E. C., Jr., McFadden, E. R., Jr., Ingram, R. H., Jr., and Jaeger, J. J. Esophageal temperature during exercise in asthmatic and nonasthmatic subjects. 46:484
Deal, E. C., Jr., McFadden, E. R., Jr., Ingram, R. H., Jr., Strauss, R. H., and Jaeger, J. J. Role of respiratory heat exchange in production of exercise-induced asthma. 46:467
Deal, E. C., Jr. *see* Breslin, F. J.
Deavers, D. R., and Hudson, J. W. Effect of cold exposure on water requirements of three species of small mammals. 43:121
Deavers, D. R., Musacchia, X. J., and Meininger, G. A. Model for antiorthostatic hypokinesia: head-down tilt effects on water and salt excretion. 49:576
Deavers, D. R. *see* Musacchia, X. J.
DeBus, C. *see* Gregor, R. J.
De Champlain, J.
see Cousineau, D.
Péronnet, F.
Decramer, M. *see* De Wilde, R.
De Francquen, P. *see* Vanderhoeft, P.
Degen, A. A., Pinshow, B., Alkon, P. U., and Arnon, H. Tritiated water for estimating total body water and water turnover rate in birds. 51:1183
DeGroot, W. J. *see* Remmers, J. E.
Dehghani, G. A. *see* Fitzgerald, R. S.
Delaive, J. *see* Zink, J.
Delaney, M. D. *see* Thet, L. A.
DeLaney, R. G. *see* Pack, A. I.
Delaunois, L., Boileau, R., Diodatti, J., Gauthier, J., and Martin, R. R. Regional distribution of ventilation at residual volume in induced bronchospasm. 53:361
Delaunois, L., Sergysels, R., Gauthier, J. J., and Martin, R. R. Small airways impairment during progressive hemorrhage and early shock in dogs. 46:792
Delaunois, L. *see* Chang, H. K.
Delavault, E., Saumon, G., and Georges, R. Nonlinear fluid systems identified by random noise input. 53:1643
Delescaille-Vanden Bossche, J. *see* Poortmans, J. R.
Delhez, L. *see* De Troyer, A.
Delio, D. J. *see* Magel, J. R.
Dell'Orto, L. *see* Cerretelli, P.
DeLong, J. *see* Crandall, E. D.
Del Santo, A. *see* Citterio, G.
DeLucia, A. J., and Adams, W. C. Effects of O_3 inhalation during exercise on pulmonary function and blood biochemistry. 43:75
Del Valle-Zuris, A. *see* Fahey, T. D.
Demedts, M., De Roo, M., Cosemans, J., Billiet, L., and Van de Woestijne, K. P. Xenon and nitrogen single-breath washout curves in patients with airway obstruction. 41:185
Demedts, M., Roelandts, J., Verhamme, M., Hedenstierna, G., and Santesson, J. Mechanism of phase V in closing volume test (Letter to the Editor). 49:538
Demedts, M.
see De Wilde, R.
Lándsér, F. J.
Demeester, M. *see* Vanderhoeft, P.
Demling, R. H., Niehaus, G., and Will, J. A. Pulmonary microvascular response to hemorrhagic shock, resuscitation, and recovery. 46:498
Demling, R. H.
see Gorin, A. B.
Gunther, R.
Demottaz, V. *see* Sosenko, I. R. S.
Dempsey, J.
see Aronsson, H.
Hanson, P.
Dempsey, J. A., Forster, H. V., Chosy, L. W., Hanson, P. G., and Reddan, W. G. Regulation of CSF $[HCO_3^-]$ during long-term hypoxic hypocapnia in man. 44:175
Dempsey, J. A.
see Bhansali, P. V.
Iber, C.
Mastenbrook, S. M., Jr.
Olson, E. B., Jr.
Pelligrino, D. A.
Skatrud, J. B.
De Myttenaere, S. *see* Bursztein, S.
Denes, P. *see* Teague, S.
Denn, M. J., and Stone, H. L. Autonomic innervation of dog coronary arteries. 41:30
Denniston, J. C., Maher, J. T., Reeves, J. T., Cruz, J. C., Cymerman, A., and Grover, R. F. Measurement of cardiac output by electrical impedance at rest and during exercise. 40:91

Denniston, J. C. *see* Cruz, J. C.
Jaeger, J. J.
Maher, J. T.

Denny, M. J. S., and Dawson, T. J. Kidney structure and function of desert kangaroos. 42:636

Deno, N. S., Barlett, H. L., and Buskirk, E. R. Respiratory flow integrator with improved stability. 44:619

Deno, N. S., and Kamon, E. A dryer for rapid response on-line expired gas measurements. 46:1196

Deno, N. S. *see* Linberg, S. E.

Denton, J. E. *see* Drinkwater, B. L.

DeNunzio, A. G. *see* Epstein, M.

Derenne, J.-P., Couture, J., Iscoe, S., Whitelaw, W. A., and Milic-Emili, J. Occlusion pressures in men rebreathing CO_2 under methoxyflurane anesthesia. 40:805

Derenne, J.-P. *see* Grassino, A. E.
Whitelaw, W. A.

Derksen, F. J., Robinson, N. E., and Slocombe, R. F. Ovalbumin-induced lung disease in the pony: role of vagal mechanisms. 53:719

De Roo, M. *see* Demedts, M.

De Schaepdryver, A. *see* Fagard, R.

Deshayes, S. *see* Harf, A.

Despas, P. *see* Wood, L. D. H.

De Troyer, A., Bastenier, J., and Delhez, L. Function of respiratory muscles during partial curarization in humans. 49:1049

De Troyer, A., and Bastenier-Geens, J. Effects of neuromuscular blockade on respiratory mechanics in conscious man. 47:1162

De Troyer, A., *and Kelly, S. Chest wall* mechanics in dogs with acute diaphragm paralysis. 53:373

De Troyer, A., Sampson, M., Sigrist, S., and Macklem, P. T. Action of costal and crural parts of the diaphragm on the rib cage in dog. 53:30

De Troyer, A., and Sampson, M. G. Activation of the parasternal intercostals during breathing efforts in human subjects. 52:524

De Troyer, A., Yernault, J.-C., Englert, M., Baran, D., and Paiva, M. Evolution of intrathoracic airway mechanics during lung growth. 44:521

De Troyer, A., Yernault, J.-C., and Rodenstein, D. Effects of vagal blockade on lung mechanics in normal man. 46:217

De Troyer, A. *see* Aubier, M.
Moxham, J.
Sampson, M. G.
Yernault, J.-C.

Detter, J. C. *see* Hlastala, M. P.

De Vries, G. A. *see* Bakker, H. K.

De Vries, W. R., Luijendijk, S. C. M., and Zwart, A. Helium and sulfur hexafluoride washout in asymmetric lung models. 51:1122

De Vries, W. R. *see* Luijendijk, S. C. M.

Devries, W. C. *see* Crapo, R. O.

Devroede, G. *see* Arhan, P.

Dewasmes, G., Le Maho, Y., Cornet, A., and Groscolas, R. Resting metabolic rate and cost of locomotion in long-term fasting emperor penguins. 49:888

De Wilde, R., Clément, J., Hellemans, J. M., Decramer, M., Demedts, M., Boving, R., and Van de Woestijne, K. P. Model of elasticity of the human lung. 51:254

Dhawan, B. N. *see* Chand, N.

Dhindsa, D. S. *see* Bristow, J. D.

Dhingra, S. *see* Forkert, L.

Diamond, L., and O'Donnell, M. Pulmonary mechanics in normal rats. 43:942

Diamond, L. B., Casaburi, R., Wasserman, K., and Whipp, B. J. Kinetics of gas exchange and ventilation in transitions from rest or prior exercise. 43:704

Diana, J. N. *see* Laughlin, M. H.

Diaz, F. J., Bransford, D. R., Kobayashi, K., Horvath, S. M., and McMurray, R. G. Plasma volume changes during rest and exercise in different postures in a hot humid environment. 47:798

Diaz, F. J. *see* Hagan, R. D.
Kobayashi, K.
Wilkerson, J. E.

DiCarlo, E. F. *see* Moskowitz, R. M.

Dick, N. *see* Sahn, S. A.

Dickey, D. T. *see* Billman, G. E.

Dickey, D. W. *see* Souhrada, J. F.

Dickson, J. A., MacKenzie, A., and McLeod, K. Temperature gradients in pigs during whole-body hyperthermia at 42°C. 47:712

Didier, E. P. *see* Rehder, K.

Didisheim, P. *see* Sass, D. J.

Dieguez, G. *see* López de Pablo, A. L.

Diehm, C. *see* Wirth, A.

Dieleman, L. A. *see* Adams, R. P.

Diepstra, G., Gonyea, W., and Mitchell, J. H. Distribution of cardiac output during static exercise in the conscious cat. 52:642

Dieterle, Y. *see* Ody, C.

Diewold, R. J. *see* Martin, S.

Dighton, D. H. *see* Katona, P. G.

DiGirolamo, M. *see* Owens, J. L.

Dill, D. B., Hillyard, S. D., and Miller, J. Vital capacity, exercise performance, and blood gases at altitude as related to age. 48:6

Dill, D. B., Soholt, L. F., and Morris, J. D., Jr. Wheel running of kangaroo rats, *Dipodomys merriami,* as related to food deprivation and body composition. 44:17

Dill, D. B., Soholt, L. F., and Oddershede, J. Physiological adjustments of young men to five-hour desert walks. 40:236

Dill, D. B. *see* Robinson, S.

Dillard, C. J., Litov, R. E., Savin, W. M., Dumelin, E. E., and Tappel, A. L. Effects of exercise, vitamin E, and ozone on pulmonary function and lipid peroxidation. 45:927

DiMarco, A. F., Kelsen, S. G., Cherniack, N. S., Hough, W. H., and Gothe, B. Effects on breathing of selective restriction of movement of the rib cage and abdomen. 50:412

DiMarco, A. F., Wolfson, D. A., Gotfried, S. B., and Altose, M. D. Sensation of inspired volume in normal subjects and quadriplegic patients. 53:1481

Diodatti, J. *see* Delaunois, L.

Di Prampero, P. E., Cortili, G., Mognoni, P., and Saibene, F. Energy cost of speed skating and efficiency of work against air resistance. 40:584

Di Prampero, P. E., Cortili, G., Mognoni, P., and Saibene, F. Equation of motion of a cyclist. 47:201

Di Prampero, P. E. *see* Pendergast, D. R.

Disley, A. *see* Twentyman, O. P.

Dittmar, A. *see* Biron, R.

Djokic, T. D. *see* Lee, L.-Y.

Doblar, D. D., Min, B. G., Chapman, R. W., Harback, E. R., Welkowitz, W., and Edelman, N. H. Dynamic characteristics of cerebral blood flow response to sinusoidal hypoxia. 46:721

Doblar, D. D., Santiago, T. V., and Edelman, N. H. Correlation between ventilatory and cerebrovascular responses to inhalation of CO. 43:455

Doctor, A. *see* Bonchek, L. I.

Dodge, T. L. *see* Yakaitis, R. W.

Dodia, C. *see* Fisher, A. B.

Doekel, R. C., Weir, E. K., Looga, R., Grover, R. F., and Reeves, J. T. Potentiation of hypoxic pulmonary vasoconstriction by ethyl alcohol in dogs. 44:76

Doekel, R. D. *see* Scoggin, C. H.

Doerr, B. M. *see* Miles, D. S.

Doershuk, C. F. *see* Ligas, J. R.

Doherty, D. W., Jr., and Blatteis, C. M. Hypoxic reduction of endotoxic fever in guinea pigs. 49:294

Dohm, G. L., Beecher, G. R., Stephenson, T. P., and Womack, M. Adaptations to endurance training at three intensities of exercise. 42:753

Dohm, G. L., Beecher, G. R., Warren, R. Q., and Williams, R. T. Influence of exercise on free amino acid concentrations in rat tissues. 50:41

Dohm, G. L., Williams, R. T., Kasperek, G. J., and Van Rij, A. M. Increased excretion of urea and N^{τ}-methylhistidine by rats and humans after a bout of exercise. 52:27

Dolan, G. F. *see* Minh, V.-D.
Shepard, J. W., Jr.

Dolkas, C. B., and Greenleaf, J. E. Insulin and glucose responses during bed rest with isotonic and isometric exercise. 43:1033

Doll, B. E. *see* Ultman, J. S.

Dolovich, M. B., Sanchis, J., Rossman, C., and Newhouse, M. T. Aerosol penetrance: a sensitive index of peripheral airways obstruction. 40:468

Dolovich, M. B. *see* Wolff, R. K.

Dombos, K. *see* Hantos, Z.

Donald, D. E. *see* Thorén, P.

Donald, T. C. *see* Cain, S. M.

Donaldson, J. *see* Daniel, P. M.

Dong, L. *see* Bland, R. D.

Donnelly, D. F., Smith, E. J., and Dutton, R. E. Neural response of carotid chemoreceptors following dopamine blockade. 50:172

Donovan, C. M., and Brooks, G. A. Muscular efficiency during steady-rate exercise. II. Effects of walking speed and work rate. 43:431

Donovan, E. F. *see* Bigland-Ritchie, B.

Doré, C. J. *see* Baden, J. M.

Doris, P. A., and Baker, M. A. Effect of dehydration on thermoregulation in cats exposed to high ambient temperatures. 51:46

Dorkin, H. L., Jackson, A. C., Strieder, D. J., and Dawson, S. V. Interaction of oscillatory and unidirectional flows in straight tubes and an airway cast. 52:1097

Dorkin, H. L. *see* Fredberg, J. J.

Dormer, K. J., and Stone, H. L. Cerebellar pressor response in the dog. 41:574

Dornic, C. *see* Arhan, P.

Dosman, J. *see* Bode, F. R.
Ploy-Song-Sang, Y.

Dotan, R. *see* Bar-Or, O.
Inbar, O.

Doubt, T. J., and Hogan, P. M. Effects of hydrostatic pressure on conduction and excitability in rabbit atria. 45:24

Doubt, T. J., and Hogan, P. M. Action potential correlates of pressure-induced changes in cardiac conduction. 47:1169

Dougherty, R. *see* Begin, R.

Douglas, N. J., Drummond, G. B., and Sudlow, M. F. Breathing at low lung volumes and chest strapping: a comparison of lung mechanics. 50:650

Douglas, N. J., Sudlow, M. F., and Flenley, D. C. Effect of an inhaled atropine-like agent on normal airway function. 46:256

Douglas, N.J., Wraith, P. K., Brash, H. M., Millar, J., Sudlow, M. F., and Flenley, D. C. Computer measurement of dynamic compliance: technique and reproducibility in man. 48:903
Douglas, W. H. J. *see* Simon, L. M.
Dowell, R. T., Stone, H. L., Sordahl, L. A., and Asimakis, G. K. Contractile function and myofibrillar ATPase activity in the exercise-trained dog heart. 43:977
Dowell, R. T.
see Cutilletta, A. F.
Hasser, E. M.
Sordahl, L. A.
Dowling, M. *see* Bowes, G.
Dowling, N. B. *see* O'Cain, C. F.
Downes, H. *see* Hirshman, C. A.
Downey, J. A., Huckaba, C. E., Kelley, P. S., Tam, H. S., Darling, R. C., and Cheh, H. Y. Sweating responses to central and peripheral heating in spinal man. 40:701
Downey, J. A. *see* Tam, H.-S.
Downie, A. J. *see* McLean, J. A.
Dozor, R. *see* Holden, W. E.
Drake, R. E., Adcock, D. K., Scott, R. L., and Gabel, J. C. A feedback system to control blood flow in dog lung lobes. 53:1650
Drake, R. E. *see* Morriss, A. W.
Drath, D. B., Karnovsky, M. L., and Huber, G. L. Hydroxyl radical formation in phagocytic cells of the rat. 46:136
Drayer, J. I. M. *see* Keim, H. J.
Drazen, J. M. Adrenergic influences on histamine-mediated bronchoconstriction in the guinea pig. 44:340
Drazen, J. M., Loring, S. H., and Ingram, R. H., Jr. Distribution of pulmonary resistance. 41:388
Drazen, J. M., Loring, S. H., and Ingram, R. H., Jr. Localization of airway constriction using gases of varying density and viscosity. 41:396
Drazen, J. M., Loring, S. H., Jackson, A. C., Snapper, J. R., and Ingram, R. H., Jr. Effects of volume history on airway changes induced by histamine or vagal stimulation. 47:657
Drazen, J. M., Loring, S. H., and Regan, R. Validation of an automated determination of pulmonary resistance by electrical subtraction. 40:110
Drazen, J. M., Loring, S. H., and Venugopalan, C. Lung volumes after antigen infusion in the guinea pig in vivo: effects of vagal section. 45:957
Drazen, J. M., Venugopalan, C. S., and Schneider, M. W. Alteration of histamine response by H_2-receptor antagonism in the guinea pig. 48:613
Drazen, J. M.
see Jackson, A. C.
Loring, S. H.
Pedersen, O. F.
Rossing, T. H.
Slutsky, A. S.
Snapper, J. R.
Yanta, M. A.
Dreisin, R. B. *see* Hyers, T. M.
Dressendorfer, R. H., Wade, C. E., and Bernauer, E. M. Combined effects of breathing resistance and hyperoxia on aerobic work tolerance. 42:444
Dressendorfer, R. H. *see* Wade, C. E.
Drew, R. T. *see* Crapo, J. D.
Driedger, A. A.
see Manyari, D. E.
Sibbald, W. J.
Drinkwater, B. L., Bedi, J. F., Loucks, A. B., Roche, S., and Horvath, S. M. Sweating sensitivity and capacity of women in relation to age. 53:671
Drinkwater, B. L., Denton, J. E., Kupprat, I. C., Talag, T. S., and Horvath, S. M. Aerobic power as a factor in women's response to work in hot environments. 41:815
Drinkwater, B. L., Denton, J. E., Raven, P. B., and Horvath, S. M. Thermoregulatory response of women to intermittent work in the heat. 41:57
Drinkwater, B. L., Kupprat, I. C., Denton, J. E., Crist, J. L., and Horvath, S. M. Response of prepubertal girls and college women to work in the heat. 43:1046
Drinkwater, B. L.
see Folinsbee, L. J.
Kobayashi, K.
Droghetti, P. *see* Conconi, F.
Drouet, L.
see Capderou, A.
Raynaud, J.
Droulez, J. *see* Duvelleroy, M. A.
Drummond, G. B. *see* Douglas, N. J.
Druz, W. S., and Sharp, J. T. Activity of respiratory muscles in upright and recumbent humans. 51:1552
Druz, W. S.
see Kim, M. J.
Vellody, V. P.
Duane, S. *see* Niewoehner, D. E.
DuBois, A. B.
see Davis, J. T.
Kakiuchi, Y.
Khosla, S. S.
Dubois, F. *see* Arhan, P.
Dudley, G. A., Abraham, W. M., and Terjung, R. L. Influence of exercise intensity and duration on biochemical adaptations in skeletal muscle. 53:844
Dudley, G. A.
see Mackie, B. G.
Meyer, R. A.
Dueker, C. W., Lambertsen, C. J., Rosowski, J. J., and Saunders, J. C. Middle ear gas exchange in isobaric counterdiffusion. 47:1239
Duffin, J. *see* Phillipson, E. A.
Duhm, J. *see* Petschow, D.
Dukes-Dobos, F. N. *see* Kuhlemeier, K. V.
Dulac, S. *see* LeBlanc, J.
Dulong-Turcot, F. *see* LeBlanc, J.
Dumelin, E. E. *see* Dillard, C. J.
Dumont, C. *see* Lee, L.-Y.
Dumpit, F. M., and Brady, J. P. A simple technique for measuring alveolar CO_2 in infants. 45:648
Duncan, D. *see* Begin, R.
Duncan, H. W.
see Barnard, R. J.
Grimditch, G. K.
Dunel-Erb, S., Bailly, Y., and Laurent, P. Neuroepithelial cells in fish gill primary lamellae. 53:1342
Dunford, R. *see* D'Aoust, B. G.
Dunn, K. L. *see* Brantigan, J. W.
Durand, C. M. *see* Mazzone, R. W.
Durand, J. *see* Raynaud, J.
Durnin, J. V. G. A. *see* Womersley, J.
Duron, B. *see* Siafakas, N. M.
Durstine, J. L. *see* Shepherd, R. E.
Duruble, M. *see* Duvelleroy, M. A.
Dussault, J. *see* LeBlanc, J.
Dutton, R. E.
see Donnelly, D. F.
Newell, J. C.
Duvelleroy, M. A., Duruble, M., Martin, J. L., Teisseire, B., Droulez, J., and Cain, M. Blood-perfused working isolated rat heart. 41:603
Dymond, D. S. *see Foster, C.*

E

Earnest, W. R. *see* Westenfelder, C.
Eaton, M. *see* Horwitz, B. A.
Ebert, T. J., Stowe, D. F., Barney, J. A., Kalbfleisch, J. H., and Smith, J. J. Summated circulatory responses of thermal and baroreflexes in humans. 52:184
Eckberg, D. L., Abboud, F. M., and Mark, A. L. Modulation of carotid baroreflex responsiveness in man: effects of posture and propranolol. 41:383
Eckberg, D. L., Bastow, H., III, and Scruby, A. E. Modulation of human sinus node function by systemic hypoxia. 52:570
Eckerson, J. D.
see Hayward, J. S.
Johnson, D. G.
Edelman, N. H.
see Chapman, R. W.
Doblar, D. D.
Hamilton, R. W.
Neubauer, J. A.
Riley, D. J.
Santiago, T. V.
Eden, R. S. *see* Williams, R. S.
Ederstrom, H. E. *see* Stein, P. M.
Edgerton, V. R.
see Caiozzo, V. J.
Gardiner, K. R.
Gregor, R. J.
Roy, R. R.
Edmiston, K. *see* Cutilletta, A. F.
Edmunds, L. H., Jr. *see* Cowan, G. S. M., Jr.
Edwards, J. G., Lund, D. D., Bedford, T. G., Tipton, C. M., Matthes, R. D., and Schmid, P. G. Metabolic and cardiovascular adaptations in trained hypophysectomized rats. 53:448
Edwards, J. G. *see* Murphy, R. D.
Edwards, R. G. *see* Bhattacharya, A.
Edwards, R. H. T. *see* Moxham, J.
Edwards, R. J.
see Bonner, R. M.
Davies, J. A.
Harrison, M. H.
Edwards, W. H. *see* Nattie, E. E.
Effros, R. M., Chang, R. S. Y., and Silverman, P. Effect of osmolality on red blood cell viscosity and transit through the lung. 42:941
Effros, R. M., Mason, G., and Silverman, P. Asymmetric distribution of carbonic anhydrase in the alveolar-capillary barrier. 51:190
Effros, R. M., Mason, G., and Silverman, P. Role of perfusion and diffusion in $^{14}CO_2$ exchange in the rabbit lung. 51:1136
Effros, R. M., Shapiro, L., and Silverman, P. Carbonic anhydrase activity of rabbit lungs. 49:589
Effros, R. M., and Weissman, M. L. Carbonic anhydrase activity of the cat hind leg. 47:1090
Effros, R. M. *see* Chang, R. S. Y.
Egan, E. A. Response of alveolar epithelial solute permeability to changes in lung inflation. 49:1032
Egan, E. A. Lung inflation, lung solute permeability, and alveolar edema. 53:121
Egan, E. A.
see Matalon, S.
Nelson, R. M.
Egemo, C. L. *see* Riley, J. L.
Ehrenkranz, R. *see* Walker, A. M.
Ehrenkranz, R. A. *see* Oakes, G. K.
Ehrhardt, J. C. *see* Marcus, M. L.
Ehrhart, I. C., and Hofman, W. F. Oleic acid dose-related edema in isolated canine lung perfused at constant pressure. 50:1115
Ehrsam, R. E., Heigenhauser, G. J. F., and Jones, N. L. Effect of respiratory acidosis on metabolism in exercise. 53:63
Ehsani, A. A.
see Hagberg, J. M.
Heath, G. W.
Winder, W. W.
Eichling, J. O. *see* Raichle, M. E.

Eick, H., Kostreva, D. R., Hosko, M., and Kampine, J. P. Mechanical apparatus for rigid suspension of the spinal column in mammals. 41:431
Eide, R. Physiological and behavioral reactions to repeated tail cooling in the white rat. 41:292
Einer-Jensen, N. *see* Lundsgaard, J. S.
Eisman, M. M., and Rowell, L. B. Renal vascular response to heat stress in baboons—role of renin-angiotensin. 43:739
Ekblom, B., Wilson, G., and Åstrand, P.-O. Central circulation during exercise after venesection and reinfusion of red blood cells. 40:379
Ekblom, B.
see Bergh, U.
Kanstrup, I.-L.
Elbanna, I. M. *see* El-Nouty, F. D.
Elder, G. C. B., Bradbury, K., and Roberts, R. Variability of fiber type distributions within human muscles. 53:1473
Eldridge, F. L. Central neural stimulation of respiration in unanesthetized decerebrate cats. 40:23
Eldridge, F. L., and Gill-Kumar, P. Lack of effect of vagal afferent input on central neural respiratory afterdischarge. 45:339
Eldridge, F. L., and Vaughn, K. Z. Relationship of thoracic volume and airway occlusion pressure: muscular effects. 43:312
Eldridge, F. L.
see Lawson, E. E.
Millhorn, D. E.
Smith, D. M.
Elger, D. H. *see* Ivy, J. L.
Elings, V. B., Lewis, F. R., and Briggs, J. Indicator dilution using a fluorescent indicator. 52:1368
Elizondo, R. S.
see Barney, C. C.
Johnson, G. S.
Oddershede, I. R.
Smiles, K. A.
Elliott, E. *see* Melissinos, C. G.
Elliott, E. A., and Dawson, S. V. Test of wave-speed theory of flow limitation in elastic tubes. 43:516
Elliott, E. A.
see Dawson, S. V.
Tien, Y.-K.
Elliott, H. L. *see* Riley, J. L.
Elliott, L. P. *see* Hubbard, R. W.
Elliott, S. E., Shore, J. H., Barnes, C. W., Lindauer, J., and Osborn, J. J. Turbulent airflow meter for long-term monitoring in patient-ventilator circuits. 42:456
Ellis, D. G., and Lampman, R. M. New respiratory gas valve support for graded exercise studies. 41:939
Ellis, D. G., and Lampman, R. M. Lightweight remotely actuated switching valve for rebreathing exercise studies. 48:386
Ellis, J. F. *see* Caiozzo, V. J.
Ellis, J. H. *see* Nordby, G. L.
Ellis, S. *see* Keil, L. C.
El-Nouty, F. D., Elbanna, I. M., Davis, T. P., and Johnson, H. D. Aldosterone and ADH response to heat and dehydration in cattle. 48:249
Eloy, R. *see* Lambert, A.
Elsner, R. *see* Kodama, A. M.
Emery, D. L., Shown, B., Batra, G., and Gee, M. H. Changes in collateral ventilation with increased vascular pressure and edema formation. 53:70
Eng, D. Y. *see* Bledsoe, S. W.
Eng, P. *see* Raab, J. L.
Engel, L. A., Landau, L., Taussig, L., Martin, R. R., and Sybrecht, G. Influence of bronchomotor tone on regional ventilation distribution at residual volume. 40:411
Engel, L. A.
see Fixley, M. S.
Fukuchi, Y.
Habib, M. P.
King, M.
Murphy, B. G.
Paiva, M.
Ploy-Song-Sang, Y.
Roussos, C. S.
Sybrecht, G.
Wood, L. D. H.
Engeman, R. M., and Swanson, G. D. Transient response of the Geman-Miller respiratory oscillator model. 46:1191
England, S. J., and Bartlett, D., Jr. Changes in respiratory movements of the human vocal cords during hyperpnea. 52:780
England, S. J., Bartlett, D., Jr., and Daubenspeck, J. A. Influence of human vocal cord movements on airflow and resistance during eupnea. 52:773
England, S. J., Bartlett, D., Jr., and Knuth, S. L. Comparison of human vocal cord movements during isocapnic hypoxia and hypercapnia. 53:81
Engle, C. M. *see* Robertson, C. H., Jr.
Engle, M. J. *see* Perelman, R. H.
Englert, M. *see* De Troyer, A.
Engrav, L. *see* Freund, P. R.
Enhorning, G. Photography of peripheral pulmonary airway expansion as affected by surfactant. 42:976
Enhorning, G. Pulsating bubble technique for evaluating pulmonary surfactant. 43:198
Enhorning, G. *see* Metcalfe, I. L.
Enjeti, S., O'Neill, J. T., Terry, P. B., Menkes, H. A., and Traystman, R. J. Sublobar atelectasis and regional pulmonary blood flow. 47:1245
Enjeti, S., Terry, P. B., Menkes, H. A., and Traystman, R. J. Mechanical factors and the regulation of perfusion through atelectatic lung in pigs. 52:647
Epstein, J. *see* Sheppard, D.
Epstein, M., DeNunzio, A. G., and Loutzenhiser, R. D. Effects of vasopressin administration on diuresis of water immersion in normal humans. 51:1384
Epstein, M., DeNunzio, A. G., and Ramachandran, M. Characterization of renal response to prolonged immersion in normal man. 49:184
Epstein, M., Levinson, R., and Loutzenhiser, R. Effects of water immersion on renal hemodynamics in normal man. 41:230
Epstein, M. *see* Begin, R.
Epstein, M. A. F.
see Epstein, R. A.
Haddad, G. G.
Epstein, P. E. *see* Hamilton, R. W.
Epstein, R. A., Epstein, M. A. F., Haddad, G. G., and Mellins, R. B. Practical implementation of the barometric method for measurement of tidal volume. 49:1107
Epstein, R. A. *see* Haddad, G. G.
Epstein, Y. *see* Shapiro, Y.
Erich, W. B. M. *see* Huisveld, I. A.
Erichsen, D. F. *see* Brown, M. J.
Erickson, H. H. *see* Peterson, D. F.
Ericson, G. C. *see* Gonyea, W. J.
Ernst, S. B., Mullin, W. J., Herrick, R. E., and Baldwin, K. M. Exercise and cardiac performance capacity in rats with partial sympathectomy. 53:242
Ernst, S. B. *see* Baldwin, K. M.
Esbenshade, A. M., Newman, J. H., Lams, P. M., Jolles, H., and Brigham, K. L. Respiratory failure after endotoxin infusion in sheep: lung mechanics and lung fluid balance. 53:967
Eschenbacher, W. L. *see* Cassidy, S. S.
Escourrou, P., Freund, P. R., Rowell, L. B., and Johnson, D. G. Splanchnic vasoconstriction in heat-stressed men: role of renin-angiotension system. 52:1438
Estep, J. A., Zorn, J. P., and Marin, M. G. Kinetics of sulfated mucous glycoprotein secretion in dog trachea in vitro. 50:383
Estep, J. A. *see* Marin, M. G.
Etheridge, G. L. *see* Thomas, T. R.
Etzion, Z. *see* Yagil, R.
Euler, D. E. *see* McCaffrey, T. V.
Evanich, M. J., Lopata, M., and Lourenço, R. V. Phrenic nerve activity and occlusion pressure changes during CO_2 rebreathing in cats. 41:536
Evanich, M. J., and Lourenço, R. V. Frequency response analysis of the diaphragm in vivo. 40:729
Evanich, M. J.
see Lopata, M.
Önal, E.
Evans, E. *see* Stock, M. J.
Evans, J. M. *see* Bhattacharya, A.
Evans, J. W., and Wagner, P. D. Limits on $\dot{V}A/\dot{Q}$ distributions from analysis of experimental inert gas elimination. 42:889
Evans, J. W. *see* Lewis, S. M.
Evans, W. *see* Costill, D. L.
Evans, W. J., and Ivy, J. L. Effects of testosterone propionate on hindlimb-immobilized rats. 52:1643
Evans, W. J. *see* Young, A. J.
Ewing, D. J., Hume, L., Campbell, I. W., Murray, A., Neilson, J. M. M., and Clarke, B. F. Autonomic mechanisms in the initial heat rate response to standing. 49:809
Ewing, J. L., Jr. *see* Kearney, J. T.
Ewy, G. A. *see* Wilmore, J. H.
Eyles, J. G. *see* Pimmel, R. L.
Eyre, P.
see Ahmed, T.
Wanner, A.

F

Fabbri, L. M. *see* Holtzman, M. J.
Fagard, R., Amery, A., Reybrouck, T., Lijnen, P., Billiet, L., Bogaert, M., Moerman, E., and De Schaepdryver, A. Effects of angiotensin antagonism at rest and during exercise in sodium-deplete man. 45:403
Fagard, R., Amery, A., Reybrouck, T., Lijnen, P., Moerman, E., Bogaert, M., and De Schaepdryver, A. Effects of angiotensin antagonism on hemodynamics, renin, and catecholamines during exercise. 43:440
Fagard, R., Lijnen, P., Vanhees, L., and Amery, A. Hemodynamic response to converting enzyme inhibition at rest and exercise in humans. 53:576
Fagard, R. *see* Lijnen, P.
Fagraeus, L., and Linnarsson, D. Autonomic origin of heart rate fluctuations at the onset of muscular exercise. 40:679
Fagraeus, L. *see* Hesser, C. M.
Fahey, T. D., Del Valle-Zuris, A., Oehlsen, G., Trieb, M., and Seymour, J. Pubertal stage differences in hormonal and hematological responses to maximal exercise in males. 46:823
Fahim, M. *see* Panda, A.
Fairman, R. P., Glauser, F. L., and Falls, R. Increases in lung lymph and albumin clearance with ethchlorvynol. 50:1151
Fairman, R. P. *see* Glauser, F. L.
Fairshter, R. D., and Wilson, A. F. Volume of isoflow: effect of distribution of ventilation. 43:807
Falgout, H. J. *see* Kinnebrew, P. S.
Falk, D. B. *see* Sorkin, B.
Falkel, J. E. *see* Robertson, R. J.
Falls, R. *see* Fairman, R. P.

Falls, R. K. *see* Glauser, F. L.
Fan, F.-C. *see* Chen, R. Y. Z.
Fantino, M. F. Antirotatory device permitting free movement in animals with several catheters. 42:449
Farber, J. *see* Wilson, N. C.
Farhi, L. E. New lamps for old. 42:3
Farhi, L. E. On running an *Abstracts* column. 43:1
Farhi, L. E.
see Cassuto, Y.
Harabin, A. L.
Matalon, S.
Ohta, Y.
Farkas, G.
see Aubier, M.
Moxham, J.
Farkas, G. A., and Roussos, C. Adaptability of the hamster diaphragm to exercise and/or emphysema. 53:1263
Farney, R. J., Morris, A. H., Gardner, R. M., and Armstrong, J. D., Jr. Rebreathing pulmonary capillary and tissue volume in normals after saline infusion. 43:246
Farquhar, D. N. Design improvement for the Scholander gas analyzer. 40:976
Farrar, G. E. *see* Battarbee, H. D.
Farrell, P. A., Gates, W. K., Maksud, M. G., and Morgan, W. P. Increases in plasma β-endorphin/β-lipotropin immunoreactivity after treadmill running in humans. 52:1245
Farrell, P. A. *see* Wilmore, J. H.
Farrell, P. M.
see Kotas, R. V.
Perelman, R. H.
Faulkner, J. A.
see Heigenhauser, G. J. F.
Maxwell, L. C.
Faverdin, C. *see* Arhan, P.
Fawcett, A. A. *see* Maskrey, M.
Fay, F. S. *see* Canaday, P. G.
Fedak, M. A., Rome, L., and Seeherman, H. J. One-step N_2-dilution technique for calibrating open-circuit Vo_2 measuring systems. 51:772
Fedde, M. R. *see* Kiley, J. P.
Fedullo, A. J., Karlinsky, J. B., Snider, G. L., and Goldstein, R. H. Lung statics and connective tissues after penicillamine in bleomycin-treated hamsters. 49:1083
Feezor, M. *see* Camporesi, E. M.
Feigen, L. P. *see* Kadowitz, P. J.
Fein, G. *see* Walker, J. M.
Feinberg, I. *see* Walker, J. M.
Feiring, D. C. *see* Coyle, E. F.
Feist, C. F. *see* Feist, D. D.
Feist, D. D., and Feist, C. F. Catecholamine-synthesizing enzymes in adrenals of seasonally acclimatized voles. 44:59
Feldman, J. L. Central neural production of periodic respiratory movements (Conference Report). 53:1653
Feldman, M., and Nixon, J. V. Effect of exercise on postprandial gastric secretion and emptying in humans. 53:851
Feldman, R. S. *see* Neubauer, J. A.
Feldstein, C. *see* Kanabus, E. W.
Felicetti, S. A., Wolff, R. K., and Muggenburg, B. A. Comparison of tracheal mucous transport in rats, guinea pigs, rabbits, and dogs. 51:1612
Felig, P. *see* Ahlborg, G.
Fell, R. D., Terblanche, S. E., Ivy, J. L., Young, J. C., and Holloszy, J. O. Effect of muscle glycogen content on glucose uptake following exercise. 52:434
Fell, R. D.
see Juhlin-Dannfelt, A. C.
Severson, J. A.
Terblanche, S. E.
Felton, C. R., and Johanson, W. G., Jr. Lung tissue volume during development of edema in isolated canine lungs. 48:1038
Fencl, V., Gabel, R. A., and Wolfe, D. Composition of cerebral fluids in goats adapted to high altitude. 47:508
Fencl, V. *see* Weiskopf, R. B.
Fennessy, P. A. *see* Harrison, M. H.
Fennis, J. F. M. *see* Cleophas, T. J. M.
Fenton, R. A., Rubio, R., and Berne, R. M. Adenosine and the acid-base state of vascular smooth muscle. 51:179
Ferguson, E. W., Barr, C. F., and Bernier, L. L. Fibrinogenolysis and fibrinolysis with strenuous exercise. 47:1157
Ferguson, E. W., Bernier, L. L., Shaughness, G. P., and Boucher, J. H. Fibrinolytic activity without fibrinogenolysis during long-distance racing in horses. 50:245
Ferguson, E. W. *see* Boucher, J. H.
Ferguson, R. J. *see* Cousineau, D.
Fernandez, R. J. *see* Sackner, M. A.
Ferrari, M. *see* Conconi, F.
Ferrario, C. M., Averill, D. B., Nadzam, G. R., Porritt, D. S., and McCubbin, J. W. Method for chronic recording of electroencephalographic activity in conscious dogs. 41:268
Ferretti, G. *see* Veicsteinas, A.
Ferro-Luzzi, A. *see* Stock, M. J.
Fery, F. *see* Balasse, E. O.
Fewell, J. E., Lee, C. C., and Kitterman, J. A. Effects of phrenic nerve section on the respiratory system of fetal lambs. 51:293
Fewell, J. E. *see* Abendschein, D. R.
Field, F. P. *see* Fregly, M. J.
Filiatrault, S. *see* Malo, J. L.
Finberg, J. P. M., and Berlyne, G. M. Modification of renin and aldosterone response to heat by acclimatization in man. 42:554
Finberg, J. P. M., Yagil, R., and Berlyne, G. M. Response of the renin-aldosterone system in the camel to acute dehydration. 44:926
Findling, A. *see* Spencer, J.
Fine, R., McCullough, B., Collins, J. F., and Johanson, W. G., Jr. Lung elasticity in regional and diffuse pulmonary fibrosis. 47:138
Fink, W. F. *see* Costill, D. L.
Fink, W. J. *see* Costill, D. L.
Finlay, G. D. *see* Ingram, R. H., Jr.
Finley, J. P., Bonet, J. F., and Waxman, M. B. Autonomic pathways responsible for bradycardia on facial immersion. 47:1218
Finley, T. N. *see* Krumpe, P. E.
Fischer, J. E. *see* Freund, H.
Fischer, J. T. *see* Gautier, H.
Fischer, S. P.
see Cotton, D. J.
Hahn, H. L.
Fish, J. E., Ankin, M. G., Kelly, J. F., and Peterman, V. I. Regulation of bronchomotor tone by lung inflation in asthmatic and nonasthmatic subjects. 50:1079
Fisher, A. B. Energy status of the rat lung after exposure to elevated PO_2. 45:56
Fisher, A. B., Furia, L., and Berman, H. Metabolism of rat granular pneumocytes isolated in primary culture. 49:743
Fisher, A. B., Steinberg, H., and Dodia, C. Reversal of 2-deoxyglucose inhibition of serotonin uptake in isolated guinea pig lung. 46:447
Fisher, A. B.
see Bassett, D. J. P.
Block, E. R.
Forman, H. J.
Itakura, N.
Fisher, C. J., Jr., and Wood, L. D. H. Effect of lobar acid injury on pulmonary perfusion and gas exchange in dogs. 49:150
Fisher, J. T., and Cerny, F. J. Characteristics of adjustment of lung diffusing capacity to work. 52:1124
Fisher, J. T., and Sant'Ambrogio, G. Effects of inhaled CO_2 on airway stretch receptors in the newborn dog. 53:1461
Fisher, J. T. *see* Mortola, J. P.
Fisher, M. J., Jay, R. E., Haugh, L. D., and Sander, E. G. Papain inhibition by serum. 41:174
Fishman, A. P. Perspective (Editorial). 42:1
Fishman, A. P. Hail and farewell (Editorial). 50:917
Fishman, A. P. Changing of the guard (Editorial). 52:1
Fishman, A. P. *Harvey and the Oxford Physiologists. Scientific Ideas and Social Interaction* (Book Review). 52:515
Fishman, A. P. *Man at High Altitude* (Book Review). 53:1314
Fishman, A. P., Berne, R. M., and Morgan, H. E. By the numbers (Editorial). 51:539
Fishman, A. P.
see Altose, M. D.
Hamilton, R. W.
Kelsen, S. G.
Kinasewitz, G. T.
Ledlie, J. F.
Magno, M.
Magno, M. G.
Pack, A. I.
Fishman, M. C. *see* Lahiri, S.
Fitch, W. *see* Hughes, R. L.
Fitts, R. H., and Holloszy, J. O. Effects of fatigue and recovery on contractile properties of frog muscle. 45:899
Fitts, R. H. *see* Witzmann, F. A.
Fitzgerald, J. W. *see* Schweitzer, T. W.
Fitzgerald, R. S., and Dehghani, G. A. Neural responses of the cat carotid and aortic bodies to hypercapnia and hypoxia. 52:596
Fitzgerald, R. S. *see* Raff, H.
Fitzpatrick, T. M. *see* Stinger, R. B.
Fixley, M. *see* Roussos, C.
Fixley, M. S., Roussos, C. S., Murphy, B., Martin, R. R., and Engel, L. A. Flow dependence of gas distribution and the pattern of inspiratory muscle contraction. 45:733
Flaim, S. F., and Minteer, W. J. Ventricular volume overload alters cardiac output distribution in rats during exercise. 49:482
Flaim, S. F., Minteer, W. J., Clark, D. P., and Zelis, R. Cardiovascular response to acute aquatic and treadmill exercise in the untrained rat. 46:302
Flaim, S. F. *see* Moskowitz, R. M.
Flandrois, R.
see Henane, R.
Pequignot, J. M.
Flasterstein, F. *see* Klocke, R. A.
Flax, P. *see* Corbet, A. J. S.
Fleetham, J. A. *see* Ford, G. T.
Fleisch, J. H., and Calkins, P. J. Comparison of drug-induced responses of rabbit trachea and bronchus. 41:62
Flenley, D. C., Brash, H., Clancy, L., Cooke, N. J., Leitch, A. G., Middleton, W., and Wraith, P. K. Ventilatory response to steady-state exercise in hypoxia in humans. 46:438
Flenley, D. C. *see* Douglas, N. J.
Flick, M. R., Perel, A., Kageler, W., and Staub, N. C. Regional extravascular lung water in normal sheep. 46:932
Flick, M. R. *see* Binder, A. S.

Flink, J. R., Pitt, B. R., Hammond, G. L., and Gillis, C. N. Selective effect of microembolization on pulmonary removal of biogenic amines. 52:421
Flint, J. F. *see* Szidon, J. P.
Florio, J. T., Morrison, J. B., and Butt, W. S. Breathing pattern and ventilatory response to carbon dioxide in divers. 46:1076
Floyd, T. C. *see* Walker, J. M.
Fluck, D. C. *see* Robson, R. H.
Flynn, E. T. *see* Weathersby, P. K.
Foëx, P. *see* Hahn, C. E. W.
Folinsbee, L. J., Horvath, S. M., Raven, P. B., Bedi, J. F., Morton, A. R., Drinkwater, B. L., Bolduan, N. W., and Gliner, J. A. Influence of exercise and heat stress on pulmonary function during ozone exposure. 43:409
Folinsbee, L. J., Silverman, F., and Shephard, R. J. Decrease of maximum work performance following ozone exposure. 42:531
Folinsbee, L. J.
see Gliner, J. A.
Silverman, F.
Folkerts, F. J. *see* Kiers, A.
Ford, G. T., Bradley, C. A., and Anthonisen, N. R. Forces involved in lobar atelectasis in intact dogs. 48:29
Ford, G. T., Galaugher, W., Forkert, L., Fleetham, J. A., Thurlbeck, W. M., and Anthonisen, N. R. Static lung function in puppies after pneumonectomy. 50:1146
Ford, G. T., Gillett, D., and Anthonisen, N. R. Volume shifts with partial submersion of isolated lung lobes. 47:1143
Ford, G. T. *see* Gillett, D.
Fordyce, W. E., and Grodins, F. S. Ventilatory responses to intravenous and airway CO_2 administration in anesthetized dogs. 48:337
Fordyce, W. E.
see Bennett, F. M.
Gonzalez, F., Jr.
Greco, E. C., Jr.
Reischl, P.
Foreman, D. L., Sanders, M., and Bloor, C. M. Total and regional cerebral blood flow during moderate and severe exercise in miniature swine. 40:191
Forichon, J., Jomain, M. J., Dallevet, G., and Minaire, Y. Effect of cold and epinephrine on glucose kinetics in dogs. 43:230
Forichon, J. *see* Minaire, Y.
Forkert, L. Effect of regional chest wall restriction on regional lung function. 49:655
Forkert, L., Anthonisen, N. R., and Wood, L. D. H. Frequency dependence of regional lung washout. 45:161
Forkert, L., Dhingra, S., and Anthonisen, N. R. Airway closure and closing volume. 46:24
Forkert, L.
see Ford, G. T.
Oppenheimer, L.
Forman, H. J., Williams, J. J., Nelson, J., Daniele, R. P., and Fisher, A. B. Hyperoxia inhibits stimulated superoxide release by rat alveolar macrophages. 53:685
Forster, C. S. *see* Kitterman, J. A.
Forster, H. V., Bisgard, G. E., and Klein, J. P. Effects of peripheral chemoreceptor denervation on acclimatization of goats during hypoxia. 50:392
Forster, H. V., Bisgard, G. E., Rasmussen, B., Orr, J. A., Buss, D. D., and Manohar, L. M. Ventilatory control in peripheral chemoreceptor-denervated ponies during chronic hypoxemia. 41:878
Forster, H. V., Klein, J. P., Hamilton, L. H., and Kampine, J. P. Regulation of Pa_{CO_2} and ventilation in humans inspiring low levels of CO_2. 52:287
Forster, H. V.
see Bisgard, G. E.
Dempsey, J. A.
Kaminski, R. P.
Klein, J. P.
Forster, R. E. Can alveolar P_{CO_2} exceed pulmonary end-capillary CO_2? No. 42:323
Forster, R. E.
see Bidani, A.
Crandall, E. D.
Jones, H. A.
Fortney, S. M., Nadel, E. R., Wenger, C. B., and Bove, J. R. Effect of acute alterations of blood volume on circulatory performance in humans. 50:292
Fortney, S. M., Nadel, E. R., Wenger, C. B., and Bove, J. R. Effect of blood volume on sweating rate and body fluids in exercising humans. 51:1594
Fortney, S. M., and Senay, L. C., Jr. Effect of training and heat acclimation on exercise responses of sedentary females. 47:978
Fortney, S. M.
see Avellini, B. A.
Nadel, E. R.
Fortune, J. *see* Camporesi, E. M.
Fortune, J. B., and Wagner, P. D. Effects of common dead space on inert gas exchange in mathematical models of the lung. 47:896
Foster, C., Dymond, D. S., Carpenter, J., and Schmidt, D. H. Effect of warm-up on left ventricular response to sudden strenuous exercise. 53:380
Foster, C. *see* Anholm, J. D.
Foster, R. J. *see* Askanazi, J.
Foster, W. M., Bergofsky, E. H., Bohning, D. E., Lippmann, M., and Albert, R. E. Effect of adrenergic agents and their mode of action on mucociliary clearance in man. 41:146
Foster, W. M., Langenback, E., and Bergofsky, E. H. Measurement of tracheal and bronchial mucus velocities in man: relation to lung clearance. 48:965
Fouke, J. M., Pimmel, R. L., and Bromberg, P. A. Direct dynamic measurements of tracheal diameter. 51:767
Fouke, J. M. *see* Pimmel, R. L.
Fournier, P., Mensch-Dechène, J., Ranson-Bitker, B., Valladares, W., and Lockhart, A. Effects of sitting up on pulmonary blood pressure, flow, and volume in man. 46:36
Fouron, J.-C. *see* Bard, H.
Foux, A., Seliktar, R., and Valero, A. Effects of lower body negative pressure (LBNP) on the distribution of body fluids. 41:719
Fox, G. S. *see* Mortola, J. P.
Fox, R. B. *see* Shasby, D. M.
Foy, T., Marion, J., Brigham, K. L., and Harris, T. R. Isoproterenol and aminophylline reduce lung capillary filtration during high permeability. 46:146
Franada, R. L. *see* Hlastala, M. P.
Francesconi, R., Hubbard, R., and Mager, M. Thermoregulatory responses in the rat to exercise in the heat following prolonged heat exposure. 52:734
Francesconi, R., and Mager, M. Hypothermia induced by chlorpromazine or L-tryptophan: effects on treadmill performance in the heat. 47:813
Francesconi, R., and Mager, M. Chronic chlorpromazine administration in rats: effects on ability to work in the heat. 50:509
Francesconi, R., and Mager, M. Alcohol consumption in rats: effects on work capacity in the heat. 50:1006
Francesconi, R., and Mager, M. Prostaglandin E_1 hyperthermia: effects on ability to work in the heat. 51:62
Francesconi, R. *see* Hubbard, R. W.
Francesconi, R. P., and Mager, M. Heat-injured rats: pathochemical indices and survival time. 45:1
Francesconi, R. P., Maher, J. T., Bynum, G. D., and Mason, J. W. Recurrent heat exposure: enzymatic responses in resting and exercising men. 43:308
Franciosa, J. A. *see* Mashiro, I.
Francis, C. *see* Rodenstein, D. O.
Francis, G., Gelfand, R., and Peterson, R. E. Effects of gas density on the frequency response of gas-filled pressure transducers. 47:631
Franetzki, M., Prestele, K., and Korn, V. A direct-display oscillation method for measurement of respiratory impedance. 46:956
Frank, L. Endotoxin reverses the decreased tolerance of rats to greater than 95% O_2 after preexposure to lower O_2. 51:577
Frank, L. Protection from O_2 toxicity by preexposure to hypoxia: lung antioxidant enzyme role. 53:475
Frank, L., Bucher, J. R., and Roberts, R. J. Oxygen toxicity in neonatal and adult animals of various species. 45:699
Frank, L., and Groseclose, E. Oxygen toxicity in newborn rats: the adverse effects of undernutrition. 53:1248
Frank, L., and Roberts, R. J. Endotoxin protection against oxygen-induced acute and chronic lung injury. 47:577
Frank, L., Summerville, J., and Massaro, D. Effect of prenatal isoxsuprine on pulmonary oxygen toxicity in the newborn rat. 48:505
Frank, M. H. *see* Davis, J. A.
Frank, R.
see Holub, D.
Larson, T. V.
Frank, R. S. *see* Sylvester, J. T.
Franks, J. J. *see* Hyers, T. M.
Frans, A. *see* Nemery, B.
Frantz, I. D., III, Adler, S. M., Abroms, I. F., and Thach, B. T. Respiratory response to airway occlusion in infants: sleep state and maturation. 41:634
Frantz, I. D., III, Adler, S. M., Thach, B. T., and Taeusch, H. W., Jr. Maturational effects on respiratory responses to carbon dioxide in premature infants. 41:41
Frantz, I. D., III
see Adler, S. M.
Sosenko, I. R. S.
Thach, B. T.
Waggener, T. B.
Franzblau, C. *see* Snider, G. L.
Fraser, R. S. *see* Michoud, M.-C.
Frazer, D. G., and Weber, K. C. Trapped air in ventilated excised rat lungs. 40:915
Frazer, D. G. *see* Stengel, P. W.
Frazier, A. R., Rehder, K., Sessler, A. D., Rodarte, J. C., and Hyatt, R. E. Single-breath oxygen tests for individual lungs in awake man. 40:305
Frazier, D. T. *see* Zechman, F. W.
Fredberg, J. J. Augmented diffusion in the airways can support pulmonary gas exchange. 49:232
Fredberg, J. J., and Mead, J. Impedance of intrathoracic airway models during low-frequency periodic flow. 47:347
Fredberg, J. J., Wohl, M. E. B., Glass, G. M., and Dorkin, H. L. Airway area by acoustic reflections measured at the mouth. 48:749
Freeman, B. A. *see* Hayatdavoudi, G.

Freeman, W. K., Rorie, D. K., and Tyce, G. M. Effects of 5-hydroxytryptamine on neuroeffector junction in human pulmonary artery. 51:693
Fregin, G. F. *see* Thomas, D. P.
Fregly, M. J., Field, F. P., Nelson, E. L., Jr., Tyler, P. E., and Dasler, R. Effect of chronic exposure to cold on some responses to catecholamines. 42:349
Fregly, M. J., Kaplan, B. J., Brown, J. G., Nelson, E. L., Jr., and Tyler, P. E. Effect of water temperature during cold exposure on thermogenic drinking in rats. 41:497
Fregly, M. J., Kelleher, D. L., and Black, D. J. Tolerance of estrogen-treated rats to acute cold exposure. 47:59
Fregly, M. J.
see Barney, C. C.
Scammell, J. G.
Freinkel, N. *see* Mager, M.
Fréminet, A. *see* Minaire, Y.
French, A. R. Effects of temperature on the duration of arousal episodes during hibernation. 52:216
French, W. *see* Jones, P. W.
Freund, H., Yoshimura, N., and Fischer, J. E. Effect of exercise on postoperative nitrogen balance. 46:141
Freund, P. R., Brengelmann, G. L., Rowell, L. B., Engrav, L., and Heimbach, D. M. Vasomotor control in healed grafted skin in humans. 51:168
Freund, P. R., Hobbs, S. F., and Rowell, L. B. Cardiovascular responses to muscle ischemia in man—dependency on muscle mass. 45:762
Freund, P. R.
see Escourrou, P.
Rowell, L. B.
Frey, M. A. B. Computer-assisted method for performing impedance cardiography calculations. 52:274
Frey, M. A. B., and Kenney, R. A. Semiautomated processing of systolic time intervals. 40:105
Frey, M. A. B. *see* Miles, D. S.
Frey, M. J.
see Brown, J. K.
Lazarus, S. C.
Friedman, M., Kaufman, S. H., and Wilkins, S. A., Jr. Analysis of rebreathing measurements of pulmonary tissue volume in pulmonary edema. 48:66
Friedman, M., Kovitz, K. L., Miller, S. D., Marks, M., and Sackner, M. A. Hemodynamics in teenagers and asthmatic children during exercise. 46:293
Friedman, M., and Wanner, A. Volume characteristics of extra- and intraparenchymal segments of the canine pulmonary artery. 42:519
Friedman, P. J.
see Michels, D. B.
Minh, V.-D.
Ries, A. L.
Froese, A. B.
see Bohn, D. J.
Buick, F. J.
Gledhill, N.
Kattan, M.
Muller, N.
Thompson, W. K.
Frohlich, E. D. *see* Walsh, G. M.
Fronek, K., Schmid-Schoenbein, G., and Fung, Y. C. A noncontact method for three-dimensional analysis of vascular elasticity in vivo and in vitro. 40:634
Frownfelter, D. *see* Hughes, R. L.
Fruhstorfer, B., and Hensel, H. Extra-auditory responses to long-term intermittent noise stimulation in humans. 49:985
Fruin, M. E. *see* Gordon, C. J.
Frye, A. J., and Kamon, E. Responses to dry heat of men and women with similar aerobic capacities. 50:65
Fuchs, K. I., Moore, L. G., and Rounds, S. Pulmonary vascular reactivity is blunted in pregnant rats. 53:703
Fujihara, T. *see* Kawashima, Y.
Fujii, Y. *see* Hida, W.
Fujinami, T. *see* Kobayashi, Y.
Fujino, D. *see* Rubin, D. Z.
Fukuchi, Y., Cosio, M., Kelly, S., and Engel, L. A. Influence of pericardial fluid on cardiogenic gas mixing in the lung. 42:5
Fukuchi, Y. *see* Roussos, C. S.
Fulco, C. *see* Weltman, A.
Fuller, C. A., Horowitz, J. M., and Horwitz, B. A. Effects of acceleration on thermoregulatory responses of unanesthetized rats. 42:74
Fuller, C. A., Horowitz, J. M., and Horwitz, B. A. Spinal cord thermosensitivity and sorting of neural signals in cold-exposed rats. 42:154
Fuller, C. A. *see* Sulzman, F. M.
Fuller, E. O., and Nutter, D. O. Endurance training in the rat. II. Performance of isolated and intact heart. 51:941
Fuller, E. O.
see Nutter, D. O.
Owens, J. L.
Fuller, S. D., Robinson, N. E., and Scott, J. B. Effect of pulmonary venous pressure on steady-state collateral resistance. 49:643
Fullton, J. M., Hayes, D. A., and Pimmel, R. L. Pulmonary impedance in dogs measured by forced random noise with a retrograde catheter. 52:725
Fullton, J. M.
see Pimmel, R. L.
Williams, S. P.
Fumagalli, M. *see* Cerretelli, P.
Fung, K. F. *see* Griffin, M. P.
Fung, Y. C.
see Fronek, K.
Vawter, D. L.
Yen, R. T.
Fung, Y.-C. B. *see* Wall, R. J.
Fuquay, J. *see* Beaver, R. W.
Furia, L. *see* Fisher, A. B.
Furuyama, F. Strain difference in thermoregulation of rats surviving extreme heat. 52:410
Fuyuki, T. *see* Shibata, H.

G

Gabbott, G. R. J. *see* Milsom, W. K.
Gabe, I. *see* Horsfield, K.
Gabel, J. C.
see Drake, R. E.
Morriss, A. W.
Gabel, R. A.
see Fencl, V.
Tien, Y.-K.
Weiskopf, R. B.
Gaebelein, C. J., and Senay, L. C., Jr. Influence of exercise type, hydration, and heat on plasma volume shifts in men. 49:119
Gaesser, G. A., and Brooks, G. A. Glycogen repletion following continuous and intermittent exercise to exhaustion. 49:722
Gaesser, G. A. *see* Brooks, G. A.
Gaffney, F. A. *see* Schutte, J. E.
Gagge, A. P. *see* Gonzalez, R. R.
Gail, D. B., Massaro, G. D., and Massaro, D. Influence of fasting on the lung. 42:88
Gal, T. J., and Arora, N. S. Respiratory mechanics in supine subjects during progressive partial curarization. 52:57
Gal, T. J., and Goldberg, S. K. Diaphragmatic function in healthy subjects during partial curarization. 48:921
Gal, T. J.
see Arora, N. S.
Ruth, R. A.
Galaugher, W. *see* Ford, G. T.
Galbo, H., Christensen, N. J., and Holst, J. J. Glucose-induced decrease in glucagon and epinephrine responses to exercise in man. 42:525
Galbo, H., Holst, J. J., Christensen, N. J., and Hilsted, J. Glucagon and plasma catecholamines during beta-receptor blockade in exercising man. 40:855
Galbo, H., Richter, E. A., Holst, J. J., and Christensen, N. J. Diminished hormonal responses to exercise in trained rats. 43:953
Galbo, H. *see* Richter, E. A.
Galey, W. R. *see* Van Nice, P. S.
Galvin, M. J., and McRee, D. I. Influence of acute microwave radiation on cardiac function in normal and myocardial ischemic cats. 50:931
Ganani, J. *see* Yagil, R.
Gandhi, M. R. *see* Haddad, G. G.
Garancis, J. C. *see* Hebert, L. A.
Gardiner, K. R., Gardiner, P. F., and Edgerton, V. R. Guinea pig soleus and gastrocnemius electromyograms at varying speeds, grades, and loads. 52:451
Gardiner, P. F., and Lapointe, M. A. Daily in vivo neuromuscular stimulation effects on immobilized rat hindlimb muscles. 53:960
Gardiner, P. F. *see* Gardiner, K. R.
Gardiner, T. H. Quantitative changes in permeability of rat lung epithelium in lung edema. 44:576
Gardner, R. M.
see Crapo, R. O.
Farney, R. J.
Yeh, M. P.
Garfin, S. R., Tipton, C. M., Mubarak, S. J., Woo, S. L.-Y., Hargens, A. R., and Akeson, W. H. Role of fascia in maintenance of muscle tension and pressure. 51:317
Garner, D. *see* Blaufuss, A.
Garner, J. B. *see* Tan, M. H.
Garratt, R. C. *see* Wolff, C. B.
Garrett, R. C. *see* Thomas, H. M., III
Garry, R. F. *see* Moore, R. N.
Garthwaite, S. M. *see* Graig, B. W.
Gates, W. K. *see* Farrell, P. A.
Gatti, L. *see* Marazzini, L.
Gatto, L. A. pH of mucus in rat trachea. 50:1224
Gatzy, J. T.
see Boucher, R. C.
Boucher, R. C., Jr.
Gaudino, D. *see* Haas, F.
Gaudy, J. H. *see* Gautier, H.
Gault, J. A. *see* Hagerman, F. C.
Gauthier, J. *see* Delaunois, L.
Gauthier, P. *see* Cousineau, D.
Gautier, H., and Bonora, M. Effects of carotid body denervation on respiratory pattern of awake cats. 46:1127
Gautier, H., and Bonora, M. Possible alterations in brain monoamine metabolism during hypoxia-induced tachypnea in cats. 49:769
Gautier, H., Bonora, M., and Gaudy, J. H. Breuer-Hering inflation reflex and breathing pattern in anesthetized humans and cats. 51:1162
Gautier, H., and Gaudy, J. H. Changes in ventilatory pattern induced by intravenous anesthetic agents in human subjects. 45:171
Gautier, H., Peslin, R., Grassino, A., Milic-Emili, J., Hannhart, B., Powell, E., Miserocchi, G., Bonora, M., and Fischer, J. T. Mechanical properties of the lungs during acclimatization to altitude. 52:1407
Gautier, H.
see Remmers, J. E.
Siafakas, N. M.

Gavriely, N., Palti, Y., and Alroy, G. Spectral characteristics of normal breath sounds. 50:307
Gebhart, G. F. *see* Lewis, V. A.
Gebhart, J., Heyder, J., and Stahlhofen, W. Use of aerosols to estimate pulmonary air-space dimensions. 51:465
Geddes, D. M., Blackburn, J. P., Bailey, J. S., and Muller, F. J. Effects of pulmonary circulation on blood levels of insulin and glucagon in ambulant dogs. 46:593
Geddes, D. M. *see* Pang, J. A.
Gee, M. H., Gwirtz, P. A., and Spath, J. A., Jr. Extravascular water content of heart and lungs after acute myocardial ischemia. 45:102
Gee, M. H., and Staub, N. C. Role of bulk fluid in protein permeability of the dog lung alveolar membrane. 42:144
Gee, M. H.
see Emery, D. L.
Zumsteg, T. A.
Geffroy, B. *see* Banzett, R.
Gehmlich, D. K. *see* Raemer, D. B.
Gehr, P.
see Bachofen, H.
Gil, J.
Gehrke, C. W. *see* Thomas, T. R.
Geis, G. S. *see* McCaffrey, T. V.
Gelfand, R., Lambertsen, C. J., and Peterson, R. E. Human respiratory control at high ambient pressures and inspired gas densities. 48:528
Gelfand, R., Lambertsen, C. J., Peterson, R. E., and Slater, A. Pneumotachograph for flow and volume measurement in normal and dense atmospheres. 41:120
Gelfand, R.
see Francis, G.
Spencer, J.
Gelin, M. *see* Vanderhoeft, P.
Gellert, R. *see* Sadowski, J.
Geman, S., and Miller, M. Computer simulation of brainstem respiratory activity. 41:931
George, C., and Kopetzky, M. T. Statistical analysis of effect of anoxia on rate of change of ventricular pressure. 53:726
George, R. B. *see* Light, R. W.
Georges, R. *see* Delavault, E.
Georghiou, P. F. *see* Ramsdell, J. W.
Georgiev, V. *see* Kisselkova, H.
Gerber, J. G., Voelkel, N., Nies, A. S., McMurtry, I. F., and Reeves, J. T. Moderation of hypoxic vasoconstriction by infused arachidonic acid: role of PGI_2. 49:107
Gerdes, C. B. *see* Lemen, R. J.
Gerhardt, K. O. *see* Thomas, T. R.
Gerhardt, T., and Bancalari, E. Maturational changes of reflexes influencing inspiratory timing in newborns. 50:1282
Gerhardt, T., and Bancalari, E. Components of effective elastance and their maturational changes in human newborns. 53:766
German, V. F., Corrales, R., Ueki, I. F., and Nadel, J. A. Reflex stimulation of tracheal mucus gland secretion by gastric irritation in cats. 52:1153
Gerrity, T. R., Lee, P. S., Hass, F. J., Marinelli, A., Werner, P., and Lourenço, R. V. Calculated deposition of inhaled particles in the airway generations of normal subjects. 47:867
Gertner, A., Bromberger, B., Traystman, R., and Menkes, H. Histamine and pulmonary responses to cigarette smoke in periphery of the lung. 53:582
Gertzberg, N. B. *see* Malik, A. B.
Getchell, L. H. *see* Costill, D. L.
Gettman, L. R. *see* Hagan, R. D.
Gewitz, M. H., and Gillis, C. N. Uptake and metabolism of biogenic amines in the developing rabbit lung. 50:118
Geyskes, G. G. *see* Leenen, F. H. H.
Ghezzo, H. *see* Bode, F. R.
Giacchino, J., Horwitz, B. A., and Horowitz, J. M. Thermoregulation in unrestrained rats during and after exposure to 1.5-4 G. 46:1049
Gibb, F. R. *see* Utell, M. J.
Gibbons, R. *see* Hales, C. A.
Gibson, C. C. *see* Winslow, R. M.
Gibson, C. G. *see* Winslow, R. M.
Gibson, G. J., Pride, N. B., O'Cain, C., and Quagliato, R. Sex and age differences in pulmonary mechanics in normal nonsmoking subjects. 41:20
Gibson, R. D., Gisser, D. G., and Newell, J. C. An automatic sigh feature for animal ventilators. 48:567
Gibson, S. P. *see* Albery, W. J.
Gibson, T. M. *see* Davies, J. A.
Giese, M. D. *see* Hagberg, J. M.
Gil, J., Bachofen, H., Gehr, P., and Weibel, E. R. Alveolar volume-surface area relation in air- and saline-filled lungs fixed by vascular perfusion. 47:990
Gil, J., Silage, D. A., and McNiff, J. M. Distribution of vesicles in cells of air-blood barrier in the rabbit. 50:334
Gilbert, J. P. *see* Teplick, R.
Gilbert, R., Peppi, D., and Auchincloss, J. H., Jr. Measurement of transdiaphragmatic pressure with a single gastric-esophageal probe. 47:628
Gilbert, R. *see* Auchincloss, J. H., Jr.
Gilbert, R. D., Cummings, L. A., Juchau, M. R., and Longo, L. D. Placental diffusing capacity and fetal development in exercising or hypoxic guinea pigs. 46:828
Gilbert, R. D. *see* Hill, E. P.
Gilbert, T. M., and Blatteis, C. M. Hypothalamic thermoregulatory pathways in the rat. 43:770
Gilcher, R. *see* Robertson, R. J.
Gillen, H. W.
see Brauer, R. W.
Mansfield, W.
Gillespie, J. R., Bruce, E., Alexander, J., and Mead, J. Breathing responses of unanesthetized man and guinea pigs to increased transrespiratory pressure. 47:119
Gillespie, J. R.
see Hyde, D. M.
Kosch, P. C.
Gillett, D., Ford, G. T., and Anthonisen, N. R. Shape and regional volume in immersed lung lobes. 51:1457
Gillett, D. *see* Ford, G. T.
Gilliland, B. E. *see* Blair, W. D.
Gillingham, K. K.
see Besch, E. L.
Hull, D. H.
Gillis, C. N., Cronau, L. H., Mandel, S., and Hammond, G. L. Indicator dilution measurement of 5-hydroxytryptamine clearance by human lung. 46:1178
Gillis, C. N.
see Flink, J. R.
Gewitz, M. H.
Pitt, B. R.
Roth, R. A.
Gillis, R. A. *see* Yamada, K. A.
Gill-Kumar, P. *see* Eldridge, F. L.
Gilmore, J. P.
see Peterson, T. V.
Zucker, I. H.
Gin, A. R., Hayward, M. G., and Keatinge, W. R. Method for measuring regional heat losses in man. 49:533
Ginsberg, A. D. *see* Thomson, J. M.
Ginsberg, J. F. *see* Pimmel, R. L.
Giordano, A., Jr., Shih, C. K., Holsclaw, D. S., Jr., Khan, M. A., and Litt, M. Mucus clearance: in vivo canine tracheal vs. in vitro bullfrog palate studies. 42:761
Girandola, R. N., Wiswell, R. A., Mohler, J. G., Romero, G. T., and Barnes, W. S. Effects of water immersion on lung volumes: implications for body composition analysis. 43:276
Girandola, R. N. *see* Ohira, Y.
Gisolfi, C. V., and Christman, J. V. Thermal effects of injecting norepinephrine into hypothalamus of the rat during rest and exercise. 49:937
Gisolfi, C. V., Mora, F., Bloomfield, S., Beattie, M., and Magnes, S. Effects of apomorphine and pimozide on temperature regulation during exercise in the rat. 49:363
Gisolfi, C. V., Mora, F., Nattermann, R., and Myers, R. D. New apparatus for exercising a monkey seated in a primate chair. 44:129
Gisolfi, C. V., Sato, K., Wall, P. T., and Sato, F. In vivo and in vitro characteristics of eccrine sweating in patas and rhesus monkeys. 53:425
Gisolfi, C. V.
see Bedford, T. G.
Christman, J. V.
Myers, R. D.
Wilson, N. C.
Gisser, D. G. *see* Gibson, R. D.
Giusti, R., Bersohn, M. M., Malhotra, A., and Scheuer, J. Cardiac function and actomyosin ATPase activity in hearts of conditioned and deconditioned rats. 44:171
Givoni, B. *see* Pandolf, K. B.
Gladden, L. B., MacIntosh, B. R., and Stainsby, W. N. O_2 uptake and developed tension during and after fatigue, curare block, and ischemia. 45:751
Gladden, L. B., and Welch, H. G. Efficiency of anaerobic work. 44:564
Gladden, L. B.
see Stainsby, W. N.
Stuart, M. K.
Glasbey, C. A. *see* McLean, J. A.
Glaser, P. *see* Bursztein, S.
Glaser, R. M., Sawka, M. N., Brune, M. F., and Wilde, S. W. Physiological responses to maximal effort wheelchair and arm crank ergometry. 48:1060
Glaser, R. M., Sawka, M. N., Laubach, L. L., and Suryaprasad, A. G. Metabolic and cardiopulmonary responses to wheelchair and bicycle ergometry. 46:1066
Glaser, R. M., Sawka, M. N., Young, R. E., and Suryaprasad, A. G. Applied physiology for wheelchair design. 48:41
Glaser, R. M.
see Miles, D. S.
Sawka, M. N.
Glass, G. M. *see* Fredberg, J. J.
Glass, M. L. *see* Wood, S. C.
Glatz, T. *see* Ikegami, M.
Glauser, F. L., Fairman, R. P., Millen, J. E., and Falls, R. K. Indomethacin blunts ethchlorvynol-induced pulmonary hypertension but not pulmonary edema. 53:563
Glauser, F. L.
see Fairman, R. P.
Millen, J. E.
Gledhill, N., Froese, A. B., Buick, F. J., and Bryan, A. C. $\dot{V}A/\dot{Q}$ inhomogeneity and $AaDO_2$ in man during exercise: effect of SF_6 breathing. 45:512
Gledhill, N. *see* Buick, F. J.
Gleeson, M. *see* Brackenbury, J. H.
Gleeson, T. T. Metabolic recovery from exhaustive activity by a large lizard. 48:689
Gleeson, T. T., and Baldwin, K. M. Cardiovascular response to treadmill exercise in untrained rats. 50:1206
Gleisner, J. *see* Winn, R.
Gliner, J. A., Folinsbee, L. J., Horvath, S. M., Wolkove, N., Altose, M. D., Kelsen, S. G., Kondapalli, P. G., and Cherniack, N.

S. Perception of lung volume and Weber's law (Letter to the Editor). 52:1679
Gliner, J. A.
see Folinsbee, L. J.
Maron, M. B.
Godal, A., Belenky, D. A., Standaert, T. A., Woodrum, D. E., Grimsrud, L., and Hodson, W. A. Application of the hot-wire anemometer to respiratory measurements in small animals. 40:275
Godfrey, S.
see Stocks, J.
Taussig, L. M.
ZeidiFard, E.
Goerke, J., and Gonzales, J. Temperature dependence of dipalmitoyl phosphatidylcholine monolayer stability. 51:1108
Goerke, J. *see* Hildebran, J. N.
Goetzman, B. W., and Milstein, J. M. Pulmonary vascular histamine receptors in newborn and young lambs. 49:380
Gold, J. *see* Davis, B.
Gold, W. M., Meyers, G. L., Dain, D. S., Miller, R. L., and Bourne, H. R. Changes in airway mast cells and histamine caused by antigen aerosol in allergic dogs. 43:271
Gold, W. M.
see Brown, J. K.
Cotton, D. J.
Lazarus, S. C.
Nisam, M. R.
Goldberg, D. I., and Shephard, R. J. Stroke volume during recovery from upright bicycle exercise. 48:833
Goldberg, H. S. Effect of lung volume history on rate of edema formation in isolated canine lobe. 45:880
Goldberg, H. S., Mitzner, W., and Batra, G. Effect of transpulmonary and vascular pressures on rate of pulmonary edema formation. 43:14
Goldberg, M. S., and Milic-Emili, J. Effect of pentobarbital sodium on respiratory control in newborn rabbits. 42:845
Goldberg, R. B. *see* Bland, R. D.
Goldberg, S. K. *see* Gal, T. J.
Goldfarb, A. H., and Kendrick, Z. V. Effect of an exercise run to exhaustion on cAMP in the rat heart. 51:1539
Goldinger, J. M., Kang, B. S., Choo, Y. E., Paganelli, C. V., and Hong, S. K. Effect of hydrostatic pressure on ion transport and metabolism in human erythrocytes. 49:224
Goldman, M.
see Banzett, R. B.
Grimby, G.
Melissinos, C. G.
Nochomovitz, M. L.
Stagg, D.
Goldman, M. D., Grassino, A., Mead, J., and Sears, T. A. Mechanics of the human diaphragm during voluntary contraction: dynamics. 44:840
Goldman, M. D., Grimby, G., and Mead, J. Mechanical work of breathing derived from rib cage and abdominal V-P partitioning. 41:752
Goldman, M. D.
see Bruce, E. N.
Gothe, B.
Grassino, A.
Melissinos, C. G.
Thach, B. T.
Goldman, R. F.
see Pandolf, K. B.
Shapiro, Y.
Wilson, O.
Goldring, R. M. *see* Sorkin, B.
Goldspink, D. F. *see* Watt, P. W.
Goldspink, G. *see* Watt, P. W.
Goldstein, D., and Mead, J. Use of magnetometers to volume-reference flow-volume curves. 48:731
Goldstein, D., and Mead, J. Total respiratory impedance immediately after panting. 48:1024
Goldstein, J. D. *see* Parsons, G. H.
Goldstein, R. H. *see* Fedullo, A. J.
Goldstein, R. S., Zamel, N., and Rebuck, A. S. Absence of effects of hypoxia on small airway function in humans. 47:251
Goldstick, T. K. *see* Schneiderman, G.
Gollnick, P. D., Karlsson, J., Piehl, K., and Saltin, B. Phosphorylase *a* in human skeletal muscle during exercise and electrical stimulation. 45:852
Gollnick, P. D., Timson, B. F., Moore, R. L., and Riedy, M. Muscular enlargement and number of fibers in skeletal muscles of rats. 50:936
Gollnick, P. D.
see Bagby, G. J.
Green, H. J.
Moore, R. L.
Parsons, D.
Sembrowich, W. L.
Shepherd, R. E.
Gómez, B. *see* López de Pablo, A. L.
Gomez, U. *see* Boutellier, U.
Gomez-Sanchez, C. *see* Nixon, J. V.
Gonsalves, S. F. *see* Borison, H. L.
Gonyea, W. *see* Diepstra, G.
Gonyea, W. J. Role of exercise in inducing increases in skeletal muscle fiber number. 48:421
Gonyea, W. J., and Ericson, G. C. An experimental model for the study of exercise-induced skeletal muscle hypertrophy. 40:630
Gonyea, W. J. *see* Longhurst, J. C.
Gonzales, A. *see* Jacey, M. J.
Gonzales, J. *see* Goerke, J.
Gonzalez, F., Jr., Fordyce, W. E., and Grodins, F. S. Mechanism of respiratory responses to intravenous $NaHCO_3$, HCl, and KCN. 43:1075
Gonzalez, F., Jr.
see Greco, E. C., Jr.
Reischl, P.
González, M. C. *see* López de Pablo, A. L.
Gonzalez, N. C., and Clancy, R. L. Myocardial intracellular pH regulation during chloride depletion. 51:1630
Gonzalez, N. C., Wemken, H.-G., and Heisler, N. Intracellular pH regulation of normal and hypertrophic rat myocardium. 47:651
Gonzalez, N. C. *see* Strome, D. R.
Gonzalez, R. R., Berglund, L. G., and Gagge, A. P. Indices of thermoregulatory strain for moderate exercise in the heat. 44:889
Gonzalez, R. R.
see Berglund, L. G.
Graichen, H.
Goodenough, R. D., Royle, G. T., Nadel, E. R., Wolfe, M. H., and Wolfe, R. R. Leucine and urea metabolism in acute human cold exposure. 53:367
Goodenough, R. D. *see* Wolfe, R. R.
Goodman, B. E., and Wangensteen, D. Alveolar epithelium permeability to small solutes: developmental changes. 52:3
Goodrich, C. A. Measurement of body temperature in neonatal mice. 43:1102
Gordon, C. J. Effect of heating rate on evaporative heat loss in the microwave-exposed mouse. 53:316
Gordon, C. J., Rezvani, A. H., Fruin, M. E., Trautwein, S., and Heath, J. E. Rapid brain cooling in the free-running hamster *Mesocricetus auratus*. 51:1349
Gordon, D. A. *see* Tsakiris, A. G.
Gorenberg, D. *see* Kakiuchi, Y.
Gorin, A. B., and Stewart, P. A. Differential permeability of endothelial and epithelial barriers to albumin flux. 47:1315
Gorin, A. B., Weidner, W. J., Demling, R. H., and Staub, N. C. Noninvasive measurement of pulmonary transvascular protein flux in sheep. 45:225
Gorin, A. B. *see* Hirasuna, J. D.
Gorman, R. R. *see* Kadowitz, P. J.
Goshy, M., Lai-Fook, S. J., and Hyatt, R. E. Perivascular pressure measurements by wick-catheter technique in isolated dog lobes. 46:950
Gotfried, S. B. *see* DiMarco, A. F.
Gothe, B., Altose, M. D., Goldman, M. D., and Cherniack, N. S. Effect of quiet sleep on resting and CO_2-stimulated breathing in humans. 50:724
Gothe, B., and Cherniack, N. S. Effects of expiratory loading on respiration in humans. 49:601
Gothe, B. *see* DiMarco, A. F.
Gould, E. W. *see* Booth, F. W.
Graboys, T. B., and Michaelson, E. D. Systolic time intervals during $+g_z$ acceleration. 41:52
Graf, P. D.
see Benson, M. K.
Cotton, D. J.
Hahn, H. L.
Holden, W. E.
Holtzman, M. J.
Lee, L.-Y.
Graham, B. L., Mink, J. T., and Cotton, D. J. Improved accuracy and precision of single-breath CO diffusing capacity measurements. 51:1306
Graham, B. L. *see* Cotton, D. J.
Graham, J. A. *see* Johnson, T. A.
Graham, T. *see* Welch, H. G.
Graichen, H., Rascati, R., and Gonzalez, R. R. Automatic dew-point temperature sensor. 52:1658
Graig, B. W., Hammons, G. T., Garthwaite, S. M., Jarett, L., and Holloszy, J. O. Adaptation of fat cells to exercise: response of glucose uptake and oxidation to insulin. 51:1500
Grant, B. J. B. Influence of Bohr-Haldane effect on steady-state gas exchange. 52:1330
Grant, B. J. B. Effect of local pulmonary blood flow control on gas exchange: theory. 53:1100
Grant, B. J. B., Davies, E. E., Jones, H. A., and Hughes, J. M. B. Local regulation of pulmonary blood flow and ventilation-perfusion ratios in the coatimundi. 40:216
Grant, M. M., Brain, J. D., and Vinegar, A. Pulmonary defense mechanisms in *Boa constrictor*. 50:979
Grassino, A., Goldman, M. D., Mead, J., and Sears, T. A. Mechanics of the human diaphragm during voluntary contraction: statics. 44:829
Grassino, A.
see Bellemare, F.
Gautier, H.
Goldman, M. D.
Gross, D.
Macklem, P. T.
Grassino, A. E., Derenne, J. P., Almirall, J., Milic-Emili, J., and Whitelaw, W. Configuration of the chest wall and occlusion pressures in awake humans. 50:134
Grassino, A. E., Whitelaw, W. A., and Milic-Emili, J. Influence of lung volume and electrode position on electromyography of the diaphragm. 40:971
Grassl, S. M. *see* Merrill, G. F.
Grauer, S. E. *see* Peterson, B. T.
Graven, S. N. *see* Olson, E. B., Jr.
Graveney, M. J. *see* Harrison, M. H.

Graves, C. N., Sanders, S. S., Shoemaker, R. L., and Rehm, W. S. An intact globe technique for electrophysiological studies on cornea. 40:447

Gray, B. A., McCaffree, D. R., Sivak, E. D., and McCurdy, H. T. Effect of pulmonary vascular engorgement on respiratory mechanics in the dog. 45:119

Gray, B. A.
see Allison, R. C.
Beckett, R. C.
McCaffree, D. R.
Murphy, T. L.
Smith, R. M.

Gray, G. *see* Coates, G.

Gray, G. D., Smith, E. R., Damassa, D. A., and Davidson, J. M. Effects of centrifugation stress on pituitary-gonadal function in male rats. 48:1

Gray, G. W. *see* Sutton, J. R.

Gray, R. M. *see* Hanson, R. de G.

Graziani, Y. *see* Chayoth, R.

Greaves, I. A. *see* Colebatch, H. J. H.

Greco, E. C., Jr., Fordyce, W. E., Gonzalez, F., Jr., Reischl, P., and Grodins, F. S. Respiratory responses to intravenous and intrapulmonary CO_2 in awake dogs. 45:109

Greco, E. C., Jr. *see* Reischl, P.

Green, C. J.
see Baden, J. M.
Bailey, C. P.

Green, H., Bishop, P., Houston, M., McKillop, R., Norman, R., and Stothart, P. Time-motion and physiological assessments of ice hockey performance. 40:159

Green, H. E. *see* Shepherd, R. E.

Green, H. J., Houston, M. E., Thomson, J. A., Sutton, J. R., and Gollnick, P. D. Metabolic consequences of supramaximal arm work performed during prolonged submaximal leg work. 46:249

Green, H. J.
see Bagby, G. J.
Orr, G. W.

Green, J. *see* Stacy, R. W.

Green, J. F.
see Parsons, G. H.
Sheldon, M. I.

Green, L. H. *see* Scharf, S. M.

Green, M.
see Hoppin, F. G., Jr.
Siafakas, N. M.

Greenbaum, L. M. *see* Leuenberger, P. J.

Greenberg, J. H. *see* Shapiro, H. M.

Greenblatt, D. W. *see* Küng, M.

Greene, E. R. *see* Loeppky, J. A.

Greenfield, J. C., Jr. *see* Rankin, J. S.

Greenleaf, J. E., Bernauer, E. M., Adams, W. C., and Juhos, L. Fluid-electrolyte shifts and $\dot{V}O_{2max}$ in man at stimulated altitude (2,287 m). 44:652

Greenleaf, J. E., Bernauer, E. M., Juhos, L. T., Young, H. L., Morse, J. T., and Staley, R. W. Effects of exercise on fluid exchange and body composition in man during 14-day bed rest. 43:126

Greenleaf, J. E., Bernauer, E. M., Young, H. L., Morse, J. T., Staley, R. W., Juhos, L. T., and Van Beaumont, W. Fluid and electrolyte shifts during bed rest with isometric and isotonic exercise. 42:59

Greenleaf, J. E., and Brock, P. J. Na^+ and Ca^{2+} ingestion: plasma volume-electrolyte distribution at rest and exercise. 48:838

Greenleaf, J. E., Convertino, V. A., and Mangseth, G. R. Plasma volume during stress in man: osmolality and red cell volume. 47:1031

Greenleaf, J. E., Convertino, V. A., Stremel, R. W., Bernauer, E. M., Adams, W. C., Vignau, S. R., and Brock, P. J. Plasma $[Na^+]$, $[Ca^{2+}]$, and volume shifts and thermoregulation during exercise in man. 43:1026

Greenleaf, J. E., and Reese, R. D. Exercise thermoregulation after 14 days of bed rest. 48:72

Greenleaf, J. E., Sciaraffa, D., Shvartz, E., Keil, L. C., and Brock, P. J. Exercise training hypotension: implications for plasma volume, renin, and vasopressin. 51:298

Greenleaf, J. E., Shvartz, E., Kravik, S., and Keil, L. C. Fluid shifts and endocrine responses during chair rest and water immersion in man. 48:78

Greenleaf, J. E., Stinnett, H. O., Davis, G. L., Kollias, J., and Bernauer, E. M. Fluid and electrolyte shifts in women during $+G_z$ acceleration after 15 days' bed rest. 42:67

Greenleaf, J. E.
see Bhattacharya, A.
Convertino, V. A.
Dolkas, C. B.
Stremel, R. W.

Greenleaf, J. F., Ritman, E. L., Chevalier, P. A., Sass, D. J., and Wood, E. H. Spatial distribution of pulmonary blood flow in dogs in increased force environments. 44:384

Greenleaf, J. F., Smith, H. C., Chevalier, P. A., Sass, D. J., Bove, A. A., and Wood, E. H. Effect of force environment on regional pulmonary displacements and volumes in dogs. 44:216

Greenleaf, J. F. *see* Chevalier, P. A.

Greenway, C. V. *see* Zink, J.

Gregor, R. J., Edgerton, V. R., Perrine, J. J., Campion, D. S., and DeBus, C. Torque-velocity relationships and muscle fiber composition in elite female athletes. 47:388

Gregorio, C. A., and Massaro, D. Influence of insulin on amino acid uptake by lung slices. 42:216

Gregorio, C. A. *see* Thet, L. A.

Gregory, T. J., Newell, J. C., Hakim, T. S., Levitzky, M. G., and Sedransk, N. Attenuation of hypoxic pulmonary vasoconstriction by pulsatile flow in dog lungs. 53:1583

Grenier, J. F. *see* Lambert, A.

Gresham, E. L. *see* Lemons, J. A.

Grevisse, P. *see* Vanderhoeft, P.

Gribbin, H. R.
see Barnes, P. J.
Twentyman, O. P.

Griffin, M. P., Fung, K. F., Ingram, R. H., Jr., and McFadden, E. R., Jr. Dose-response effects of atropine on thermal stimulus-response relationships in asthma. 53:1576

Griffin, P. *see* Wood, L. D. H.

Griffin, P. M., and Zamel, N. Volume-displacement body plethysmograph using a large flowmeter without pressure compensation. 47:1127

Griffin, P. M. *see* Harf, A.

Griffith, B. P., Carroll, R. G., Hardesty, R. L., Peel, R. L., and Borovetz, H. S. Selected lobar injury after infusion of oleic acid. 47:706

Griffith, D. R. *see* Severson, J. A.

Griggio, M. A. *see* Russo, A. K.

Grimaud, C. *see* Jammes, Y.

Grimbert, F. *see* Parker, J. C.

Grimbert, F. A., Parker, J. C., and Taylor, A. E. Increased pulmonary vascular permeability following acid aspiration. 51:335

Grimby, G., Goldman, M., and Mead, J. Respiratory muscle action inferred from rib cage and abdominal V-P partitioning. 41:739

Grimby, G.
see Goldman, M. D.
Larsson, L.
Thorstensson, A.

Grimditch, G. *see* Barnard, R. J.

Grimditch, G. K., Barnard, R. J., and Duncan, H. W. Effect of exhaustive exercise on myocardial performance. 51:1098

Grimm, D. J., Dawson, C. A., Hakim, T. S., and Linehan, J. H. Pulmonary vasomotion and the distribution of vascular resistance in a dog lung lobe. 45:545

Grimm, D. J., Linehan, J. H., and Dawson, C. A. Longitudinal distribution of vascular resistance in the lung. 43:1093

Grimm, D. J. *see* Dawson, C. A.

Grimsrud, L. *see* Godal, A.

Grodin, W. K. *see* Haddad, G. G.

Grodins, F. S.
see Bennett, F. M.
Fordyce, W. E.
Gonzalez, F., Jr.
Greco, E. C., Jr.
Reischl, P.
Tallman, R. D., Jr.

Groenlund, J. *see* Lundsgaard, J. S.

Grønlund, J. Errors due to data reduction in single-breath method for measurement of pulmonary blood flow. 52:104

Grønlund, J. *see* Lundsgaard, J. S.

Groom, A. C. *see* Ohta, Y.

Groscolas, R. *see* Dewasmes, G.

Groseclose, E. *see* Frank, L.

Gross, D., Grassino, A., Ross, W. R. D., and Macklem, P. T. Electromyogram pattern of diaphragmatic fatigue. 46:1

Gross, D.
see Macklem, P. T.
Roussos, C.

Gross, I., Smith, G. J. W., Maniscalco, W. M., Czajka, M. R., Wilson, C. M., and Rooney, S. A. An organ culture model for study of biochemical development of fetal rat lung. 45:355

Gross, I., and Wilson, C. M. Fetal lung in organ culture. IV. Supra-additive hormone interactions. 52:1420

Gross, I., Wilson, C. M., Ingleson, L. D., Brehier, A., and Rooney, S. A. Fetal lung in organ culture. III. Comparison of dexamethasone, thyroxine, and methylxanthines. 48:872

Gross, N. J. Mechanical properties of mouse lungs: effects of degassing on normal, hyperoxic, and irradiated lungs. 51:391

Gross, N. J., and Smith, D. M. Impaired surfactant phospholipid metabolism in hyperoxic mouse lungs. 51:1198

Gross, P. M., Marcus, M. L., and Heistad, D. D. Regional distribution of cerebral blood flow during exercise in dogs. 48:213

Gross, P. M., Whipp, B. J., Davidson, J. T., Koyal, S. N., and Wasserman, K. Role of the carotid bodies in the heart rate response to breath holding in man. 41:336

Grossman, R. F., Jones, J. G., and Murray, J. F. Effects of oleic acid-induced pulmonary edema on lung mechanics. 48:1045

Grover, R. F., Lufschanowski, R., and Alexander, J. K. Alterations in the coronary circulation of man following ascent to 3,100 m altitude. 41:832

Grover, R. F.
see Cruz, J. C.

Denniston, J. C.
Doekel, R. C.
Hackett, P. H.
Hyers, T. M.
James, W. E.
Martin, B. J.
Moore, L. G.
Tucker, A.
Tucker, C. E.
Weir, E. K.
Will, D. H.

Grubb, B. R. Blood flow and oxygen consumption in avian skeletal muscle during hypoxia. 50:450

Grubb, B. R. Cardiac output and stroke volume in exercising ducks and pigeons. 53:207

Grubb, B. R., and Mills, C. D. Blood oxygen content in microliter samples using an easy-to-build galvanic oxygen cell. 50:456

Grubb, R. L., Jr. *see* Raichle, M. E.

Gruenau, S. P. *see* Rattner, B. A.

Gruetter, C. A.
see Kadowitz, P. J.
Spannhake, E. W.

Grunstein, J. S. *see* Grunstein, M. M.

Grunstein, M. M., and Grunstein, J. S. Maturational effect of enkephalin on respiratory control in newborn rabbits. 53:1063

Grunstein, M. M., Hazinski, T. A., and Schlueter, M. A. Respiratory control during hypoxia in newborn rabbits: implied action of endorphins. 51:122

Grunstein, M. M., Hazucha, M., Sorli, J., and Milic-Emili, J. Effect of SO_2 on control of breathing in anesthetized cats. 43:844

Grunstein, M. M.
see Cotton, E. K.
Hazinski, T. A.

Guha, S. K., Anand, S., and Talwar, G. P. In vivo motility of the unobstructed fallopian tube. 40:114

Guile, A. J. *see* Kivlen, C. M.

Gulesian, P., Jr. *see* Brusil, P. J.

Gulston, G.
see Hagan, R.
Muller, N.

Gunst, S. J., and Mitzner, W. Mechanical properties of contracted canine bronchial segments in vitro. 50:1236

Gunst, S. J., and Russell, J. A. Contractile force of canine tracheal smooth muscle during continuous stretch. 52:655

Gunther, R., Zaiss, C., and Demling, R. H. Pulmonary microvascular response to prostacyclin (PGI_2) infusion in unanesthetized sheep. 52:1338

Guntheroth, W. G., Luchtel, D. L., and Kawabori, I. Pulmonary microcirculation: tubules rather than sheet and post. 53:510

Gupta, R. N. *see* Overland, E. S.

Gur, M., and Purple, R. L. Blood pressure responses as an indicator of the anesthetic level in ground squirrels. 40:977

Gurtner, G.
see Mendoza, C.
Sylvester, J. T.

Gurtner, G. H. Can alveolar P_{CO_2} exceed pulmonary end-capillary CO_2? Yes. 42:323

Gurtner, G. H., and Traystman, R. J. Gas-to-blood P_{CO_2} differences during severe hypercapnia. 47:67

Gurtner, G. H., Traystman, R. J., and Burns, B. Interactions between placental O_2 and CO transfer. 52:479

Gurtner, G. H.
see Knoblauch, A.
Sybert, A.

Guthrie, R. D., Standaert, T. A., Hodson, W. A., and Woodrum, D. E. Sleep and maturation of eucapnic ventilation and CO_2 sensitivity in the premature primate. 48:347

Guthrie, R. D., Standaert, T. A., Hodson, W. A., and Woodrum, D. E. Development of CO_2 sensitivity: effects of gestational age, postnatal age, and sleep state. 50:956

Guthrie, R. D. *see* LaFramboise, W. A.

Gutin, B.
see Inbar, O.
Wilkerson, J. E.

Gutman, A. *see* Rabi, T.

Guy, H. J. B. *see* Nichol, G. M.

Guyton, A. C.
see Moffatt, D. S.
Parker, J. C.

Guz, A. *see* Katona, P. G.

Gwirtz, P. A. *see* Gee, M. H.

Gyntelberg, F., Rennie, M. J., Hickson, R. C., and Holloszy, J. O. Effect of training on the response of plasma glucagon to exercise. 43:302

H

Haak, E. D. *see* Pimmel, R. L.

Haas, A. *see* Haas, F.

Haas, F., Simnowitz, M., Axen, K., Gaudino, D., and Haas, A. Effect of upper body posture on forced inspiration and expiration. 52:879

Haas, S. S. *see* Axen, K.

Haberkern, C. M., and Bland, R. D. Effect of hypercapnia on net filtration of fluid in the lungs of awake newborn lambs. 51:423

Haberkern, C. M. *see* Bland, R. D.

Habib, M. P., Paré, P. D., and Engel, L. A. Variability of airway responses to inhaled histamine in normal subjects. 47:51

Hackett, P. H., Reeves, J. T., Reeves, C. D., Grover, R. F., and Rennie, D. Control of breathing in Sherpas at low and high altitude. 49:374

Hackney, J. D., Linn, W. S., Mohler, J. G., and Collier, C. R. Adaptation to short-term respiratory effects of ozone in men exposed repeatedly. 43:82

Haddad, A. G., Pimmel, R. L., Scaperoth, D. D., and Bromberg, P. A. Forced oscillatory respiratory parameters following papain exposure in dogs. 46:61

Haddad, G. G., Epstein, R. A., Epstein, M. A. F., Leistner, H. L., Marino, P. A., and Mellins, R. B. Maturation of ventilation and ventilatory pattern in normal sleeping infants. 46:998

Haddad, G. G., Gandhi, M. R., and Mellins, R. B. Maturation of ventilatory response to hypoxia in puppies during sleep. 52:309

Haddad, G. G., Lai, T. L., and Mellins, R. B. Determination of ventilatory pattern in REM sleep in normal infants. 53:52

Haddad, G. G., Leistner, H. L., Epstein, R. A., Epstein, M. A. F., Grodin, W. K., and Mellins, R. B. CO_2-induced changes in ventilation and ventilatory pattern in normal sleeping infants. 48:684

Haddad, G. G. *see* Epstein, R. A.

Haffty, B. *see* Nakamura, Y.

Hagan, R., Bryan, A. C., Bryan, M. H., and Gulston, G. Neonatal chest wall afferents and regulation of respiration. 42:362

Hagan, R. D., Diaz, F. J., and Horvath, S. M. Plasma volume changes with movement to supine and standing positions. 45:414

Hagan, R. D., Strathman, T., Strathman, L., and Gettman, L. R. Oxygen uptake and energy expenditure during horizontal treadmill running. 49:571

Hagberg, J. M., Coyle, E. F., Carroll, J. E., Miller, J. M., Martin, W. H., and Brooke, M. H. Exercise hyperventilation in patients with McArdle's disease. 52:991

Hagberg, J. M., Hickson, R. C., Ehsani, A. A., and Holloszy, J. O. Faster adjustment to and recovery from submaximal exercise in the trained state. 48:218

Hagberg, J. M., Hickson, R. C., McLane, J. A., Ehsani, A. A., and Winder, W. W. Disappearance of norepinephrine from the circulation following strenuous exercise. 47:1311

Hagberg, J. M., Mullin, J. P., Giese, M. D., and Spitznagel, E. Effect of pedaling rate on submaximal exercise responses of competitive cyclists. 51:447

Hagberg, J. M., Mullin, J. P., and Nagle, F. J. Oxygen consumption during constant-load exercise. 45:381

Hagberg, J. M., Mullin, J. P., and Nagle, F. J. Effect of work intensity and duration on recovery O_2. 48:540

Hagberg, J. M., Nagle, F. J., and Carlson, J. L. Transient O_2 uptake response at the onset of exercise. 44:90

Hagberg, J. M.
see Heath, G. W.
Winder, W. W.

Hagberg, M. Muscular endurance and surface electromyogram in isometric and dynamic exercise. 51:1

Hagerman, F. C., Connors, M. C., Gault, J. A., Hagerman, G. R., and Polinski, W. J. Energy expenditure during simulated rowing. 45:87

Hagerman, G. R. *see* Hagerman, F. C.

Hahn, C. E. W., Foëx, P., and Raynor, C. M. A development of the oxyhemoglobin dissociation curve analyzer. 41:259

Hahn, C. E. W. *see* Albery, W. J.

Hahn, H. L., Graf, P. D., and Nadel, J. A. Effect of vagal tone on airway diameters and on lung volume in anesthetized dogs. 41:581

Hahn, H. L., Watson, A., Wilson, A. G., and Pride, N. B. Influence of bronchomotor tone on airway dimensions and resistance in excised dog lungs. 49:270

Hahn, H. L., Wilson, A. G., Graf, P. D., Fischer, S. P., and Nadel, J. A. Interaction between serotonin and efferent vagus nerves in dog lungs. 44:144

Hahn, H. L.
see Holtzman, M. J.
Vidruk, E. H.

Haines, R. F. *see* Shvartz, E.

Hainsworth, R.
see Chen, H.
Mohammed, M. M. J.

Hait, G. *see* Kypson, J.

Haithcoat, J. L. *see* Hasser, E. M.

Hajji, M. A., Wilson, T. A., and Lai-Fook, S. J. Improved measurements of shear modulus and pleural membrane tension of the lung. 47:175

Hakim, T. S., Dawson, C. A., and Linehan, J. H. Hemodynamic responses of dog lung lobe to lobar venous occlusion. 47:145

Hakim, T. S., Michel, R. P., and Chang, H. K. Partitioning of pulmonary vascular resistance in dogs by arterial and venous occlusion. 52:710

Hakim, T. S., Michel, R. P., and Chang, H. K. Effect of lung inflation on pulmonary vascular resistance by arterial and venous occlusion. 53:1110

Hakim, T. S., Minnear, F. L., Van der Zee, H., Barie, P. S., and Malik, A. B. Adrenoreceptor control of lung fluid and protein exchange. 51:68

Hakim, T. S., Van der Zee, H., and Malik, A. B. Effects of sympathetic nerve stimulation on lung fluid and protein exchange. 47:1025

Hakim, T. S. *see* Barie, P. S.
Gregory, T. J.
Grimm, D. J.
Maron, M. B.
Van der Zee, H.
Hales, C. A., *Gibbons, R., Burnham, C.,* and Kazemi, H. Y. Determinants of regional distribution of a bolus inhaled *from residual volume. 41:400*
Hales, C. A., Rouse, E. T., and Slate, J. L. Influence of aspirin and indomethacin on *variability of alveolar hypoxic vasoconstriction.* 45:33
Hales, C. A., and Westphal, D. M. Pulmo*nary hypoxic vasoconstriction: not af*fected by chemical sympathectomy. 46:529
Hales, C. A. *see* Braslow, N. M.
Miller, M. A.
Hales, J. R. S. *see Maskrey, M.*
Haley, P. J. *see* Hendricks, P. L.
Halkjaer-Kristensen, J. *see Hesse, B.*
Hall, C. J. *see Bonner, R. M.*
Hall, D. *see* Miller, J. H.
Hall, D. A. *see Hendricks, P. L.*
Hall, J., III. *see* Krumpe, P. E.
Hall, S. M. see Strawn, W. B.
Hall, S. V. *see Johnson, E. E.*
Hallenborg, C. P. *see* Holden, W. E.
Haller, E.-A. see Baumann, R.
Hallett, M. *see Strohl, K. P.*
Halsey, M. J.
see Baden, J. M.
Bailey, C. P.
Halvorson, R. *see* Brockman, R. P.
Hamilton, F. see Lock, J. E.
Hamilton, J. D., *and Pfeiffer, E. W.* Effects of cold exposure and dehydration on renal function in black-tailed prairie *dogs. 42:295*
Hamilton, L. H., Christman, N. T., and Rickaby, D. A. Acoustic helium analyzer *for closing volume measurement. 43:911*
Hamilton, L. H.
see Forster, H. V.
Kaminski, R. P.
Klein, J. P.
Hamilton, N. see Ianuzzo, C. D.
Hamilton, P. *see Thomson, J. M.*
Hamilton, R. W., Epstein, P. E., Henderson, L. W., Edelman, N. H., and Fishman, *A. P. Control of breathing in uremia:* ventilatory response to CO_2 after hemodialysis. 41:216
Hamlet, M. *see Bynum, G.*
Hamlin, R. L. see Tsai, M. J.
Hammerlindl, D. M. *see* Jones, R. L.
Hammon, J. W., Jr., *Smith, P. K.,* McHale, P. A., Vanbenthuysen, K. M., *and Anderson, R. W. Analysis of pulsa*tile pulmonary artery blood flow in the unanesthetized dog. 50:805
Hammond, G. L.
see Flink, J. R.
Gillis, C. N.
Pitt, B. R.
Hammons, G. T. *see* Graig, B. W.
Hamosh, P. see Yamada, K. A.
Hanano, M. *see Yokota, M.*
Hanna, L. M. see Scherer, P. W.
Hannhart, B.
see Bohadana, A. B.
Gautier, H.
Peslin, R.
Racineux, J. L.
Hanpeter, D. see Petrofsky, J. S.
Hansen, J. E.
see Nery, L. E.
Sue, D. Y.
Hansen, J. F. *see Hesse, B.*
Hansen, M. M. *see* Parsons, G. H.
Hansen, T. N., Sonoda, Y., and McIlroy, *M. B. Transfer of oxygen, nitrogen, and carbon dioxide through normal adult* human skin. 49:438
Hansen, T. N. *see* Bland, R. D.
Hanson, P., *Claremont, A., Dempsey, J.,* and Reddan, W. Determinants and consequences of ventilatory responses to *competitive endurance running. 52:615*
Hanson, P. G.
see Bezucha, G. R.
Dempsey, J. A.
Hanson, R. de G., Gray, R. M., and Alberti, K. G. M. M. Liver metabolites in *resting and exercising rats at 1 and 4 bar.* 51:1326
Hantos, Z., Daróczy, B., Klebniczki, J., *Dombos, K., and Nagy, S.* Parameter estimation of transpulmonary mechanics *by a nonlinear inertive model. 52:955*
Harabin, A. L., and Farhi, L. E. Measurement of blood O_2 and CO_2 concentrations *using* P_{O_2} *and* P_{CO_2} *electrodes.* 44:818
Harabin, A. L., Peake, M. D., and Sylves*ter, J. T. Effect of severe hypoxia on the* pulmonary vascular response to vasoconstrictor agents. 50:561
Harabin, A. L.
see Peake, M. D.
Sylvester, J. T.
Harada, R. N. *see Shasby, D. M.*
Harback, E. R. *see* Doblar, D. D.
Harbig, K., Chance, B., Kovách, A. G. B., *and Reivich, M. In vivo measurement of* pyridine nucleotide fluorescence from cat brain cortex. 41:480
Hardesty, R. L. *see Griffith, B. P.*
Harf, A., Atlan, G., Griffin, P. M., and Zamel, N. Frequency response of body *flow plethysmograph (Letter to the Edi*tor). 49:167
Harf, A., Atlan, G., Lorino, H., Deshayes, *S., Morin, C., and Laurent, D.* Correction for nonlinearity of body flow plethysmograph. 50:658
Harf, A., *Lorino, H., Atlan, G., Lorino, A.* M., and Laurent, D. Improved method in the computer determination of *plethysmographic thoracic gas volume.* 52:798
Harf, A., Pratt, T., and Hughes, J. M. B. *Regional distribution of* $\dot{V}A/\dot{Q}$ *in man at* rest and with exercise measured with *krypton-81m. 44:115*
Harf, A.
see Lorino, H.
Proulx, P. A.
Hargens, A. R. *see* Garfin, S. R.
Harken, A. H. Hydrogen ion concentra*tion and oxygen uptake in isolated canine hindlimb.* 40:1
Harri, M., Kuusela, P., and Oksanen*Rossi, R. Modification of training*induced responses by repeated norepinephrine injections in rats. 53:665
Harris, E. A. *see Macfie, A. E.*
Harris, K. E. see Patterson, R.
Harris, L. D.
see Chevalier, P. A.
Kallok, M. J.
Harris, P. D. *see Wiegman, D. L.*
Harris, R. C., Sahlin, K., and Hultman, E. Phosphagen and lactate contents of m. *quadriceps femoris of man after exercise.* 43:852
Harris, T. R., Brigham, K. L., and Row*lett, R. D. Pressure, serotonin, and his*tamine effects on lung multiple-indicator curves in sheep. 44:245
Harris, T. R., *and Roselli, R. J. A theoret*ical model of protein, fluid, and small molecule transport in the lung. 50:1
Harris, T. R.
see Brigham, K. L.
Collins, J. C.
Foy, T.
Snapper, J. R.
Harris, W. S. *see* Wei, J. Y.
Harrison, M. H., Edwards, R. J., and *Fennessy, P. A. Intravascular volume* and tonicity as factors in the regulation of body temperature. 44:69
Harrison, M. H., Edwards, R. J., Graveney, M. J., Cochrane, L. A., and Davies, J. A. Blood volume and plasma protein responses to heat acclimatization in humans. 50:597
Harrison, M. H.
see Bonner, R. M.
Davies, J. A.
Harrison, T. S. *see Moskowitz, R. M.*
Harry, R. R. *see* Suratt, P. M.
Hartig-Beecken, I. see Sosenko, I. R. S.
Hartling, O. *see Klausen, K.*
Hartmann, A. *see* Hebert, L. A.
Harvey, C. see Wilson, J. M.
Hary, D., *Belman, M. J., Propst, J., and* Lewis, S. A statistical analysis of the spectral moments used in EMG tests of *endurance. 53:779*
Hasan, F. M., Beller, T. A., Sobonya, R. E., Heller, N., and Brown, G. W. Effect of *positive end-expiratory pressure and* body position in unilateral lung injury. 52:147
Hasan, F. M., *and Kazemi, H. Dual con*tribution theory of regulation of CSF HCO_3^- in respiratory acidosis. 40:559
Haschke, R. H. *see Pavlin, D. J.*
Hasegawa, S. see Honda, Y.
Hasegawa, T. *see* Honda, Y.
Hasegawa, Y. *see* Sato, I.
Haselton, F. R. *see* Scherer, P. W.
Hashizume, I. *see* Honda, Y.
Haskell, E. H., *Palca, J. W., Walker, J. M.,* Berger, R. J., and Heller, H. C. Meta*bolism and thermoregulation during* stages of sleep in humans exposed to heat and cold. 51:948
Haskell, W. L. *see* Savin, W. M.
Hass, F. J. *see* Gerrity, T. R.
Hasser, E. M., Dowell, R. T., and Haith*coat, J. L. Hemodynamic responses to* methoxamine in exercise-conditioned and aorta-constricted rats. 52:967
Hastings, A. B., *White, F. C., Sanders, T.* M., and Bloor, C. M. Comparative physiological responses to exercise stress. *52:1077*
Hata, N. *see* Honda, Y.
Hatch, D. J.
see Beardsmore, C. S.
Helms, P.
Hatcher, J. D., Chiu, L. K., and Jennings, *D. B. Anemia as a stimulus to aortic and* carotid chemoreceptors in the cat. 44:696
Hauge, A.
see Bø, G.
Nicolaysen, G.
Robotham, J. L.
Haugh, L. D. see Fisher, M. J.
Hautman, R. P. *see Walsh, L. F.*
Havill, A. M. *see* Zumsteg, T. A.
Hawco, M. W., Davis, P. J., and Keough, *K. M. W. Lipid fluidity in lung surfac*tant: monolayers of saturated and unsaturated lecithins. 51:509
Hawkins, M. J. *see Baker, M. A.*
Haworth, D. *see* Miller, J. H.
Hayashi, M., and Nagasaka, T. En*hanced heat production in physically* restrained rats in hypoxia. 51:1601
Hayashi, M., Nagasaka, T., and Shibata, *H. Hypoxic suppression of dietary*induced component of resting metabolism in rats. 53:117
Hayatdavoudi, G., Crapo, J. D., Miller, F. J., and O'Neil, J. J. Factors determining *degree of inflation in intratracheally* fixed rat lungs. 48:389

Hayatdavoudi, G., O'Neil, J. J., Barry, B. E., Freeman, B. A., and Crapo, J. D. *Pulmonary injury in rats following continuous* exposure to 60% O_2 for 7 days. 51:1220
Hayes, D. A. *see Fullton, J. M.*
Hayes, J. A. *see* Snider, G. L.
Haynes, J. B., Carson, S. D., Whitney, W. P., Zerbe, G. O., Hyers, T. M., and Steele, P. Positive end-expiratory pressure shifts left ventricular diastolic pressure-area curves. 48:670
Haynes, M. *see* Johnson, R. L., Jr.
Haynes, R. L.
see McFadden, E. R., Jr.
Strauss, R. H.
Hayward, J. S., Eckerson, J. D., and Collis, M. L. Thermoregulatory heat production in man: prediction equation *based on skin and core temperatures.* 42:377
Hayward, J. S.
see Johnson, D. G.
Morrison, J. B.
Hayward, M. G. *see* Gin, A. R.
Hazinski, T. A., *Grunstein, M. M.,* Schlueter, M. A., and Tooley, W. H. Effect of naloxone on ventilation in newborn rabbits. *50:713*
Hazinski, T. A.
see Bland, R. D.
Grunstein, M. M.
Hazucha, M. *see* Grunstein, M. M.
Hazucha, M. J. *see* Pimmel, R. L.
Heath, G. W., *Hagberg, J. M., Ehsani, A.* A., and Holloszy, J. O. A physiological comparison of young and older endurance *athletes. 51:634*
Heath, J. E. *see* Gordon, C. J.
Heath, M. E. *see* Smith, R. El.
Heather, J. D. *see Swinburne, A. J.*
Hebert, L. A., Chen, W.-C., Hartmann, A., and Garancis, J. C. Mechanical properties of dog renal capsule. *40:164*
Hechtman, H. B. *see* Justice, R. E.
Heckman, J. *see* Santamore, W. P.
Heckman, J. L., *Stewart, G. H.,* Tremblay, G., and Lynch, P. R. Relationship between stroke volume and *pneumocardiogram. 52:1672*
Heckman, J. L. see Santamore, W. P.
Hedemark, L. L., *and Kronenberg, R. S.* Ventilatory and heart rate responses to hypoxia and hypercapnia during sleep in *adults. 53:307*
Hedenstierna, G., Bindslev, L., Santesson, J., and Norlander, O. P. Airway closure *in each lung of anesthetized human* subjects. 50:55
Hedenstierna, G., and Santesson, J. Airway closure during anesthesia: a comparison between resident-gas and argon-bolus techniques. 47:874
Hedenstierna, G., *White, F. C., Mazzone,* R., and Wagner, P. D. Redistribution of pulmonary blood flow in the dog with *PEEP ventilation.* 46:278
Hedenstierna, G., White, F. C., and *Wagner, P. D. Spatial distribution of* pulmonary blood flow in the dog with PEEP ventilation. 47:938
Hedenstierna, G.
see Breen, P. H.
Demedts, M.
Hedley-Whyte, J.
see Christoforides, C.
Johnson, E. E.
Priebe, H.-J.
Hegstrand, L. *see* Voelkel, N. F.
Heigenhauser, G. J. F., and Faulkner, J. A. Estimation of cardiac output by the CO_2 rebreathing method during tethered swimming. 44:821
Heigenhauser, G. J. F.
see Ehrsam, R. E.
Oldridge, N. B.
Zimmerman, P.
Heikkinen, E. *see* Kiiskinen, A.
Heimbach, D. M. *see* Freund, P. R.
Heinmann, J. C. *see Priebe, H.-J.*
Heintzelman, M. *see* Martin, B.
Heisler, N. *see* Gonzalez, N. C.
Heistad, D. D.
see Gross, P. M.
Marcus, M. L.
Helderman, J. H. *see McGuire, E. A. H.*
Heldt, G. P., Clements, J. A., McIlroy, M. B., and Tooley, W. H. An intercostal retractometer for estimation of intrapleural pressure changes in infants. 52:1667
Helgerson, R. *see* Brown, M. J.
Hellemans, J. M. *see* De Wilde, R.
Heller, H. C. see Haskell, E. H.
Heller, N. *see Hasan, F. M.*
Hellman, C. K. *see* Anholm, J. D.
Hellman, J. B., and Stacy, R. W. Variation of respiratory sinus arrhythmia with age. 41:734
Helms, P. Problems with plethysmographic estimation of lung volume in infants and young children. 53:698
Helms, P., Beardsmore, C. S., and Stocks, J. Absolute intraesophageal pressure at functional residual capacity in infancy. 51:270
Helms, P., *Taylor, B. W., Milner, A. D.,* and Hatch, D. J. Critical assessment of jacket plethysmographs for use in young *children. 52:267*
Helms, P. *see* Beardsmore, C. S.
Hemmingsen, B. B. *see* Hemmingsen, E. A.
Hemmingsen, E. A., and Hemmingsen, B. B. Lack of intracellular bubble formation in microorganisms at very high gas supersaturations. 47:1270
Hempel, F. G. Oxygen tensions measured in cat cerebral cortex under hyperbaric conditions. 46:53
Hempel, F. G., Jobsis, F. F., LaManna, J. L., Rosenthal, M. R., and Saltzman, H. A. Oxidation of cerebral cytochrome aa_3 by *oxygen plus carbon dioxide at hyperbaric* pressures. 43:873
Henane, R., Buguet, A., Roussel, B., and Bittel, J. Variations in evaporation and body temperatures during sleep in man. 42:50
Henane, R., *Flandrois, R., and Charbonnier, J. P.* Increase in sweating sensitivity by endurance conditioning in man. *43:822*
Henderson, L. W. *see* Hamilton, R. W.
Henderson-Smart, D. J., and Read, D. J. C. Reduced lung volume during behavioral active sleep in the newborn. 46:1081
Hendricks, P. L., *Hall, D. A., Hunter, W.* L., Jr., and Haley, P. J. Extension of pulmonary O_2 tolerance in man at 2 ATA by intermittent O_2 exposure. *42:593*
Hendrix, S. G. see Leff, A. R.
Heneghan, C. P. H., Martindale, D. D. R., and Blackburn, J. P. A simple ventilator suitable for respiratory gas studies. *44:640*
Hensel, H., and Banet, M. Adaptive changes in cats after long-term exposure *to various temperatures. 52:1008*
Hensel, H. *see* Fruhstorfer, B.
Hensley, M. J., O'Cain, C. F., McFadden, *E. R., Jr., and Ingram, R. H., Jr.* Distribution of bronchodilatation in normal subjects: beta agonist versus atropine. *45:778*
Hensley, M. J.
see O'Cain, C. F.
Olson, L. G.
Strohl, K. P.
Herget, J., Paleček, F., Preclík, P., Cermáková, M., Vízek, M., and Petrovická, M. Pulmonary hypertension induced by repeated pulmonary inflammation in the rat. 51:755
Hérigault, R. A. *see* Teisseire, B. P.
Hermansen, L. *see* Brengelmann, G. L.
Hermansen, O. *see* Rowell, L. B.
Herrera, L., and Kazemi, H. CSF bicarbonate regulation in metabolic acidosis: role of HCO_3^- formation in CNS. 49:778
Herrera, L. see Javaheri, S.
Herrick, R. E.
see Baldwin, K. M.
Ernst, S. B.
Hesse, B., Kanstrup, I.-L., Christensen, N. J., Ingemann-Hansen, T., Hansen, J. F., Halkjaer-Kristensen, J., and Peterson, F. B. Reduced norepinephrine response to dynamic exercise in human subjects during O_2 breathing. 51:176
Hesser, C. M., *Linnarsson, D.,* and Fagraeus, L. Pulmonary mechanics and work of breathing at maximal ventilation *and raised air pressure. 50:747*
Hesser, C. M.
see Bjurstedt, H.
Linnarsson, D.
Heusner, W. W. *see* Hickson, R. C.
Heyder, J.
see Gebhart, J.
Taulbee, D. B.
Heyndrickx, G. R., Pannier, J.-L., Muylaert, P., Mabilde, C., and Leusen, I. Alteration in myocardial oxygen balance during exercise after β-adrenergic blockade in dogs. *49:28*
Hickman, T. *see* Pollock, M. L.
Hickson, R. C. Skeletal muscle cytochrome *c* and myoglobin, endurance, and frequency of training. 51:746
Hickson, R. C., Bomze, H. A., and Holloszy, J. O. Linear increase in aerobic power induced by a strenuous program of endurance exercise. 42:372
Hickson, R. C., Bomze, H. A., and Holloszy, J. O. Faster adjustment of O_2 uptake to the energy requirement of exercise in the trained state. 44:877
Hickson, R. C., Heusner, W. W., and Van Huss, W. D. Skeletal muscle enzyme alterations after sprint and endurance training. 40:868
Hickson, R. C., *Kanakis, C., Jr., Davis, J.* R., Moore, A. M., and Rich, S. Reduced training duration effects on aerobic power, endurance, and cardiac growth. 53:225
Hickson, R. C., Rennie, M. J., Conlee, R. K., Winder, W. W., and Holloszy, J. O. Effects of increased plasma fatty acids on glycogen utilization and endurance. *43:829*
Hickson, R. C.
see Gyntelberg, F.
Hagberg, J. M.
Winder, W. W.
Hida, W., Inoue, H., and Hildebrandt, J. Lobe weight gain and vascular, alveolar, and peribronchial interstitial fluid pressures. (Letter to the Editor). *52:173*
Hida, W., Sasaki, T., Inoue, H., and Takishima, T. Inflection points of lung pressure-volume curves using a three-balloon-catheter system. 47:931
Hida, W., Suzuki, S., Sasaki, H., Fujii, Y., *Sasaki, T., and Takishima, T. Effect of* ventilatory frequency on regional transpulmonary pressure in normal adults. *51:678*
Hida, W. *see* Sasaki, H.
Higashida, R. T. *see* Hyman, A. L.
Higbee, G. A. *see* Liu, C. T.
Higenbottam, T. Narrowing of glottis opening in humans associated with experimentally induced bronchoconstriction. 49:403
Higgins, J. J. *see* Meyer, E. C.
Higuchi, J. *see* Miyamoto, Y.
Hildebran, J. N., Goerke, J., and Clements, J. A. Pulmonary surface film stability and composition. 47:604

Hildebran, J. N., Goerke, J., and Clements, J. A. Surfactant release in excised rat lung is stimulated by air inflation. 51:905

Hildebrandt, J., Beck, K., Scherba, S., Parker, J. C., and Taylor, A. E. Pulmonary interstitial and capillary pressures estimated from intra-alveolar fluid pressures. (Letter to the Editor). 47:643

Hildebrandt, J.
see Hida, W.
Inoue, H.
Lai, Y.-L.
Lamm, W. J. E.
Nagao, K.
Stothert, J. C., Jr.
Winn, R.

Hildebrandt, J. R.
see Lamm, W. J. E.
Winn, R.

Hill, E. P., Power, G. G., and Gilbert, R. D. Rate of pH changes in blood plasma in vitro and in vivo. 42:928

Hill, E. P.
see Lewis, S. M.
Willford, D. C.

Hill, P. McN. *see* Robinson, S. M.

Hill, R. D. A rapid technique for dynamic calibration of electromagnetic flowmeters. 53:294

Hills, B. A. Supersaturation by counterperfusion and diffusion of gases. 42:758

Hills, B. A. Effect of decompression per se on nitrogen elimination. 45:916

Hills, B. A. Intermittent flow in tendon capillary bundles. 46:696

Hills, B. A. Liquid layer lining the lung (Letter to the Editor). 52:1383

Hills, B. A., and Barrow, R. E. Method for estimating absolute lung volumes at constant inflation pressure. 47:907

Hills, B. A., and Barrow, R. E. Air embolism: possible role of surfactant on recompression. 52:119

Hills, B. A., and Butler, B. D. A method of producing calibrated microbubbles for air embolism studies. 51:524

Hills, B. A., Butler, B. D., and Barrow, R. E. Boundary lubrication imparted by pleural surfactants and their identification. 53:463

Hills, B. A. *see* Butler, B. D.

Hillyard, S. D. *see* Dill, D. B.

Hilsted, J. *see* Galbo, H.

Hinrichs, D. K. *see* Wilson, N. C.

Hinton, D. E. *see* Jones, G. S.

Hiramoto, T. *see* Mitchell, G. S.

Hirasuna, J. D., and Gorin, A. B. Effect of prolonged recumbency on pulmonary blood volume in normal humans. 50:950

Hiroshige, T. *see* Maekubo, H.

Hirsch, J. *see* Bishop, B.

Hirsch, J. A., and Bishop, B. Volume, flow, and timing of each breath during negative airway pressure in humans. 50:552

Hirsch, J. A., and Bishop, B. Human breathing patterns on mouthpiece or face mask during air, CO_2, or low O_2. 53:1281

Hirshman, C. A., and Downes, H. Basenji-Greyhound dog model of asthma: influence of atropine on antigen-induced bronchoconstriction. 50:761

Hirshman, C. A., Downes, H., Leon, D. A., and Peters, J. E. Basenji-Greyhound dog model of asthma: pulmonary responses after β-adrenergic blockade. 51:1423

Hirshman, C. A., Malley, A., and Downes, H. Basenji-Greyhound dog model of asthma: reactivity to *Ascaris suum*, citric acid, and methacholine. 49:953

Hirshman, C. A. *see* Patrick, J. M.

Hitzig, B. M., and Nattie, E. E. Acid-base stress and central chemical control of ventilation in turtles. 53:1365

Hiura, T. *see* Miyamoto, Y.

Hlastala, M. P., McKenna, H. P., Franada, R. L., and Detter, J. C. Influence of carbon monoxide on hemoglobin-oxygen binding. 41:893

Hlastala, M. P., and Robertson, H. T. Inert gas elimination characteristics of the normal and abnormal lung. 44:258

Hlastala, M. P., Woodson, R. D., and Wranne, B. Influence of temperature on hemoglobin-ligand interaction in whole blood. 43:545

Hlastala, M. P.
see Böning, D.
Christopherson, S. K.
Malmberg, P. O.
Robertson, H. T.
Ross, B. K.
Truog, W. E.

Hoar, P. F., Raymond, L. W., Langworthy, H. C., Johnsonbaugh, R. E., and Sode, J. Physiological responses of men working in 25.5°C water, breathing air or helium tri-mix. 40:605

Hobbs, S. F. *see* Freund, P. R.

Hochachka, P. W.
see Liggins, G. C.
Murphy, B.
Zapol, W. M.

Hodson, W. A.
see Godal, A.
Guthrie, R. D.
Truog, W. E.
Woodrum, D. E.

Hoeffel, J. *see* Russell, J. A.

Hoeffel, J. M. *see* Murray, J. F.

Hoekenga, D. E. *see* Loeppky, J. A.

Hoffman, J. I. E. *see* Lister, G., Jr.

Hofman, W. F. *see* Ehrhart, I. C.

Hogan, P. M. *see* Doubt, T. J.

Hogg, J. C.
see Baile, E. M.
Boucher, R. C.
Martin, B. A.
Michel, R. P.
Michoud, M.-C.
Pare, P. D.
Patterson, R.
Todd, T. R. J.

Hohimer, A. R. *see* Bissonnette, J. M.

Hoinville, E. *see* Sargeant, A. J.

Holden, W. E., Hallenborg, C. P., Menzel, T. E., Dozor, R., Graf, P. D., and Nadel, J. A. Effect of static or slowly flowing blood on carbon monoxide diffusion in dog lungs. 46:992

Holian, A., and Daniele, R. P. Release of oxygen products from lung macrophages by *N*-formyl peptides. 50:736

Holland, L. *see* Robotham, J. L.

Holland, O. B. *see* Nixon, J. V.

Holliday, R. L. *see* Sibbald, W. J.

Hollis, J. B., and Castell, D. O. Effects of cholinergic stimulation on human esophageal peristalsis. 40:40

Holloman, G. H., Jr. *see* Pearce, D. H.

Holloszy, J. O.
see Fell, R. D.
Fitts, R. H.
Graig, B. W.
Gyntelberg, F.
Hagberg, J. M.
Heath, G. W.
Hickson, R. C.
Juhlin-Dannfelt, A. C.
Terblanche, S. E.

Holloway, G. A., Jr., Daly, C. H., Kennedy, D., and Chimoskey, J. Effects of external pressure loading on human skin blood flow measured by ^{133}Xe clearance. 40:597

Holm, G., Björntorp, P., and Jagenburg, R. Carbohydrate, lipid, and amino acid metabolism following physical exercise in man. 45:128

Holm, G., Sullivan, L., Jagenburg, R., and Björntorp, P. Effects of physical training and lean body mass on plasma amino acids in man. 45:177

Holmstrom, F. M. *see* King, R. J.

Holsclaw, D. S., Jr. *see* Giordano, A., Jr.

Holst, J. J. *see* Galbo, H.

Holtz, B., Bake, B., and Oxhöj, H. Effect of inspired volume on closing volume. 41:623

Holtzman, M. J., Hahn, H. L., Sasaki, K., Skoogh, B.-E., Graf, P. D., Fabbri, L. M., and Nadel, J. A. Selective effect of general anesthetics on reflex bronchoconstrictor responses in dogs. 53:126

Holtzman, M. J.
see Sheller, J. R.
Sheppard, D.
Skoogh, B.-E.

Holub, D., and Frank, R. A system for rapid measurement of lung function in small animals. 46:394

Homer, L. D. *Primer of Biostatistics* (Book Review). 53:534

Homer, L. D.
see Robertson, C. H., Jr.
Weathersby, P. K.

Homma, I., Nagai, T., Sakai, T., Ohashi, M., Beppu, M., and Yonemoto, K. Effect of chest wall vibration on ventilation in patients with spinal cord lesion. 50:107

Honda, Y., Myojo, S., Hasegawa, S., Hasegawa, T., and Severinghaus, J. W. Decreased exercise hyperpnea in patients with bilateral carotid chemoreceptor resection. 46:908

Honda, Y., Watanabe, S., Hashizume, I., Satomura, Y., Hata, N., Sakakibara, Y., and Severinghaus, J. W. Hypoxic chemosensitivity in asthmatic patients two decades after carotid body resection. 46:632

Honda, Y. *see* Nishino, T.

Hong, P. A. *see* Brengelmann, G. L.

Hong, S. K. *see* Goldinger, J. M.

Hong, S.-I., and Nadel, E. R. Thermogenic control during exercise in a cold environment. 47:1084

Hoofd, L. *see* Binkhorst, R. A.

Hooker, A. M. *see* Baldwin, K. M.

Hoon, R. S., Balasubramanian, V., Mathew, O. P., Tiwari, S. C., Sharma, S. C., and Chadha, K. S. Effect of high-altitude exposure for 10 days on stroke volume and cardiac output. 42:722

Hoon, R. S., Sharma, S. C., Balasubramanian, V., and Chadha, K. S. Urinary catecholamine excretion on induction to high altitude (3,658 m) by air and road. 42:728

Hoon, R. S., Sharma, S. C., Balasubramanian, V., Chadha, K. S., and Mathew, O. P. Urinary catecholamine excretion on acute induction to high altitude (3,658 m). 41:631

Hoon, R. S. *see* Sharma, S. C.

Hoop, B. *see* Braslow, N. M.

Hoopes, D. *see* Costill, D. L.

Hopewell, P. C., and Murray, J. F. Effects of continuous positive-pressure ventilation in experimental pulmonary edema. 40:568

Hopewell, P. C. *see* Huchon, G. J.

Hopp, F. A.
see Kostreva, D. R.
Zuperku, E. J.

Hoppe, P. P. *see* Maskrey, M.

Hoppin, F. G., Jr., Green, M., and Morgan, M. S. Relationship of central and peripheral airway resistance to lung volume in dogs. 44:728

Hoppin, F. G., Jr., Hughes, J. M. B., and

Mead, J. Axial forces in the bronchial tree. 42:773
Hoppin, F. G., Jr.
see Brown, R.
Jackson, A. C.
Loring, S. H.
Nakamura, M.
Sasaki, H.
Webster, P. M.
Horimoto, M. *see* Koyama, T.
Hornbein, T. F. *see* Bledsoe, S. W.
Horner, H. *see* Kligfield, P.
Horowitz, J. M.
see Fuller, C. A.
Giacchino, J.
Schertel, E. R.
Horowitz, M., and Samueloff, S. Plasma water shifts during thermal dehydration. 47:738
Horowitz, M., Samueloff, S., and Adler, J. H. Acute dehydration: body water distribution in acclimated and nonacclimated *Psammomys obesus*. 44:585
Horowitz, M., and Soskolne, W. A. Cellular dynamics of rats' submaxillary gland during heat acclimatization. 44:21
Horsfield, K., Davies, A., and Cumming, G. Role of conducting airways in partial separation of inhaled gas mixtures. 43:391
Horsfield, K., Gabe, I., Mills, C., Buckman, M., and Cumming, G. Effect of heart rate and stroke volume on gas mixing in dog lung. 53:1603
Horsfield, K., Kemp, W., and Phillips, S. An asymmetrical model of the airways of the dog lung. 52:21
Horsfield, K. *see* Bowes, C.
Horstman, D., Weiskopf, R., and Jackson, R. E. Work capacity during 3-wk sojourn at 4,300 m: effects of relative polycythemia. 49:311
Horstman, D. H., and Banderet, L. E. Hypoxia-induced metabolic and core temperature changes in the squirrel monkey. 42:273
Horstman, D. H., and Christensen, E. Acclimatization to dry heat: active men vs. active women. 52:825
Horvath, S. M.
see Borgia, J. F.
Diaz, F. J.
Drinkwater, B. L.
Folinsbee, L. J.
Gliner, J. A.
Hagan, R. D.
Kobayashi, K.
Maron, M. B.
McMurray, R. G.
Miles, D. S.
Wagner, J. A.
Wilkerson, J. E.
Horwitz, B. A., and Eaton, M. Ouabain-sensitive liver and diaphragm respiration in cold-acclimated hamster. 42:150
Horwitz, B. A.
see Fuller, C. A.
Giacchino, J.
Schertel, E. R.
Horwitz, L. D.
see Atkins, J. M.
Morgan, B. J.
Hosko, M. *see* Eick, H.
Hospers, A. J. H. *see* Huisveld, I. A.
Hossack, K. F., and Bruce, R. A. Maximal cardiac function in sedentary normal men and women: comparison of age-related changes. 53:799
Hotta, K. *see* Sato, I.
Hottenstein, O. *see* Sylvester, J. T.
Hough, W. H. *see* DiMarco, A. F.
House, D. *see* Stacy, R. W.
Houston, M. *see* Green, H.
Howell, J. B. L. *see* Killian, K. J.
Howley, E. T.
see Collins, R. G.
Stuart, M. K.
Howson, M. G. *see* Robbins, P. A.
Hoyt, R. W.
see Bernstein, M. H.
Wood, S. C.
Hsiao, H. *see* Suratt, P. M.
Huang, J. T. *see* Neubauer, J. A.
Huang, T. W. *see* Albert, R. K.
Hubbard, R. *see* Francesconi, R.
Hubbard, R. W., Bowers, W. D., Matthew, W. T., Curtis, F. C., Criss, R. E. L., Sheldon, G. M., and Ratteree, J. W. Rat model of acute heatstroke mortality. 42:809
Hubbard, R. W., Criss, R. E. L., Elliott, L. P., Kelly, C., Matthew, W. T., Bowers, W. D., Leav, I., and Mager, M. Diagnostic significance of selected serum enzymes in a rat heatstroke model. 46:334
Hubbard, R. W., Mager, M., Bowers, W. D., Leav, I., Angoff, G., Matthew, W. T., and Sils, I. V. Effect of low-potassium diet on rat exercise hyperthermia and heatstroke mortality. 51:8
Hubbard, R. W., Matthew, C. B., and Francesconi, R. Heat-stressed rat: effects of atropine, desalivation, or restraint. 53:1171
Hubbard, R. W., Matthew, W. T., Criss, R. E. L., Kelly, C., Sils, I., Mager, M., Bowers, W. D., and Wolfe, D. Role of physical effort in the etiology of rat heatstroke injury and mortality. 45:463
Hubbard, R. W. *see* Shapiro, Y.
Huber, F., Sodal, I. E., and Weil, J. W. On-line cardiac output by digital computer. 40:266
Huber, G. L. *see* Drath, D. B.
Huchon, G. J., Hopewell, P. C., and Murray, J. F. Interactions between permeability and hydrostatic pressure in perfused dogs' lungs. 50:905
Huchon, G. J., Little, J. W., and Murray, J. F. Assessment of alveolar-capillary membrane permeability of dogs by aerosolization. 51:955
Huchon, G. J. *see* Overland, E. S.
Huckaba, C. E. *see* Downey, J. A.
Hudson, D. M. *see* Bernstein, M. H.
Hudson, J. W. *see* Deavers, D. R.
Hughes, E. F., Turner, S. C., and Brooks, G. A. Effects of glycogen depletion and pedaling speed on "anaerobic threshold." 52:1598
Hughes, G. M. *see* Thomas, S.
Hughes, J. M. B.
see Amis, T. C.
Grant, B. J. B.
Harf, A.
Hoppin, F. G., Jr.
Jones, H. A.
Swinburne, A. J.
Hughes, J. R. *see* Küng, M.
Hughes, M. J., Kopetzky, M. T., Messiha, F., Light, K., and Barnes, C. D. Alterations in responses to drugs of atria from white rats acclimated to hypobaric hypoxia. 51:1607
Hughes, R. L., Frownfelter, D., and Piergies, M. Effects of limping on normal exercise response. 41:89
Hughes, R. L., Mathie, R. T., Fitch, W., and Campbell, D. Liver blood flow and oxygen consumption during hypocapnia and IPPV in the greyhound. 47:290
Hughson, R. L., and Morrissey, M. Delayed kinetics of respiratory gas exchange in the transition from prior exercise. 52:921
Hughson, R. L. *see* Orr, G. W.
Huhn, R. R. *see* Kasch, F. W.
Huisveld, I. A., Hospers, A. J. H., Bernink, M. J. E., Biersteker, M. W. A., Erich, W. B. M., and Bouma, B. N. Oral contraceptives and fibrinolysis among female cyclists before and after exercise. 53:330
Hull, D. H., Wolthuis, R. A., Gillingham, K. K., and Triebwasser, J. H. Relaxed $+G_z$ tolerance in healthy men: effect of age. 45:626
Hultgren, P. B. *see* Bove, A. A.
Hultman, E.
see Chasiotis, D.
Harris, R. C.
Sahlin, K.
Hume, L. *see* Ewing, D. J.
Humphrey, S. J. E. *see* Abrams, R. M.
Hunt, C. E., McCulloch, K., and Brouillette, R. T. Diminished hypoxic ventilatory responses in near-miss sudden infant death syndrome. 50:1313
Hunter, W., and Noordergraaf, A. Can impedance characterize the heart? 40:250
Hunter, W. L., Jr. *see* Hendricks, P. L.
Huntsman, D. *see* Koyal, S. N.
Huntsman, D. J.
see Casaburi, R.
Juratsch, C. E.
Nery, L. E.
Stremel, R. W.
Weissman, M. L.
Hurl, P. M. *see* Kasch, F. W.
Huseby, J. S., Pavlin, E. G., and Butler, J. Effect of positive end-expiratory pressure on intracranial pressure in dogs. 44:25
Huseby, J. S. *see* Luce, J. M.
Huszar, G. *see* Smith, O. L. K.
Huszczuk, A. *see* Jones, P. W.
Hutcheon, M. A., Rodarte, J. R., and Hyatt, R. E. Effect of breathing helium-oxygen on static lung volumes and lung recoil in normal man. 42:899
Huxtable, R. F. *see* Beran, A. V.
Hwang, J.-C. *see* St. John, W. M.
Hyatt, R. E., Offord, K. P., and Lai-Fook, S. J. Effect of length changes on bronchial diameters. 50:1168
Hyatt, R. E., Wilson, T. A., and Bar-Yishay, E. Prediction of maximal expiratory flow in excised human lungs. 48:991
Hyatt, R. E.
see Castile, R. G.
Cortese, D. A.
Frazier, A. R.
Goshy, M.
Hutcheon, M. A.
Klineberg, P. L.
Lai, Y.-L.
Lai-Fook, S. J.
Lambert, R. K.
Marsh, H. M.
Prakash, U. B. S.
Rich, C. R.
Rodarte, J. R.
Scheidt, M.
Schmid, E. R.
Southorn, P.
Staats, B. A.
Hyde, D. M., Robinson, N. E., Gillespie, J. R., and Tyler, W. S. Morphometry of the distal air spaces in lungs of aging dogs. 43:86
Hyde, R. W.
see Peterson, B. T.
Petrini, M. F.
Utell, M. J.
Hyers, T. M., Martin, B. J., Pratt, D. S., Dreisin, R. B., and Franks, J. J. Enhanced thrombin and plasmin activity with exercise in man. 48:821
Hyers, T. M., Scoggin, C. H., Will, D. H., Grover, R. F., and Reeves, J. T. Accentuated hypoxemia at high altitude in subjects susceptible to high-altitude pulmonary edema. 46:41
Hyers, T. M. *see* Haynes, J. B.
Hyman, A. I.
see Askanazi, J.
Weissman, C.
Hyman, A. L., Higashida, R. T., Spannhake, E. W., and Kadowitz, P. J. Pulmonary vasoconstrictor responses to graded

decreases in precapillary blood Po_2 in intact-chest cat. 51:1009
Hyman, A. L.
see Kadowitz, P. J.
Spannhake, E. W.

I

Iacopino, V. J. *see* Stinger, R. B.
Iaizzo, P. A., and Pozos, R. S. Exercise-induced amplitude modification of physiological action tremor of the ankle. 53:1164
Iaizzo, P. A. *see* Pozos, R. S.
Ianuzzo, C. D., and Chen, V. Metabolic character of hypertrophied rat muscle. 46:738
Ianuzzo, C. D., Noble, E. G., Hamilton, N., and Dabrowski, B. Effects of streptozotocin diabetes, insulin treatment, and training on the diaphragm. 52:1471
Ianuzzo, C. D. *see* Keens, T. G.
Iber, C., Berssenbrugge, A., Skatrud, J. B., and Dempsey, J. A. Ventilatory adaptations to resistive loading during wakefulness and non-REM sleep. 52:607
Iga, T. *see* Yokota, M.
Igler, F. O.
see Kostreva, D. R.
Nilsestuen, J. O.
Ikawa, S. *see* Ohira, Y.
Ikeda, I. *see* Rotman, H.
Ikegami, M., Jobe, A., and Glatz, T. Surface activity following natural surfactant treatment in premature lambs. 51:306
Ikegami, M. *see* Jobe, A.
Imaishi, N. *see* Shibata, H.
Inbar, G. F. *see* Banzett, R. B.
Inbar, O., Bar-Or, O., Dotan, R., and Gutin, B. Conditioning versus exercise in heat as methods for acclimatizing 8- to 10-yr-old boys to dry heat. 50:406
Inbar, O. *see* Bar-Or, O.
Ingemann-Hansen, T. *see* Hesse, B.
Ingjer, F. *see* Strømme, S. B.
Ingleson, L. D. *see* Gross, I.
Ingram, D. L. *see* Smith, R. El.
Ingram, P. *see* Crapo, J. D.
Ingram, R. H., Jr., Finlay, G. D., and Bradford, J. M., Jr. Relationship of $AaDo_2$ to airway Pco_2 in dog lungs. 40:720
Ingram, R. H., Jr.
see Breslin, F. J.
Brown, N. E.
Brown, R.
Deal, E. C., Jr.
Drazen, J. M.
Griffin, M. P.
Hensley, M. J.
Loring, S. H.
McFadden, E. R., Jr.
O'Cain, C. F.
Pedersen, O. F.
Rossing, T. H.
Saunders, N. A.
Slutsky, A. S.
Snapper, J. R.
Stearns, D. R.
Strauss, R. H.
Strohl, K. P.
Weiss, J. W.
Wellman, J. J.
Yanta, M. A.
Ingram, R., Jr. *see* Brown, R.
In-nami, H. *see* Kawashima, Y.
Inners, C. R., Terry, P. B., Traystman, R. J., and Menkes, H. A. Effects of lung volume on collateral and airways resistance in man. 46:67
Inners, C. R. *see* Smith, L. J.
Inoue, C. *see* Inoue, H.
Inoue, H., Inoue, C., and Hildebrandt, J. Vascular and airway pressures, and interstitial edema, affect peribronchial fluid pressure. 48:177
Inoue, H., Inoue, C., and Hildebrandt, J. Temperature and surface forces in excised rabbit lungs. 51:823
Inoue, H., Inoue, C., and Hildebrandt, J. Temperature effects on lung mechanics in air- and liquid-filled rabbit lungs. 53:567
Inoue, H. *see* Hida, W.
Inoue, S.
see Boucher, R. C.
Michel, R. P.
Inselman, L. S., Mellins, R. B., and Brasel, J. A. Effect of lung collapse on compensatory lung growth. 43:27
Ioffe, S. *see* Jansen, A. H.
Irsigler, G. B., Stafford, M. J., and Severinghaus, J. W. Relationship of CSF, PH, O_2, and CO_2 responses in metabolic acidosis and alkalosis in humans. 48:355
Irvin, C. G., Martin, R. R., and Macklem, P. T. Nonpurinergic nature and efficacy of nonadrenergic bronchodilatation. 52:562
Irvin, C. G. *see* Bhansali, P. V.
Isabey, D., and Chang, H. K. Steady and unsteady pressure-flow relationships in central airways. 51:1338
Iscoe, S. Respiratory and stepping frequencies in conscious exercising cats. 51:835
Iscoe, S. Pulmonary stretch receptor discharge patterns in eupnea, hypercapnia, and hypoxia. 53:346
Iscoe, S., and Polosa, C. Synchronization of respiratory frequency by somatic afferent stimulation. 40:138
Iscoe, S. *see* Derenne, J.-P.
Ishii, M. *see* Nakamura, M.
Issekutz, A. C. *see* Issekutz, B., Jr.
Issekutz, B., Jr. Role of beta-adrenergic receptors in mobilization of energy sources in exercising dogs. 44:869
Issekutz, B., Jr., Shaw, W. A. S., and Issekutz, A. C. Lactate metabolism in resting and exercising dogs. 40:312
Itakura, N., Fisher, A. B., and Thurman, R. G. Cytochrome P_{450}-linked *p*-nitroanisole *O*-demethylation in the perfused lung. 43:238
Itakura, N. *see* Noguchi, H.
Ito, A. *see* Ohira, Y.
Ito, H., Yamakoshi, K., and Togawa, T. Transthoracic admittance plethysmograph for measuring cardiac output. 40:451
Ito, Y. *see* Shimoji, K.
Ivy, J. L., Sherman, W. M., Miller, J. M., Maxwell, B. D., and Costill, D. L. Relationship between muscle Qo_2 and fatigue during repeated isokinetic contractions. 53:470
Ivy, J. L., Withers, R. T., Van Handel, P. J., Elger, D. H., and Costill, D. L. Muscle respiratory capacity and fiber type as determinants of the lactate threshold. 48:523
Ivy, J. L.
see Costill, D. L.
Evans, W. J.
Fell, R. D.
Iwane, T. *see* Shimoji, K.

J

Jacey, M. J., Gonzales, A., and Tappan, D. V. Hematologic changes after two exposures to 6.7 ATA air at three-day intervals. 42:838
Jackson, A.
see Baun, W. B.
Castile, R.
Pollock, M. L.
Jackson, A. C., Butler, J. P., Millet, E. J., Hoppin, F. G., Jr., and Dawson, S. V. Airway geometry by analysis of acoustic pulse response measurements. 43:523
Jackson, A. C., Loring, S. H., and Drazen, J. M. Serial distribution of bronchoconstriction induced by vagal stimulation or histamine. 50:1286
Jackson, A. C., and Olson, D. E. Comparison of direct and acoustical area measurements in physical models of human central airways. 48:896
Jackson, A. C., and Vinegar, A. A technique for measuring frequency response of pressure, volume, and flow transducers. 47:462
Jackson, A. C.
see Bruce, E. N.
Dorkin, H. L.
Drazen, J. M.
Sinnett, E. E.
Jackson, E. *see* Laver, M. B.
Jackson, J. T. *see* Kaehny, W. D.
Jackson, R. E. *see* Horstman, D.
Jacky, J. Programmable gas mixer for controlling concentration as a function of time. 49:160
Jacky, J. P. A plethysmograph for long-term measurements of ventilation in unrestrained animals. 45:644
Jacky, J. P. Barometric measurement of tidal volume: effects of pattern and nasal temperature. 49:319
Jacobs, H. K. *see* McCaffrey, T. V.
Jacobs, T. P. *see* Johnson, D. G.
Jaeger, J. J., Sylvester, J. T., Cymerman, A., Berberich, J. J., Denniston, J. C., and Maher, J. T. Evidence for increased intrathoracic fluid volume in man at high altitude. 47:670
Jaeger, J. J. *see* Deal, E. C., Jr.
Jaeger, M. J.
see Clarke, J. R.
Snyder, B.
Jagenburg, R. *see* Holm, G.
Jahnigen, D. *see* Moore, L. G.
Jalowayski, A. A. *see* Lewis, S. M.
James, L. S. *see* Schulze, K.
James, W. E., Tucker, C. E., and Grover, R. F. Cardiac function in goats exposed to carbon monoxide. 47:429
James, W. E. *see* Tucker, C. E.
Jammes, Y., Mathiot, M. J., Roll, J. P., Prefaut, C., Berthelin, F., Grimaud, C., and Milic-Emili, J. Ventilatory responses to muscular vibrations in healthy humans. 51:262
Jan, K.-M. *see* Chen, R. Y. Z.
Jank, K. *see* Vanderhoeft, P.
Jansen, A. *see* Brown, E. R.
Jansen, A. H., Ioffe, S., Russell, B. J., and Chernick, V. Effect of carotid chemoreceptor denervation on breathing in utero and after birth. 51:630
Jansen, J. R. C., Schreuder, J. J., Bogaard, J. M., Van Rooyen, W., and Versprille, A. Thermodilution technique for measurement of cardiac output during artificial ventilation. 51:584
Jansen, J. R. C. *see* Schreuder, J. J.
Januszkiewicz, A. *see* Ahmed, T.
Januszkiewicz, A. J.
see Abraham, W. M.
Ahmed, T.
Jardim, J. *see* Lisboa, C.
Jardin, P. *see* Peslin, R.
Jarett, L. *see* Graig, B. W.
Jasberg, K. A. *see* Alexander, J. M.
Javaheri, S., Clendening, A., Papadakis, N., and Brody, J. S. Changes in brain surface pH during acute isocapnic metabolic acidosis and alkalosis. 51:276
Javaheri, S., Herrera, L., and Kazemi, H. Ventilatory drive in acute metabolic acidosis. 46:913
Jay, R. E. *see* Fisher, M. J.

Jeffery, H. E., and Read, D. J. C. Ventilatory responses of newborn calves to progressive hypoxia in quiet and active sheep. 48:892
Jefremova, Z. *see* Cherchowich, G. M.
Jelínek, J. *see* Cherchowich, G. M.
Jennings, D. B. Body temperature and ventilatory response to CO_2 during chronic respiratory acidosis. 46:491
Jennings, D. B., and Chen, C. C. Ventilation in conscious dogs during acute and chronic hypercapnia. 41:839
Jennings, D. B., Meyer, M., Stokke, T., Piiper, J., and Scheid, P. Blood-gas CO_2 equilibration in lungs of unanesthetized dogs during hypercapnia. 52:1177
Jennings, D. B. *see* Hatcher, J. D.
Jensen, B. *see* Lundsgaard, J. S.
Jensen, R. *see* Kuhlemeier, K. V.
Jéquier, E.
see Chappuis, P.
Pahud, P.
Jessen, C. Two-dimensional determination of thermosensitive sites within the goat's hypothalamus. 40:514
Jessen, C. *see* Mercer, J. B.
Jibelian, G., Mitchell, R. R., and Overland, E. S. Influence of hematocrit and temperature on solubility of acetylene and dimethyl ether. 51:1357
Jibelian, G. *see* Murray, J. F.
Jobe, A., Ikegami, M., Sarton-Miller, I., and Barajas, L. Surfactant metabolism of newborn lamb lungs studied in vivo. 49:1091
Jobe, A. *see* Ikegami, M.
Jobin, M. *see* LeBlanc, J.
Jöbsis, F. F., Keizer, J. H., LaManna, J. C., and Rosenthal, M. Reflectance spectrophotometry of cytochrome aa_3 in vivo. 43:858
Jobsis, F. F.
see Hempel, F. G.
Mitnick, M. H.
Jochem, W. J. *see* Prazma, J.
Johansen, K. *see* Wood, S. C.
Johanson, I. *see* Benumof, J. L.
Johanson, W. G., Jr.
see Felton, C. R.
Fine, R.
Roehrs, J. D.
Wallis, T. W.
Johns, D. P., Pretto, J. J., and Streeton, J. A. Measurement of gas viscosity with a Fleisch pneumotachograph. 53:290
Johnson, A., and Malik, A. B. Effect of defibrinogenation on lung water accumulation after pulmonary microembolism in dogs. 49:841
Johnson, A., and Malik, A. B. Effects of different-size microemboli on lung fluid and protein exchange. 51:461
Johnson, A., and Malik, A. B. Pulmonary edema after glass bead microembolization: protective effect of granulocytopenia. 52:155
Johnson, A., and Malik, A. B. Effect of defribrinogenation on lung fluid and protein exchange after glass bead embolization. 53:895
Johnson, A., Tahamont, M. V., Kaplan, J. E., and Malik, A. B. Lung fluid balance after pulmonary embolization: effects of thrombin vs. fibrin aggregates. 52:1565
Johnson, A. *see* Kivlen, C. M.
Johnson, D. G., Hayward, J. S., Jacobs, T. P., Collis, M. L., Eckerson, J. D., and Williams, R. H. Plasma norepinephrine responses of man in cold water. 43:216
Johnson, D. G. *see* Escourrou, P.
Johnson, E. E., Hedley-Whyte, J., and Hall, S. V. End-expiratory pressure ventilation and sulfobromophthalein sodium excretion in dogs. 43:714
Johnson, G. S., and Elizondo, R. S. Thermoregulation in *Macaca mulatta:* a thermal balance study. 46:268
Johnson, H. D. *see* El-Nouty, F. D.
Johnson, J. *see* Santiago, T. V.
Johnson, J. D. *see* Ostrander, C. R.
Johnson, J. M. Responses of forearm blood flow to graded leg exercise in man. 46:457
Johnson, J. M., Brengelmann, G. L., and Rowell, L. B. Interactions between local and reflex influences on human forearm skin blood flow. 41:826
Johnson, J. M., and Park, M. K. Reflex control of skin blood flow by skin temperature: role of core temperature. 47:1188
Johnson, J. M., and Park, M. K. Effect of upright exercise on threshold for cutaneous vasodilation and sweating. 50:814
Johnson, J. M., and Park, M. K. Effect of heat stress on cutaneous vascular responses to the initiation of exercise. 53:744
Johnson, J. M. *see* Brengelmann, G. L.
Johnson, J. W. C. *see* Mitzner, W.
Johnson, N. T. *see* Verdugo, P.
Johnson, P. C. *see* Leach, C. S.
Johnson, R. L., Jr., Cassidy, S. S., Haynes, M., Reynolds, R. L., and Schulz, W. Microvascular injury distal to unilateral pulmonary artery occlusion. 51:845
Johnson, R. L., Jr.
see Cassidy, S. S.
Nixon, J. V.
Rose, G. L.
Johnson, S. A. *see* Sass, D. J.
Johnson, T. A., Mercer, R. R., Taylor, P. C., Graham, J. A., and O'Neil, J. J. Oxygen consumption measured with microcomputer-assisted Warburg manometry. 53:1634
Johnson, T. S., Swanson, G. D., Sodal, I. E., Reeves, J. T., and Virtue, R. W. A closed lung system study of inert gas absorption. 47:240
Johnson, T. S., Young, J. B., and Landsberg, L. Norepinephrine turnover in lung: effect of cold exposure and chronic hypoxia. 51:614
Johnson, W. H. *see* Landolt, J. P.
Johnsonbaugh, R. E. *see* Hoar, P. F.
Johnston, J. R., and Schroter, R. C. Deposition of particles in model airways. 47:947
Johnstone, C. J. *see* Tucker, C. E.
Jolda, R. *see* Nakamura, Y.
Jolles, H. *see* Esbenshade, A. M.
Jomain, M. J. *see* Forichon, J.
Jones, B. *see* Snashall, P. D.
Jones, D. L., and Wang, L. C.-H. A microampere radiotelemetry transmitter for measurement of temperature from unrestrained subjects. 44:607
Jones, D. R.
see Lillo, R. S.
Milsom, W. K.
Jones, E. F. *see* Laughlin, M. H.
Jones, G. S., Miles, P. R., Lantz, R. C., Hinton, D. E., and Castranova, V. Ionic content and regulation of cellular volume in rat alveolar type II cells. 53:258
Jones, H. A., Clark, J. C., Davies, E. E., Forster, R. E., and Hughes, J. M. B. Rate of uptake of carbon monoxide at different inspired concentrations in humans. 52:109
Jones, H. A.
see Amis, T. C.
Grant, B. J. B.
Jones, J. G.
see Grossman, R. F.
Jordan, C.
Jones, J. H. Pulmonary blood flow distribution in panting ostriches. 53:1411
Jones, M. D., Jr., Sheldon, R. E., Peeters, L. L., Meschia, G., Battaglia, F. C., and Makowski, E. L. Fetal cerebral oxygen consumption at different levels of oxygenation. 43:1080
Jones, N. L., and Jurkowski, J. E. Body carbon dioxide storage capacity in exercise. 46:811
Jones, N. L., Robertson, D. G., and Kane, J. W. Difference between end-tidal and arterial P_{CO_2} in exercise. 47:954
Jones, N. L., Sutton, J. R., Taylor, R., and Toews, C. J. Effect of pH on cardiorespiratory and metabolic responses to exercise. 43:959
Jones, N. L.
see Ehrsam, R. E.
Jurkowski, J. E.
Jurkowski, J. E. H.
Oldenburg, F. A.
Oldridge, N. B.
Paterson, D. H.
Sargeant, A. J.
Stubbing, D. G.
Zimmerman, P.
Jones, P. W., French, W., Weissman, M. L., and Wasserman, K. Ventilatory responses to cardiac output changes in patients with pacemakers. 51:1103
Jones, P. W., Huszczuk, A., and Wasserman, K. Cardiac output as a controller of ventilation through changes in right ventricular load. 53:218
Jones, P. W. *see* Weissman, M. L.
Jones, R. L., Overton, T. R., Hammerlindl, D. M., and Sproule, B. J. Effects of age on regional residual volume. 44:195
Jones, R. L., Overton, T. R., and Sproule, B. J. Frequency dependence of ventilation distribution in normal and obstructed lungs. 42:548
Jones, S. B. Myocardial norepinephrine turnover during induced hypothermia and rewarming. 50:962
Jones, S. B. *see* Tempel, G. E.
Jones, T. A., Townsley, M. I., and Weidner, W. J. Effects of intracranial and left atrial hypertension on lung fluid balance in sheep. 52:1324
Jones, T. R. *see* Davis, C.
Jooste, P. *see* Senay, L. C., Jr.
Jordan, C., Lehane, J. R., Jones, J. G., Altman, D. G., and Royston, J. P. Specific conductance using forced airflow oscillation in mechanically ventilated human subjects. 51:715
Jordan, W. S. *see* Raemer, D. B.
Jorfeldt, L., Juhlin-Dannfelt, A., and Karlsson, J. Lactate release in relation to tissue lactate in human skeletal muscle during exercise. 44:350
Joris, M. *see* Vanderhoeft, P.
Joshua, I. G. *see* Wiegman, D. L.
Juchau, M. R. *see* Gilbert, R. D.
Juhlin-Dannfelt, A. *see* Jorfeldt, L.
Juhlin-Dannfelt, A. C., Terblanche, S. E., Fell, R. D., Young, J. C., and Holloszy, J. O. Effects of β-adrenergic receptor blockade on glycogenolysis during exercise. 53:549
Juhlin-Dannfelt, A. C. *see* Terblanche, S. E.
Juhos, L. *see* Greenleaf, J. E.
Juhos, L. T. *see* Greenleaf, J. E.
Juno, P., Marsh, H. M., Knopp, T. J., and Rehder, K. Closing capacity in awake and anesthetized-paralyzed man. 44:238
Junod, A. F. *see* Ody, C.
Juratsch, C. E., Whipp, B. J., Huntsman, D. J., Laks, M. M., and Wasserman, K. Ventilatory control during experimental maldistribution of $\dot{V}_A/\dot{Q}$ in the dog. 52:245
Jurkowski, J. E., Jones, N. L., Walker, W. C., Younglai, E. V., and Sutton, J. R. Ovarian hormonal responses to exercise. 44:109
Jurkowski, J. E. H., Jones, N. L., Toews, C. J., and Sutton, J. R. Effects of menstrual cycle on blood lactate, O_2 delivery, and performance during exercise. 51:1493

Jurkowski, J. E. *see* Jones, N. L.
Justice, R. E., Utsunomiya, T., Krausz, M. M., Valeri, C. R., Shepro, D., and Hechtman, H. B. A miniaturized chamber for the measure of oxygen consumption. 52:488

K

Kaciuba-Uscilko, H.
see Mackie, B. G.
Terjung, R. L.
Kadefors, R. *see* Lindström, L.
Kadono, H., Besch, E. L., and Usami, E. Body temperature, oviposition, and food intake in the hen during continuous light. 51:1145
Kadowitz, P. J., Chapnick, B. M., Feigen, L. P., Hyman, A. L., Nelson, P. K., and Spannhake, E. W. Pulmonary and systemic vasodilator effects of the newly discovered prostaglandin, PGI_2. 45:408
Kadowitz, P. J., Gruetter, C. A., McNamara, D. B., Gorman, R. R., Spannhake, E. W., and Hyman, A. L. Comparative effects of endoperoxide PGH_2 and an analog on the pulmonary vascular bed. 42:953
Kadowitz, P. J.
see Hyman, A. L.
Spannhake, E. W.
Kaehny, W. D., and Jackson, J. T. Respiratory response to HCl acidosis in dogs after carotid body denervation. 46:1138
Kagawa, S., Stafford, M. J., Waggener, T. B., and Severinghaus, J. W. No effect of naloxone on hypoxia-induced ventilatory depression in adults. 52:1030
Kageler, W.
see Binder, A. S.
Flick, M. R.
Kairam, R. *see* Schulze, K.
Kaiser, D. G. *see* Skatrud, J. B.
Kaiser, D. L. *see* Suratt, P. M.
Kakiuchi, Y., DuBois, A. B., and Gorenberg, D. Colloid osmotic pressure changes of dog's blood exposed to different mixtures of CO_2 and air. 44:254
Kalbfleisch, J. H. *see* Ebert, T. J.
Kalia, M. Visceral and somatic reflexes, produced by J pulmonary receptors in newborn kittens. 41:1
Kalina, C. A. *see* Palmer, W. K.
Kallay, M. C. *see* Petrini, M. F.
Kallok, M. J., and Lai-Fook, S. J. Lung deformations at minimal volume. 48:487
Kallok, M. J., Wilson, T. A., Rodarte, J. R., Lai-Fook, S. J., Chevalier, P. A., and Harris, L. D. Distribution of regional volumes and ventilation in excised canine lobes. 47:182
Kallok, M. J. *see* Lai-Fook, S. J.
Kaminski, R. P., Forster, H. V., Klein, J. P., Pan, L. G., Bisgard, G. E., and Hamilton, L. H. Effect of elevated $P_{I_{CO_2}}$ on metabolic rate in humans and ponies. 52:1623
Kaminski, R. P. *see* Klein, J. P.
Kamm, R. D. *see* Rossing, T. H.
Kamon, E., and Avellini, B. Physiologic limits to work in the heat and evaporative coefficient for women. 41:71
Kamon, E., and Avellini, B. Wind speed limits to work under hot environments for clothed men. 46:340
Kamon, E., Avellini, B., and Krajewski, J. Physiological and biophysical limits to work in the heat for clothed men and women. 44:918
Kamon, E.
see Avellini, B. A.
Deno, N. S.
Frye, A. J.
Kampine, J. P.
see Coon, R. L.
Eick, H.
Forster, H. V.
Kostreva, D. R.
Nilsestuen, J. O.
Zuperku, E. J.
Kan, W. O., Ledsome, J. R., and Bolter, C. P. Pulmonary arterial distension and activity in phrenic nerve of anesthetized dogs. 46:625
Kanabus, E. W., Feldstein, C., and Crawford, D. W. Excursion of vibrating microelectrodes in tissue. 48:737
Kanakis, C., Jr. *see* Hickson, R. C.
Kanarek, D. J. *see* Braslow, N. M.
Kanarek, K. S. *see* Cotton, R. B.
Kane, D. *see* Valberg, P. A.
Kane, J. W. *see* Jones, N. L.
Kaneko, K. Factors affecting a single-breath N_2 washout phase IV. 40:715
Kaneko, K. Simultaneous helium and nitrogen single-breath washout: lung model simulation. 44:499
Kang, B. S. *see* Goldinger, J. M.
Kannan, M. S. *see* Davis, C.
Kanstrup, I.-L., and Ekblom, B. Influence of age and physical activity on central hemodynamics and lung function in active adults. 45:709
Kanstrup, I.-L., and Ekblom, B. Acute hypervolemia, cardiac performance, and aerobic power during exercise. 52:1186
Kanstrup, I.-L.
see Bergh, U.
Hesse, B.
Kao, D. K., and Tierney, D. F. Air embolism with positive-pressure ventilation of rats. 42:368
Kaplan, B. J. *see* Fregly, M. J.
Kaplan, I. *see* Saketkhoo, K.
Kaplan, J., Koehler, R. C., Terry, P. B., Menkes, H. A., and Traystman, R. J. Effect of lung volume on collateral ventilation in the dog. 49:9
Kaplan, J., Smaldone, G. C., Menkes, H. A., Swift, D. L., and Traystman, R. J. Response of collateral channels to histamine: lack of vagal effect. 51:1314
Kaplan, J. E.
see Johnson, A.
Malik, A. B.
Kaplan, S. *see* Schmidt, R. R.
Kaplan, W. D. *see* Strohl, K. P.
Kappagoda, C. T. *see* Newell, J. P.
Kappos, A. D., Rodarte, J. R., and Lai-Fook, S. J. Frequency dependence and partitioning of respiratory impedance in dogs. 51:621
Karlinsky, J. B.
see Fedullo, A. J.
Snider, G. L.
Karlsson, E. *see* Bonde-Petersen, F.
Karlsson, J.
see Gollnick, P. D.
Jorfeldt, L.
Larsson, L.
Thorstensson, A.
Karnovsky, M. L. *see* Drath, D. B.
Karonen, S.-L. *see* Koivisto, V. A.
Karreman, G. *see* Spencer, J.
Karron, G. A. *see* Yeates, D. B.
Karspeck, M. *see* Wall, R. J.
Kartodihardjo, W. *see* Weber, G.
Kasch, F. W., Wallace, J. P., Huhn, R. R., Krogh, L. A., and Hurl, P. M. Vo_{2max} during horizontal and inclined treadmill running. 40:982
Kasperek, G. J. *see* Dohm, G. L.
Katona, P. G., McLean, M., Dighton, D. H., and Guz, A. Sympathetic and parasympathetic cardiac control in athletes and nonathletes at rest. 52:1652
Katona, P. G. *see* Martin, R. J.
Katovich, M. J., and Smith, A. H. Body mass, composition, and food intake in rabbits during altered acceleration fields. 45:51
Katovich, M. J. *see* Barney, C. C.
Katsuta, S. *see* Bagby, G. J.
Kattan, M., Miyasaka, K., Volgyesi, G., and Froese, A. B. A respiratory jacket for ventilatory measurements in children. 45:630
Katz, A.
see Costill, D. L.
Magno, M.
Kaufman, M. P., Coleridge, H. M., Coleridge, J. C. G., and Baker, D. G. Bradykinin stimulates afferent vagal C-fibers in intrapulmonary airways of dogs. 48:511
Kaufman, M. P.
see Coleridge, J. C. G.
Roberts, A. M.
Kaufman, R. D.
see Bellville, J. W.
Swanson, G. D.
Kaufman, S. H. *see* Friedman, M.
Kautto, R. *see* Christensson, P.
Kavanagh, T., and Shephard, R. J. Maximum exercise tests on "postcoronary" patients. 40:611
Kavet, R. I., and Brain, J. D. Phagocytosis: quantification of rates and intercellular heterogeneity. 42:432
Kawabori, I. *see* Guntheroth, W. G.
Kawakami, Y., Yoshikawa, T., Asanuma, Y., and Murao, M. A control system for arterial blood gases. 50:1362
Kawakami, Y., Yoshikawa, T., Shida, A., Asanuma, Y., and Murao, M. Control of breathing in young twins. 52:537
Kawashima, Y., Okada, K., Kosugi, I., In-nami, H., Yamaguchi, Y., Fujihara, T., and Yamamura, H. Changes in distribution of cardiac output of surface-induced deep hypothermia in dogs. 40:876
Kay, J. C. *see* Noble, W. H.
Kazemi, H., and Choma, L. H^+ transport from CNS in hypercapnia and regulation of CSF (HCO_3^-). 42:667
Kazemi, H.
see Braslow, N. M.
Hasan, F. M.
Herrera, L.
Javaheri, S.
Weyne, J.
Kazemi, H. Y. *see* Hales, C. A.
Keane, P. M. *see* Sutton, J. R.
Kearney, J. T., Stull, G. A., Ewing, J. L., Jr., and Strein, J. W. Cardiorespiratory responses of sedentary college women as a function of training intensity. 41:822
Keatinge, W. R.
see Gin, A. R.
Van Someren, R. N. M.
Keens, T. G., Bryan, A. C., Levison, H., and Ianuzzo, C. D. Developmental pattern of muscle fiber types in human ventilatory muscles. 44:909
Keens, T. G., Chen, V., Patel, P., O'Brien, P., Levison, H., and Ianuzzo, C. D. Cellular adaptations of the ventilatory muscles to a chronic increased respiratory load. 44:905
Keens, T. G. *see* Nickerson, B. G.
Keil, L. C., and Ellis, S. Plasma vasopressin and renin activity in women exposed to bed rest and $+G_z$ acceleration. 40:911
Keil, L. C.
see Convertino, V. A.
Greenleaf, J. E.
Shvartz, E.
Keim, H. J., Wallace, J. M., Thurston, H., Case, D. B., Drayer, J. I. M., and Laragh, J. H. Impedance cardiography for determination of stroke index. 41:797
Keizer, H. A., Poortman, J., and Bunnik, G. S. J. Influence of physical exercise on sex-hormone metabolism. 48:765
Keizer, J. H. *see* Jöbsis, F. F.

Kelleher, D. L. *see* Fregly, M. J.
Kelley, P. S. *see* Downey, J. A.
Kelly, A. R. *see* Longhurst, J. C.
Kelly, C. *see* Hubbard, R. W.
Kelly, F. J. *see* Watt, P. W.
Kelly, J. F. *see* Fish, J. E.
Kelly, P. J. *see* Davies, D. R.
Kelly, S.
see De Troyer, A.
Fukuchi, Y.
Kelsen, S. G., Altose, M. D., and Cherniack, N. S. Interaction of lung volume and chemical drive on respiratory muscle EMG and respiratory timing. 42:287
Kelsen, S. G., Altose, M. D., Stanley, N. N., Levinson, R. S., Cherniack, N. S., and Fishman, A. P. Effect of hypoxia on the pressure developed by inspiratory muscles during airway occlusion. 40:372
Kelsen, S. G., and Nochomovitz, M. L. Fatigue of the mammalian diaphragm in vitro. 53:440
Kelsen, S. G.
see Altose, M. D.
DiMarco, A. F.
Gliner, J. A.
Ledlie, J. F.
Wolkove, N.
Kemnitz, J. W. *see* Perelman, R. H.
Kemp, W. *see* Horsfield, K.
Kendall, J. Z. Respiratory movements in the fetal guinea pig in utero. 42:661
Kendig, J. J., Schneider, T. M., and Cohen, E. N. Pressure, temperature, and repetitive impulse generation in crustacean axons. 45:742
Kendig, J. J., Schneider, T. M., and Cohen, E. N. Anesthetics inhibit pressure-induced repetitive impulse generation. 45:747
Kendrick, Z. *see* Pollock, M. L.
Kendrick, Z. V. *see* Goldfarb, A. H.
Kennedy, D. *see* Holloway, G. A., Jr.
Kennedy, T. C. *see* Knudson, R. J.
Kenney, R. A. *see* Frey, M. A. B.
Kenno, K. A. *see* Shepherd, R. E.
Keough, K. M. W. *see* Hawco, M. W.
Kepron, W. *see* Antonissen, L. A.
Kerr, H. H., Pantely, G. A., Metcalfe, J., and Welch, J. E. Reduction of human blood O_2 affinity using dihydroxyacetone, phosphate, and pyruvate. 47:478
Keyes, S. J. *see* Snashall, P. D.
Khan, M. A. *see* Giordano, A., Jr.
Khoo, M. C. K., Kronauer, R. E., Strohl, K. P., and Slutsky, A. S. Factors including periodic breathing in humans: a general model. 53:644
Khosla, S. S., and DuBois, A. B. Correction for loss of CO_2 from blood during measurement of osmotic pressure. 44:474
Khosla, S. S., and DuBois, A. B. Fluid shifts during initial phase of immersion diuresis in man. 46:703
Khosla, S. S., and DuBois, A. B. Osmoregulation and interstitial fluid pressure changes in humans during water immersion. 51:686
Kiers, A., Van der Mark, T. W., Folkerts, F. J., Blankena, H. J., Woldring, M. G., and Peset, R. An electromagnetic valve for rebreathing exercise studies. 53:286
Kiiskinen, A., and Heikkinen, E. Physical training and connective tissues in young mice: biochemistry of long bones. 44:50
Kikuchi, Y., Sasaki, H., Sekizawa, K., Aihara, K., and Takishima, T. Force-velocity relationship of expiratory muscles in normal subjects. 52:930
Kilam, S. *see* Shearin, N. L.
Kiley, J. P., Kuhlmann, W. D., and Fedde, M. R. Respiratory and cardiovascular responses to exercise in the duck. 47:827
Kilgore, D. L., Jr., Birchard, G. F., and Boggs, D. F. Brain temperatures in running quail. 50:1277
Kilgore, W. T. *see* Suratt, P. M.
Kilgour, R. D. *see* Bonen, A.
Killian, K. J., Bucens, D. D., and Campbell, E. J. M. Effect of breathing patterns on the perceived magnitude of added loads to breathing. 52:578
Killian, K. J., Mahutte, C. K., Howell, J. B. L., and Campbell, E. J. M. Effect of timing, flow, lung volume, and threshold pressures on resistive load detection. 49:958
Killian, K. J. *see* Burdon, J. G. W.
Kim, C. *see* Brown, B. S.
Kim, D. *see* Ou, L. C.
Kim, D. H. *see* Witzmann, F. A.
Kim, K.-J., and Crandall, E. D. Effects of exposure to acid on alveolar epithelial water and solute transport. 52:902
Kim, K.-J., and Crandall, E. D. Effects of lung inflation on alveolar epithelial solute and water transport properties. 52:1498
Kim, K.-J. *see* Crandall, E. D.
Kim, M. J., Druz, W. S., Danon, J., Machnach, W., and Sharp, J. T. Mechanics of the canine diaphragm. 41:369
Kim, M. J., Druz, W. S., Danon, J., Machnach, W., and Sharp, J. T. Effects of lung volume and electrode position on the esophageal diaphragmatic EMG. 45:392
Kim, S. *see* Chen, R. Y. Z.
Kimbrough, C. M. *see* Shapiro, Y.
Kimzey, S. L. *see* Larkin, E. C.
Kinasewitz, G. T., and Fishman, A. P. Influence of alterations in Starling forces on visceral pleural fluid movement. 51:671
King, M., Chang, H. K., and Weber, M. E. Resistance of mucus-lined tubes to steady and oscillatory airflow. 52:1172
King, M., Engel, L. A., and Macklem, P. T. Effect of pentobarbital anesthesia on rheology and transport of canine tracheal mucus. 46:504
King, M., and Macklem, P. T. Rheological properties of microliter quantities of normal mucus. 42:797
King, M., and Viires, N. Effect of metacholine chloride on rheology and transport of canine tracheal mucus. 47:26
King, M. *see* Abraham, W. M.
King, M. M. *see* Abraham, W. M.
King, R. J. Pulmonary surfactant. 53:1
King, R. J., and Martin, H. Intracellular metabolism of the apoproteins of pulmonary surfactant in rat lung. 48:812
King, R. J., Martin, H., Mitts, D., and Holmstrom, F. M. Metabolism of the apoproteins in pulmonary surfactant. 42:483
King, T. K. C., and Mazal, D. Alveolar-capillary CO_2 and O_2 gradients due to uneven hematocrits. 40:673
King, T. K. C. *see* Unger, M.
Kinnebrew, P. S., Parker, J. C., Falgout, H. J., and Taylor, A. E. Pulmonary microvascular permeability following *E. coli* endotoxin and hemorrhage. 52:403
Kinney, J. M.
see Askanazi, J.
Weissman, C.
Kinoshita, K. *see* Murakami, H.
Kirk, W.
see Albert, R. K.
Luce, J. M.
Kishizuchi, S. *see* Kobayashi, T.
Kisselkova, H., and Georgiev, V. Effects of training on postexercise limb muscle EMG synchronous to respiration. 46:1093
Kitamura, K. *see* Kobayashi, K.
Kitterman, J. A., Ballard, P. L., Clements, J. A., Mescher, E. J., and Tooley, W. H. Tracheal fluid in fetal lambs: spontaneous decrease prior to birth. 47:985
Kitterman, J. A., Liggins, G. C., Campos, G. A., Clements, J. A., Forster, C. S., Lee, C. H., and Creasy, R. K. Prepartum maturation of the lung in fetal sheep: relation to cortisol. 51:384
Kitterman, J. A., Liggins, G. C., Clements, J. A., Campos, G., Lee, C. H., and Ballard, P. L. Inhibitors of prostaglandin synthesis, tracheal fluid, and surfactant in fetal lambs. 51:1562
Kitterman, J. A. *see* Fewell, J. E.
Kivity, S., and Souhrada, J. F. Plasma and platelets potentiate a hypoxic vascular response of the isolated lung. 51:875
Kivlen, C. M., Johnson, A., Pittman, T., Guile, A. J., and Malik, A. B. Effect of converting enzyme inhibition on pulmonary edema after microembolization. 53:1546
Kjeldgaard, J. M. *see* Robinson, E. P.
Klass, D. J. Lung tissue guanosine 3',5'-monophosphate: effects of ventilation and anesthesia. 45:487
Klass, D. J. Dibutyryl cyclic GMP and hyperventilation promote rat lung phospholipid release. 47:285
Klassen, T., Thurlbeck, W. M., and Berend, N. Correlation between lung structure and function in a canine model of emphysema. 51:321
Klaus, M. H. *see* Martin, R. J.
Klausen, K., Secher, N. H., Clausen, J. P., Hartling, O., and Trap-Jensen, J. Central and regional circulatory adaptations to one-leg training. 52:976
Klausen, K. *see* Welch, H. G.
Klebe, J. F. *see* LeBlanc, O. H., Jr.
Kléber, A. G., Simon, R., and Rutishauser, W. Probe for production and measurement of acute mitral regurgitant flow in dog. 40:256
Klebniczki, J. *see* Hantos, Z.
Klein, J. *see* Bisgard, G. E.
Klein, J. P., Forster, H. V., Bisgard, G. E., Kaminski, R. P., Pan, L. G., and Hamilton, L. H. Ventilatory response to inspired CO_2 in normal and carotid body-denervated ponies. 52:1614
Klein, J. P., Forster, H. V., Steward, R. D., and Wu, A. Hemoglobin affinity for oxygen during short-term exhaustive exercise. 48:236
Klein, J. P.
see Bisgard, G. E.
Forster, H. V.
Kaminski, R. P.
Kleinman, L. I. *see* LeBlanc, M. H.
Kligfield, P., Horner, H., and Brachfeld, N. A model of graded ischemia in the isolated perfused rat heart. 40:1004
Kligfield, P. D. *see* Wilson, J. M.
Klineberg, P. L., Rehder, K., and Hyatt, R. E. Pulmonary mechanics and gas exchange in seated normal men with chest restriction. 51:26
Klineberg, P. L. *see* Neufeld, G. R.
Klissouras, V. *see* Weber, G.
Klocke, F. J.
see Copley, D. P.
Matalon, S.
Klocke, R. A. Rate of bicarbonate-chloride exchange in human red cells at 37°C. 40:707
Klocke, R. A. Catalysis of CO_2 reactions by lung carbonic anhydrase. 44:882
Klocke, R. A. Equilibrium of CO_2 reactions in the pulmonary capillary. 48:972
Klocke, R. A., and Flasterstein, F. Kinetics of erythrocyte penetration by aliphatic acids. 53:1138
Klocke, R. A. *see* Copley, D. P.
Klopper, J. F. *see* Susskind, H.

Klug, G. A. *see* Shepherd, R. E.
Knapik, J. J. *see* Young, A. J.
Knapp, C. F. *see* Bhattacharya, A.
Knecht, E. *see* Wright, G.
Kneussl, M. P., and Richardson, J. B. Alpha-adrenergic receptors in human and canine tracheal and bronchial smooth muscle. 45:307
Knight, V. A. Oxygen electrode syringe as an instrument for determining oxygen-hemoglobin dissociation curves. 40:441
Knill, R., Andrews, W., Bryan, A. C., and Bryan, M. H. Respiratory load compensation in infants. 40:357
Knill, R., and Bryan, A. C. An intercostal-phrenic inhibitory reflex in human newborn infants. 40:352
Knoblauch, A., Sybert, A., Brennan, N. J., Sylvester, J. T., and Gurtner, G. H. Effect of hypoxia and CO on a cytochrome P-450-mediated reaction in rabbit lungs. 51:1635
Knopp, J. A. *see* Longmuir, I. S.
Knopp, T. J.
see Juno, P.
Landmark, S. J.
Rehder, K.
Rich, C. R.
Schmid, E. R.
Knox, F. G. *see* Marchand, G. R.
Knudson, D. E. *see* Knudson, R. J.
Knudson, M. B. *see* Sembrowich, W. L.
Knudson, R. J., Clark, D. F., Kennedy, T. C., and Knudson, D. E. Effect of aging alone on mechanical properties of the normal adult human lung. 43:1054
Knuth, K. V. *see* St. John, W. M.
Knuth, S. L. *see* England, S. J.
Knuttgen, H. G., Patton, J. F., and Vogel, J. A. An ergometer for concentric and eccentric muscular exercise. 53:784
Ko, P. *see* Paulsen, W.
Kobayashi, K., Horvath, S. M., Diaz, F. J., Bransford, D. R., and Drinkwater, B. L. Thermoregulation during rest and exercise in different postures in a hot humid environment. 48:999
Kobayashi, K., Kitamura, K., Miura, M., Sodeyama, H., Murase, Y., Miyashita, M., and Matsui, H. Aerobic power as related to body growth and training in Japanese boys: a longitudinal study. 44:666
Kobayashi, K. *see* Diaz, F. J.
Kobayashi, T., Kishizuchi, S., and Murakami, S. Sympathetic influence on alveolar surface activity in hyperventilated dog. 44:327
Kobayashi, Y., Andoh, Y., Fujinami, T., Nakayama, K., Takada, K., Takeuchi, T., and Okamoto, M. Impedance cardiography for estimating cardiac output during submaximal and maximal work. 45:459
Kobayasi, S., and Murata, K. Phrenic activity during severe hypercapnia in vagotomized rabbits. 47:91
Kobryń, A. *see* Terjung, R. L.
Koch, G., and Röcker, L. Plasma volume and intravascular protein masses in trained boys and fit young men. 43:1085
Kodama, A. M., Elsner, R., and Pace, N. Effects of growth, diving history, and high altitude on blood oxygen capacity in harbor seals. 42:852
Koehler, R. C., and Bishop, B. Expiratory duration and abdominal muscle responses to elastic and resistive loading. 46:730
Koehler, R. C.
see Kaplan, J.
Krasney, J. A.
Koen, P. A., Moskowitz, G. D., and Shaffer, T. H. Instrumentation for measuring functional residual capacity in small animals. 43:755
Koerner, J. E., and Terjung, R. L. Effect of physical training on coronary collateral circulation of the rat. 52:376
Koivisto, V. A., Karonen, S.-L., and Nikkilä, E. A. Carbohydrate ingestion before exercise: comparison of glucose, fructose, and sweet placebo. 51:783
Kok, R. *see* Senay, L. C.
Kolka, M. A., Stephenson, L. A., and Wilkerson, J. E. Erythrocyte indices during a competitive marathon. 52:168
Koller, E. A. *see* Laciga, P.
Kollias, J.
see Greenleaf, J. E.
Mendez, J.
Kondapilli, P. G.
see Gliner, J. A.
Wolkove, N.
Konopka, R. *see* Minh, V.-D.
Kontos, H. A. *see* Levasseur, J. E.
Koo, A., and Liang, I. Y. S. Microvascular responses to norepinephrine in skeletal muscle of cold-acclimated rats. 44:190
Koo, K. W., Leith, D. E., Sherter, C. B., and Snider, G. L. Respiratory mechanics in normal hamsters. 40:936
Koo, K. W. *see* Snider, G. L.
Kooyman, G. L. *see* Sinnett, E. E.
Kopetzky, M. T.
see George, C.
Hughes, M. J.
Korn, V. *see* Franetzki, M.
Kornblau, S. *see* Mazzone, R. W.
Kornbluth, I., Siegel, R. A., Conforti, N., and Chowers, I. cAMP in temperature- and ADH-regulating centers after thermal stress. 42:257
Korner, P. I., Tonkin, A. M., and Uther, J. B. Reflex and mechanical circulatory effects of graded Valsalva maneuvers in normal man. 40:434
Kosch, P. C., Gillespie, J. R., and Berry, J. D. Respiratory mechanics in normal bonnet and rhesus monkeys. 46:166
Kosch, P. C., Gillespie, J. R., and Berry, J. D. Flow-volume curves and total pulmonary resistance in normal bonnet and rhesus monkeys. 46:176
Kosch, P. C.
see Strohl, K. P.
Vinegar, A.
Kost, G. J. Muscle surface pH: measurement technique and responses to acidosis and alkalosis. 52:85
Kostka, C. E., and Cafarelli, E. Effect of pH on sensation and vastus lateralis electromyogram during cycling exercise. 52:1181
Kostreva, D. R., Hopp, F. A., Zuperku, E. J., Igler, F. O., Coon, R. L., and Kampine, J. P. Respiratory inhibition with sympathetic afferent stimulation in the canine and primate. 44:718
Kostreva, D. R., Hopp, F. A., Zuperku, E. J., and Kampine, J. P. Apnea, tachypnea, and hypotension elicited by cardiac vagal afferents. 47:312
Kostreva, D. R. *see* Eick, H.
Kostuk, W. J. *see* Manyari, D. E.
Kosugi, I. *see* Kawashima, Y.
Kosunen, K. J., and Pakarinen, A. J. Plasma renin, angiotensin II, and plasma and urinary aldosterone in running exercise. 41:26
Kosunen, K. J., Pakarinen, A. J., Kuoppasalmi, K., and Adlecreutz, H. Plasma renin activity, angiotensin II, and aldosterone during intense heat stress. 41:323
Kot, P. A. *see* Stinger, R. B.
Kotagal, U. R. *see* LeBlanc, M. H.
Kotas, R. V., Farrell, P. M., Ulane, R. E., and Chez, R. A. Fetal rhesus monkey lung development: lobar differences and discordances between stability and distensibility. 43:92
Kotas, R. V. *see* Perelman, R. H.
Kotilainen, P. *see* Nakamura, Y.
Kotze, H. F., Van der Walt, W. H., Rogers, G. G., and Strydom, N. B. Effects of plasma ascorbic acid levels on heat acclimatization in man. 42:711
Kotze, H. F. *see* Strydom, N. B.
Kovách, A. G. B. *see* Harbig, K.
Kovitz, K. *see* Yergin, B. M.
Kovitz, K. L. *see* Friedman, M.
Koyal, S. N., Whipp, B. J., Huntsman, D., Bray, G., and Wasserman, K. Ventilatory responses to the metabolic acidosis of treadmill and cycle ergometry. 40:864
Koyal, S. N.
see Casaburi, R.
Gross, P. M.
Koyama, T., and Horimoto, M. Pulmonary microcirculatory response to localized hypercapnia. 53:1556
Kozar, L. F.
see Bowes, G.
Phillipson, E. A.
Sullivan, C. E.
Koziol, B. J. *see* Tibbits, G.
Krahenbuhl, G. *see* Costill, D. L.
Krajewski, J. *see* Kamon, E.
Krajewski, J. T. *see* Avellini, B. A.
Krall, M. A. *see* Bristow, J. D.
Kraman, S. S. *see* O'Donnell, D. M.
Kramer, E. *see* Rotman, H.
Kraning, K. K., Schibli, E. G., Momii, S. T., and Merrick, E. A. A gas-stream heater to control local skin temperature under evaporative sweat capsules. 44:981
Krasney, J. A., and Koehler, R. C. Influence of arterial hypoxia on cardiac and coronary dynamics in the conscious sinoaortic-denervated dog. 43:1012
Krasney, J. A., Pendergast, D. R., Powell, E., McDonald, B. W., and Plewes, J. R. Regional circulatory responses to head-out water immersion in anesthetized dog. 53:1625
Krasney, J. A. *see* Newell, J. C.
Krausz, M. M. *see* Justice, R. E.
Krauthammer, N. *see* Chayoth, R.
Kravik, S. *see* Greenleaf, J. E.
Krebs, P. *see* Brown, B. S.
Kreitzer, S. M. *see* Saunders, N. A.
Kremers, S. A. *see* Young, S. L.
Kreusel, R. G. *see* Miller, W. C.
Krieger, A. J. *see* Sapru, H. N.
Krieger, D. A., Tate, C. A., McMillin-Wood, J., and Booth, F. W. Populations of rat skeletal muscle mitochondria after exercise and immobilization. 48:23
Kriewall, T. J. Uterine work in parturition. 41:316
Kroeger, E. A. *see* Antonissen, L. A.
Krogh, L. A. *see* Kasch, F. W.
Kronauer, R. E.
see Brusil, P. J.
Khoo, M. C. K.
Waggener, T. B.
Kronenberg, R. S. *see* Hedemark, L. L.
Kruger, K. *see* Neuberger, N.
Krumpe, P. E., MacDannald, H. J., Finley, T. N., Schear, H. E., Hall, J., III, and Cribbs, D. Use of an acoustic helium analyzer for measuring lung volumes. 50:203
Kryger, M. H. *see* Scoggin, C. H.
Krzentowski, G. *see* Pirnay, F.
Kuehne, M. L. *see* Shepherd, R. E.
Kuhlemeier, K. V., and Miller, J. M. Pulse rate-rectal temperature relationships during prolonged work. 44:450
Kuhlemeier, K. V., Miller, J. M., Dukes-Dobos, F. N., and Jensen, R. Determinants of the prescriptive zone of industrial workers. 43:347
Kuhlmann, W. D. *see* Kiley, J. P.

Küng, M., Abraham, W. M., Greenblatt, D. W., Oliver, W. M., Jr., Mingle, M., Hughes, J. R., and Wanner, A. Modification of hypoxic pulmonary vasoconstriction by antigen challenge in sensitized sheep. 49:22

Küng, M., Reinhart, M. E., and Wanner, A. Pulmonary hemodynamic effects of lung inflation and graded hypoxia in conscious sheep. 45:949

Kunz, A. L.
see Ballam, G. O.
Clanton, T. L.
Miller, D. A.
Tallman, R. D., Jr.

Kuoppasalmi, K. *see* Kosunen, K. J.

Kuppinger, M.
see Auchincloss, J. H.
Auchincloss, J. H., Jr.

Kupprat, I. C. *see* Drinkwater, B. L.

Kurahashi, M., and Kuroshima, A. Creatine metabolism in skeletal muscle of cold-acclimated rats. 44:12

Kuriyama, T., and Wagner, W. W., Jr. Collateral ventilation may protect against high-altitude pulmonary hypertension. 51:1251

Kurkus, J. *see* Sadowski, J.

Kuroshima, A. *see* Kurahashi, M.

Kurtz, P. *see* Davis, J. A.

Kuusela, P. *see* Harri, M.

Kvietys, P. *see* Rutili, G.

Kwant, G. *see* Landsman, M. L. J.

Kypson, J., and Hait, G. Myocardial metabolism and performance in hypoxia: effect of epinephrine. 45:791

L

Labrie, A. *see* LeBlanc, J.

Labrosse, C. *see* Tsakiris, A. G.

Lacerna, M. *see* Whalen, W. J.

Laciga, P., and Koller, E. A. Respiratory, circulatory, and ECG changes during acute exposure to high altitude. 41:159

Lacquet, L. M. *see* Paiva, M.

Lacroix, M. *see* Pirnay, F.

Laforte, M. *see* Michel, R. P.

LaFramboise, W. A., Standaert, T. A., Woodrum, D. E., and Guthrie, R. D. Occlusion pressures during the ventilatory response to hypoxemia in the newborn monkey. 51:1169

Lahiri, S. Ventilatory response to hypoxia in intact cats living at 3,850 m. 43:114

Lahiri, S., Brody, J. S., Motoyama, E. K., and Velasquez, T. M. Regulation of breathing in newborns at high altitude. 44:673

Lahiri, S., Mokashi, A., Mulligan, E., and Nishino, T. Comparison of aortic and carotid chemoreceptor responses to hypercapnia and hypoxia. 51:55

Lahiri, S., Mulligan, E., Nishino, T., and Mokashi, A. Aortic body chemoreceptor responses to changes in P_{CO_2} and P_{O_2} in the cat. 47:858

Lahiri, S., Mulligan, E., Nishino, T., Mokashi, A., and Davies, R. O. Relative responses of aortic body and carotid body chemoreceptors to carboxyhemoglobinemia. 50:580

Lahiri, S., Nishino, T., Mokashi, A., and Mulligan, E. Relative responses of aortic body and carotid body chemoreceptors to hypotension. 48:781

Lahiri, S., Nishino, T., Mokashi, A., and Mulligan, E. Interaction of dopamine and haloperidol with O_2 and CO_2 chemoreception in carotid body. 49:45

Lahiri, S., Nishino, T., Mulligan, E., and Mokashi, A. Relative latency of responses of chemoreceptor afferents from aortic and carotid bodies. 48:362

Lahiri, S., Weitz, C. A., Milledge, J. S., and Fishman, M. C. Effects of hypoxia, heat, and humidity on physical performance. 40:206

Lahiri, S.
see Brody, J. S.
Mulligan, E.
Nishino, T.
Pokorski, M.
Smatresk, N. J.

Lahser, S.
see Beaver, R. W.
Brauer, R. W.

Lai, N. C. J. *see* Coon, R. L.

Lai, T. L. *see* Haddad, G. G.

Lai, Y.-L. Lung volume and pleural pressure in the anesthetized hamster. 46:927

Lai, Y.-L., and Hildebrandt, J. Respiratory mechanics in the anesthetized rat. 45:255

Lai, Y.-L., Lamm, W. J. E., and Hildebrandt, J. Ventilation during prolonged hypercapnia in the rat. 51:78

Lai, Y.-L., Lamm, W. J. E., and Hildebrandt, J. Mechanical properties of rat lung during prolonged hypercapnia. 52:1156

Lai, Y.-L., Rodarte, J. R., and Hyatt, R. E. Esophageal elastance in awake and anesthetized recumbent dogs. 41:272

Lai, Y.-L., Rodarte, J. R., and Hyatt, R. E. Effect of body position on lung emptying in recumbent anesthetized dogs. 43:983

Lai, Y.-L., Rodarte, J. R., and Hyatt, R. E. Respiratory mechanics in recumbent dogs anesthetized with thiopental sodium. 46:716

Lai, Y.-L., Tsuya, Y., and Hildebrandt, J. Ventilatory responses to acute CO_2 exposure in the rat. 45:611

Lai, Y.-L. *see* Lamm, W. J. E.

Lai-Fook, S. J. A continuum mechanics analysis of pulmonary vascular interdependence in isolated dog lobes. 46:419

Lai-Fook, S. J. Perivascular interstitial fluid pressure measured by micropipettes in isolated dog lung. 52:9

Lai-Fook, S. J., and Beck, K. C. Alveolar liquid pressure measured by micropipettes in isolated dog lung. 53:737

Lai-Fook, S. J., and Hyatt, R. E. Effect of parenchyma and length changes on vessel pressure-diameter behavior in pig lungs. 47:666

Lai-Fook, S. J., Hyatt, R. E., and Rodarte, J. R. Elastic constants of trapped lung parenchyma. 44:853

Lai-Fook, S. J., Hyatt, R. E., and Rodarte, J. R. Effect of parenchymal shear modulus and lung volume on bronchial pressure-diameter behavior. 44:859

Lai-Fook, S. J., Hyatt, R. E., Rodarte, J. R., and Wilson, T. A. Behavior of artificially produced holes in lung parenchyma. 43:648

Lai-Fook, S. J., and Kallok, M. J. Bronchial-arterial interdependence in isolated dog lung. 52:1000

Lai-Fook, S. J., and Toporoff, B. Pressure-volume behavior of perivascular interstitium measured in isolated dog lung. 48:939

Lai-Fook, S. J., Wilson, T. A., Hyatt, R. E., and Rodarte, J. R. Elastic constants of inflated lobes of dog lungs. 40:508

Lai-Fook, S. J.
see Goshy, M.
Hajji, M. A.
Hyatt, R. E.
Kallok, M. J.
Kappos, A. D.
Russell, J. A.
Staats, B. A.

Laks, M. M.
see Blaufuss, A.
Juratsch, C. E.

Lakshminarayan, S.
see Albert, R. K.
Sahn, S. A.

Lally, D. A. *see* Zechman, F. W.

Lam, V. *see* Petrini, M. F.

LaManna, J. C.
see Jöbsis, F. F.
Sick, T. J.

LaManna, J. L. *see* Hempel, F. G.

Lamarra, N.
see Beaver, W. L.
Weissman, M. L.
Whipp, B. J.

Lambert, A., Eloy, R., and Grenier, J. F. Transducer for recording electrical and mechanical chronic intestinal activity. 41:942

Lambert, R. K., Wilson, T. A., Hyatt, R. E., and Rodarte, J. R. A computational model for expiratory flow. 52:44

Lambertsen, C. J.
see Cowley, J. R. M.
Dueker, C. W.
Gelfand, R.
Spencer, J.
Takano, N.

Lamm, W. J. E., Hildebrandt, J. R., Hildebrandt, J., and Lai, Y.-L. End-expiratory volume in the rat: effects of consciousness and body position. 53:1071

Lamm, W. J. E. *see* Lai, Y.-L.

Lampman, R. M. *see* Ellis, D. G.

Lams, P. M. *see* Esbenshade, A. M.

Landau, L.
see Engel, L. A.
Sybrecht, G.

Landau, L. I. *see* Taussig, L. M.

Landmark, S. J., Knopp, T. J., Rehder, K., and Sessler, A. D. Regional pulmonary perfusion and V/Q in awake and anesthetized-paralyzed man. 43:993

Landolt, C. C., Matthay, M. A., and Staub, N. C. Anatomic variations of efferent duct from caudal mediastinal lymph node in sheep. 50:1372

Landolt, C. C. *see* Matthay, M. A.

Landolt, J. P., Money, K. E., Topliff, E. D. L., Nicholas, A. D., Laufer, J., and Johnson, W. H. Pathophysiology of inner ear dysfunction in the squirrel monkey in rapid decompression. 49:1070

Landolt, J. P. *see* Leger, A.

Landsberg, L. *see* Johnson, T. S.

Lándsér, F. J., Nagels, J., Demedts, M., Billiet, L., and Van de Woestijne, K. P. A new method to determine frequency characteristics of the respiratory system. 41:101

Làndsér, F. J. *see* Nagels, J.

Landsman, M. L. J., Kwant, G., Mook, G. A., and Zijlstra, W. G. Light-absorbing properties, stability, and spectral stabilization of indocyanine green. 40:575

Lane, J. C. *see* Claybaugh, J. R.

Langenback, E. *see* Foster, W. M.

Langworthy, H. C. *see* Hoar, P. F.

Lanphier, E. H.
see Stock, M. K.
Tepper, R. S.

Lantz, R. C. *see* Jones, G. S.

Lapennas, G. N. *see* Reeves, R. B.

Lapointe, M. A. *see* Gardiner, P. F.

Laragh, J. H. *see* Keim, H. J.

Larkin, E. C., Kimzey, S. L., and Siler, K. Response of the iron-deficient erythrocyte in the rat to hyperoxia. 44:710

Larkin, E. C., Kimzey, S. L., and Siler, K. Response of the rat erythrocyte to ozone exposure. 45:893

Larson, T. V., Covert, D. S., and Frank, R. A method for continuous measurement of ammonia in respiratory airways. 46:603

Larsson, L., Grimby, G., and Karlsson, J. Muscle strength and speed of movement in relation to age and muscle morphology. 46:451

Lassen, N. A. *see* Nielsen, S. L.
Latham, L. P.
see Capen, R. L.
Wagner, W. W., Jr.
Lathrop, D. A., and Bailey, J. C. Lack of electrical interaction between proximal bundle branches and subjacent muscle. 42:235
Laubach, L. L.
see Glaser, R. M.
Sawka, M. N.
Laufer, J. *see* Landolt, J. P.
Laughlin, H. L. *see Vailas, A. C.*
Laughlin, M. H., Armstrong, R. B., White, J., and Rouk, K. A method for using microspheres to measure muscle blood flow in exercising rats. 52:1629
Laughlin, M. H., Burns, J. W., and Loxsom, F. M. Use of microspheres in measurement of regional blood flows during $+G_z$ stress. 47:1148
Laughlin, M. H., Diana, J. N., and Tipton, C. M. Effects of exercise training on coronary reactive hyperemia and blood flow in the dog. 45:604
Laughlin, M. H., Witt, W. M., Whittaker, R. N., and Jones, E. F. Coronary blood flow in conscious miniature swine during $+G_z$ acceleration stress. 49:462
Laughlin, M. H., Witt, W. M., and Whittaker, R. N., Jr. Renal blood flow in miniature swine during $+G_z$ stress and anti-G suit inflation. 49:471
Laughlin, M. H. *see* Whinnery, J. E.
Laurent, D.
see Harf, A.
Lorino, H.
Proulx, P. A.
Laurent, P. *see* Dunel-Erb, S.
Lautt, W. W. Method for measuring hepatic uptake of oxygen or other bloodborne substances in situ. 40:269
Laver, M. B., Jackson, E., Scherperel, M., Tung, C., Tung, W., and Radford, E. P. Hemoglobin-O_2 affinity regulation: DPG, monovalent anions, and hemoglobin concentration. 43:632
Laver, M. B.
see Litwin, S. B.
Teisseire, B. P.
Lawson, E. E. Prolonged central respiratory inhibition following reflex-induced apnea. 50:874
Lawson, E. E. Recovery from central apnea: effect of stimulus duration and end-tidal CO_2 partial pressure. 53:105
Lawson, E. E., and Thach, B. T. Respiratory patterns during progressive asphyxia in newborn rabbits. 43:468
Lawson, E. E., Waldrop, T. G., and Eldridge, F. L. Naloxone enhances respiratory output in cats. 47:1105
Lawson, E. E.
see Brown, E. R.
Sosenko, I. R. S.
Layne, E. C. see Towell, M. E.
Layton, W. M., Jr. *see* Ou, L. C.
Lazarus, L. *see* Sutton, J.
Lazarus, S. C., Chesrown, S. E., Frey, M. J., Reed, B. R., Mjörndal, T. O., and Gold, W. M. Experimental canine anaphylaxis: cyclic nucleotides, histamine, and lung function. 46:919
Leach, C. S., Leonard, J. I., Rambaut, P. C., and Johnson, P. C. Evaporative water loss in man in a gravity-free environment. 45:430
Leahy, F. A. N., Cates, D., MacCallum, M., and Rigatto, H. Effect of CO_2 and 100% O_2 on cerebral blood flow in preterm infants. 48:468
Leav, I.
see Bynum, G.
Hubbard, R. W.
Lebda, N. *see* Lu, S.-T.
LeBlanc, J., Blais, B., Barabé, B., and Côté, J. Effects of temperature and wind on facial temperature, heart rate, and sensation. 40:127
LeBlanc, J., Boulay, M., Dulac, S., Jobin, M., Labrie, A., and Rousseau-Migneron, S. Metabolic and cardiovascular responses to norepinephrine in trained and nontrained human subjects. 42:166
LeBlanc, J., Côté, J., Dulac, S., and Dulong-Turcot, F. Effects of age, sex, and physical fitness on responses to local cooling. 44:813
LeBlanc, J., Côté, J., Jobin, M., and Labrie, A. Plasma catecholamines and cardiovascular responses to cold and mental activity. 47:1207
LeBlanc, J., Dussault, J., Lupien, D., and Richard, D. Effect of diet and exercise on norepinephrine-induced thermogenesis in male and female rats. 52:556
LeBlanc, J., and Labrie, A. Glycogen and nonspecific adaptation to cold. 51:1428
LeBlanc, J., Nadeau, A., Boulay, M., and Rousseau-Migneron, S. Effects of physical training and adiposity on glucose metabolism and ^{125}I-insulin binding. 46:235
LeBlanc, M. H., Kotagal, U. R., and Kleinman, L. I. Physiological effects of hypervolemic polycythemia in newborn dogs. 53:865
LeBlanc, O. H., Jr., Brown, J. F., Jr., Klebe, J. F., Niedrach, L. W., Slusarczuk, G. M. J., and Stoddard, W. H., Jr. Polymer membrane sensors for continuous intravascular monitoring of blood pH. 40:644
Lechner, A. J. Respiratory adaptations in burrowing pocket gophers from sea level and high altitude. 41:168
Lechner, A. J. Metabolic performance during hypoxia in native and acclimated pocket gophers. 43:965
Lechner, A. J., and Banchero, N. Lung morphometry in guinea pigs acclimated to cold during growth. 48:886
Leclerc, L. F. *see* Teisseire, B. P.
Leclercq, R. *see* Poortmans, J. R.
Ledlie, J. F., Kelsen, S. G., Cherniack, N. S., and Fishman, A. P. Effects of hypercapnia and hypoxia on phrenic nerve activity and respiratory timing. 51:732
Ledoux, T. *see* Rahn, H.
Ledsome, J. R. *see* Kan, W. O.
Ledwith, J. W. Determining P_{50} in the presence of carboxyhemoglobin. 44:317
Lee, B. C., Van der Zee, H., and Malik, A. B. Site of pulmonary edema after unilateral microembolization. 47:556
Lee, B. C. see Van der Zee, H.
Lee, C. C. *see* Fewell, J. E.
Lee, C. H. *see* Kitterman, J. A.
Lee, J.-S. see Reynolds, D. B.
Lee, L.-Y., Bleecker, E. R., and Nadel, J. A. Effect of ozone on bronchomotor response to inhaled histamine aerosol in dogs. 43:626
Lee, L.-Y., Djokic, T. D., Dumont, C., Graf, P. D., and Nadel, J. A. Mechanism of ozone-induced tachypneic response to hypoxia and hypercapnia in conscious dogs. 48:163
Lee, L.-Y., Dumont, C., Djokic, T. D., Menzel, T. E., and Nadel, J. A. Mechanism of rapid, shallow breathing after ozone exposure in conscious dogs. 46:1108
Lee, P. S. see Gerrity, T. R.
Lee, W. *see* Coyle, E. F.
Leenen, F. H. H., Boer, P., and Geyskes, G. G. Sodium intake and the effects of isoproterenol and exercise on plasma renin in man. 45:870
Lefebvre, P. see Pirnay, F.
Lefebvre, P. J. *see* Pirnay, F.
Leff, A. R., and Munoz, N. M. Selective autonomic stimulation of canine trachealis with dimethylphenylpiperazinium. 51:428
Leff, A. R., Munoz, N. M., and Alderman, B. Measurement of airway response by isometric and nonisometric techniques in situ. 52:1363
Leff, A. R., Munoz, N. M., and Hendrix, S. G. Sympathetic inhibition of histamine-induced contraction of canine trachealis in vivo. 53:21
Leff, A. R. *see* Brown, J. K.
Legant, P. M. see Stalcup, S. A.
Legawiec, B. A. *see* Riley, D. J.
Leger, A., Money, K. E., Landolt, J. P., Cheung, B. S., and Rodden, B. E. Motion sickness caused by rotations about Earth-horizontal and Earth-vertical axes. 50:469
Lehane, J. R. *see* Jordan, C.
Lehnert, B. E., Oberdörster, G., and Slutsky, A. S. Constant-flow ventilation of apneic dogs. 53:483
Lehr, J. L. *see* Banzett, R. B.
Leistner, H. L. *see* Haddad, G. G.
Leitch, A. G., McLennan, J. E., Balkenhol, S., McLaurin, R. L., and Loudon, R. G. Ventilatory response to transient hyperoxia in head injury hyperventilation. 49:52
Leitch, A. G. *see* Flenley, D. C.
Leith, D. E., and Bradley, M. Ventilatory muscle strength and endurance training. 41:508
Leith, D. E.
see Bradley, M. E.
Koo, K. W.
McFadden, E. R., Jr.
Sinnett, E. E.
Vinegar, A.
Le Maho, Y. *see* Dewasmes, G.
Lemen, R. J., Gerdes, C. B., Wegmann, M. J., and Perrin, K. J. Frequency spectra of flow and volume events for forced vital capacity. 53:977
Lemen, R. J.
see Quan, S. F.
Spannhake, E. W.
Lemon, P. W. R., and Mullin, J. P. Effect of initial muscle glycogen levels on protein catabolism during exercise. 48:624
Lemon, P. W. R., Nagle, F. J., Mullin, J. P., and Benevenga, N. J. In vivo leucine oxidation at rest and during two intensities of exercise. 53:947
Lemons, J. A., Perez, R., Schreiner, R. L., and Gresham, E. L. Acute small animal preparation—suitable for fetal metabolic studies? 49:42
LeMott, S. R. *see* Valberg, P. A.
Lenfant, C. *see* Woodson, R. D.
Lennox, S. see Rendas, A.
Lenox, J. B. *see* Clark, J. M.
Lenser, M. C. *see* Bezucha, G. R.
Leon, D. A. *see* Hirshman, C. A.
Leonard, J. I. *see* Leach, C. S.
Lesmes, G. R.
see Costill, D. L.
McArdle, W. D.
Lessner, W. *see* Meyer, M.
Lester, R. M. *see* Williams, R. S.
Leuenberger, P. J., Stalcup, S. A., Greenbaum, L. M., Mellins, R. B., and Turino, G. M. Angiotensin I conversion and vascular reactivity in pathophysiological states in dogs. 48:308
Leuenberger, P. J. *see* Stalcup, S. A.
Leusen, I.
see Heyndrickx, G. R.
Weyne, J.
Levasseur, J. E., Kontos, H. A., Richardson, D. W., and Patterson, J. L., Jr. Circulatory effects of prolonged hypoxia before and during antihistamine. 40:549

Levasseur, J. E., Wei, E. P., Kontos, H. A., and Patterson, J. L., Jr. Responses of pial arterioles after prolonged hypercapnia and hypoxia in the awake rabbit. 46:89

Leventhal, J. P. *see* Parsons, G. H.

Lever, M. J. *see* Takano, N.

Leverett, S. D., Jr. *see* Besch, E. L.

Levin, J. L. *see* Spannhake, E. W.

Levin, L. L., Stewart, G. J., Lynch, P. R., and Bove, A. A. Blood and blood vessel wall changes induced by decompression sickness in dogs. 50:944

Levine, P. H. *see* Maher, J. T.

Levine, S. Ventilatory stimulation by sodium salicylate: role of thoracic receptors. 41:639

Levine, S. Role of tissue hypermetabolism in stimulation of ventilation by dinitrophenol. 43:72

Levine, S. Stimulation of phrenic nerve activity by salicylate. 46:1029

Levine, S. Ventilatory response to muscular exercise: observations regarding a humoral pathway. 47:126

Levine, S. Role of peripheral tissue receptors in stimulation of ventilation by 2,4-dinitrophenol. 47:1066

Levinson, R.
see Begin, R.
Epstein, M.

Levinson, R. S.
see Altose, M. D.
Kelsen, S. G.

Levison, H.
see Keens, T. G.
Mansell, A. L.
Neuberger, N.
Tabachnik, E.
Wood, L. D. H.

Levitzky, M. G.
see Gregory, T. J.
Newell, J. C.
Strawn, W. B.

Levy, N. M. *see* Stocks, J.

Lewis, F. R.
see Elings, V. B.
Simon, R. P.

Lewis, M. L., and Christianson, L. C. Behavior of the human pulmonary circulation during head-up tilt. 45:249

Lewis, S. *see* Hary, D.

Lewis, S. M. Emptying patterns of the lung studied by multiple-breath N_2 washout. 44:424

Lewis, S. M., Evans, J. W., and Jalowayski, A. A. Continuous distributions of specific ventilation recovered from inert gas washout. 44:416

Lewis, S. M., and Hill, E. P. Effect of plasma carbonic anhydrase on ventilation in exercising dogs. 49:708

Lewis, S. M., Rubin, D. Z., and Mittman, C. Distribution of ventilation and diffusing capacity in the normal and diseased lung. 51:1463

Lewis, S. M.
see Reischl, P.
Rubin, D. Z.
Swanson, G. D.

Lewis, V. A., and Gebhart, G. F. A simple electrolytic method for cutting small-diameter stainless steel tubing. 40:278

Li, J. K.-J., Van Brummelen, A. G. W., and Noordergraaf, A. Fluid-filled blood pressure measurement systems. 40:839

Liang, H. K. *see* Busija, D. W.

Liang, I. Y. S., and Stone, H. L. Effect of exercise conditioning on coronary resistance. 53:631

Liang, I. Y. S. *see* Koo, A.

Libert, J. P., Candas, V., and Vogt, J. J. Sweating response in man during transient rises of air temperature. 44:284

Libert, J. P., Candas, V., and Vogt, J. J. Effect of rate of change in skin temperature on local sweating rate. 47:306

Libert, J. P., Candas, V., Vogt, J. J., and Mairiaux, P. Central and peripheral inputs in sweating regulation during thermal transients. 52:1147

Libert, J. P. *see* Candas, V.

Ligas, J. R., Primiano, F. P., Jr., Saidel, G. M., and Doershuk, C. F. Comparison of measures of forced expiration. 42:607

Liggins, G. C., Qvist, J., Hochachka, P. W., Murphy, B. J., Creasy, R. K., Schneider, R. C., Snider, M. T., and Zapol, W. M. Fetal cardiovascular and metabolic responses to simulated diving in the Weddell seal. 49:424

Liggins, G. C.
see Kitterman, J. A.
Zapol, W. M.

Light, K. *see* Hughes, M. J.

Light, R. B., Mink, S. N., and Wood, L. D. H. Pathophysiology of gas exchange and pulmonary perfusion in pneumococcal lobar pneumonia in dogs. 50:524

Light, R. B. *see* Mink, S. N.

Light, R. W., George, R. B., Meneely, G. R., Chouest, L. J., and Rosekrans, R. H. A new method for analyzing multiple-breath nitrogen washout curves. 48:265

Lightfoot, E. N. *see* Tepper, R. S.

Lightwood, R. *see* Reber, H. A.

Lijnen, P., Fagard, R., Staessen, J., and Amery, A. Plasma prostaglandins, renin, and catecholamines at rest and during exercise in hypertensive humans. 53:891

Lijnen, P. *see* Fagard, R.

Likens, S. A., and Mauderly, J. L. Effect of elastase or histamine on single-breath N_2 washouts in the rat. 52:141

Lillo, R. S., and Jones, D. R. Effect of cardiovascular variables on hyperpnea during recovery from diving in ducks. 52:206

Limacher, W. *see* Weibel, E. R.

Limmer, R. E. *see* Buguet, A. G. C.

Lin, Y. C., Chen, L. H., and Baker, D. G. Factors affecting the physical performance of the rat in hyperbaric environments. 46:984

Lin, Y. C. *see* Shida, K. K.

Linaweaver, P. G. *see* Minh, V.-D.

Linberg, S. E., Deno, N. S., and Britten, J. S. Calculator/computer-assisted calibration and use of the IL-182 CO-Oximeter. 51:1042

Lind, A. R., Burse, R., Rochelle, R. H., Rinehart, J. S., and Petrofsky, J. S. Influence of posture on isometric fatigue. 45:270

Lind, A. R. *see* Petrofsky, J. S.

Lindal, R. G. *see* Wall, R. J.

Lindauer, J. *see* Elliott, S. E.

Lindborg, B. *see* Bjurstedt, H.

Linden, R. J. *see* Newell, J. P.

Lindstrom, D. P. *see* Cotton, R. B.

Lindström, L., Kadefors, R., and Petersén, I. An electromyographic index for localized muscle fatigue. 43:750

Linehan, J. H., and Dawson, C. A. A kinetic model of prostaglandin metabolism in the lung. 47:404

Linehan, J. H., Dawson, C. A., and Rickeby, D. A. Distribution of vascular resistance and compliance in a dog lung lobe. 53:158

Linehan, J. H., Dawson, C. A., and Wagner-Weber, V. M. Prostaglandin E_1 uptake by isolated cat lungs perfused with physiological salt solution. 50:428

Linehan, J. H.
see Dawson, C. A.
Grimm, D. J.
Hakim, T. S.
Rickaby, D. A.

Ling, W. Y. *see* Bonen, A.

Linn, W. S. *see* Hackney, J. D.

Linnarsson, D., and Hesser, C. M. Dissociated ventilatory and central respiratory responses to CO_2 at raised N_2 pressure. 45:756

Linnarsson, D.
see Fagraeus, L.
Hesser, C. M.

Linnerud, A. *see* Pollock, M. L.

Lippmann, M.
see Bohning, D. E.
Foster, W. M.

Lipset, J. S. *see* Stalcup, S. A.

Lisboa, C., Ross, W. R. D., Jardim, J., and Macklem, P. T. Pulmonary pressure-flow curves measured by a data-averaging circuit. 47:621

Lisboa, C., Wood, L. D. H., Jardim, J., and Macklem, P. T. Relation between flow, curvilinearity, and density dependence of pulmonary pressure-flow curves. 48:878

Lister, G., Jr., Hoffman, J. I. E., and Rudolph, A. M. Measurement of oxygen consumption: assessing the accuracy of a method. 43:916

Litov, R. E. *see* Dillard, C. J.

Litt, M. *see* Giordano, A., Jr.

Little, J. W. *see* Huchon, G. J.

Litwin, S. B., Skogen, W. F., McCreadie, S. R., and Laver, M. B. Sodium o-iodobenzoate and hemoglobin-oxygen affinity: in vivo effects. 41:900

Liu, C. T., and Higbee, G. A. Determination of body surface area in the rhesus monkey. 40:101

Liu, J., Simon, L. M., Phillips, J. R., and Robin, E. D. Superoxide dismutase (SOD) activity in hypoxic mammalian systems. 42:107

Livesay, J. J. *see* Barnard, R. J.

Livingstone, S. D. Changes in cold-induced vasodilation during Arctic exercises. 40:455

Livingstone, S. D. *see* Buguet, A. G. C.

Lixfeld, W. *see* Robotham, J. L.

Ljungqvist, A., and Unge, G. Capillary proliferative activity in myocardium and skeletal muscle of exercised rats. 43:306

Lloyd, T. C., Jr. Cardiopulmonary baroreflexes: effects of pulmonary congestion and edema. 43:107

Lloyd, T. C., Jr. Reflex effects of lung inflation and inhalation of halothane, ether, and ammonia. 45:212

Lloyd, T. C., Jr. Effects of pulmonary congestion and of left atrial distention on breathing in dogs. 45:385

Lloyd, T. C., Jr. Effects of extrapulmonary airway distension on breathing in anesthetized dogs. 46:890

Lloyd, T. C., Jr. Reflex effects of left heart and pulmonary vascular distension on airways of dogs. 49:620

Lloyd, T. C., Jr. Mechanical cardiopulmonary interdependence. 52:333

Lloyd, T. C., Jr. Effect of oleic acid injury on lung-heart interaction during ventricular filling. 52:1519

Lloyd, T. C., Jr. Respiratory system compliance as seen from the cardiac fossa. 53:57

Lloyd, T. C., Jr., and Cooper, J. A. Failure of tracheal distension to inhibit breathing in anesthetized dogs. 48:794

Lluch, S. *see* López de Pablo, A. L.

Lobdell, D. D. An invertible simple equation for computation of blood O_2 dissociation relations. 50:971

Lock, J. E., Hamilton, F., Luide, H., Coceani, F., and Olley, P. M. Direct pulmonary vascular responses in the conscious newborn lamb. 48:188

Lockhart, A., Zelter, M., Mensch-Dechene, J., Antezana, G., Paz-Zamora, M., Vargas, E., and Coudert, J. Pressure-flow-volume relationships in pulmonary circulation of normal highlanders. 41:449

Lockhart, A.
see Capderou, A.
Fournier, P.
Loeppky, J. A., Greene, E. R., Hoekenga, D. E., Caprihan, A., and Luft, U. C. Beat-by-beat stroke volume assessment by pulsed Doppler in upright and supine exercise. 50:1173
Loeppky, J. A., Myhre, L. G., Venters, M. D., and Luft, U. C. Total body water and lean body mass estimated by ethanol dilution. 42:803
Loeppky, J. A. *see* Luft, U. C.
Loke, J., Mahler, D. A., and Virgulto, J. A. Respiratory muscle fatigue after marathon running. 52:821
Loke, J. *see* Mahler, D. A.
Londeree, B. R. *see* Thomas, T. R.
London, W. T. *see* Mitzner, W.
Longhini, E. *see* Marazzini, L.
Longhurst, J. C., Kelly, A. R., Gonyea, W. J., and Mitchell, J. H. Echocardiographic left ventricular masses in distance runners and weight lifters. 48:154
Longhurst, J. C., Kelly, A. R., Gonyea, W. J., and Mitchell, J. H. Cardiovascular responses to static exercise in distance runners and weight lifters. 49:676
Longhurst, J. C. *see* Schutte, J. E.
Longmuir, I. S., and Knopp, J. A. Measurement of tissue oxygen with a fluorescent probe. 41:598
Longo, L. D., and Ching, K. S. Placental diffusing capacity for carbon monoxide and oxygen in unanesthetized sheep. 43:885
Longo, L. D.
see Allen, W. W.
Bissonnette, J. M.
Gilbert, R. D.
Lönnerholm, G. Pulmonary carbonic anhydrase in the human, monkey, and rat. 52:352
Looga, R.
see Doekel, R. C.
Weir, E. K.
Lopata, M., Evanich, M. J., and Lourenço, R. V. Quantification of diaphragmatic EMG response to CO_2 rebreathing in humans. 43:262
Lopata, M., and Pearle, J. L. Diaphragmatic EMG and occlusion pressure response to elastic loading during CO_2 rebreathing in humans. 49:669
Lopata, M.
see Evanich, M. J.
Önal, E.
Lopes, J., Muller, N. L., Bryan, M. H., and Bryan, A. C. Importance of inspiratory muscle tone in maintenance of FRC in the newborn. 51:830
Lopes, J. M., Muller, N. L., Bryan, M. H., and Bryan, A. C. Synergistic behavior of inspiratory muscles after diaphragmatic fatigue in the newborn. 51:547
López de Pablo, A. L., González, M. C., Dieguez, G., Gómez, B., and Lluch, S. Cerebrovascular responses to CO_2 after inhibition of sympathetic activity. 53:873
Loring, S. H., Drazen, J. M., and Ingram, R. H., Jr. Canine pulmonary response to aerosol histamine: direct versus vagal effects. 42:946
Loring, S. H., Drazen, J. M., Smith, J. C., and Hoppin, F. G., Jr. Vagal stimulation and aerosol histamine increase hysteresis of lung recoil. 51:477
Loring, S. H., Drazen, J. M., Snapper, J. R., and Ingram, R. H., Jr. Vagal and aerosol histamine interactions on airway responses in dogs. 45:40
Loring, S. H., Ingram, R. H., Jr., and Drazen, J. M. Effects of lung inflation on airway and tissue responses to aerosol histamine. 51:806
Loring, S. H., and Mead, J. Abdominal muscle use during quiet breathing and hyperpnea in uninformed subjects. 52:700
Loring, S. H., and Mead, J. Action of the diaphragm on the rib cage inferred from a force-balance analysis. 53:756
Loring, S. H.
see Drazen, J. M.
Jackson, A. C.
Mead, J.
Snapper, J. R.
Strohl, K. P.
Webster, P. M.
Yanta, M. A.
Lorino, A. M.
see Harf, A.
Lorino, H.
Lorino, H., Harf, A., Atlan, G., Brault, Y., Lorino, A. M., and Laurent, D. Computer determination of thoracic gas volume using plethysmographic "thoracic flow." 48:911
Lorino, H.
see Harf, A.
Proulx, P. A.
Lotero, H. *see* Barac-Nieto, M.
Lotz, W. G., and Michaelson, S. M. Temperature and corticosterone relationships in microwave-exposed rats. 44:438
Lotz, W. G., and Michaelson, S. M. Effects of hypophysectomy and dexamethasone on rat adrenal response to microwaves. 47:1284
Lotz, W. G., and Podgorski, R. P. Temperature and adrenocortical responses in rhesus monkeys exposed to microwaves. 53:1565
Loucks, A. B. *see* Drinkwater, B. L.
Loudon, R. G. *see* Leitch, A. G.
Lough, M. D. *see* Anderson, J. V., Jr.
Loughhead, J. *see* Bowes, C.
Lourenco, R. V.
see Evanich, M. J.
Gerrity, T. R.
Lopata, M.
Loutzenhiser, R. *see* Epstein, M.
Loutzenhiser, R. D. *see* Epstein, M.
Lowe, C., Tuma, R. F., Sivieri, E. M., and Shaffer, T. H. Liquid ventilation: cardiovascular adjustments with secondary hyperlactatemia and acidosis. 47:1051
Lowensohn, H. S., Patterson, R. E., and Olsson, R. A. Exercise performance and hemodynamics during dietary potassium depletion in dogs. 45:728
Lowry, S. F. *see* Norton, J. A.
Loxsom, F. M. *see* Laughlin, M. H.
Lu, S.-T., Lebda, N., Pettit, S., and Michaelson, S. M. Delineating acute neuroendocrine responses in microwave-exposed rats. 48:927
Lu, S.-T., Lebda, N., Pettit, S., and Michaelson, S. M. Microwave-induced temperature, corticosterone, and thyrotropin interrelationships. 50:399
Lualhati, R. *see* Walker, J. M.
Lucas, A. *see* Therminarias, A.
Luce, J. M., Huseby, J. S., Kirk, W., and Butler, J. Mechanism by which positive end-expiratory pressure increases cerebrospinal fluid pressure in dogs. 52:231
Luce, J. M., Huseby, J. S., Kirk, W., and Butler, J. A Starling resistor regulates cerebral venous outflow in dogs. 53:1496
Luce, J. M., Huseby, J. S., and Robertson, H. T. Increasing intracranial pressure with air causes air embolism, not neurogenic pulmonary edema. 50:967
Lucey, E. C., Celli, B. R., and Snider, G. L. Maximum expiratory flow and transpulmonary pressure in the hamster. 45:840
Lucey, E. C. *see* O'Brien, J. J., Jr.
Luchtel, D. L. *see* Guntheroth, W. G.
Lucich, R. *see* Snyder, G. K.
Lufschanowski, R. *see* Grover, R. F.
Luft, U. C., Loeppky, J. A., and Mostyn, E. M. Mean alveolar gases and alveolar-arterial gradients in pulmonary patients. 46:534
Luft, U. C. *see* Loeppky, J. A.
Luide, H. *see* Lock, J. E.
Luijendijk, S. C. M., Zwart, A., Van der Kooij, A. M., and De Vries, W. R. Evaluation of alveolar amplitude response technique for determination of lung perfusion in exercise. 50:1071
Luijendijk, S. C. M. *see* De Vries, W. R.
Lund, D. D.
see Crockatt, L. H.
Edwards, J. G.
Lundberg, A. Oxygen consumption in relation to work load in students with cerebral palsy. 40:873
Lundsgaard, J. S., Groenlund, J., and Einer-Jensen, N. In vivo calibration of flow-dependent blood gas catheters. 44:124
Lundsgaard, J. S., Jensen, B., and Grønlund, J. Fast-responding flow-independent blood gas catheter for oxygen measurement. 48:376
Lupien, D. *see* LeBlanc, J.
Lupi-H., E. *see* Prefaut, C.
Lussier, L. M., Chandler, D. K. F., Sybert, A., and Yeager, H., Jr. Human alveolar macrophages: antigen-independent binding of lymphocytes. 45:933
Lutherer, L. O.
see Blatteis, C. M.
Britton, S. L.
Lutz, P. L. *see* Sick, T. J.
Luyckx, A. *see* Pirnay, F.
Luyckx, A. S. *see* Pirnay, F.
Lyager, S. *see* Pedersen, O. F.
Lynch, J. P., Mhyre, J. G., and Dantzker, D. R. Influence of cardiac output on intrapulmonary shunt. 46:315
Lynch, P. R.
see Heckman, J. L.
Levin, L. L.
Santamore, W. P.
Lynch, W. C., Adair, E. R., and Adams, B. W. Vasomotor thresholds in the squirrel monkey: effects of central and peripheral temperature. 48:89
Lynne-Davies, P. *see* Schweitzer, T. W.
Lyrene, R. K. *see* Wright, K.
Lysak, I. *see* Towell, M. E.

M

Mabilde, C. *see* Heyndrickx, G. R.
MacArthur, C. G. C. *see* Swinburne, A. J.
MacCallum, M. *see* Leahy, F. A. N.
MacDannald, H. J. *see* Krumpe, P. E.
Macdonald, A. C. *see* Manyari, D. E.
MacDougall, J. D., Ward, G. R., Sale, D. G., and Sutton, J. R. Muscle glycogen repletion after high-intensity intermittent exercise. 42:129
MacDougall, J. D., Ward, G. R., Sale, D. G., and Sutton, J. R. Biochemical adaptation of human skeletal muscle to heavy resistance training and immobilization. 43:700
MacDougall, J. D. *see* Sale, D. G.
Macfie, A. E., Harris, E. A., and Whitlock, R. M. L. Transit-time analysis of the forced spirogram in healthy children and adults. 46:263
MacGregor, D. *see* Robotham, J. L.
Machida, H. Influence of progesterone on arterial blood and CSF acid-base balance in women. 51:1433
Machnach, W. *see* Kim, M. J.
MacIntosh, A. M. *see* Baldwin, K. M.
MacIntosh, B. R. *see* Gladden, L. B.
MacIntyre, N. R., and Nadel, J. A. Regional diffusing capacity in normal lungs during a slow exhalation. 52:1487

MacIntyre, N. R. *see* Stokes, D. L.
MacInytre, K. P. *see* Bonen, A.
MacKenzie, A. *see* Dickson, J. A.
MacKenzie, W. F. *see* Booth, F. W.
Mackie, B. G., Dudley, G. A., Kaciuba-Uscilko, H., and Terjung, R. L. Uptake of chylomicron triglycerides by contracting skeletal muscle in rats. 49:851
Macklem, P. T. Retrograde catheter technique for measurement of peripheral resistance. (Letter to the Editor). 46:615
Macklem, P. T., Gross, D., Grassino, A., and Roussos, C. Partitioning of inspiratory pressure swings between diaphragm and intercostal/accessory muscles. 44:200
Macklem, P. T.
see Bode, F. R.
De Troyer, A.
Gross, D.
Irvin, C. G.
King, M.
Lisboa, C.
Moxham, J.
Ploy-Song-Sang, Y.
Roussos, C.
Roussos, C. S.
Sergysels, R.
Sybrecht, G.
Wood, L. D. H.
Mäder, G. *see* Boutellier, U.
Maeda, G. *see* Wertz, R.
Maekubo, H., Moriya, K., and Hiroshige, T. Role of ketone bodies in nonshivering thermogenesis in cold-acclimated rats. 42:159
Magazanik, A. *see* Shvartz, E.
Magel, J. R., McArdle, W. D., Toner, M., and Delio, D. J. Metabolic and cardiovascular adjustment to arm training. 45:75
Magel, J. R. *see* McArdle, W. D.
Mager, M., Robinson, S., and Freinkel, N. Drug modification of hypothermia induced by CNS glucopenia in the mouse. 41:559
Mager, M.
see Francesconi, R.
Francesconi, R. P.
Hubbard, R. W.
Magnes, S. *see* Gisolfi, C. V.
Magno, M., Atkinson, B., Katz, A., and Fishman, A. P. Estimation of pulmonary interstitial fluid space compliance in isolated perfused rabbit lung. 48:677
Magno, M. G., and Fishman, A. P. Origin, distribution, and blood flow of bronchial circulation in anesthetized sheep. 53:272
Magnussen, H. *see* Sikand, R. S.
Mahaffy, M. *see* Womersley, J.
Maher, J. T., Denniston, J. C., Wolfe, D. L., and Cymerman, A. Mechanism of the attenuated cardiac response to β-adrenergic stimulation in chronic hypoxia. 44:647
Maher, J. T., Levine, P. H., and Cymerman, A. Human coagulation abnormalities during acute exposure to hypobaric hypoxia. 41:702
Maher, J. T.
see Claybaugh, J. R.
Cruz, J. C.
Cymerman, A.
Denniston, J. C.
Francesconi, R. P.
Jaeger, J. J.
Young, A. J.
Mahler, D. A., Moritz, E. D., and Loke, J. Ventilatory responses at rest and during exercise in marathon runners. 52:388
Mahler, D. A. *see* Loke, J.
Mahoney, J. *see* D'Aoust, B. G.
Mahoney, S. A. Cost of locomotion and heat balance during rest and running from 0 to 55°C in a patas monkey. 49:789
Mahoney, W. A. *see* Porcelli, R. J.
Mahutte, C. K. *see* Killian, K. J.
Mainwood, G. W. *see* Bottomley, M. G.
Mairiaux, P. *see* Libert, J. P.
Makowski, E. L. *see* Jones, M. D., Jr.
Maksud, M. G.
see Barac-Nieto, M.
Farrell, P. A.
Malan, A. *see* Rodeau, J. L.
Malcolm, S. A. *see* Bonen, A.
Maldonade, C. *see* Stamford, B. A.
Malhotra, A.
see Cohen, M. V.
Giusti, R.
Penpargkul, S.
Malik, A. B. Pulmonary vascular response to increase in intracranial pressure: role of sympathetic mechanisms. 42:335
Malik, A. B., Kaplan, J. E., and Saba, T. M. Reference sample method for cardiac output and regional blood flow determinations in the rat. 40:472
Malik, A. B., and Newell, J. C. Pulmonary perfusion and gas exchange in hemorrhage and shock. 42:279
Malik, A. B., and Tracy, S. E. Bronchovascular adjustments after pulmonary embolism. 49:476
Malik, A. B., and Van der Zee, H. Time course of pulmonary vascular response to microembolization. 43:51
Malik, A. B., and Van der Zee, H. Lung vascular permeability following progressive pulmonary embolization. 45:590
Malik, A. B., Van der Zee, H., Neumann, P. H., and Gertzberg, N. B. Effects of pulmonary edema on regional pulmonary perfusion in the intact dog lung. 49:834
Malik, A. B.
see Barie, P. S.
Hakim, T. S.
Johnson, A.
Kivlen, C. M.
Lee, B. C.
Minnear, F. L.
Van der Zee, H.
Malley, A. *see* Hirshman, C. A.
Malmberg, P. O., Hlastala, M. P., and Woodson, R. D. Effect of increased blood-oxygen affinity on oxygen transport in hemorrhagic shock. 47:889
Malmberg, P. O., and Woodson, R. D. Effect of anemia on oxygen transport in hemorrhagic shock. 47:882
Malo, J. L., Filiatrault, S., and Martin, R. R. Bronchial responsiveness to inhaled methacholine in young asymptomatic smokers. 52:1464
Maloiy, G. M. O. *see* Bamford, O. S.
Maloney, J. E. *see* Bowes, G.
Man, S. F. P., Adams, G. K., III,, and Proctor, D. F. Effects of temperature, relative humidity, and mode of breathing on canine airway secretions. 46:205
Man, S. F. P., and Thomson, A. B. R. Nonelectrolyte permeability of canine tracheal epithelium. 51:363
Man, S. F. P., and Thomson, A. B. R. Diffusion barriers to passive lipid uptake of canine posterior tracheal epithelium. 52:1223
Mandal, A. K. *see* Stein, P. D.
Mandel, S. *see* Gillis, C. N.
Mangos, J. A. *see* Boyd, R. L.
Mangseth, G. R. *see* Greenleaf, J. E.
Maniscalco, W. M. *see* Gross, I.
Mannino, F. L. *see* McEvoy, R. D.
Manohar, L. M. *see* Forster, H. V.
Manohar, M. *see* Bisgard, G. E.
Mansell, A., Powles, A., and Sutton, J. Changes in pulmonary PV characteristics of human subjects at an altitude of 5,366 m. 49:79
Mansell, A. *see* Coates, G.
Mansell, A. L., Bryan, A. C., and Levison, H. Relationship of lung recoil to lung volume and maximum expiratory flow in normal children. 42:817
Mansell, A. L. *see* Cooper, D. M.
Mansfield, W., Brauer, R. W., Gillen, H. W., and Nash, K. Changes in CNS responses to high pressure during maturation of newborn mice. 49:390
Mansfield, W. M. *see* Brauer, R. W.
Mansfield, W. M., Jr. *see* Brauer, R. W.
Manyari, D. E., Melendez, L. J., Driedger, A. A., Cradduck, T. D., Macdonald, A. C., and Kostuk, W. J. Left ventricular function and volume during supine exercise in subjects with coronary artery disease. 50:636
Marazzini, L., Gatti, L., Cavestri, R., and Longhini, E. Maximal frequency of breathing at various tidal volumes in airways obstruction. 44:538
Marazzini, L. *see* Citterio, G.
Marchak, B. E.
see Bohn, D. J.
Thompson, W. K.
Marchand, G. R., Ott, C. E., Cuche, J. L., and Knox, F. G. Comparison of proximal tubule fluid-to-plasma ultrafiltrate chloride ratio in rats and dogs. 40:1009
Marcus, M. L., Heistad, D. D., Ehrhardt, J. C., and Abboud, F. M. Total and regional cerebral blood flow measurement with 7–10-, 15-, 25-, and 50-μm microspheres. 40:501
Marcus, M. L. *see* Gross, P. M.
Maréchal, C. *see* Stanescu, D. C.
Maren, T. H. Effect of varying CO_2 equilibria on rates of HCO_3^- formation in cerebrospinal fluid. 47:471
Maret, K. H. *see* Noble, W. H.
Marin, M. G., Davis, B., and Nadel, J. A. Effect of histamine on electrical and ion transport properties of tracheal epithelium. 42:735
Marin, M. G., Estep, J. A., and Zorn, J. P. Effect of calcium on sulfated mucous glycoprotein secretion in dog trachea. 52:198
Marin, M. G., and Zaremba, M. M. Effect of calcium on ion transport and electrical properties of tracheal epithelium. 44:900
Marin, M. G., and Zaremba, M. M. Interdependence of Na^+ and Cl^- transport in dog tracheal epithelium. 47:598
Marin, M. G. *see* Estep, J. A.
Marinelli, A. *see* Gerrity, T. R.
Marini, J. J., Culver, B. H., and Butler, J. Effect of positive end-expiratory pressure on canine ventricular function curves. 51:1367
Marini, J. J., O'Quin, R., Culver, B. H., and Butler, J. Estimation of transmural cardiac pressures during ventilation with PEEP. 53:384
Marini, J. J. *see* Culver, B. H.
Marino, P. A. *see* Haddad, G. G.
Marion, J. *see* Foy, T.
Mark, A. L. *see* Eckberg, D. L.
Marks, M. *see* Friedman, M.
Markwell, G. *see* Sackner, M. A.
Maron, M. B., and Dawson, C. A. Adrenal component to pulmonary hypertension induced by elevated cerebrospinal fluid pressure. 47:153
Maron, M. B., and Dawson, C. A. Pulmonary venoconstriction caused by elevated cerebrospinal fluid pressure in the dog. 49:73
Maron, M. B., Hakim, T. S., and Dawson, C. A. Pulmonary hemodynamic responses to elevated cerebral spinal fluid pressure in the dog. 46:84
Maron, M. B., Horvath, S. M., Wilkerson, J. E., and Gliner, J. A. Oxygen uptake measurements during comparative marathon running. 40:836

Maron, M. B., Rickaby, D. A., and Dawson, C. A. Adrenal component to pulmonary hypertension caused by nicotine administration in the dog. 49:66
Maron, M. B., Wagner, J. A., and Horvath, S. M. Thermoregulatory responses during competitive marathon running. 42:909
Maron, M. B. *see* Rickaby, D. A.
Marquardt, D. L., Motulsky, H. J., and Wasserman, S. I. Rat lung cholinergic receptor: characterization and regulation by corticosteroids. 53:731
Marsac, J. *see* Basset, G.
Marsh, E., Sale, D., McComas, A. J., and Quinlan, J. Influence of joint position on ankle dorsiflexion in humans. 51:160
Marsh, E. *see* Sale, D.
Marsh, H. M., Rehder, K., and Hyatt, R. E. Respiratory timing and depth of breathing in dogs anesthetized with halothane or enflurane. 51:19
Marsh, H. M. *see* Juno, P.
Marshall, B. E., and Marshall, C. Continuity of response to hypoxic pulmonary vasoconstriction. 49:189
Marshall, B. E., Marshall, C., Benumof, J., and Saidman, L. J. Hypoxic pulmonary vasoconstriction in dogs: effects of lung segment size and oxygen tension. 51:1543
Marshall, B. E. *see* Neufeld, G. R.
Marshall, C. *see* Marshall, B. E.
Marsh-Salin, J. *see* Crapo, J. D.
Marsili, M. *see* Bynum, G.
Martet, G. *see* Basset, G.
Martin, B., Heintzelman, M., and Chen, H.-I. Exercise performance after ventilatory work. 52:1581
Martin, B. A., Dahlby, R., Nicholls, I., and Hogg, J. C. Platelet sequestration in lung with hemorrhagic shock and reinfusion in dogs. 50:1306
Martin, B. J., Morgan, E. J., Zwillich, C. W., and Weil, J. V. Influence of exercise hyperthermia on exercise breathing pattern. 47:1039
Martin, B. J., Morgan, E. J., Zwillich, C. W., and Weil, J. V. Control of breathing during prolonged exercise. 50:27
Martin, B. J., and Weil, J. V. CO_2 and exercise tidal volume. 46:322
Martin, B. J., Weil, J. V., Sparks, K. E., McCullough, R. E., and Grover, R. F. Exercise ventilation correlates positively with ventilatory chemoresponsiveness. 45:557
Martin, B. J. *see* Hyers, T. M.
Martin, C. J., Das, S., and Young, A. C. Terminal nitrogen rise. 41:517
Martin, C. J., Das, S., and Young, A. C. Measurements of the dead space volume. 47:319
Martin, D. *see* Rutili, G.
Martin, H. *see* King, R. J.
Martin, J. L. *see* Duvelleroy, M. A.
Martin, L. G. *see* Connors, J. M.
Martin, P. An inexpensive blood pressure-heart rate computer for laboratory or teaching use. 40:253
Martin, R. J., Okken, A., Katona, P. G., and Klaus, M. H. Effect of lung volume on expiratory time in the newborn infant. 45:18
Martin, R. J., Pennock, B. E., Orr, W. C., Sanders, M. H., and Rogers, R. M. Respiratory mechanics and timing during sleep in occlusive sleep apnea. 48:432
Martin, R. J. *see* Anderson, J. V., Jr.
Martin, R. K., and Albright, J. P. Concurrent exercise of dogs using carousel-type treadmill. 46:1205
Martin, R. R.
see Bode, F. R.
Chang, H. K.
Delaunois, L.
Engel, L. A.
Fixley, M. S.
Irvin, C. G.
Malo, J. L.
Roussos, C. S.
Ruff, F.
Sergysels, R.
Sybrecht, G.
Martin, S., and Cooper, K. E. Alcohol and respiratory and body temperature changes during tepid water immersion. 44:683
Martin, S., Diewold, R. J., and Cooper, K. E. Alcohol, respiration, skin and body temperature during cold water immersion. 43:211
Martin, S. *see* Cooper, K. E.
Martin, W. *see* Brown, B. S.
Martin, W. H. *see* Hagberg, J.-M.
Martindale, D. D. R. *see* Heneghan, C. P. H.
Martineaud, J. P. *see* Raynaud, J.
Martinez, A. *see* Anderson, J. V., Jr.
Martinez, O. M. *see* Baldwin, K. M.
Marum, P. *see* Armstrong, R. B.
Maruyama, M. *see* Shimoji, K.
Mashiro, I., Nelson, R. R., Cohn, J. N., and Franciosa, J. A. Ventricular dimensions measured noninvasively by echocardiography in the awake dog. 41:953
Maskrey, M., Hales, J. R. S., and Fawcett, A. A. Effect of a constant arterial CO_2 tension on respiratory pattern in heat-stressed sheep. 50:315
Maskrey, M., Hoppe, P. P., and Bamford, O. S. Blood gas changes during panting in a small East African antelope, the dik-dik. 44:534
Maskrey, M., and Nicol, S. C. Responses of conscious rabbits to CO_2 at ambient temperatures of 5, 20, and 35°C. 47:522
Maskrey, M. *see* Nicol, S. C.
Mason, D. T. *see* Segel, L. D.
Mason, G. *see* Effros, R. M.
Mason, J. W. *see* Francesconi, R. P.
Massaro, D., Clerch, L., and Massaro, G. D. Surfactant aggregation in rat lungs: influence of temperature and ventilation. 51:646
Massaro, D.
see Chaisson, C. F.
Chiang, M.-J.
Frank, L.
Gail, D. B.
Gregorio, C. A.
Thet, L. A.
Woodside, K. H.
Massaro, G. D.
see Gail, D. B.
Massaro, D.
Massaro, M. *see* Tallarida, G.
Massaro, T. A. *see* Mastenbrook, S. M., Jr.
Masse, S. *see* Bégin, R.
Mastenbrook, S. M., Jr., Dempsey, J. A., and Massaro, T. A. Ventilation-perfusion ratio distributions by mass spectrometry with membrane catheters. 53:770
Mastenbrook, S. M., Jr., Massaro, T. A., and Dempsey, J. A. Multiple gas measurements at trace levels with a quadrupole mass spectrometer: gas phase calibration. 44:634
Masuko, K. *see* Shimoji, K.
Matalon, S., Dashkoff, N., Nesarajah, M. S., Klocke, F. J., and Farhi, L. E. Effects of hyperventilation on pulmonary blood flow and recirculation time of humans. 52:1161
Matalon, S., and Egan, E. A. Effects of 100% O_2 breathing on permeability of alveolar epithelium to solute. 50:859
Matalon, S., Nesarajah, M. S., and Farhi, L. E. Pulmonary and circulatory changes in conscious sheep exposed to 100% O_2 at 1 ATA. 53:110
Matalon, S. V., and Farhi, L. E. Cardiopulmonary readjustments in passive tilt. 47:503
Matalon, S. V., and Farhi, L. E. Ventilation-perfusion lines and gas exchange in liquid breathing: theory. 49:262
Mathers, J. M. *see* Benumof, J. L.
Mathew, O. P., Abu-Osba, Y. K., and Thach, B. T. Influence of upper airway pressure changes on genioglossus muscle respiratory activity. 52:438
Mathew, O. P., Abu-Osba, Y. K., and Thach, B. T. Genioglossus muscle responses to upper airway pressure changes: afferent pathways. 52:445
Mathew, O. P. *see* Hoon, R. S.
Mathie, R. T. *see* Hughes, R. L.
Mathieu, Y. *see* Tsakiris, A. G.
Mathiot, M. J. *see* Jammes, Y.
Matsuda, K. *see* Akiyama, S.
Matsui, H. *see* Kobayashi, K.
Matsuki, M. *see* Shimoji, K.
Matsushita, K. *see* Araki, T.
Matthay, M. A., Landolt, C. C., and Staub, N. C. Differential liquid and protein clearance from the alveoli of anesthetized sheep. 53:96
Matthay, M. A. *see* Landolt, C. C.
Matthes, R. D.
see Edwards, J. G.
Murphy, R. D.
Vailas, A. C.
Matthew, C. B. *see* Hubbard, R. W.
Matthew, W. T. *see* Hubbard, R. W.
Mattioli, L. *see* Zakheim, R. M.
Mauderly, J. L.
see Likens, S. A.
Silbaugh, S. A.
Maurer, D. R., Sielczak, M., Oliver, W., Jr., Abraham, W. M., and Wanner, A. Role of ciliary motility in acute allergic mucociliary dysfunction. 52:1018
Mauro, T. *see* O'Brasky, J. E.
Maxwell, B. D. *see* Ivy, J. L.
Maxwell, L. C., Faulkner, J. A., Mufti, S. A., and Turowski, A. M. Free autografting of entire limb muscles in the cat: histochemistry and biochemistry. 44:431
Maxwell, L. C., White, T. P., and Faulkner, J. A. Oxidative capacity, blood flow, and capillarity of skeletal muscles. 49:627
Mayer, H. *see* Wirth, A.
Mayet, M. H. *see* Pequignot, J. M.
Mayevsky, A., and Shaya, B. Factors affecting the development of hyperbaric oxygen toxicity in the awake rat brain. 49:700
Mayevsky, A. *see* Bar-Sagie, D.
Mazal, D. *see* King, T. K. C.
Mazerall, E. W. *see* Zink, J.
Mazzone, R. *see* Hedenstierna, G.
Mazzone, R. W., Durand, C. M., and West, J. B. Electron microscopy of lung rapidly frozen under controlled physiological conditions. 45:325
Mazzone, R. W., and Kornblau, S. Size of pores of Kohn: influence of transpulmonary and vascular pressures. 51:739
Mazzone, R. W., Kornblau, S., and Durand, C. M. Shrinkage of lung after chemical fixation for analysis of pulmonary structure-function relations. 48:382
Mazzone, R. W. *see* Young, I.
McArdle, W. D., Magel, J. R., Lesmes, G. R., and Pechar, G. S. Metabolic and cardiovascular adjustment to work in air and water at 18, 25, and 33°C. 40:85
McArdle, W. D. *see* Magel, J. R.

McBride, B., and Whitelaw, W. A. A physiological stimulus to upper airway receptors in humans. 51:1189
McBride, B. *see* Whitelaw, W. A.
McBride, J. *see* Davies, P.
McCaffree, D. R., Gray, B. A., Pennock, B. E., Coalson, J., Bridges, C., Taylor, F. B., and Rogers, R. M. Role of pulmonary edema in the acute pulmonary response to sepsis. 50:1198
McCaffree, D. R.
see Allison, R. C.
Gray, B. A.
Murphy, T. L.
McCaffrey, T. V., Wurster, R. D., Jacobs, H. K., Euler, D. E., and Geis, G. S. Role of skin temperature in the control of sweating. 47:591
McCall, R. D. *see* Brauer, R. W.
McCarthy, L. E. *see* Borison, H. L.
McCartney, N. *see* Zimmerman, P.
McClelland, M. *see* Band, D. M.
McComas, A. J.
see Belanger, A. Y.
Marsh, E.
Sale, D.
Sale, D. G.
McCormack, D. W. *see* Oldenburg, F. A.
McCreadie, S. R. *see* Litwin, S. B.
McCubbin, J. W. *see* Ferrario, C. M.
McCulloch, K. *see* Hunt, C. E.
McCullough, B. *see* Fine, R.
McCullough, R. E.
see Martin, B. J.
Sahn, S. A.
McCurdy, H. T. *see* Gray, B. A.
McCutcheon, E. P. *see* Bhattacharya, A.
McDonald, B. W. *see* Krasney, J. A.
McDonnell, W. F. *see* Pimmel, R. L.
McEvoy, R. D., Davies, N. J. H., Mannino, F. L., Prutow, R. J., Schumacker, P. T., Wagner, P. D., and West, J. B. Pulmonary gas exchange during high-frequency ventilation. 52:1278
McFadden, E. R., Jr., Ingram, R. H., Jr., Haynes, R. L., and Wellman, J. J. Predominant site of flow limitation and mechanisms of postexertional asthma. 42:746
McFadden, E. R., Jr., Stearns, D. R., Ingram, R. H., Jr., and Leith, D. E. Relative contributions of hypocarbia and hyperpnea as mechanisms in postexercise asthma. 42:22
McFadden, E. R., Jr.
see Breslin, F. J.
Brown, N. E.
Brown, R.
Deal, E. C., Jr.
Griffin, M. P.
Hensley, M. J.
O'Cain, C. F.
Rossing, T. H.
Stearns, D. R.
Strauss, R. H.
Strohl, K. P.
Weiss, J. W.
Wellman, J. J.
McFadden, M. *see* Sutton, J. R.
McGowan, T. *see* Niewoehner, D. E.
McGuire, E. A. H., Helderman, J. H., Tobin, J. D., Andres, R., and Berman, M. Effects of arterial versus venous sampling on analysis of glucose kinetics in man. 41:565
McHale, P. A.
see Hammon, J. W., Jr.
Rankin, J. S.
McIlroy, M. B.
see Hansen, T. N.
Heldt, G. P.
McIntyre, B. R. *see* Nelson, R. M.
McKeag, M. *see* Brengelmann, G. L.
McKean, T., and Carlton, C. Oxygen storage in beavers. 42:545
McKeen, C. R.
see Brigham, K. L.
Collins, J. C.
McKenna, H. P.
see Hlastala, M. P.
Truog, W. E.
McKillop, R. *see* Green, H.
McLane, J. A.
see Hagberg, J. M.
Winder, W. W.
McLaughlin, M. *see* Walker, A. M.
McLaughlin, R. J. Systematic design of cantilever beams for muscle research. 42:786
McLaurin, R. L. *see* Leitch, A. G.
McLean, J. A., Downie, A. J., Watts, P. R., and Glasbey, C. A. Heat balance of ox steers (*Bos taurus*) in steady-temperature environments. 52:324
McLean, J. A., and Watts, P. R. Analytical refinements in animal calorimetry. 40:827
McLean, M. *see* Katona, P. G.
McLennan, J. E. *see* Leitch, A. G.
McLeod, F. D., Jr. *see* Nealeigh, R. C.
McLeod, K. *see* Dickson, J. A.
McMahan, C. A., Wigodsky, H. S., and Moore, G. T. Direct and indirect blood pressure measurements in baboons. 41:806
McMaster, W. C. *see* Caiozzo, V. J.
McMeekin, R. R. *see* Boucher, J. H.
McMillan, D. D. *see* Bland, R. D.
McMillin-Wood, J. *see* Krieger, D. A.
McMurray, R. G., and Horvath, S. M. Thermoregulation in swimmers and runners. 46:1086
McMurray, R. G. *see* Diaz, F. J.
McMurtry, I. F.
see Gerber, J. G.
Tucker, A.
Voelkel, N. F.
Walker, B. R.
Weir, E. K.
Will, D. H.
McMurty, I. F. *see* Voelkel, N. F.
McNamara, D. B. *see* Kadowitz, P. J.
McNamee, J. E. Restricted dextran transport in the sheep lung lymph preparation. 52:585
McNamee, J. E., and Brodman, M. L. Peribronchial electrical admittance measures lung edema and congestion in the dog. 49:337
McNiff, J. M. *see* Gil, J.
McPherson, R. F. *see* Besch, E. L.
McRee, D. I. *see* Galvin, M. J.
Mead, J. Analysis of the configuration of maximum expiratory flow-volume curves. 44:156
Mead, J., and Loring, S. H. Analysis of volume displacement and length changes of the diaphragm during breathing. 53:750
Mead, J.
see Banzett, R.
Bruce, E. N.
Castile, R.
Fredberg, J. J.
Gillespie, J. R.
Goldman, M. D.
Goldstein, D.
Grassino, A.
Grimby, G.
Hoppin, F. G., Jr.
Loring, S. H.
Melissinos, C. G.
Strohl, K. P.
Tien, Y.-K.
Wellman, J. J.
Meadows, I. D. *see* Roy, R. R.
Mechtinger, A. *see* Shvartz, E.
Meen, H. D. *see* Strømme, S. B.
Meier, G. *see* Santamore, W. P.
Meier, G. M. *see* Santamore, W. P.
Meininger, G. A.
see Deavers, D. R.
Musacchia, X. J.
Melendez, L. J. *see* Manyari, D. E.
Melissinos, C. G., Bruce, E. N., Goldman, M. D., Elliott, E., and Mead, J. Pattern of diaphragmatic activity during forced expiratory vital capacity. 51:1515
Melissinos, C. G., Goldman, M., Bruce, E., Elliott, E., and Mead, J. Chest wall shape during forced expiratory maneuvers. 50:84
Melissinos, C. G., and Mead, J. Maximum expiratory flow changes induced by longitudinal tension on trachea in normal subjects. 43:537
Melissinos, C. G., Webster, P., Tien, Y. K., and Mead, J. Time dependence of maximum flow as an index of nonuniform emptying. 47:1043
Mellins, R. B.
see Cooper, D. M.
Epstein, R. A.
Haddad, G. G.
Inselman, L. S.
Leuenberger, P. J.
O'Brodovich, H. M.
Pang, L. M.
Stalcup, S. A.
Mellion, B. T. *see* Spannhake, E. W.
Melton, J. *see* Nattie, E. E.
Mendenhall, K. G. *see* Weathersby, P. K.
Mendez, J., and Kollias, J. Diet and starvation on the composition and calculated density of fat-free body mass. 42:731
Mendoza, C., Peavy, H., Burns, B., and Gurtner, G. Saturation kinetics for steady-state pulmonary CO transfer. 43:880
Mendoza, S. A. *see* Miller, J. H.
Meneely, G. R. *see* Light, R. W.
Mengesha, Y. A., and Bell, G. H. Forearm and finger blood flow responses to passive body tilts. 46:288
Menkes, H.
see Batra, G.
Gertner, A.
Menkes, H. A.
see Enjeti, S.
Inners, C. R.
Kaplan, J.
Smith, L. J.
Traystman, R. J.
Mensah, G. A., and Brain, J. D. Deposition and clearance of inhaled aerosol in the respiratory tract of chickens. 53:1423
Mensch-Dechene, J.
see Capderou, A.
Fournier, P.
Lockhart, A.
Menzel, T. E.
see Holden, W. E.
Lee, L.-Y.
Mercer, J. B., and Jessen, C. Control of respiratory evaporative heat loss in exercising goats. 46:978
Mercer, J. B., and Jessen, C. Thermal control of respiratory evaporative heat loss in exercising dogs. 49:979
Mercer, R. R.
see Johnson, T. A.
Smith, D. M.
Meroz, A. *see* Shvartz, E.
Merrick, E. A. *see* Kraning, K. K.
Merrill, G. F., Zambraski, E. J., and Grassl, S. M. Effect of dichloroacetate on plasma lactic acid in exercising dogs. 48:427
Mescher, E. J. *see* Kitterman, J. A.
Meschia, G. *see* Jones, M. D., Jr.
Mesina, J. *see* Bisgard, G. E.
Messier, A. A.
see Pasquale, S. M.
Schaefer, K. E.
Messiha, F. *see* Hughes, M. J.
Metcalf, I. *see* Polacheck, J.

Metcalfe, I. L., Enhorning, G., and Possmayer, F. Pulmonary surfactant-associated proteins: their role in the expression of surface activity. 49:34
Metcalfe, I. L., Pototschnik, R., Burgoyne, R., and Enhorning, G. Lung expansion and survival in rabbit neonates treated with surfactant extract. 53:838
Metcalfe, J.
see Bristow, J. D.
Kerr, H. H.
Metz, K. F. *see* Robertson, R. J.
Meyer, E. C., Ottaviano, R., and Higgins, J. J. Albumin clearance from alveoli: tissue permeation vs. airway displacement. 43:487
Meyer, E. C., Ottaviano, R., and Higgins, J. J. Fibrinogen clearance from alveoli. 45:516
Meyer, M., Lessner, W., Scheid, P., and Piiper, J. Pulmonary diffusing capacity for CO independent of alveolar CO concentration. 51:571
Meyer, M., and Scheid, P. Solubility of acetylene in human blood determined by mass spectrometry. 48:1035
Meyer, M., Scheid, P., Riepl, G., Wagner, H.-J., and Piiper, J. Pulmonary diffusing capacities for O_2 and CO measured by a rebreathing technique. 51:1643
Meyer, M., Worth, H., and Scheid, P. Gas-blood CO_2 equilibration in parabronchial lungs of birds. 41:302
Meyer, M.
see Jennings, D. B.
Scheid, P.
Meyer, R. A., Dudley, G. A., and Terjung, R. L. Ammonia and IMP in different skeletal muscle fibers after exercise in rats. 49:1037
Meyers, E. C. *see* Buick, F. J.
Meyers, G. L. *see* Gold, W. M.
Mezey, R. J. *see* Wanner, A.
Mhyre, J. G. *see* Lynch, J. P.
Micco, A. J. *see* Robbins, P. A.
Michaelson, E. D.
see Graboys, T. B.
Yergin, B. M.
Michaelson, S. M.
see Lotz, W. G.
Lu, S.-T.
Michel, R. P., Inoue, S., and Hogg, J. C. Pulmonary capillary permeability to HRP in dogs: a physiological and morphological study. 42:13
Michel, R. P., Laforte, M., and Hogg, J. C. Physiology and morphology of pulmonary microvascular injury with shock and reinfusion. 50:1227
Michel, R. P. *see* Hakim, T. S.
Michels, D. B., Friedman, P. J., and West, J. B. Radiographic comparison of human lung shape during normal gravity and weightlessness. 47:851
Michels, D. B., and West, J. B. Distribution of pulmonary ventilation and perfusion during short periods of weightlessness. 45:987
Michels, D. B. *see* Nichol, G. M.
Michoud, M.-C., Fraser, R. S., Paré, P. D., and Hogg, J. C. Effect of indomethacin and atropine in experimental asthma in conscious guinea pigs. 40:889
Michoud, M.-C., Paré, P. D., Boucher, R., and Hogg, J. C. Airway responses to histamine and methacholine in *Ascaris suum*-allergic rhesus monkeys. 45:846
Michoud, M.-C.
see Paré, P. D.
Patterson, R.
Mickle, D. *see* Rubin, S. A.
Middendorf, W. F., and Russell, J. A. Innervation of airway smooth muscle in the baboon: evidence for a nonadrenergic inhibitory system. 48:947
Middendorf, W. F. *see* Russell, J. A.
Middleton, W. *see* Flenley, D. C.
Mikami, T. *see* Miyamoto, Y.
Miles, D. S., Bransford, D. R., and Horvath, S. M. Hypoxia effects on plasma volume shifts at rest, work, and recovery in supine posture. 51:148
Miles, D. S., Sawka, M. N., Wilde, S. W., Doerr, B. M., Frey, M. A. B., and Glaser, R. M. Estimation of cardiac output by electrical impedance during arm exercise in women. 51:1488
Miles, D. S. *see* Wagner, J. A.
Miles, P. R.
see Jones, G. S.
Wright, J. R.
Milhorn, H. T., Jr. *see* Pearce, D. H.
Milic-Emili, J.
see Asher, M. I.
Askanazi, J.
Derenne, J.-P.
Gautier, H.
Goldberg, M. S.
Grassino, A. E.
Grunstein, M. M.
Jammes, Y.
Miserocchi, G.
Ruff, F.
Siafakas, N. M.
Thach, B. T.
Trippenbach, T.
Weissman, C.
Whitelaw, W. A.
Wyszogrodski, I.
Zin, W. A.
Millar, J. *see* Douglas, N.J.
Milledge, J. S., and Catley, D. M. Renin, aldosterone, and converting enzyme during exercise and acute hypoxia in humans. 52:320
Milledge, J. S. *see* Lahiri, S.
Millen, J. E., Glauser, F. L., and Zimmerman, M. Physiological effects of controlled concussive brain trauma. 49:856
Millen, J. E. *see* Glauser, F. L.
Miller, C. W. *see* Nealeigh, R. C.
Miller, D. A. A CO_2 threshold mechanism in a closed-loop avian respiratory system. 48:1029
Miller, D. A., and Kunz, A. L. Initiation of each avian inspiration by a CO_2 threshold mechanism. 47:233
Miller, F. J.
see Hayatdavoudi, G.
Takezawa, J.
Miller, F. N. *see* Wiegman, D. L.
Miller, J.
see Dill, D. B.
Patterson, R. W.
Miller, J. H., Hall, D., Haworth, D., and Mendoza, S. A. Hyperbaric system for oxygen toxicity studies in the toad urinary bladder. 40:483
Miller, J. M.
see Hagberg, J. M.
Ivy, J. L.
Kuhlemeier, K. V.
Miller, M. *see* Geman, S.
Miller, M. A., and Hales, C. A. Stability of alveolar hypoxic vasoconstriction with intermittent hypoxia. 49:846
Miller, R. L. *see* Gold, W. M.
Miller, S. D. *see* Friedman, M.
Miller, T. K., and Pimmel, R. L. Forced noise mechanical parameters during inspiration and expiration. 52:1530
Miller, T. K., III *see* Pimmel, R. L.
Miller, W. C., Rice, D. L., Kreusel, R. G., and Bedrossian, C. W. M. Monocrotaline model of noncardiogenic pulmonary edema in dogs. 45:962
Millet, E. J. *see* Jackson, A. C.
Millhorn, D. E., Eldridge, F. L., and Waldrop, T. G. Pharmacologic study of respiratory afterdischarge. 50:239
Millhorn, D. E., Eldridge, F. L., and Waldrop, T. G. Effects of salicylate and 2,4-dinitrophenol on respiration and metabolism. 53:925
Millman, R. P., Silage, D. A., Peterson, D. D., and Pack, A. I. Effect of aerosolized histamine on occlusion pressure and ventilation in humans. 53:690
Mills, C. *see* Horsfield, K.
Mills, C. D. *see* Grubb, B. R.
Milner, A. D. *see* Helms, P.
Milsom, W. K., Jones, D. R., and Gabbott, G. R. J. On chemoreceptor control of ventilatory responses to CO_2 in unanesthetized ducks. 50:1121
Milstein, J. M. *see* Goetzman, B. W.
Min, B. G. *see* Doblar, D. D.
Minaire, Y., Forichon, J., and Fréminet, A. Effects of endogenous glucagon on glucose kinetics in shivering dogs. 52:1458
Minaire, Y. *see* Forichon, J.
Mincer, P. J. *see* Van Someren, R. N. M.
Mingle, M.
see Abraham, W. M.
Küng, M.
Minh, V.-D., Dolan, G. F., Konopka, R. F., and Moser, K. M. Effect of hyperinflation on inspiratory function of the diaphragm. 40:67
Minh, V.-D., Dolan, G. F., Brach, B. B., and Moser, K. M. Functional residual capacity and body position in the dog. 44:291
Minh, V.-D., Dolan, G. F., Linaweaver, P. G., Friedman, P. J., Konopka, R. G., and Brach, B. B. Diaphragmatic function during immersion. 43:297
Minh, V.-D. *see* Shepard, J. W., Jr.
Mink, J. T. *see* Graham, B. L.
Mink, S., Ziesmann, M., and Wood, L. D. H. Mechanisms of increased maximum expiratory flow during HeO_2 breathing in dogs. 47:490
Mink, S. N., Light, R. B., Cooligan, T., and Wood, L. D. H. Effect of PEEP on gas exchange and pulmonary perfusion in canine lobar pneumonia. 50:517
Mink, S. N., Light, R. B., and Wood, L. D. H. Effect of pneumococcal lobar pneumonia on canine lung mechanics. 50:283
Mink, S. N. *see* Light, R. B.
Minnear, F. L., Barie, P. S., and Malik, A. B. Effects of epinephrine and norepinephrine infusion on lung fluid balance in sheep. 50:1353
Minnear, F. L., Barie, P. S., and Malik, A. B. Lung fluid and protein exchange in the acute sheep preparation. 50:1358
Minnear, F. L. *see* Hakim, T. S.
Minteer, W. J. *see* Flaim, S. F.
Mintz, S. *see* Niinimaa, V.
Mirbahar, K. B. *see* Ahmed, T.
Miserocchi, G., and Milic-Emili, J. Effect of mechanical factors on the relation between rate and depth of breathing in cats. 41:277
Miserocchi, G. *see* Gautier, H.
Mitchell, D., Senay, L. C., Wyndham, C. H., Van Rensburg, A. J., Rogers, G. G., and Strydom, N. B. Acclimatization in a hot, humid environment: energy exchange, body temperature, and sweating. 40:768
Mitchell, D.
see Senay, L. C.
Wyndham, C. H.
Mitchell, F. T. *see* Abdul-Rasool, I. H.
Mitchell, G. S., Cross, B. A., Hiramoto, T., and Scheid, P. Interactions between lung stretch and Pa_{CO2} in modulating ventilatory activity in dogs. 53:185
Mitchell, J. *see* Wyatt, H. L.
Mitchell, J. H.
see Bonde-Petersen, F.
Diepstra, G.
Longhurst, J. C.
Nixon, J. V.
Mitchell, R. R. Incorporating the gas analyzer response time in gas exchange computations. 47:1118

Mitchell, R. R. *see* Jibelian, G.
Mitchell, R. W.
see Antonissen, L. A.
Stephens, N. L.
Mitnick, M. H., and Jöbsis, F. F. Pyrene-butyric acid as an optical oxygen probe in the intact cerebral cortex. 41:593
Mitra, J.
see Bruce, E. N.
Nochomovitz, M. L.
Weiner, D.
Mittman, C.
see Lewis, S. M.
Rubin, D. Z.
Mitts, D. *see* King, R. J.
Mitzner, W., Johnson, J. W. C., Scott, R., London, W. T., and Palmer, A. E. Effect of betamethasone on pressure-volume relationship of fetal rhesus monkey lung. 47:377
Mitzner, W., and Sylvester, J. T. Hypoxic vasoconstriction and fluid filtration in pig lungs. 51:1065
Mitzner, W.
see Goldberg, H. S.
Gunst, S. J.
Ngeow, Y. K.
Robotham, J. L.
Smith, J. C.
Miura, M. *see* Kobayashi, K.
Miyamoto, Y., Hiura, T., Tamura, T., Nakamura, T., Higuchi, J., and Mikami, T. Dynamics of cardiac, respiratory, and metabolic function in men in response to step work load. 52:1198
Miyasaka, K.
see Bohn, D. J.
Kattan, M.
Miyashita, M. *see* Kobayashi, K.
Mjörndal, T. O. *see* Lazarus, S. C.
Mlczoch, J. *see* Weir, E. K.
Moavero, N. E. *see* Stănescu, D.
Mochizuki, M. *see* Tazawa, H.
Modell, H. I., Beck, K., and Butler, J. Functional aspects of canine bronchial-pulmonary vascular communications. 50:1045
Modell, H. I., and Cheney, F. W. Effects of inspiratory flow pattern on gas exchange in normal and abnormal lungs. 46:1103
Moerman, E. *see* Fagard, R.
Moffat, J. D. *see* Sibbald, W. J.
Moffatt, D. S., Guyton, A. C., and Adair, T. H. Functional diagrams of flow and volume for the dog's lung. 52:1035
Moffatt, R. *see* Stamford, B. A.
Mognoni, P.
see Di Prampero, P. E.
Saibene, F.
Mohammed, M. M. J., and Hainsworth, R. Evaluation using dogs of a method for estimating mixed venous and arterial P_{CO_2} from a single breath. 50:196
Mohammed, M. M. J., Wood, L. M., and Hainsworth, R. Evaluation using dogs of a method for estimating cardiac output from a single breath. 50:200
Mohler, J. G.
see Butler, J. P.
Girandola, R. N.
Hackney, J. D.
Mokashi, A.
see Lahiri, S.
Nishino, T.
Pokorski, M.
Moldofsky, H. *see* Tusiewicz, K.
Molinoff, P. B. *see* Voelkel, N. F.
Moll, M. E. *see* Williams, R. S.
Molnar, G. W. *see* Wilson, O.
Molnar, S. *see* Wilkerson, J. E.
Molteni, A. *see* Zakheim, R. M.
Momii, S. T. *see* Kraning, K. K.
Monahan, J. *see* Schlesinger, R. B.
Money, K. E.
see Landolt, J. P.
Leger, A.
Monge, C. C. *see* Winslow, R. M.
Monk, S. *see* Baden, J. M.
Montgomery, M. R. *see* Niewoehner, D. E.
Montgomery, S. P. *see* Borison, H. L.
Mook, G. A. *see* Landsman, M. L. J.
Moon, M. A. *see* Quan, S. F.
Moore, A. M. *see* Hickson, R. C.
Moore, G. *see* Brown, B. S.
Moore, G. T. *see* McMahan, C. A.
Moore, L. G., Jahnigen, D., Rounds, S. S., Reeves, J. T., and Grover, R. F. Maternal hyperventilation helps preserve arterial oxygenation during high-altitude pregnancy. 52:690
Moore, L. G., Reeves, J. T., Will, D. H., and Grover, R. F. Pregnancy-induced pulmonary hypertension in cows susceptible to high mountain disease. 46:184
Moore, L. G., Rounds, S. S., Jahnigen, D., Grover, R. F., and Reeves, J. T. Infant birth weight is related to maternal arterial oxygenation at high altitude. 52:695
Moore, L. G. *see* Fuchs, K. I.
Moore, R. *see* Verde, T.
Moore, R. K. *see* Clanton, T. L.
Moore, R. L., Riedy, M., and Gollnick, P. D. Effect of training on β-adrenergic receptor number in rat heart. 52:1133
Moore, R. L.
see Gollnick, P. D.
Parsons, D.
Moore, R. N., Shackleford, G. M., Garry, R. F., and Berry, L. J. Effect of Sindbis virus infection on survival of mice in the cold. 47:923
Moore, R. N. *see* Couch, R. E., Jr.
Moore-Ede, M. C. *see* Sulzman, F. M.
Moores, W. Y. *see* Willford, D. C.
Moosavi, H. *see* Peterson, B. T.
Mora, F.
see Gisolfi, C. V.
Myers, R. D.
Moran, O. *see* Winslow, R. M.
Morgan, B. *see* Snashall, P. D.
Morgan, B. J., Brammell, H. L., Sable, D. L., Morton, M. L., and Horwitz, L. D. Effect of aerobic conditioning on cardiovascular response to isometric exercise. 52:1257
Morgan, B. M. *see* Snashall, P. D.
Morgan, E. J. *see* Martin, B. J.
Morgan, H. E. *see* Fishman, A. P.
Morgan, M. S. *see* Hoppin, F. G., Jr.
Morgan, W. P. *see* Farrell, P. A.
Morganroth, J. *see* Zeldis, S. M.
Morild, E. Change in human blood plasma pH with pressure. 50:320
Morin, C. *see* Harf, A.
Moritz, E. D. *see* Mahler, D. A.
Moriya, K. *see* Maekubo, H.
Mörl, H. *see* Wirth, A.
Moroz, L. A. *see* Boucher, R. C.
Morris, A. H.
see Crapo, R. O.
Farney, R. J.
Morris, A. J. R. *see* Siafakas, N. M.
Morris, J. D., Jr. *see* Dill, D. B.
Morris, K. G. *see* Voelkel, N. F.
Morrison, J. B., Conn, M. L., and Hayward, J. S. Thermal increment provided by inhalation rewarming from hypothermia. 46:1061
Morrison, J. B. *see* Florio, J. T.
Morrison, S. C., Stubbling, D. G., Zimmerman, P. V., and Campbell, E. J. M. Lung volume, closing volume, and gas exchange. 52:1453
Morrison, S. D. Cold-specific feeding response of rats to cold exposure and energy density of body weight change. 51:327
Morriss, A. W., Drake, R. E., and Gabel, J. C. Comparison of microvascular filtration characteristics in isolated and intact lungs. 48:438
Morrissey, J. M. *see* Winslow, R. M.
Morrissey, M. *see* Hughson, R. L.
Morrow, P. E. *see* Utell, M. J.
Morse, J. L. C.
see Oldenburg, F. A.
Stubbing, D. G.
Morse, J. T. *see* Greenleaf, J. E.
Mortola, J. P., and Fisher, J. T. Mouth and nose resistance in newborn kittens and puppies. 51:641
Mortola, J. P., Fisher, J. T., Smith, B., Fox, G., and Weeks, S. Dynamics of breathing in infants. 52:1209
Mortola, J. P., Fisher, J. T., Smith, J. B., Fox, G. S., Weeks, S., and Willis, D. Onset of respiration in infants delivered by cesarean section. 52:716
Mortola, J. P.
see Al-Shway, S. F.
Camporesi, E. M.
Chang, H. K.
Morton, A. R. *see* Folinsbee, L. J.
Morton, M. L. *see* Morgan, B. J.
Moser, K. M. *see* Minh, V.-D.
Moskowitz, G. D. *see* Koen, P. A.
Moskowitz, H. R. *see* Thompson, D. A.
Moskowitz, R. M., Burns, J. J., DiCarlo, E. F., Flaim, S. F., Harrison, T. S., Peuler, J., and Zelis, R. Cage size and exercise affects infarct size in rat after coronary artery cauterization. 47:393
Mosora, F. *see* Pirnay, F.
Moss, I. R., and Scarpelli, E. M. Generation and regulation of breathing in utero: fetal CO_2 response test. 47:527
Moss, I. R., and Scarpelli, E. M. β-Endorphin central depression of respiration and circulation. 50:1011
Mostyn, E. M. *see* Luft, U. C.
Motoyama, E. K.
see Brody, J. S.
Lahiri, S.
Motulsky, H. J. *see* Marquardt, D. L.
Moxham, J., Edwards, R. H. T., Aubier, M., De Troyer, A., Farkas, G., Macklem, P. T., and Roussos, C. Changes in EMG power spectrum (high-to-low ratio) with force fatigue in humans. 53:1094
Moy, R. M. *see* Twente, J. W.
Mozes, R.
see Aubier, M.
Trippenbach, T.
Mubarak, S. J. *see* Garfin, S. R.
Mufti, S. A. *see* Maxwell, L. C.
Muggenburg, B. A.
see Felicetti, S. A.
Silbaugh, S. A.
Muller, F. J. *see* Geddes, D. M.
Muller, N., Bryan, A. C., and Zamel, N. Tonic inspiratory activity as a cause of hyperinflation in histamine-induced asthma. 49:869
Muller, N., Bryan, A. C., and Zamel, N. Tonic inspiratory muscle activity as a cause of hyperinflation in asthma. 50:279
Muller, N., Gulston, G., Cade, D., Whitton, J., Froese, A. B., Bryan, M. H., and Bryan, A. C. Diaphragmatic muscle fatigue in the newborn. 46:688
Muller, N., Volgyesi, G., Becker, L., Bryan, M. H., and Bryan, A. C. Diaphragmatic muscle tone. 47:279
Muller, N. L., and Zamel, N. Pneumotachograph calibration for inspiratory and expiratory flows during HeO_2 breathing. 51:1038
Muller, N. L.
see Lopes, J.
Tabachnik, E.
Mulligan, E., and Lahiri, S. Dependence of carotid chemoreceptor stimulation by metabolic agents on Pa_{O_2} and Pa_{CO_2}. 50:884
Mulligan, E., Lahiri, S., and Storey, B. T. Carotid body O_2 chemoreception and mitochondrial oxidative phosphorylation. 51:438

Mulligan, E.
see Lahiri, S.
Pokorski, M.
Mullin, J. P.
see Hagberg, J. M.
Lemon, P. W. R.
Mullin, W. J.
see Baldwin, K. M.
Ernst, S. B.
Munoz, N. M. *see* Leff, A. R.
Murakami, H., and Kinoshita, K. Spontaneous activity and heat avoidance of mice. 43:573
Murakami, S. *see* Kobayashi, T.
Murao, M. *see* Kawakami, Y.
Murase, Y. *see* Kobayashi, K.
Murata, K. *see* Kobayasi, S.
Muravchick, S., and Bergofsky, E. H. Adrenergic receptors and vascular resistance in cerebral circulation of the cat. 40:797
Murdock, L. C.
see Reischl, P.
Stavert, D. M.
Murlas, C., Nadel, J. A., and Roberts, J. M. The muscarinic receptors of airway smooth muscle: their characterization in vitro. 52:1084
Murphy, B., Zapol, W. M., and Hochachka, P. W. Metabolic activities of heart, lung, and brain during diving and recovery in the Weddell seal. 48:596
Murphy, B. *see* Fixley, M. S.
Murphy, B. G., and Engel, L. A. Shrinkage of dog lobes during air-drying fixation. 49:536
Murphy, B. G. *see* Sybrecht, G.
Murphy, B. J. *see* Liggins, G. C.
Murphy, E.
see Phillipson, E. A.
Sullivan, C. E.
Murphy, J.
see Woodrum, D. E.
Wright, K.
Murphy, K. *see* Snashall, P. D.
Murphy, R. D., Vailas, A. C., Tipton, C. M., Matthes, R. D., and Edwards, J. G. Influence of streptozotocin-induced diabetes and insulin on the functional capacity of rats. 50:482
Murphy, T. L., Allison, R. C., Weisman, I. M., McCaffree, D. R., and Gray, B. A. Role of platelet serotonin in the canine pulmonary response to endotoxin. 50:178
Murphy, T. L. *see* Allison, R. C.
Murray, A. *see* Ewing, D. J.
Murray, G. F. *see* Davies, P.
Murray, J. F. Effects of lung inflation on pulmonary arterial pressure in dogs with pulmonary edema. 45:442
Murray, J. F., Hoeffel, J. M., and Jibelian, G. Uneven driving pressures and redistribution of intrapulmonary blood flow. 52:96
Murray, J. F.
see Grossman, R. F.
Hopewell, P. C.
Huchon, G. J.
Overland, E. S.
Russell, J. A.
Simon, D. S.
Murray, R. G.
see Bonde-Petersen, F.
Nixon, J. V.
Musacchia, X. J., Deavers, D. R., Meininger, G. A., and Davis, T. P. A model for hypokinesia: effects on muscle atrophy in the rat. 48:479
Musacchia, X. J.
see Carpenter, M.
Deavers, D. R.
Tempel, G. E.
Musasche, V. W. *see* Collins, R. G.
Muylaert, P. *see* Heyndrickx, G. R.
Myers, M. L. *see* Sibbald, W. J.
Myers, R. D., Gisolfi, C. V., and Mora, F. Role of brain Ca^{2+} in central control of body temperature during exercise in the monkey. 43:689
Myers, R. D. *see* Gisolfi, C. V.
Myhre, L. G., and Robinson, S. Fluid shifts during thermal stress with and without fluid replacement. 42:252
Myhre, L. G. *see* Loeppky, J. A.
Myojo, S. *see* Honda, Y.

N

Nadeau, A. *see* LeBlanc, J.
Nadeau, D.
see Bégin, R.
Cormier, Y.
Nadeau, R. *see* Péronnet, F.
Nadel, E. R., Cafarelli, E., Roberts, M. F., and Wenger, C. B. Circulatory regulation during exercise in different ambient temperatures. 46:430
Nadel, E. R., Fortney, S. M., and Wenger, C. B. Effect of hydration state on circulatory and thermal regulations. 49:715
Nadel, E. R.
see Fortney, S. M.
Goodenough, R. D.
Hong, S.-I.
Roberts, M. F.
Wenger, C. B.
Wolfe, R. R.
Nadel, J. A.
see Borson, D. B.
Cotton, D. J.
Davis, B.
German, V. F.
Hahn, H. L.
Holden, W. E.
Holtzman, M. J.
Lee, L.-Y.
MacIntyre, N. R.
Marin, M. G.
Murlas, C.
Newth, C. J. L.
Sheller, J. R.
Sheppard, D.
Skoogh, B.-E.
Stokes, D. L.
Vidruk, E. H.
Welsh, M. J.
Nadir, B.
see Stothert, J. C., Jr.
Winn, R.
Nadler, S. *see* Zidulka, A.
Nadzam, G. R. *see* Ferrario, C. M.
Naftchi, N. E. *see* Porcelli, R. J.
Nag, P. K., Sen, R. N., and Ray, U. S. Optimal rate of work for mountaineers. 44:952
Nagai, T. *see* Homma, I.
Nagao, K., Ardila, R., and Hildebrandt, J. Rheological properties of excised rabbit lung stiffened by repeated hyperinflation. 47:360
Nagasaka, T. *see* Hayashi, M.
Nagels, J., Landsér, F. J., Van der Linden, L., Clément, J., and Van de Woestijne, K. P. Mechanical properties of lungs and chest wall during spontaneous breathing. 49:408
Nagels, J. *see* Landsér, F. J.
Nagle, F. J.
see Bezucha, G. R.
Hagberg, J. M.
Lemon, P. W. R.
Stanek, K. A.
Nagy, S. *see* Hantos, Z.
Nahmias, C. *see* Coates, G.
Nahrwold, M. L. *see* Stark, R. A.
Nail, B. S. *see* Colebatch, H. J. H.
Nair, P., Spande, J. I., and Whalen, W. J. Marking the tip location of Po_2 microelectrodes or glass micropipettes. 49:916
Nair, P. *see* Whalen, W. J.
Nakahara, K.
see Bhattacharya, J.
Binder, A. S.
Ohkuda, K.
Snashall, P. D.
Nakamura, M., Sasaki, H., Sekizawa, K., Ishii, M., Takishima, T., and Hoppin, F. G., Jr. Series distribution of airway collapsibility in dogs. 50:325
Nakamura, M., Sasaki, H., and Takishima, T. Effect of lung surface tension on bronchial collapsibility in excised dog lungs. 47:692
Nakamura, M. *see* Sasaki, H.
Nakamura, T. *see* Miyamoto, Y.
Nakamura, Y., Kotilainen, P., Haffty, B., Jolda, R., Bishop, R., and Spodick, D. "Paradoxical" reduction in postexercise ejection time and increased transthoracic impedance. 45:1002
Nakayama, K. *see* Kobayashi, Y.
Nanjo, S. *see* Bhattacharya, J.
Nardell, E. A., and Brody, J. S. Determinants of mechanical properties of rat lung during postnatal development. 53:140
Narins, R. G. *see* Patterson, R. W.
Nash, K. *see* Mansfield, W.
Nassery, M. *see* Vellody, V. P.
Nattermann, R. *see* Gisolfi, C. V.
Nattie, E. E. Breathing patterns in the awake potassium-depleted rat. 43:1063
Nattie, E. E., Bergin, M. B., Daley, J., and Melton, J. CSF and brain ions, acid-base balance, and ventilation in acute hyponatremia. 49:95
Nattie, E. E., and Edwards, W. H. CSF acid-base regulation and ventilation during acute hypercapnia in the newborn dog. 50:566
Nattie, E. E., and Edwards, W. H. Brain and CSF water and ions in newborn puppies during acute hypo- and hypernatremia. 51:1086
Nattie, E. E. *see* Hitzig, B. M.
Naughton, M. P. *see* Simon, R. P.
Navari, R. M., and Patterson, J. L., Jr. Inhibition of rat bronchiolar oxygen consumption by plasma proteins. 44:659
Nazar, K. *see* Terjung, R. L.
Nealeigh, R. C., Miller, C. W., and McLeod, F. D., Jr. Venous ultrasound catheter-tip technique for evaluation of arterial hemodynamics. 41:946
Nedey, R. *see* Bursztein, S.
Neef, M.-A. *see* Balasse, E. O.
Neilson, J. M. M. *see* Ewing, D. J.
Nelems, J. M. B. *see* Baile, E. M.
Nelson, E. L., Jr. *see* Fregly, M. J.
Nelson, J. *see* Forman, H. J.
Nelson, P. K. *see* Kadowitz, P. J.
Nelson, R. M., McIntyre, B. R., and Egan, E. A. Solute permeability of the alveolar epithelium in alloxan edema in dogs. 44:353
Nelson, R. R. *see* Mashiro, I.
Nemery, B., Piret, L., Brasseur, L., and Frans, A. Effect of nitroglycerin on DL of normal subjects at rest and during exercise. 52:851
Nemery, B. *see* Stănescu, D. C.
Nery, L. E., Wasserman, K., Andrews, J. D., Huntsman, D. J., Hansen, J. E., and Whipp, B. J. Ventilatory and gas exchange kinetics during exercise in chronic airways obstruction. 53:1594
Nesarajah, M. S. *see* Matalon, S.
Nessly, M. L. *see* Pavlin, D. J.
Neubauer, J. A., Feldman, R. S., Huang, J. T., Vinten-Johansen, J., and Weiss, H. R. Blood flow and relative tissue PO_2 of brain and muscle: role of carotid chemoreceptors. 45:419

Neubauer, J. A., Santiago, T. V., and Edelman, N. H. Hypoxic arousal in intact and carotid chemodenervated sleeping cats. 51:1294
Neuberger, N., Levison, H., Bryan, A. C., and Kruger, K. Transit time analysis of the forced expiratory spirogram in growth. 40:329
Neufeld, G. R., Williams, J. J., Klineberg, P. L., and Marshall, B. E. Inert gas a-A differences: a direct reflection of V/Q distribution. 44:277
Neumann, P. H. *see* Malik, A. B.
Newball, H. H. *see* Schulman, E. S.
Newell, J. C., Levitzky, M. G., Krasney, J. A., and Dutton, R. E. Phasic reflux of pulmonary blood flow in atelectasis: influence of systemic P_{O_2}. 40:883
Newell, J. C.
see Gibson, R. D.
Gregory, T. J.
Malik, A. B.
Schumacker, P. T.
Newell, J. P., Kappagoda, C. T., and Linden, R. J. Method for continuous measurements of carbon dioxide output. 41:810
Newhouse, M. T.
see Dolovich, M. B.
Wolff, R. K.
Newman, J. H. *see* Esbenshade, A. M.
Newsom Davis, J. *see* Stagg, D.
Newth, C. J. L., Cotton, D. J., and Nadel, J. A. Pulmonary diffusing capacity measured at multiple intervals during a single exhalation in man. 43:617
Newth, C. J. L. *see* Cotton, D. J.
Ng, C. K. Y. *see* Colebatch, H. J. H.
Ngeow, Y. K., and Mitzner, W. A new system for ventilating with high-frequency oscillation. 53:1638
Nguyen, D. *see* Cohen, A. B.
Nichol, G. M., Michels, D. B., and Guy, H. J. B. Phase V of the single-breath washout test. 52:34
Nichol, P. M.
see Blimkie, C. J. R.
Wolfe, L. A.
Nicholas, A. D. *see* Landolt, J. P.
Nicholas, T. E., and Barr, H. A. Control of release of surfactant phospholipids in the isolated perfused rat lung. 51:90
Nicholas, T. E., Power, J. H. T., and Barr, H. A. Surfactant homeostasis in the rat lung during swimming exercise. 53:1521
Nicholls, I. *see* Martin, B. A.
Nickerson, B. G., and Keens, T. G. Measuring ventilatory muscle endurance in humans as sustainable inspiratory pressure. 52:768
Nicol, S. C., and Maskrey, M. Panting in small mammals: a comparison of two marsupials and the laboratory rabbit. 42:537
Nicol, S. C. *see* Maskrey, M.
Nicolaysen, G., and Hauge, A. Determinants of transvascular fluid shifts in zone I lungs. 48:256
Nicolaysen, G.
see Bø, G.
Robotham, J. L.
Niedrach, L. W. *see* LeBlanc, O. H., Jr.
Niehaus, G. *see* Demling, R. H.
Niehaus, G. D., Schumacker, P. T., and Saba, T. M. Influence of opsonic fibronectin deficiency on lung fluid balance during bacterial sepsis. 49:693
Nielsen, S. L., and Lassen, N. A. Measurement of digital blood pressure after local cooling. 43:907
Nieman, G. F., Bredenberg, C. E., Clark, W. R., and West, N. R. Alveolar function following surfactant deactivation. 51: 895
Nies, A. S. *see* Gerber, J. G.
Niewoehner, D. E., Campe, H., Duane, S., McGowan, T., and Montgomery, M. R. Mechanisms of airway smooth muscle response to isoproterenol and theophylline. 47:330
Niewoehner, D. E. *see* Salmon, R. B.
Nihei, H. *see* Waugh, W. H.
Nihei, T. *see* Belcastro, A. N.
Niinimaa, V., Cole, P., Mintz, S., and Shephard, R. J. A head-out exercise body plethysmograph. 47:1336
Nikkilä, E. A. *see* Koivisto, V. A.
Nikov, N. *see* Colebatch, H. J. H.
Nilsestuen, J. O., Coon, R. L., Igler, F. O., Zuperku, E. J., and Kampine, J. P. Breathing frequency responses to pulmonary CO_2 in an isolated lobe of the canine lung. 47:1201
Nilsestuen, J. O., Coon, R. L., Zuperku, E. J., and Kampine, J. P. Interrelationships among airway CO_2, airway pressure, and breathing frequency. 52:190
Nimmo, M. A., and Snow, D. H. Time course of ultrastructural changes in skeletal muscle after two types of exercise. 52:910
Ninomiya, I., Yonezawa, Y., and Wilson, M. F. Implantable electrode for recording nerve signals in awake animals. 41:111
Nisam, M. R., Zbinden, A., Chesrown, S., Barnett, D., and Gold, W. M. Distribution and pharmacological release of histamine in canine lung in vivo. 44:455
Nishino, T., and Honda, Y. Effects of $P_{a_{CO2}}$ and $P_{a_{O2}}$ on threshold for the inspiratory-augmenting reflex in cats. 53: 1152
Nishino, T., and Lahiri, S. Effects of dopamine on chemoreflexes in breathing. 50:892
Nishino, T., Mokashi, A., and Lahiri, S. Stimulation of carotid chemoreceptors and ventilation by doxapram in the cat. 52:1261
Nishino, T.
see Lahiri, S.
Pokorski, M.
Nissenson, A. R. *see* Patterson, R. W.
Nixon, J. V., Murray, R. G., Bryant, C., Johnson, R. L., Jr., Mitchell, J. H., Holland, O. B., Gomez-Sanchez, C., Vergne-Marini, P., and Blomqvist, C. G. Early cardiovascular adaptation to simulated zero gravity. 46:541
Nixon, J. V.
see Cassidy, S. S.
Feldman, M.
Nixon, W., and Pack, A. Effect of altered gas diffusivity on alveolar gas exchange—a theoretical study. 48:147
Nixon, W., and Pack, A. I. Effect of gaseous interaction between lung units on the expired concentration of nitrogen. 53:496
Noble, E. G.
see Ianuzzo, C. D.
Shepherd, R. E.
Noble, W. H., Kay, J. C., Maret, K. H., and Caskanette, G. Reappraisal of extravascular lung thermal volume as a measure of pulmonary edema. 48:120
Nochomovitz, M. L., Goldman, M., Mitra, J., and Cherniack, N. S. Respiratory responses in reversible diaphragm paralysis. 51:1150
Nochomovitz, M. L. *see* Kelsen, S. G.
Noguchi, H., Ogushi, Y., Yoshiya, I., Itakura, N., and Yamabayashi, H. Breath-by-breath $\dot{V}_{CO_2}$ and $\dot{V}_{O_2}$ require compensation for transport delay and dynamic response. 52:79
Nolan, W. F., and Davies, D. G. Brain extracellular fluid pH and blood flow during isocapnic and hypocapnic hypoxia. 53:247
Nolan, W. F., Weathers, W. W., and Sturkie, P. D. Thermally induced peripheral blood flow changes in chickens. 44:81
Nolan, W. F. *see* Davies, D. G.
Noordergraaf, A.
see Hunter, W.
Li, J. K.-J.
Nordby, G. L., and Ellis, J. H. Efficient computer subroutines for interconversion of oxygen tension and saturation. 51:1080
Norgan, N. G. *see* Stock, M. J.
Norlander, O. P. *see* Hedenstierna, G.
Norman, P. S. *see* Rosenthal, R. R.
Norman, R. *see* Green, H.
Norris, A. H. *see* Tzankoff, S. P.
Norton, A. C. *see* Wilmore, J. H.
Norton, J. A., Lowry, S. F., and Brennan, M. F. Effect of work-induced hypertrophy on skeletal muscle of tumor- and nontumor-bearing rats. 46:654
Norton, J. F. *see* Wead, W. B.
Notelovitz, M. *see* Abrams, R. M.
Nunneley, S. A. Gas exchange in man during combined $+G_z$ acceleration and exercise. 40:491
Nunneley, S. A., and Stribley, R. F. Heat and acute dehydration effects on acceleration response in man. 47:197
Nutter, D. O., Priest, R. E., and Fuller, E. O. Endurance training in the rat I. Myocardial mechanics and biochemistry. 51:934
Nutter, D. O.
see Fuller, E. O.
Owens, J. L.
Nyby, M. D. *see* Alexander, J. M.

O

Oakes, G. K., Walker, A. M., Ehrenkranz, R. A., Cefalo, R. C., and Chez, R. A. Uteroplacental blood flow during hyperthermia with and without respiratory alkalosis. 41:197
Oakes, G. K. *see* Walker, A. M.
Oberdörster, G. *see* Lehnert, B. E.
Obminski, G. *see* Wolff, R. K.
O'Brasky, J. E., and Crandall, E. D. Organ and species differences in tissue vascular carbonic anhydrase activity. 49:211
O'Brasky, J. E., Mauro, T., and Crandall, E. D. Postcapillary pH disequilibrium after gas exchange in isolated perfused liver. 47:1079
O'Brien, J. C. *see* Wade, C. E.
O'Brien, J. J., Jr., Lucey, E. C., and Snider, G. L. Arterial blood gases in normal hamsters at rest and during exercise. 46:806
O'Brien, P. *see* Keens, T. G.
O'Brodovich, H. M., Stalcup, S. A., Pang, L. M., and Mellins, R. B. Hemodynamic and vasoactive mediator response to experimental respiratory failure. 52: 1230
O'Brodovich, H. M. *see* Pang, L. M.
O'Bryan, R. *see* Clarke, J. R.
O'Cain, C. *see* Gibson, G. J.
O'Cain, C. F., Dowling, N. B., Slutsky, A. S., Hensley, M. J., Strohl, K. P., McFadden, E. R., Jr., and Ingram, R. H., Jr. Airway effects of respiratory heat loss in normal subjects. 49:875
O'Cain, C. F., Hensley, M. J., McFadden, E. R., Jr., and Ingram, R. H., Jr. Pattern and mechanism of airway response to hypocapnia in normal subjects. 47:8
O'Cain, C. F.
see Hensley, M. J.
Slutsky, A. S.
Strohl, K. P.
O'Connor, T. D. *see* Önal, E.
Oddershede, I. R., and Elizondo, R. S.

Body fluid and hematologic adjustments during resting heat acclimation in rhesus monkey. 49:431
Oddershede, I. R., and Elizondo, R. S. Body fluid and hematologic adjustments during resting cold acclimation in rhesus monkey. 52:1024
Oddershede, J. *see* Dill, D. B.
O'Donnell, D. M., and Kraman, S. S. Vesicular lung sound amplitude mapping by automated flow-gated phonopneumography. 53:603
O'Donnell, M. *see* Diamond, L.
O'Donovan, D. J. *see* Watson, A. W. S.
Ody, C., Dieterle, Y., Wand, I., Stalder, H., and Junod, A. F. PGA_1 and $PGF_{2\alpha}$ metabolism by pig pulmonary endothelium, smooth muscle, and fibroblasts. 46:211
Oehlsen, G. *see* Fahey, T. D.
Offord, K. P. *see* Hyatt, R. E.
Ogden, R. D. see Daubenspeck, J. A.
Ogletree, M. L., and Brigham, K. L. Arachidonate raises vascular resistance but not permeability in lungs of awake sheep. 48:581
Ogushi, Y. *see* Noguchi, H.
O'Hara, W. J., Allen, C., Shephard, R. J., and Allen, G. Fat loss in the cold—a controlled study. 46:872
Ohashi, M. *see* Homma, I.
Ohira, Y., Girandola, R. N., Simpson, D. R., and Ikawa, S. Responses of leukocytes and other hematologic parameters to thermal dehydration. 50:38
Ohira, Y., Ito, A., and Ikawa, S. Correction of water content and solute concentration in blood during hemoconcentration. 42:739
Ohira, Y., Ito, A., and Ikawa, S. Hemoconcentration during isotonic handgrip exercise. 42:744
Ohkuda, K., Nakahara, K., Binder, A., and Staub, N. C. Venous air emboli in sheep: reversible increase in lung microvascular permeability. 51:887
Ohkuda, K.
see Binder, A. S.
Vreim, C. E.
Ohri, A. *see* Shoenfeld, Y.
Ohta, Y., Ar, A., and Farhi, L. E. Solubility and partition coefficients for gases in rabbit brain and blood. 46:1169
Ohta, Y., and Farhi, L. E. Cerebral gas exchange: perfusion and diffusion limitations. 46:1164
Ohta, Y., Song, S. H., Groom, A. C., and Farhi, L. E. Is inert gas washout from the tissues limited by diffusion? 45:903
Okada, K. *see* Kawashima, Y.
Okamoto, M. *see* Kobayashi, Y.
Okken, A. *see* Martin, R. J.
Oksanen-Rossi, R. *see* Harri, M.
Okubo, T. *see* Shibata, H.
Oldenburg, F. A., McCormack, D. W., Morse, J. L. C., and Jones, N. L. A comparison of exercise responses in stair-climbing and cycling. 46:510
Oldridge, N. B., Heigenhauser, G. J. F., Sutton, J. R., and Jones, N. L. Resting and exercise heart rate with apnea and facial immersion in female swimmers. 45:875
Oliver, W., Jr.
see Abraham, W. M.
Ahmed, T.
Maurer, D. R.
Oliver, W. M., Jr. *see* Küng, M.
Olley, P. M. *see* Lock, J. E.
O'Loughlin, B. J.
see Reischl, P.
Stavert, D. M.
Olson, D. E. *see* Jackson, A. C.
Olson, E. B., Jr., and Dempsey, J. A. Rat as a model for humanlike ventilatory adaptation to chronic hypoxia. 44:763
Olson, E. B., Jr., Orbeck, H., Graven, S. N., and Zachman, R. D. Isolated, ventilated, perfused newborn rabbit lung preparation and its assessment. 43:557
Olson, L. E., and Robinson, N. E. Effect of vagal stimulation on collateral flow resistance in dog lungs. 49:287
Olson, L. E., and Robinson, N. E. Propranolol-vagal-alveolar CO_2 interactions on collateral gas flow in dog lungs. 52:1426
Olson, L. G., Hensley, M. J., and Saunders, N. A. Augmentation of ventilatory response to asphyxia by prochlorperazine in humans. 53:637
Olsson, R. A. *see* Lowensohn, H. S.
Olsson, T. *see* Aronsson, H.
Olszowka, A. J.
see Arieli, R.
Reeves, R. B.
Önal, E., Lopata, M., and Evanich, M. J. Effects of electrode position on esophageal diaphragmatic EMG in humans. 47:1234
Önal, E., Lopata, M., and O'Connor, T. D. Diaphragmatic and genioglossal electromyogram responses to CO_2 rebreathing in humans. 50:1052
O'Neil, J. J., Sanford, R. L., Wasserman, S., and Tierney, D. F. Metabolism in rat lung tissue slices: technical factors. 43:902
O'Neil, J. J.
see Hayatdavoudi, G.
Johnson, T. A.
Takezawa, J.
O'Neill, J. T. *see* Enjeti, S.
Ono, T. *see* Tazawa, H.
Openshaw, P. *see* Davis, C.
Openshaw, P. J. M., and Woodroof, G. M. F. Effect of lung volume on the diving response in man. 45:783
Oppenheimer, L., Craven, K. D., Forkert, L., and Wood, L. D. H. Pathophysiology of pulmonary contusion in dogs. 47:718
Oppenheimer, L. *see* Craven, K. D.
Oppliger, R. A. *see* Bedford, T. G.
O'Quin, R. *see* Marini, J. J.
Orbeck, H. *see* Olson, E. B., Jr.
Ordway, G. A., Charles, J. B., Randall, D. C., Billman, G. E., and Wekstein, D. R. Heart rate adaptation to exercise training in cardiac-denervated dogs. 52:1586
Orem, J. Medullary respiratory neuron activity: relationship to tonic and phasic REM sleep. 48:54
Oren, A., Wasserman, K., Davis, J. A., and Whipp, B. J. Effect of CO_2 set point on ventilatory response to exercise. 51:185
Oren, A., Whipp, B. J., and Wasserman, K. Effect of acid-base status on the kinetics of the ventilatory response to moderate exercise. 52:1013
Oren, A. *see* Weissman, M. L.
Orr, G. W., Green, H. J., Hughson, R. L., and Bennett, G. W. A computer linear regression model to determine ventilatory anaerobic threshold. 52:1349
Orr, J. A., and Busija, D. W. Isocapnic hyperpnea in awake ponies during inspiration of 4% CO_2. 47:445
Orr, J. A.
see Bisgard, G. E.
Busija, D. W.
Curet, L. B.
Forster, H. V.
Orr, W. C. *see* Martin, R. J.
Ortiz, C. *see* Peterson, B. T.
Osborn, J. J. *see* Elliott, S. E.
Oscai, L. B., Caruso, R. A., and Wergeles, A. C. Lipoprotein lipase hydrolyzes endogenous triacylglycerols in muscle of exercised rats. 52:1059
Oscai, L. B., Caruso, R. A., Wergeles, A. C., and Palmer, W. K. Exercise and the cAMP system in rat adipose tissue. I. Lipid mobilization. 50:250
Oscai, L. B. *see* Palmer, W. K.
Oshima, T. *see* Akiyama, S.
Osmanliev, D. *see* Barnes, P. J.
Osmanliev, D. P., and Popov, P. K. Influence of expiratory flow rate on "closing volume" measurement. 46:1011
Ostrach, S. *see* Pinchak, A. C.
Ostrander, C. R., Johnson, J. D., and Bartoletti, A. L. Determining the pulmonary excretion rate of carbon monoxide in newborn infants. 40:844
Ott, C. E. *see* Marchand, G. R.
Ottaviano, R. *see* Meyer, E. C.
Ou, L. C., Kim, D., Layton, W. M., Jr., and Smith, R. P. Splenic erythropoiesis in polycythemic response of the rat to high-altitude exposure. 48:857
Stănescu, D. C., Rodenstein, D., Caucal function in rats chronically exposed to high altitude. 47:1185
Overland, E. S., Gupta, R. N., Huchon, G. J., and Murray, J. F. Measurement of pulmonary tissue volume and blood flow in persons with normal and edematous lungs. 51:1375
Overland, E. S. *see* Jibelian, G.
Overton, T. R. *see* Jones, R. L.
Owen, P. J. *see* Brigham, K. L.
Owens, D. H. *see* Suratt, P. M.
Owens, J. L., Fuller, E. O., Nutter, D. O., and DiGirolamo, M. Influence of moderate exercise on adipocyte metabolism and hormonal responsiveness. 43:425
Oxhöj, H. *see* Holtz, B.
Oyarzún, M. J., and Clements, J. A. Ventilatory and cholinergic control of pulmonary surfactant in the rabbit. 43:39

P

Pace, N. *see* Kodama, A. M.
Pack, A. *see* Nixon, W.
Pack, A. I., DeLaney, R. G., and Fishman, A. P. Augmentation of phrenic neural activity by increased rates of lung inflation. 50:149
Pack, A. I.
see Millman, R. P.
Nixon, W.
Padeken, S. *see* Baumann, R.
Padiyar, R. *see* Tsakiris, A. G.
Padove, S. J. *see* Brigham, K. L.
Paganelli, C. V.
see Goldinger, J. M.
Rahn, H.
Paganelli, W. C. *see* Cerretelli, P.
Pahud, P., Ravussin, E., Acheson, K. J., and Jequier, E. Energy expenditure during oxygen deficit of submaximal concentric and eccentric exercise. 49:16
Pahud, P., Ravussin, E., and Jequier, E. Energy expended during oxygen deficit period of submaximal exercise in man. 48:770
Paiva, M., and Engel, L. A. Pulmonary interdependence of gas transport. 47:296
Paiva, M., Lacquet, L. M., and Van der Linden, L. P. Gas transport in a model derived from Hansen-Ampaya anatomical data of the human lung. 41:115
Paiva, M. *see* De Troyer, A.
Pakarinen, A. J. *see* Kosunen, K. J.
Palca, J. W. *see* Haskell, E. H.
Paleček, F. *see* Herget, J.
Paliotta, J. *see* Sullivan, M. J.
Pallikarakis, N. *see* Pirnay, F.
Palmer, A. E. *see* Mitzner, W.
Palmer, W. K., Kalina, C. A., Studney, T. A., and Oscai, L. B. Exercise and the cAMP system in rat adipose tissue. II. Nucleotide catabolism. 50:255
Palmer, W. K. *see* Oscai, L. B.
Palombini, B. *see* Yip, P.
Palti, Y. *see* Gavriely, N.

Palvin, J., and Cheney, F. W., Jr. Unilateral pulmonary edema in rabbits after reexpansion of collapsed lung. 46:31
Pan, L. G.
see Kaminski, R. P.
Klein, J. P.
Panda, A., Senapati, J. M., Parida, B., and Fahim, M. Role of cerebellum on ventilatory change due to muscle-receptor stimulation in the dog. 47:1062
Pandolf, K. B., Givoni, B., and Goldman, R. F. Predicting energy expenditure with loads while standing or walking very slowly. 43:577
Pandolf, K. B.
see Avellini, B. A.
Cymerman, A.
Shapiro, Y.
Young, A. J.
Pang, J. A., Blackburn, J. P., Butland, R. J. A., Corrin, B., Williams, T. R., and Geddes, D. M. Propranolol uptake by dog lung: effect of pulmonary artery occlusion and shock lung. 52:393
Pang, L. M., O'Brodovich, H. M., Mellins, R. B., and Stalcup, S. A. Bradykinin-induced increase in pulmonary vascular permeability in hypoxic sheep. 52:370
Pang, L. M., Rodriguez-Martinez, F., Stalcup, S. A., and Mellins, R. B. Effect of hyperinflation and atelactasis on fluid accumulation in the puppy lung. 45:284
Pang, L. M. *see* O'Brodovich, H. M.
Pannier, J.-L. *see* Heyndrickx, G. R.
Pantely, G. A. *see* Kerr, H. H.
Papadakis, N. *see* Javaheri, S.
Paré, P. D., Boucher, R., Michoud, M.-C., and Hogg, J. C. Static lung mechanics of intact and excised rhesus monkey lungs and lobes. 44:547
Paré, P. D., Brooks, L. A., and Baile, E. M. Effect of systemic venous hypertension on pulmonary function and lung water. 51:592
Paré, P. D., Michoud, M.-C., Boucher, R. C., and Hogg, J. C. Pulmonary effects of acute and chronic antigen exposure of immunized guinea pigs. 46:346
Paré, P. D., Michoud, M.-C., and Hogg, J. C. Lung mechanics following antigen challenge of *Ascaris suum*-sensitive rhesus monkeys. 41:668
Paré, P. D.
see Baile, E. M.
Boucher, R. C.
Habib, M. P.
Michoud, M.-C.
Patterson, R.
Parida, B. *see* Panda, A.
Parisi, A. F. *see* Scharf, S. M.
Park, J. S. *see* Reeves, R. B.
Park, M. *see* Zakheim, R. M.
Park, M. K. *see* Johnson, J. M.
Parker, J. C., Allison, R. C., and Taylor, A. E. Edema affects intra-alveolar fluid pressures and interdependence in dog lungs. 51:911
Parker, J. C., Crain, M., Grimbert, F., Rutili, G., and Taylor, A. E. Total lung lymph flow and fluid compartmentation in edematous dog lungs. 51:1268
Parker, J. C., Guyton, A. C., and Taylor, A. E. Pulmonary interstitial and capillary pressures estimated from intra-alveolar fluid pressures. 44:267
Parker, J. C., and Taylor, A. E. Comparison of capsular and intra-alveolar fluid pressures in the lung. 52:1444
Parker, J. C.
see Grimbert, F. A.
Hildebrandt, J.
Kinnebrew, P. S.
Rutili, G.
Parks, C. R. *see* Woodrum, D. E.
Parmentier, J. L., Shrivastav, B. B., and Bennett, P. B. A versatile high-pressure chamber for electrophysiological measurements. 48:562
Parsons, D., Riedy, M., Moore, R. L., and Gollnick, P. D. Acute fasting and fiber number in rat soleus muscle. 53:1234
Parsons, G. H., and Green, J. F. Mechanisms of pulsus paradoxus in upper airway obstruction. 45:598
Parsons, G. H., Leventhal, J. P., Hansen, M. M., and Goldstein, J. D. Effect of sodium nitroprusside on hypoxic pulmonary vasoconstriction in the dog. 51:288
Pasquale, S. *see* Schaefer, K. E.
Pasquale, S. M., Messier, A. A., Shea, M. L., and Schaefer, K. E. Bone CO_2-titration curves in acute hypercapnia obtained with a modified titration technique. 48:197
Pastoris, O. *see* Benzi, G.
Patel, P. *see* Keens, T. G.
Paterson, D. H., Shephard, R. J., Cunningham, D., Jones, N. L., and Andrew, G. Effects of physical training on cardiovascular function following myocardial infarction. 47:482
Patlak, C. S., and Pettigrew, K. D. A method to obtain infusion schedules for prescribed blood concentration time courses. 40:458
Patlak, C. S. *see* Daniel, P. M.
Patra, P. B. *see* Biswas, H. M.
Patrick, G., and Stirling, C. Measurement of mucociliary clearance from the trachea of conscious and anesthetized rats. 42:451
Patrick, G. B., Strohl, K. P., Rubin, S. B., and Altose, M. D. Upper airway and diaphragm muscle responses to chemical stimulation and loading. 53:1133
Patrick, J. M., Cotes, J. E., Hirshman, C. A., and Weil, J. V. Hypoxic and hypercapnic ventilatory drives in man (Letter to the Editor). 40:1012
Patterson, J. L., Jr.
see Levasseur, J. E.
Navari, R. M.
Patterson, R., Harris, K. E., Michoud, M.-C., Paré, P. D., Boucher, R., and Hogg, J. C. Airway responses to histamine and methacholine in *Ascaris suum*-allergic rhesus monkeys. (Letter to the Editor). 47:645
Patterson, R. E. *see* Lowensohn, H. S.
Patterson, R. W., Nissenson, A. R., Miller, J., Smith, R. T., Narins, R. G., and Sullivan, S. F. Hypoxemia and pulmonary gas exchange during hemodialysis. 50:259
Patterson, R. W., and Sullivan, S. F. Determinants of oxygen uptake during sodium bicarbonate infusion. 45:399
Patton, J. *see* Bynum, G.
Patton, J. F. *see* Knuttgen, H. G.
Patton, R. W. *see* Baun, W. B.
Paul, M. H. *see* Wessel, H. U.
Paul, T. *see* Zapletal, A.
Paul Man, S. F., and Zamel, N. Genetic influence on normal variability of maximum expiratory flow-volume curves. 41:874
Paulsen, W., Boughner, D. R., Ko, P., Cunningham, D. A., and Persaud, J. A. Left ventricular function in marathon runners: echocardiographic assessment. 51:881
Pavlin, D. J., Haschke, R. H., Nessly, M. L., and Cheney, F. W., Jr. Extravascular, extracellular water in rabbit lung using Na and sucrose indicators. 52:792
Pavlin, E. G. *see* Huseby, J. S.
Payne, J. *see* Chowienczyk, P. J.
Payne, T. *see* Brown, B. S.
Paynter, D. E., Tipton, C. M., and Tcheng, T.-K. Response of immunosympathectomized rats to training. 42:935
Paz-Zamora, M. *see* Lockhart, A.
Peake, M. D., Harabin, A. L., Brennan, N. J., and Sylvester, J. T. Steady-state vascular responses to graded hypoxia in isolated lungs of five species. 51:1214
Peake, M. D.
see Harabin, A. L.
Sylvester, J. T.
Pearce, D. H., and Milhorn, H. T., Jr. Dynamic and steady-state respiratory responses to bicycle exercise. 42:959
Pearce, D. H., Milhorn, H. T., Jr., Holloman, G. H., Jr., and Reynolds, W. J. Computer-based system for analysis of respiratory responses to exercise. 42:968
Pearle, J. L. *see* Lopata, M.
Pease, R. D., Benumof, J. L., and Trousdale, F. R. $P_{A_{O_2}}$ and $P\bar{v}_{O_2}$ interaction on hypoxic pulmonary vasoconstriction. 53:134
Peavy, H. *see* Mendoza, C.
Pechar, G. S. *see* McArdle, W. D.
Pedersen, O. F., Castile, R. G., Drazen, J. M., and Ingram, R. H., Jr. Density dependence of maximum expiratory flow in the dog. 53:397
Pedersen, O. F., Thiessen, B., and Lyager, S. Airway compliance and flow limitation during forced expiration in dogs. 52:357
Pedersen, P. K. *see* Welch, H. G.
Peel, R. L. *see* Griffith, B. P.
Peeters, L. L. *see* Jones, M. D., Jr.
Pellerin, D. *see* Arhan, P.
Pelligrino, D. A., and Dempsey, J. A. Effects of hypocapnia on P_{CO_2} gradients between CSF and cerebral capillary blood. 43:480
Pendergast, D., Cerretelli, P., and Rennie, D. W. Aerobic and glycolytic metabolism in arm exercise. 47:754
Pendergast, D. *see* Cerretelli, P.
Pendergast, D. R., Di Prampero, P. E., Craig, A. B., Jr., Wilson, D. R., and Rennie, D. W. Quantitative analysis of the front crawl in men and women. 43:475
Pendergast, D. R. *see* Krasney, J. A.
Pengelly, L. D. Curve-fitting analysis of pressure-volume characteristics of the lungs. 42:111
Pengelly, L. D., Tarshis, A. M., and Rebuck, A. S. Contribution of rib cage and abdomen-diaphragm to tidal volume during CO_2 rebreathing. 46:709
Pengelly, L. D.
see Saunders, N. A.
Stubbing, D. G.
Zin, W. A.
Penney, D. G.
see Bugaisky, L. B.
Thomas, M. F.
York, J. W.
Pennock, B. E., Cox, C. P., Rogers, R. M., Cain, W. A., and Wells, J. H. A noninvasive technique for measurement of changes in specific airway resistance. 46:399
Pennock, B. E.
see Martin, R. J.
McCaffree, D. R.
Penpargkul, S., Malhotra, A., Schaible, T., and Scheuer, J. Cardiac contractile proteins and sarcoplasmic reticulum in hearts of rats trained by running. 48:409
Penpargkul, S., Schwartz, A., and Scheuer, J. Effect of physical conditioning on cardiac mitochondrial function. 45:978
Penpargkul, S.
see Cohen, M. V.
Schaible, T. F.
Peppi, D.
see Auchincloss, J. H.
Auchincloss, J. H., Jr.
Gilbert, R.

Pequignot, J. M., Peyrin, L., Mayet, M. H., and Flandrois, R. Metabolic adrenergic changes during submaximal exercise and in the recovery period in man. 47:701
Pequignot, J. M., Peyrin, L., and Pérès, G. Catecholamine-fuel interrelationships during exercise in fasting men. 48:109
Perel, A.
see Binder, A. S.
Flick, M. R.
Perelman, R. H., Engle, M. J., Kemnitz, J. W., Kotas, R. V., and Farrell, P. M. Biochemical and physiological development of fetal rhesus lung. 53:230
Pérès, G. *see* Pequignot, J. M.
Perez, R. *see* Lemons, J. A.
Permutt, S.
see Robotham, J. L.
Rosenthal, R. R.
Wise, R. A.
Péronnet, F., Cléroux, J., Perrault, H., Cousineau, D., De Champlain, J., and Nadeau, R. Plasma norepinephrine response to exercise before and after training in humans. 51:812
Perrault, H. *see* Péronnet, F.
Perrin, K. J. *see* Lemen, R. J.
Perrine, J. J.
see Caiozzo, V. J.
Gregor, R. J.
Persaud, J. A. *see* Paulsen, W.
Persoz, B. *see* Arhan, P.
Peruzzi, G. *see* Tallarida, G.
Peset, R. *see* Kiers, A.
Peslin, R., Jardin, P., and Hannhart, B. Modeling of the relationship between volume variations at the mouth and chest. 41:659
Peslin, R.
see Bohadana, A. B.
Gautier, H.
Racineux, J. L.
Siafakas, N. M.
Peter, R. E. *see* Wang, L. C. H.
Peterman, V. I. *see* Fish, J. E.
Peters, J. E. *see* Hirshman, C. A.
Petersen, E. S., and Vejby-Christensen, H. Effects of body temperature on ventilatory response to hypoxia and breathing pattern in man. 42:492
Petersén, I. *see* Lindström, L.
Petersen, R. *see* Cohen, A. B.
Peterson, A. P. *see* Schoene, R. B.
Peterson, B. T., Brooks, J. A., and Zack, A. G. Use of microwave oven for determination of postmortem water volume of lungs. 52:1661
Peterson, B. T., Grauer, S. E., Hyde, R. W., Ortiz, C., Moosavi, H., and Utell, M. J. Response of pulmonary veins to increased intracranial pressure and pulmonary air embolization. 48:957
Peterson, B. T., Petrini, M. F., Hyde, R. W., and Schreiner, B. F. Pulmonary tissue volume in dogs during pulmonary edema. 44:782
Peterson, B. T. *see* Petrini, M. F.
Peterson, D. D. *see* Millman, R. P.
Peterson, D. F., Bishop, V. S., and Erickson, H. H. Anti-G suit effect on cardiovascular dynamic changes due to $+G_z$ stress. 43:765
Peterson, D. F. *see* Armstrong, R. B.
Peterson, F. B. *see* Hesse, B.
Peterson, R. E.
see Francis, G.
Gelfand, R.
Peterson, T. *see* Sanders, M.
Peterson, T. V., Gilmore, J. P., and Zucker, I. H. Initial renal responses of nonhuman primate to immersion and intravascular volume expansion. 48:243
Petrini, M. F., Peterson, B. T., and Hyde, R. W. Lung tissue volume and blood flow by rebreathing: theory. 44:795
Petrini, M. F., Peterson, B. T., Hyde, R. W., Lam, V., Utell, M. J., and Kallay, M. C. Uneven gas mixing during rebreathing assessed by simultaneously measuring dead space. 53:930
Petrini, M. F. *see* Peterson, B. T.
Petrofsky, J. S., and Lind, A. R. Comparison of metabolic and ventilatory responses of men to various lifting tasks and bicycle ergometry. 45:60
Petrofsky, J. S., and Lind, A. R. Metabolic, cardiovascular, and respiratory factors in the development of fatigue in lifting tasks. 45:64
Petrofsky, J. S., Phillips, C. A., Sawka, M. N., Hanpeter, D., Lind, A. R., and Stafford, D. Muscle fiber recruitment and blood pressure response to isometric exercise. 50:32
Petrofsky, J. S., Phillips, C. A., Sawka, M. N., Hanpeter, D., and Stafford, D. Blood flow and metabolism during isometric contractions in cat skeletal muscle. 50:493
Petrofsky, J. S.
see Lind, A. R.
Stafford, D. E.
Petrovická, M. *see* Herget, J.
Petry, R. W. *see* Pozos, R. S.
Petschow, D., Würdinger, I., Baumann, R., Duhm, J., Braunitzer, G., and Bauer, C. Causes of high blood O_2 affinity of animals living at high altitude. 42:139
Pettigrew, K. D.
see Daniel, P. M.
Patlak, C. S.
Pettit, S. *see* Lu, S.-T.
Peuler, J. *see* Moskowitz, R. M.
Peyraud, C. *see* Belaud, A.
Peyrin, L.
see Claustre, J.
Pequignot, J. M.
Pfeiffer, C. J. *see* Shearin, N. L.
Pfeiffer, E. W. *see* Hamilton, J. D.
Phernetton, T. M. *see* Stock, M. K.
Phillips, B. A. *see* Cooper, K. R.
Phillips, C. A. *see* Petrofsky, J. S.
Phillips, C. J., Coppinger, R. P., and Schimel, D. S. Hyperthermia in running sled dogs. 51:135
Phillips, D. L. *see* Band, D. M.
Phillips, J. R. *see* Liu, J.
Phillips, S. *see* Horsfield, K.
Phillipson, E. A., Bowes, G., Townsend, E. R., Duffin, J., and Cooper, J. D. Carotid chemoreceptors in ventilatory responses to changes in venous CO_2 load. 51:1398
Phillipson, E. A., Duffin, J., and Cooper, J. D. Critical dependence of respiratory rhythmicity on metabolic CO_2 load. 50:45
Phillipson, E. A., Kozar, L. F., and Murphy, E. Respiratory load compensation in awake and sleeping dogs. 40:895
Phillipson, E. A., Murphy, E., and Kozar, L. F. Regulation of respiration in sleeping dogs. 40:688
Phillipson, E. A., Sullivan, C. E., Read, D. J. C., Murphy, E., and Kozar, L. F. Ventilatory and waking responses to hypoxia in sleeping dogs. 44:512
Phillipson, E. A.
see Bowes, G.
Sullivan, C. E.
Piantadosi, C. A., and Thalmann, E. D. Thermal responses in humans exposed to cold hyperbaric helium-oxygen. 49:1099
Piantadosi, C. A., Thalmann, E. D., and Spaur, W. H. Metabolic response to respiratory heat loss-induced core cooling. 50:829
Piehl, K. *see* Gollnick, P. D.
Pierce, A. K.
see Bynum, L. J.
Cassidy, S. S.
Piergies, M. *see* Hughes, R. L.
Pierson, D. J.
see Schoene, R. B.
Zwillich, C. W.
Pierson, R. M., Jr. *see* Yang, M. U.
Pierson, R. N., Jr. *see* Colt, E. W. D.
Piiper, J., and Scheid, P. Models for a comparative functional analysis of gas exchange organs in vertebrates. 53:1321
Piiper, J.
see Jennings, D. B.
Meyer, M.
Scheid, P.
Sikand, R. S.
Tazawa, H.
Worth, H.
Pimental, N. A. *see* Shapiro, Y.
Pimmel, R. L., Fullton, J. M., Ginsberg, J. F., Hazucha, M. J., Haak, E. D., McDonnell, W. F., and Bromberg, P. A. Correlation of airway resistance with forced random noise resistance parameters. 51:33
Pimmel, R. L., Miller, T. K., III, Fouke, J. M., and Eyles, J. G. Time-constant histograms from the forced expired volume signal. 51:1581
Pimmel, R. L., Tsai, M. J., and Bromberg, P. A. Estimating $\dot{V}A/\dot{Q}$ distributions from inert gas data with an enforced smoothing algorithm. 43:1106
Pimmel, R. L., Tsai, M. J., Winter, D. C., and Bromberg, P. A. Estimating central and peripheral respiratory resistance. 45:375
Pimmel, R. L.
see Fouke, J. M.
Fullton, J. M.
Haddad, A. G.
Miller, T. K.
Strope, G. L.
Tsai, M. J.
Williams, S. P.
Pinard, E. *see* Seylaz, J.
Pinchak, A. C., and Ostrach, S. Blood flow in branching vessels. 41:646
Pinshow, B. *see* Degen, A. A.
Piret, L. *see* Nemery, B.
Pirlo, A. F., Benumof, J. L., and Trousdale, F. R. Atelectatic lobe blood flow: open vs. closed chest, positive pressure vs. spontaneous ventilation. 50:1022
Pirlo, A. F. *see* Benumof, J. L.
Pirnay, F., Crielaard, J. M., Pallikarakis, N., Lacroix, M., Mosora, F., Krzentowski, G., Luyckx, A. S., and Lefebvre, P. J. Fate of exogenous glucose during exercise of different intensities in humans. 53: 1620
Pirnay, F., Lacroix, M., Mosora, F., Luyckx, A., and Lefebvre, P. Glucose oxidation during prolonged exercise evaluated with naturally labeled [^{13}C]glucose. 43:258
Pitt, B. R., Gillis, C. N., and Hammond, G. L. Influence of the lung on arterial levels of endogenous prostaglandins E and F. 50:1161
Pitt, B. R., Hammond, G. L., and Gillis, C. N. Depressed pulmonary removal of [^{3}H]prostaglandin E_1 after prolonged cardiopulmonary bypass. 52:887
Pitt, B. R., Hammond, G. L., and Gillis, C. N. Comparison of pulmonary and extrapulmonary extraction of biogenic amines. 52:1545
Pitt, B. R.
see Flink, J. R.
Yeates, D. B.
Pittet, P. *see* Chappuis, P.
Pittman, T. *see* Kivlen, C. M.
Plewes, J. R. *see* Krasney, J. A.
Ploy-Song-Sang, Y., Corbin, R. P., and Engel, L. A. Effects of intravenous histamine on lung mechanics in man after beta-blockade. 44:690
Ploy-Song-Sang, Y., Dosman, J., and Macklem, P. T. Demonstration of re-

gional phase differences in ventilation by breath sounds. 46:361
Podany, J. *see* Cohen, A. B.
Podgorski, R. P. *see* Lotz, W. G.
Pohlová, I. *see* Cherchowich, G. M.
Pokorski, M., and Lahiri, S. Effects of naloxone on carotid body chemoreception and ventilation in the cat. 51:1533
Pokorski, M., and Lahiri, S. Inhibition of aortic chemoreceptor responses by metabolic alkalosis in the cat. 53:75
Pokorski, M., Mokashi, A., Mulligan, E., Nishino, T., and Lahiri, S. Responses of aortic chemoreceptors before and after pneumothorax in the cat. 51:665
Polacheck, J., Strong, R., Arens, J., Davies, C., Metcalf, I., and Younes, M. Phasic vagal influence on inspiratory motor output in anesthetized human subjects. 49:609
Polacheck, J. *see* Younes, M.
Polianski, J. *see* Capderou, A.
Polinski, W. J. *see* Hagerman, F. C.
Pollock, M. L., Hickman, T., Kendrick, Z., Jackson, A., Linnerud, A., and Dawson, G. Prediction of body density in young and middle-aged men. 40:300
Pollock, M. L. *see* Anholm, J. D.
Polosa, C.
see Iscoe, S.
Schondorf, R.
Poon, C.-S. *see* Ward, S. A.
Poortman, J. *see* Keizer, H. A.
Poortmans, J. R., Delescaille-Vanden Bossche, J., and Leclercq, R. Lactate uptake by inactive forearm during progressive leg exercise. 45:835
Popov, P. K. *see* Osmanliev, D. P.
Popovac, D. *see* Davis, B.
Porcelli, R. J., Ventura, D. F., Mahoney, W. A., and Bergofsky, E. H. Role of histamine in regulating pulmonary vascular tone and reactivity. 51:1320
Porcelli, R. J., Viau, A. T., Naftchi, N. E., and Bergofsky, E. H. β-Receptor influence on lung vasoconstrictor responses to hypoxia and humoral agents. 43:612
Porges, W. L. *see* Quail, A. W.
Porritt, D. S. *see* Ferrario, C. M.
Portalska, E. *see* Sadowski, J.
Portner, P. M. *see* Cotton, D. J.
Possmayer, F. *see* Metcalfe, I. L.
Pototschnik, R. *see* Metcalfe, I. L.
Powell, E.
see Gautier, H.
Krasney, J. A.
Power, G. G.
see Allen, W. W.
Hill, E. P.
Power, J. H. T. *see* Nicholas, T. E.
Powers, S. R. *see* Schumacker, P. T.
Powles, A.
see Coates, G.
Mansell, A.
Pozos, R. S., Iaizzo, P. A., and Petry, R. W. Physiological action tremor of the ankle. 52:226
Pozos, R. S.
see Iaizzo, P. A.
Stiles, R. N.
Prakash, U. B. S., and Hyatt, R. E. Static mechanical properties of bronchi in normal excised human lungs. 45:45
Pratt, D. S. *see* Hyers, T. M.
Pratt, O. E. *see* Daniel, P. M.
Pratt, P. C. *see* Crapo, J. D.
Pratt, T. *see* Harf, A.
Prazma, J., Smith, D., and Jochem, W. J. Current-to-voltage convertor for measurement of oxygen. 44:977
Preclík, P. *see* Herget, J.
Prefaut, C., Lupi-H., E., and Anthonisen, N. R. Human lung mechanics during water immersion. 40:320
Prefaut, C. *see* Jammes, Y.
Préfontaine, G. *see* Preston, E.
Prestele, K. *see* Franetzki, M.
Preston, E., and Préfontaine, G. Cerebrovascular permeability to sucrose in the rat exposed to 2,450-MHz microwaves. 49:218
Preston, S. *see* Bowes, C.
Pretto, J. J. *see* Johns, D. P.
Pride, N. B.
see Barnes, P. J.
Davis, C.
Gibson, G. J.
Hahn, H. L.
Priebe, H.-J., Heinmann, J. C., and Hedley-Whyte, J. Mechanisms of renal dysfunction during positive end-expiratory pressure ventilation. 50:643
Priest, R. E. *see* Nutter, D. O.
Prietto, C. A. *see* Caiozzo, V. J.
Primiano, F. P., Jr.
see Ligas, J. R.
Salmon, R. B.
Proctor, D. F.
see Adams, G. K.
Man, S. F. P.
Reasor, M. J.
Proctor, K. G., and Bohlen, H. G. Tonometer for calibration and evaluation of oxygen microelectrodes. 46:1016
Proctor, K. G. *see* Beran, A. V.
Proppe, D. W. α-Adrenergic control of intestinal circulation in heat-stressed baboons. 48:759
Proppe, D. W. Influence of skin temperature on central thermoregulatory control of leg blood flow. 50:974
Propst, J. *see* Hary, D.
Proulx, P. A., Harf, A., Lorino, H., Atlan, G., and Laurent, D. Dynamic characteristics of air-filled differential pressure transducers. 46:608
Prutow, R. J. *see* McEvoy, R. D.
Purple, R. L. *see* Gur, M.

Q

Quagliato, R. *see* Gibson, G. J.
Quail, A. W., Traugott, F. M., Porges, W. L., and White, S. W. Thoracic resistivity for stroke volume calculation in impedance cardiography. 50:191
Quan, S. F., Moon, M. A., and Lemen, R. J. Effects of arachidonic acid, $PGF_{2\alpha}$, and a PGH_2 analogue on airway diameters in dogs. 53:1005
Quatrefages, R. *see* Alric, R.
Quebbeman, E. J., and Dawson, C. A. Effect of lung inflation and hypoxia on pulmonary arterial blood volume. 43:8
Quinlan, J.
see Marsh, E.
Sale, D.
Quinton, P. M. Construction of picoliter-nanoliter self-filling volumetric pipettes. 40:260
Qvist, J., Weber, R. E., and Zapol, W. M. Oxygen equilibrium properties of blood and hemoglobin of fetal and adult Weddell seals. 50:999
Qvist, J.
see Liggins, G. C.
Zapol, W. M.

R

Raab, J. L., Eng, P., and Waschler, R. Metabolic cost of grade running in dogs. 41:532
Rabi, T., Cassuto, Y., and Gutman, A. Lipolysis in brown adipose tissue of cold- and heat-acclimated hamsters. 43:1007
Rabinovitch, P. *see* Beck, G. R.
Rabson, J. *see* Robotham, J. L.
Racineux, J. L., Peslin, R., and Hannhart, B. Sensitivity of forced expiration indices to induced changes in peripheral airway resistance. 50:15
Rader, R. D. *see* Baker, M. A.
Radford, E. P. *see* Laver, M. B.
Radomski, M. W., and Boutelier, C. Hormone response of normal and intermittent cold-preadapted humans to continuous cold. 53:610
Raemer, D. B., Westenskow, D. R., Gehmlich, D. K., Richardson, C. P., and Jordan, W. S. A method for measurement of oxygen uptake in neonates. 46:1200
Raemer, D. B. *see* Tsoi, C. M.
Raff, H., Tzankoff, S. P., and Fitzgerald, R. S. ACTH and cortisol responses to hypoxia in dogs. 51:1257
Raff, H., Tzankoff, S. P., and Fitzgerald, R. S. Chemoreceptor involvement in cortisol responses to hypoxia in ventilated dogs. 52:1092
Raffin, T. A. *see* Simon, L. M.
Rahmani, N. H. *see* Chand, N.
Rahn, H., Ledoux, T., Paganelli, C. V., and Smith, A. H. Changes in eggshell conductance after transfer of hens from an altitude of 3,800 to 1,200 m. 53:1429
Rahn, H. *see* Tazawa, H.
Raichle, M. E., Grubb, R. L., Jr., Eichling, J. O., and Ter-Pogossian, M. M. Measurement of brain oxygen utilization with radioactive oxygen-15: experimental verification. 40:638
Raimondi, G. *see* Tallarida, G.
Raj, J. U. *see* Bland, R. D.
Ramachandran, M. *see* Epstein, M.
Ramanathan, M. *see* Cassidy, S. S.
Rambaut, P. C. *see* Leach, C. S.
Ramsdell, J. W., and Georghiou, P. F. Prolonged methacholine-induced bronchoconstriction in dogs. 47:418
Ramsey, J. M., and Casper, P. W., Jr. Effect of carbon monoxide exposures on erythrocytic 2,3-DPG in rabbits. 41:689
Randall, D. C. *see* Ordway, G. A.
Ranga, V. *see* Boucher, R. C.
Rankin, J. H. G.
see Busija, D. W.
Curet, L. B.
Stock, M. K.
Rankin, J. S., McHale, P. A., and Greenfield, J. C., Jr. Nonobstructive chronic cannulation of the left circumflex coronary artery of the dog. 40:263
Rannels, D. E., White, D. M., and Watkins, C. A. Rapidity of compensatory lung growth following pneumonectomy in adult rats. 46:326
Rannels, D. E. *see* Watkins, C. A.
Ranson-Bitker, B. *see* Fournier, P.
Rantamäki, J. *see* Vihko, V.
Rao, S. V., Sant'Ambrogio, F. B., and Sant'Ambrogio, G. Respiratory reflexes evoked by tracheal distension. 50:421
Rapaport, E. *see* Abendschein, D. R.
Rapoport, D. M. *see* Sorkin, B.
Rapp, J. P. *see* Shepherd, R. E.
Rascati, R. *see* Graichen, H.
Rasmussen, B.
see Bisgard, G. E.
Forster, H. V.
Rasmussen, S. *see* Sanders, M.
Ratteree, J. W. *see* Hubbard, R. W.
Rattner, B. A., Gruenau, S. P., and Altland, P. D. Cross-adaptive effects of cold, hypoxia, or physical training on decompression sickness in mice. 47:412
Rattner, B. A. *see* Altland, P. D.
Raven, P. B.
see Baun, W. B.
Drinkwater, B. L.
Folinsbee, L. J.
Ravussin, E. *see* Pahud, P.
Rawlings, C. A. *see* Bisgard, G. E.
Ray, U. S. *see* Nag, P. K.
Raymond, L. W. *see* Hoar, P. F.
Raynaud, J., Drouet, L., Martineaud, J. P., Bordachar, J., Coudert, J., and Durand, J. Time course of plasma growth hormone during exercise in humans at altitude. 50:229

Raynor, C. M. *see* Hahn, C. E. W.
Read, D. J. C.
see Henderson-Smart, D. J.
Jeffery, H. E.
Phillipson, E. A.
Reasor, M. J., Adams, G. K., III., Proctor, D. F., and Rubin, R. J. Tracheobronchial secretions collected from intact dogs. I. Protein and mucous glycoprotein composition. 45:182
Reasor, M. J., Cohen, D., Proctor, D. F., and Rubin, R. J. Tracheobronchial secretions collected from intact dogs. II. Effects of cholinomimetic stimulation. 45:190
Reasor, M. J. *see* Adams, G. K.
Reber, H. A., and Lightwood, R. Microcannulation—a new micropuncture technique application in cat pancreas secretion. 40:984
Rebuck, A. S.
see Goldstein, R. S.
Pengelly, L. D.
Saunders, N. A.
Rechnitzer, P. A. *see* Wolfe, L. A.
Reddan, W. *see* Hanson, P.
Reddan, W. G. *see* Dempsey, J. A.
Reed, B. R.
see Brown, J. K.
Lazarus, S. C.
Reed, J. W.
see Bouhuys, A.
Crosbie, W. A.
Reed, L. D. *see* Buguet, A. G. C.
Rees, P. J. *see* Chowienczyk, P. J.
Rees, P. M. *see* Bonchek, L. I.
Reese, R. D. *see* Greenleaf, J. E.
Reeves, C. D. *see* Hackett, P. H.
Reeves, J. T.
see Cruz, J. C.
Denniston, J. C.
Doekel, R. C.
Gerber, J. G.
Hackett, P. H.
Hyers, T. M.
Johnson, T. S.
Moore, L. G.
Tucker, A.
Voelkel, N. F.
Walker, B. R.
Weir, E. K.
Will, D. H.
Reeves, R. B. Temperature-induced changes in blood acid-base status: pH and PCO_2 in a binary buffer. 40:752
Reeves, R. B. Temperature-induced changes in blood acid-base status: Donnan r_{Cl} and red cell volume. 40:762
Reeves, R. B., Park, J. S., Lapennas, G. N., and Olszowka, A. J. Oxygen affinity and Bohr coefficients of dog blood. 53:87
Regan, R. *see* Drazen, J. M.
Rehder, K., Knopp, T. J., and Sessler, A. D. Regional intrapulmonary gas distribution in awake and anesthetized-paralyzed prone man. 45:528
Rehder, K., Knopp, T. J., Sessler, A. D., and Didier, E. P. Ventilation-perfusion relationship in young healthy awake and anesthetized-paralyzed man. 47:745
Rehder, K., Sessler, A. D., and Rodarte, J. R. Regional intrapulmonary gas distribution in awake and anesthetized-paralyzed man. 42:391
Rehder, K.
see Cortese, D. A.
Frazier, A. R.
Juno, P.
Klineberg, P. L.
Landmark, S. J.
Marsh, H. M.
Rich, C. R.
Rodarte, J. R.
Scheidt, M.
Schmid, E. R.
Southorn, P.
Rehm, W. S. *see* Graves, C. N.
Reid, B. A. *see* Sibbald, W. J.
Reid, L.
see Davies, P.
Rendas, A.
Reinhardt, H., and Brenneisen, G. New method for measuring skin humidity. 41:256
Reinhart, M. E.
see Küng, M.
Wanner, A.
Reischl, P., Gonzalez, F., Jr., Greco, E. C., Jr., Fordyce, W. E., and Grodins, F. S. Arterial P_{CO_2} response to intravenous CO_2 in awake dogs unencumbered by external breathing apparatus. 47:1099
Reischl, P., and Stavert, D. M. Arterial CO_2 response to low levels of inspired CO_2 in awake beagle dogs. 52:672
Reischl, P., Stavert, D. M., Lewis, S. M., Murdock, L. C., and O'Loughlin, B. J. End-tidal CO_2 response to low levels of inspired CO_2 in awake beagle dogs. 48:1077
Reischl, P.
see Bennett, F. M.
Greco, E. C., Jr.
Stavert, D. M.
Reivich, M.
see Harbig, K.
Shapiro, H. M.
Remmers, J. E., and Bartlett, D., Jr. Reflex control of expiratory airflow and duration. 42:80
Remmers, J. E., DeGroot, W. J., Sauerland, E. K., and Anch, A. M. Pathogenesis of upper airway occlusion during sleep. 44:931
Remmers, J. E., and Gautier, H. Servo respirator constructed from a positive-pressure ventilator. 41:252
Remmers, J. E.
see Anch, A. M.
Baker, J. P., Jr.
Younes, M. K.
Rendas, A., Branthwaite, M., Lennox, S., and Reid, L. Response of the pulmonary circulation to acute hypoxia in the growing pig. 52:811
Rendas, A., Branthwaite, M., and Reid, L. Growth of pulmonary circulation in normal pig—structural analysis and cardiopulmonary function. 45:806
Rennie, D. *see* Hackett, P. H.
Rennie, D. W.
see Cerretelli, P.
Pendergast, D.
Veicsteinas, A.
Rennie, M. J.
see Gyntelberg, F.
Hickson, R. C.
Renzetti, A. D., Jr. *see* Clark, J. S.
Repine, J. E. *see* Shasby, D. M.
Reybrouck, T., Amery, A., and Billiet, L. Hemodynamic response to graded exercise after chronic β-adrenergic blockade. 42:133
Reybrouck, T. *see* Fagard, R.
Reyburn, J. A. *see* Wagner, J. A.
Reynolds, D. B., and Lee, J.-S. Steady pressure-flow relationship of a model of the canine bronchial tree. 51:1072
Reynolds, R. L. *see* Johnson, R. L., Jr.
Reynolds, W. J. *see* Pearce, D. H.
Rezvani, A. H. *see* Gordon, C. J.
Rhodes, C. G. *see* Swinburne, A. J.
Riben, P. *see* Cooper, K. E.
Rice, D. A. Sound speed in the upper airways. 49:326
Rice, D. L. *see* Miller, W. C.
Rich, C. R., Rehder, K., Knopp, T. J., and Hyatt, R. E. Halothane and enflurane anesthesia and respiratory mechanics in prone dogs. 46:646
Rich, S. *see* Hickson, R. C.
Richard, D. *see* LeBlanc, J.
Richards, P. *see* Susskind, H.
Richardson, B. S. *see* Bissonnette, J. M.
Richardson, C. P. *see* Raemer, D. B.
Richardson, D. Blood flow response of human calf muscles to static contractions at various percentages of MVC. 51:929
Richardson, D., and Shewchuk, R. Effects of contraction force and frequency on postexercise hyperemia in human calf muscles. 49:649
Richardson, D. W. *see* Levasseur, J. E.
Richardson, J., and Béland, J. Non-adrenergic inhibitory nerves in human airways. 41:764
Richardson, J. B. *see* Kneussl, M. P.
Richardson, P., and Anderson, M. Automated nitrogen-washout methods for infants: evaluated using cats and a mechanical lung. 52:1378
Richmond, V., and D'Aoust, B. Effects of intermittent hyperbaric oxygen on guinea pig lung elastin and collagen. 41:295
Richter, E. A., Galbo, H., and Christensen, N. J. Control of exercise-induced muscular glycogenolysis by adrenal medullary hormones in rats. 50:21
Richter, E. A. *see* Galbo, H.
Rickaby, D. A., Dawson, C. A., and Linehan, J. H. Influence of blood and plasma flow rate on kinetics of serotonin uptake by lungs. 53:677
Rickaby, D. A., Dawson, C. A., and Maron, M. B. Pulmonary inactivation of serotonin and site of serotonin pulmonary vasoconstriction. 48:606
Rickaby, D. A., Linehan, J. H., Bronikowski, T. A., and Dawson, C. A. Kinetics of serotonin uptake in the dog lung. 51:405
Rickaby, D. A.
see Hamilton, L. H.
Linehan, J. H.
Maron, M. B.
Riddle, W., and Younes, M. A model for the relation between respiratory neural and mechanical outputs. II. Methods. 51:979
Riddle, W. *see* Younes, M.
Riedy, M.
see Gollnick, P. D.
Moore, R. L.
Parsons, D.
Riepl, G. *see* Meyer, M.
Ries, A. L., Clausen, J. L., and Friedman, P. J. Measurement of lung volumes from supine portable chest radiographs. 47: 1332
Rigatto, H.
see Albersheim, S.
Leahy, F. A. N.
Rigg, J. R. A. *see* Saunders, N. A.
Riley, D. J., Legawiec, B. A., Santiago, T. V., and Edelman, N. H. Ventilatory responses to hypercapnia and hypoxia during continuous aspirin ingestion. 43:971
Riley, D. J. *see* Santiago, T. V.
Riley, J. L., Thurston, J. R., Egemo, C. L., and Elliott, H. L. A radiotelemetry transmitter for transmitting temperatures from small animals. 45:1016
Rinehart, J. S. *see* Lind, A. R.
Ritchie, B. C. *see* Bowes, G.
Ritman, E. L. *see* Greenleaf, J. F.
Ritzer, T. F., Bove, A. A., and Carey, R. A. Left ventricular performance characteristics in trained and sedentary dogs. 48:130
Ritzer, T. F. *see* Bove, A. A.
Robb, R. A. *see* Chevalier, P. A.
Robbins, P. A., Swanson, G. D., and Howson, M. G. A prediction-correction scheme for forcing alveolar gases along certain time courses. 52:1353
Robbins, P. A., Swanson, G. D., Micco, A. J., and Schubert, W. P. A fast gas-mixing system for breath-to-breath respiratory control studies. 52:1358

Roberts, A. M., Kaufman, M. P., Baker, D. G., Brown, J. K., Coleridge, H. M., and Coleridge, J. C. G. Reflex tracheal contraction induced by stimulation of bronchial C-fibers in dogs. 51:485
Roberts, A. M.
see Coleridge, J. C. G.
Davis, B.
Roberts, J. M. *see* Murlas, C.
Roberts, M. F., and Wenger, C. B. Control of skin blood flow during exercise: thermal and nonthermal factors. 46:780
Roberts, M. F., and Wenger, C. B. Control of skin blood flow during exercise by thermal reflexes and baroreflexes. 48:717
Roberts, M. F., Wenger, C. B., Stolwijk, J. A. J., and Nadel, E. R. Skin blood flow and sweating changes following exercise training and heat acclimation. 43:133
Roberts, M. F.
see Nadel, E. R.
Wenger, C. B.
Roberts, N. K. *see* Tibbits, G.
Roberts, R. *see* Elder, G. C. B.
Roberts, R. J. *see* Frank, L.
Robertson, C. H., Jr., Bradley, M. E., and Homer, L. D. Comparison of two- and four-magnetometer methods of measuring ventilation. 49:355
Robertson, C. H., Jr., Engle, C. M., and Bradley, M. E. Lung volumes in man immersed to the neck: dilution and plethysmographic techniques. 44:679
Robertson, C. H., Jr. *see* Cassidy, S. S.
Robertson, D. G. *see* Jones, N. L.
Robertson, H. T., Coffey, R. L., Standaert, T. A., and Truog, W. E. Respiratory and inert gas exchange during high-frequency ventilation. 52:683
Robertson, H. T., and Hlastala, M. P. Elevated alveolar P_{CO_2} relative to predicted values during normal gas exchange. 43:357
Robertson, H. T.
see Hlastala, M. P.
Luce, J. M.
Schoene, R. B.
Robertson, R. J., Gilcher, R., Metz, K. F., Skrinar, G. S., Allison, T. G., Bahnson, H. T., Abbott, R. A., Becker, R., and Falkel, J. E. Effect of induced erythrocythemia on hypoxia tolerance during physical exercise. 53:490
Robillard, J. E. *see* Bard, H.
Robin, E. D.
see Liu, J.
Simon, L. M.
Robinson, E. P., and Kjeldgaard, J. M. Improvement in ventilatory muscle function with running. 52:1400
Robinson, M. J. *see* Ahmed, T.
Robinson, N. E., and Sorenson, P. R. Collateral flow resistance and time constants in dog and horse lungs. 44:63
Robinson, N. E.
see Derksen, F. J.
Fuller, S. D.
Hyde, D. M.
Olson, L. E.
Sorenson, P. R.
Robinson, R. D. *see* Robinson, S.
Robinson, S., Dill, D. B., Robinson, R. D., Tzankoff, S. P., and Wagner, J. A. Physiological aging of champion runners. 41:46
Robinson, S.
see Aulick, L. H.
Mager, M.
Myhre, L. G.
Robinson, S. M., Cadwallader, J. A., and Hill, P. McN. An animal model for the study of regional lung function. 45:320
Robotham, J. L., Lixfeld, W., Holland, L., MacGregor, D., Bryan, A. C., and Rabson, J. Effects of respiration on cardiac performance. 44:703
Robotham, J. L., and Mitzner, W. A model of the effects of respiration on left ventricular performance. 46:411
Robotham, J. L., Nicolaysen, G., and Hauge, A. Determinants of transvascular fluid shifts in zone I lungs. (Letter to the Editor). 49:539
Robotham, J. L., Rabson, J., Permutt, S., and Bromberger-Barnea, B. Left ventricular hemodynamics during respiration. 47:1295
Robotham, J. L. *see* Wise, R. A.
Robson, R. H., and Fluck, D. C. Autonomic blockade and coronary catecholamines and cyclic AMP in exercising man. 43:949
Roby, F. B.
see Buono, M. J.
Coyle, E. F.
Roche, S. *see* Drinkwater, B. L.
Rochelle, R. H. *see* Lind, A. R.
Rochester, D. F.
see Arora, N. S.
Braun, N. M. T.
Suratt, P. M.
Röcker, L. *see* Koch, G.
Rodarte, J. C. *see* Frazier, A. R.
Rodarte, J. R., Burgher, L. W., Hyatt, R. E., and Rehder, K. Lung recoil and gas trapping during oxygen breathing at low lung volumes. 43:138
Rodarte, J. R.
see Castile, R. G.
Chevalier, P. A.
Cortese, D. A.
Hutcheon, M. A.
Kallok, M. J.
Kappos, A. D.
Lai, Y.-L.
Lai-Fook, S. J.
Lambert, R. K.
Rehder, K.
Staats, B. A.
Rodden, B. E. *see* Leger, A.
Rodeau, J. L., and Malan, A. An O_2-CO_2 mixing system for studies on water-breathing animals. 51:229
Rodenstein, D.
see De Troyer, A.
Stănescu, D. C.
Yernault, J.-C.
Rodenstein, D. O., Stănescu, D. C., and Francis, C. Demonstration of failure of body plethysmography in airway obstruction. 52:949
Rodriguez-Martinez, F. *see* Pang, L. M.
Roehrs, J. D., Rogers, W. R., and Johanson, W. G., Jr. Bronchial reactivity to inhaled methacholine in cigarette-smoking baboons. 50:754
Roelandts, J. *see* Demedts, M.
Rogers, G. *see* Senay, L. C., Jr.
Rogers, G. G.
see Kotze, H. F.
Mitchell, D.
Strydom, N. B.
Wyndham, C. H.
Rogers, R. M.
see Martin, R. J.
McCaffree, D. R.
Pennock, B. E.
Rogers, W. R.
see Roehrs, J. D.
Wallis, T. W.
Rola-Pleszcynski, M. *see* Bégin, R.
Roll, J. P. *see* Jammes, Y.
Rome, L. *see* Fedak, M. A.
Romero, G. T. *see* Girandola, R. N.
Rooney, S. A. *see* Gross, I.
Rorie, D. K. *see* Freeman, W. K.
Rose, G. L., Cassidy, S. S., and Johnson, R. L., Jr. Diffusing capacity at different lung volumes during breath holding and rebreathing. 47:32
Rose, G. L. *see* Cassidy, S. S.
Rose, J. C. *see* Stinger, R. B.
Rosekrans, R. H. *see* Light, R. W.
Roselli, R. J. *see* Harris, T. R.
Rosen, K. *see* Teague, S.
Rosenfeld, H. *see* Wolfe, L. A.
Rosenhamer, G. *see* Bjurstedt, H.
Rosenthal, M.
see Jöbsis, F. F.
Sick, T. J.
Rosenthal, M. R. *see* Hempel, F. G.
Rosenthal, R. R., Norman, P. S., Summer, W. R., and Permutt, S. Role of the parasympathetic system in antigen-induced bronchospasm. 42:600
Roskoski, R., Jr. *see* Crockatt, L. H.
Rosowski, J. J. *see* Dueker, C. W.
Ross, B. K., and Hlastala, M. P. Increased hemoglobin-oxygen affinity does not decrease skeletal muscle oxygen consumption. 51:864
Ross, B. K. *see* Böning, D.
Ross, W. R. D.
see Gross, D.
Lisboa, C.
Rossier, A. *see* Banzett, R. B.
Rossing, T. H., Slutsky, A. S., Ingram, R. H., Jr., Kamm, R. D., Shapiro, A. H., and Drazen, J. M. CO_2 elimination by high-frequency oscillations in dogs—effects of histamine infusion. 53:1256
Rossing, T. H., Weiss, J. W., Breslin, F. J., Ingram, R. H., Jr., and McFadden, E. R., Jr. Effects of inhaled sympathomimetics on obstructive response to respiratory heat loss. 52:1119
Rossman, C. *see* Dolovich, M. B.
Roth, R. A., and Gillis, C. N. Effect of ventilation and pH on removal of mescaline and biogenic amines by rabbit lung. 44:553
Rotkis, T. C. *see* Coyle, E. F.
Rotman, H., Ikeda, I., Chiu, C. S., Kramer, E., and Aminoff, D. Resistance of red blood cell membrane to oxygen uptake. 49:306
Rotshtein, A. *see* Bar-Or, O.
Rouk, K. *see* Laughlin, M. H.
Rouleau, M. Y. *see* Sargeant, A. J.
Rounds, S. *see* Fuchs, K. I.
Rounds, S. S. *see* Moore, L. G.
Rouse, E. T. *see* Hales, C. A.
Rousseau-Migneron, S. *see* LeBlanc, J.
Roussel, B. *see* Henane, R.
Roussos, C., Fixley, M., Gross, D., and Macklem, P. T. Fatigue of inspiratory muscles and their synergic behavior. 46:897
Roussos, C.
see Aubier, M.
Farkas, G. A.
Macklem, P. T.
Moxham, J.
Roussos, C. S., Fukuchi, Y., Macklem, P. T., and Engel, L. A. Influence of diaphragmatic contraction on ventilation distribution in horizontal man. 40:417
Roussos, C. S., and Macklem, P. T. Diaphragmatic fatigue in man. 43:189
Roussos, C. S., Martin, R. R., and Engel, L. A. Diaphragmatic contraction and the gradient of alveolar expansion in the lateral posture. 43:32
Roussos, C. S.
see Bigland-Ritchie, B.
Fixley, M. S.
Rowell, L. B., Freund, P. R., and Brengelmann, G. L. Cutaneous vascular response to exercise and acute hypoxia. 53:920
Rowell, L. B., Hermansen, O., and Blackmon, J. R. Human cardiovascular and respiratory responses to graded muscle ischemia. 41:693

Rowell, L. B.
see Bonde-Petersen, F.
Brengelmann, G. L.
Eisman, M. M.
Escourrou, P.
Freund, P. R.
Johnson, J. M.
Wyss, C. R.
Rowland, R. *see* Stamford, B. A.
Rowlett, R. D. *see* Harris, T. R.
Roy, R. R., Meadows, I. D., Baldwin, K. M., and Edgerton, V. R. Functional significance of compensatory overloaded rat fast muscle. 52:473
Roy, R. R. *see* Baldwin, K. M.
Royle, G. T.
see Goodenough, R. D.
Wolfe, R. R.
Royston, J. P.
see Abrams, R. M.
Jordan, C.
Rubin, D. Z., Fujino, D., Mittman, C., and Lewis, S. M. Competitive inhibition of carbon monoxide transport: evidence against a carrier. 50:1061
Rubin, D. Z. *see* Lewis, S. M.
Rubin, R. J. *see* Reasor, M. J.
Rubin, S. A., and Mickle, D. A simply constructed treadmill for rodent exercise studies. 52:505
Rubin, S. B. *see* Patrick, G. B.
Rubio, R. *see* Fenton, R. A.
Rubler, S. *see* Zeldis, S. M.
Rudnick, H. *see* Batra, G.
Rudolph, A. J. *see* Corbet, A. J. S.
Rudolph, A. M. *see* Lister, G., Jr.
Ruff, F., Martin, R. R., and Milic-Emili, J. Previous volume history of the lung and regional distribution of residual volume. 51:313
Russell, B. J. *see* Jansen, A. H.
Russell, J. A. Responses of isolated canine airways to electric stimulation and acetylcholine. 45:690
Russell, J. A. Noradrenergic inhibitory innervation of canine airways. 48:16
Russell, J. A., and Bartlett, S. Adrenergic neurotransmission in airways: inhibition by acetylcholine. 51:376
Russell, J. A., and Bishop, B. Vagal afferents essential for abdominal muscle activity during lung inflation in cats. 41:310
Russell, J. A., Hoeffel, J., and Murray, J. F. Effect of different levels of positive end-expiratory pressure on lung water content. 53:9
Russell, J. A., and Lai-Fook, S. J. Reflex bronchoconstriction induced by capsaicin in the dog. 47:961
Russell, J. A., Zimmerman, K., and Middendorf, W. F. Evidence for α-adrenergic innervation of the isolated canine thoracic duct. 49:1010
Russell, J. A.
see Gunst, S. J.
Middendorf, W. F.
Russell, J. C., Campagna, P. D., and Wenger, H. A. Small-animal ergometer. 48:394
Russo, A. K., Tarasantchi, J., and Griggio, M. A. Oxygen consumption and ventilation of dogs during passive and active exercise. 42:923
Ruth, R. A., Arora, N. S., and Gal, T. J. Stapedius reflex in curarized subjects: an index of neuromuscular weakness. 52:416
Rutili, G., Kvietys, P., Martin, D., Parker, J. C., and Taylor, A. E. Increased pulmonary microvascular permeability induced by α-naphthylthiourea. 52:1316
Rutili, G. *see* Parker, J. C.
Rutishauser, W. *see* Kléber, A. G.
Ryan, J. W. *see* Ryan, U. S.
Ryan, U. S., Whitney, P. L., and Ryan, J. W. Localization of carbonic anhydrase on pulmonary artery endothelial cells in culture. 53:914

S

Saba, T. M.
see Malik, A. B.
Niehaus, G. D.
Schumacker, P. T.
Sabah, N. H. A digital display of neuronal average firing frequencies. 41:98
Sabbah, H. N. *see* Stein, P. D.
Sable, D. L. *see* Morgan, B. J.
Sackner, M. A., Markwell, G., Atkins, N., Birch, S. J., and Fernandez, R. J. Rebreathing techniques for pulmonary capillary blood flow and tissue volume. 49:910
Sackner, M. A.
see Abraham, W. M.
Ahmed, T.
Baier, H.
Begin, R.
Friedman, M.
Saketkhoo, K.
Wanner, A.
Yergin, B. M.
Sadowski, J., Gellert, R., Kurkus, J., and Portalska, E. Denervated and intact kidney responses to exercise in the dog. 51:1618
Sady, S. *see* Stamford, B. A.
Sahebjami, H., and Vassallo, C. L. Exercise stress and enzyme-induced emphysema. 41:332
Sahebjami, H., and Vassallo, C. L. Influence of starvation on enzyme-induced emphysema. 48:284
Sahlin, K., Alvestrand, A., Brandt, R., and Hultman, E. Intracellular pH and bicarbonate concentration in human muscle during recovery from exercise. 45:474
Sahlin, K.
see Chasiotis, D.
Harris, R. C.
Sahn, S. A., Zwillich, C. W., Dick, N., McCullough, R. E., Lakshminarayan, S., and Weil, J. V. Variability of ventilatory responses to hypoxia and hypercapnia. 43:1019
Saibene, F., Mognoni, P., Aguggini, G., and Clement, M. G. Work of breathing in dog during exercise. 50:1087
Saibene, F. *see* Di Prampero, P. E.
Saidel, G. M.
see Ligas, J. R.
Salmon, R. B.
Saniie, J.
Saidman, L. J. *see* Marshall, B. E.
Saito, Y. *see* Akiyama, S.
Sakai, T. *see* Homma, I.
Sakakibara, Y. *see* Honda, Y.
Saketkhoo, K., Kaplan, I., and Sackner, M. A. Effect of exercise on nasal mucous velocity and nasal airflow resistance in normal subjects. 46:369
Saketkhoo, K. *see* Yergin, B. M.
Saklad, M. *see* Sullivan, M. J.
Salamone, J. *see* Weiner, D.
Sale, D., Quinlan, J., Marsh, E., McComas, A. J., and Belanger, A. Y. Influence of joint position on ankle plantarflexion in humans. 52:1636
Sale, D. *see* Marsh, E.
Sale, D. G., McComas, A. J., MacDougall, J. D., and Upton, A. R. M. Neuromuscular adaptation in human thenar muscles following strength training and immobilization. 53:419
Sale, D. G. *see* MacDougall, J. D.
Salminen, A. *see* Vihko, V.
Salmon, R. B., Primiano, F. P., Jr., Saidel, G. M., and Niewoehner, D. E. Human lung pressure-volume relationships: alveolar collapse and airway closure. 51:353
Saltin, B.
see Costill, D. L.
Gollnick, P. D.
Saltzman, H. A. *see* Hempel, F. G.
Salzano, J. *see* Camporesi, E. M.
Samaja, M., Veicsteinas, A., and Cerretelli, P. Oxygen affinity of blood in altitude Sherpas. 47:337
Samánek, M. *see* Zapletal, A.
Sampson, M. *see* De Troyer, A.
Sampson, M. G., and De Troyer, A. Role of intercostal muscles in the rib cage distortions produced by inspiratory loads. 52:517
Sampson, M. G. *see* De Troyer, A.
Sampson, S. R. *see* Vidruk, E. H.
Samueloff, S. *see* Horowitz, M.
Sanchis, J. *see* Dolovich, M. B.
Sander, E. G. *see* Fisher, M. J.
Sanders, M., Rasmussen, S., Cooper, D., and Bloor, C. Renal and intrarenal blood flow distribution in swine during severe exercise. 40:932
Sanders, M., White, F., Sargeant, R., Peterson, T., and Bloor, C. Motorized minitrack for exercising large animals. 45:140
Sanders, M. *see* Foreman, D. L.
Sanders, M. H. *see* Martin, R. J.
Sanders, S. S. *see* Graves, C. N.
Sanders, T. M., Werner, R. A., and Bloor, C. M. Visceral blood flow distribution during exercise to exhaustion in conscious dogs. 40:927
Sanders, T. M. *see* Hastings, A. B.
Sandler, H.
see Billman, G. E.
Convertino, V. A.
Sanford, R. L. *see* O'Neil, J. J.
Sangiorgi, M. *see* Tallarida, G.
Saniie, J., Saidel, G. M., and Chester, E. H. Real-time moment analysis of pulmonary nitrogen washout. 46:1184
Sant'Ambrogio, F. *see* Camporesi, E. M.
Sant'Ambrogio, F. B. *see* Rao, S. V.
Sant'Ambrogio, G.
see Camporesi, E. M.
Fisher, J. T.
Rao, S. V.
Santamore, W. P., Lynch, P. R., Heckman, J. L., Bove, A. A., and Meier, G. M. Left ventricular effects on right ventricular developed pressure. 41:925
Santamore, W. P., Lynch, P. R., Meier, G., Heckman, J., and Bove, A. A. Myocardial interaction between the ventricles. 41:362
Santesson, J.
see Demedts, M.
Hedenstierna, G.
Santiago, T. V., Johnson, J., Riley, D. J., and Edelman, N. H. Effects of morphine on ventilatory response to exercise. 47:112
Santiago, T. V.
see Chapman, R. W.
Doblar, D. D.
Neubauer, J. A.
Riley, D. J.
Saphar, P. *see* Bursztein, S.
Sapru, H. N., and Krieger, A. J. Carotid and aortic chemoreceptor function in the rat. 42:344
Sarazin, R. G. *see* Bisgard, G. E.
Sargeant, A. J., and Davies, C. T. M. Forces applied to cranks of a bicycle ergometer during one- and two-leg cycling. 42:514

Sargeant, A. J., Hoinville, E., and Young, A. Maximum leg force and power output during short-term dynamic exercise. 51:1175
Sargeant, A. J., Rouleau, M. Y., Sutton, J. R., and Jones, N. L. Ventilation in exercise studied with circulatory occlusion. 50:718
Sargeant, R. *see* Sanders, M.
Sarton-Miller, I. *see* Jobe, A.
Sasaki, H., Hida, W., and Takishima, T. Influence of body position on dynamic compliance in young subjects. 42:706
Sasaki, H., and Hoppin, F. G., Jr. Hysteresis of contracted airway smooth muscle. 47:1251
Sasaki, H., Hoppin, F. G., Jr., and Takishima, T. Peribronchial pressure in excised dog lungs. 45:858
Sasaki, H., Takishima, T., and Nakamura, M. Collateral resistance at alveolar level in excised dog lungs. 48:982
Sasaki, H., Takishima, T., and Sasaki, T. Influence of lung parenchyma on dynamic bronchial collapsibility of excised dog lungs. 42:699
Sasaki, H.
see Hida, W.
Kikuchi, Y.
Nakamura, M.
Suzuki, S.
Sasaki, K. *see* Holtzman, M. J.
Sasaki, T., Suzuki, S., Sugiyama, M., and Takishima, T. Frequency dependence of dynamic compliance analyzed from one cycle of breathing. 48:45
Sasaki, T.
see Hida, W.
Sasaki, H.
Sass, D. J., Van Dyke, R. A., Wood, E. H., Johnson, S. A., and Didisheim, P. Gas embolism due to intravenous FC 80 liquid fluorocarbon. 40:745
Sass, D. J. *see* Greenleaf, J. F.
Sato, A. K. *see* Claybaugh, J. R.
Sato, F. *see* Gisolfi, C. V.
Sato, I., Hasegawa, Y., and Hotta, K. System analysis of heart rate control in man. 41:790
Sato, K. *see* Gisolfi, C. V.
Satomura, Y. *see* Honda, Y.
Saubert, C. W., IV *see* Armstrong, R. B.
Sauer, B. W. *see* Blair, W. D.
Sauerland, E. K. *see* Remmers, J. E.
Saumon, G. *see* Delavault, E.
Saunders, J. C. *see* Dueker, C. W.
Saunders, K. B. *see* Band, D. M.
Saunders, N. *see* Scharf, S. M.
Saunders, N. A., Betts, M. F., Pengelly, L. D., and Rebuck, A. S. Changes in lung mechanics induced by acute isocapnic hypoxia. 42:413
Saunders, N. A., Kreitzer, S. M., and Ingram, R. H., Jr. Rib cage deformation during static inspiratory efforts. 46:1071
Saunders, N. A., Rigg, J. R. A., Pengelly, L. D., and Campbell, E. J. M. Effects of curare on maximum static PV relationships of the respiratory system. 44:589
Saunders, N. A.
see Brown, R.
Olson, L. G.
Strohl, K. P.
Savin, W. M., and Adams, W. C. Effects of ozone on work performance and $\dot{V}O_{2max}$. 46:309
Savin, W. M., Davidson, D. M., and Haskell, W. L. Autonomic contribution to heart rate recovery from exercise in humans. 53:1572
Savin, W. M.
see Adams, W. C.
Dillard, C. J.
Savoy, J., Arnup, M.-E., and Anthonisen, N. R. Response to external inspiratory resistive loading and bronchospasm in anesthetized dogs. 53:355
Sawka, M. N., Glaser, R. M., Laubach, L. L., Al-Samkari, O., and Suryaprasad, A. G. Wheelchair exercise performance of the young, middle-aged, and elderly. 50:824
Sawka, M. N., Glaser, R. M., Wilde, S. W., and Von Luhrte, T. C. Metabolic and circulatory responses to wheelchair and arm crank exercise. 49:784
Sawka, M. N.
see Glaser, R. M.
Miles, D. S.
Petrofsky, J. S.
Scacci, R. Method to optimize high-pressure, multicomponent gas mixing. 41:960
Scammell, J. G., Barney, C. C., and Fregly, M. J. Proposed mechanism for increased thyroxine deiodination in cold-acclimated rats. 51:1157
Scammell, J. G., Shiverick, K. T., and Fregly, M. J. In vitro hepatic deiodination of L-thyroxine to 3,5,3'-triiodothyronine in cold-acclimated rats. 49:386
Scanlon, T. S., and Benumof, J. L. Demonstration of interlobar collateral ventilation. 46:658
Scaperoth, D. D. *see* Haddad, A. G.
Scarpelli, E. M. *see* Moss, I. R.
Schaap, R. N. *see* Crapo, R. O.
Schaefer, K. E., Pasquale, S., Messier, A. A., and Shea, M. Phasic changes in bone CO_2 fractions, calcium, and phosphorus during chronic hypercapnia. 48:802
Schaefer, K. E., and Wuennenberg, W. Threshold temperatures for shivering in acute and chronic hypercapnia. 41:67
Schaefer, K. E.
see Pasquale, S. M.
Wilson, J. M.
Wood, S. C.
Schaible, T. *see* Penpargkul, S.
Schaible, T. F., Penpargkul, S., and Scheuer, J. Cardiac responses to exercise training in male and female rats. 50:112
Schaible, T. F., and Scheuer, J. Effects of physical training by running or swimming on ventricular performance of rat hearts. 46:854
Schaible, T. F., and Scheuer, J. Cardiac function in hypertrophied hearts from chronically exercised female rats. 50: 1140
Scharf, S. *see* Brown, R.
Scharf, S. M., and Brown, R. Influence of the right ventricle on canine left ventricular function with PEEP. 52:254
Scharf, S. M., Brown, R., Saunders, N., and Green, L. H. Effects of normal and loaded spontaneous inspiration on cardiovascular function. 47:582
Scharf, S. M., Brown, R., Saunders, N., and Green, L. H. Hemodynamic effects of positive-pressure inflation. 49:124
Scharf, S. M., Brown, R., Tow, D. E., and Parisi, A. F. Cardiac effects of increased lung volume and decreased pleural pressure in man. 47:257
Scharf, S. M.
see Brown, R.
Urmey, W. F.
Schear, H. E. *see* Krumpe, P. E.
Scheid, P., and Meyer, M. Mixing technique for study of oxygen-hemoglobin equilibrium: a critical evaluation. 45:818
Scheid, P., Meyer, M., and Piiper, J. Arterial-expired P_{CO_2} differences in the dog during acute hypercapnia. 47:1074
Scheid, P.
see Jennings, D. B.
Meyer, M.
Mitchell, G. S.
Piiper, J.
Sikand, R. S.
Scheidt, M., Hyatt, R. E., and Rehder, K. Effects of rib cage or abdominal restriction on lung mechanics. 51:1115
Scherba, S. *see* Hildebrandt, J.
Scherer, P. W., and Haselton, F. R. Convective exchange in oscillatory flow through bronchial-tree models. 53:1023
Scherer, P. W., Haselton, F. R., Hanna, L. M., and Stone, D. R. Growth of hygroscopic aerosols in a model of bronchial airways. 47:544
Scherperel, M. *see* Laver, M. B.
Schertel, E. R., Horowitz, J. M., and Horwitz, B. A. Effects of gravitational profiles on the rat's thermoregulatory response to cold. 49:663
Scheuer, J.
see Codini, M. A.
Cohen, M. V.
Giusti, R.
Penpargkul, S.
Schaible, T. F.
Schibli, E. G. *see* Kraning, K. K.
Schimel, D. S. *see* Phillips, C. J.
Schlesinger, R. B., Zeccardi, A. V., and Monahan, J. An interrupter method for measurement of airway resistance in small animals. 48:1092
Schlierf, G. *see* Wirth, A.
Schlueter, M. A.
see Grunstein, M. M.
Hazinski, T. A.
Schmid, E. R., Knopp, T. J., and Rehder, K. Intrapulmonary gas transport and perfusion during high-frequency oscillation. 51:1507
Schmid, E. R., Rehder, K., Knopp, T. J., and Hyatt, R. E. Chest wall motion and distribution of inspired gas in anesthetized supine dogs. 49:279
Schmid, P. G.
see Crockatt, L. H.
Edwards, J. G.
Schmid-Schoenbein, G. *see* Fronek, K.
Schmidt, D. H.
see Anholm, J. D.
Foster, C.
Schmidt, E. K. *see* Bärtsch, P.
Schmidt, R. R., Kaplan, S., and Smith, J. J. Oxygen consumption by chick embryos exposed to mechanical (shaking) stress. 46:298
Schmidt, V., and Brück, K. Effect of a precooling maneuver on body temperature and exercise performance. 50:772
Schneider, A. *see* Abraham, W. M.
Schneider, M. W. *see* Drazen, J. M.
Schneider, R. C.
see Liggins, G. C.
Zapol, W. M.
Schneider, T. M. *see* Kendig, J. J.
Schneider, W. *see* Snapper, J. R.
Schneiderman, G., and Goldstick, T. K. Oxygen electrode design criteria and performance characteristics: recessed cathode. 45:145
Schoeller, D. A., and Van Santen, E. Measurement of energy expenditure in humans by doubly labeled water method. 53:955
Schoenbaechler, D. C. *see* Weathers, W. W.
Schoene, R. B. Control of ventilation in climbers to extreme altitude. 53:886
Schoene, R. B., Robertson, H. T., Pierson, D. J., and Peterson, A. P. Respiratory drives and exercise in menstrual cycles of athletic and nonathletic women. 50: 1300
Schondorf, R., and Polosa, C. Effects of urinary bladder afferents on respiration. 48:826
Schrader, L. F. *see* Baldwin, K. M.
Schreiner, B. F. *see* Peterson, B. T.
Schreiner, R. L. *see* Lemons, J. A.
Schreuder, J. J., Jansen, J. R. C., Bogaard, J. M., and Versprille, A. Hemodynamic effects of positive end-expiratory pressure applied as a ramp. 53:1239

Schreuder, J. J. *see* Jansen, J. R. C.
Schroter, R. C. *see* Johnston, J. R.
Schubert, W. P. *see* Robbins, P. A.
Schulman, E. S., Adkinson, N. F., Jr., and Newball, H. H. Cyclooxygenase metabolites in human lung anaphylaxis: airway vs. parenchyma. 53:583
Schulz, W. *see* Johnson, R. L., Jr.
Schulze, K., Kairam, R., Stefanski, M., Sciacca, R., and James, L. S. Continuous measurement of minute ventilation and gaseous metabolism of newborn infants. 50:1098
Schulzer, M. *see* Baile, E. M.
Schumacker, P. T., Newell, J. C., Saba, T. M., and Powers, S. R. Ventilation-perfusion relationships with high cardiac output in lobar atelectasis. 50:341
Schumacker, P. T.
see Breen, P. H.
McEvoy, R. D.
Niehaus, G. D.
Schutte, J. E., Longhurst, J. C., Gaffney, F. A., Bastian, B. C., and Blomqvist, C. G. Total plasma creatinine: an accurate measure of total striated muscle mass. 51:762
Schwartz, A. *see* Penpargkul, S.
Schweitzer, T. W., Fitzgerald, J. W., Bowden, J. A., and Lynne-Davies, P. Spectral analysis of human inspiratory diaphragmatic electromyograms. 46:152
Schwennicke, H. P. *see* Baum, E.
Sciacca, R. *see* Schulze, K.
Sciaraffa, D.
see Greenleaf, J. E.
Shvartz, E.
Scoggin, C. H., Doekel, R. D., Kryger, M. H., Zwillich, C. W., and Weil, J. V. Familial aspects of decreased hypoxic drive in endurance athletes. 44:464
Scoggin, C. H. *see* Hyers, T. M.
Scott, J. B. *see* Fuller, S. D.
Scott, R. *see* Mitzner, W.
Scott, R. L. *see* Drake, R. E.
Scruby, A. E. *see* Eckberg, D. L.
Seagrave, R. C.
see Carithers, R. W.
Zwart, A.
Seal, E., Jr. *see* Stacy, R. W.
Sears, T. A.
see Goldman, M. D.
Grassino, A.
Seavy, J. *see* Weir, E. K.
Secher, N. *see* Welch, H. G.
Secher, N. H. *see* Klausen, K.
Secord, D. *see* Belcastro, A. N.
Sedransk, N. *see* Gregory, T. J.
Seeherman, H. J.
see Armstrong, R. B.
Fedak, M. A.
Segal, S. S., and Brooks, G. A. Effects of glycogen depletion and work load on postexercise O_2 consumption and blood lactate. 47:514
Segel, L. D., and Mason, D. T. Effects of exercise and conditioning on rat heart glycogen and glycogen synthase. 44:183
Seider, M. J.
see Booth, F. W.
Tucker, K. R.
Seifter, J. *see* Beinfield, W. H.
Sekizawa, K.
see Kikuchi, Y.
Nakamura, M.
Suzuki, S.
Seliktar, R. *see* Foux, A.
Sembrowich, W. L., Knudson, M. B., and Gollnick, P. D. Muscle metabolism and cardiac function of the myopathic hamster following training. 43:936
Sembrowich, W. L. *see* Shepherd, R. E.
Semeraro, N. *see* Collen, D.
Sen, R. N. *see* Nag, P. K.
Senapati, J. M. *see* Panda, A.
Senay, L. C., and Kok, R. Body fluid responses of heat-tolerant and intolerant men to work in a hot wet environment. 40:55
Senay, L. C., and Kok, R. Effects of training and heat acclimatization on blood plasma contents of exercising men. 43:591
Senay, L. C., Mitchell, D., and Wyndham, C. H. Acclimatization in a hot, humid environment: body fluid adjustments. 40:786
Senay, L. C.
see Mitchell, D.
Wyndham, C. H.
Senay, L. C., Jr. Early response of plasma contents on exposure of working men to heat. 44:166
Senay, L. C., Jr. Temperature regulation and hypohydration: a singular view. 47:1
Senay, L. C., Jr., Rogers, G., and Jooste, P. Changes in blood plasma during progressive treadmill and cycle exercise. 49:59
Senay, L. C., Jr.
see Fortney, S. M.
Gaebelein, C. J.
Serafini, S. M. *see* Yergin, B. M.
Sergysels, R., Amyot, R., Macklem, P. T., and Martin, R. R. In vivo gas trapping induced by nitrous oxide. 43:414
Sergysels, R. *see* Delaunois, L.
Servais, N. *see* Vanderhoeft, P.
Seshia, M. M. K. *see* Albersheim, S.
Sessler, A. D.
see Frazier, A. R.
Landmark, S. J.
Rehder, K.
Settle, S. *see* Bishop, B.
Severinghaus, J. W. Simple, accurate equations for human blood O_2 dissociation computations. 46:599
Severinghaus, J. W. A combined transcutaneous Po_2-Pco_2 electrode with electrochemical HCO_3^- stabilization. 51:1027
Severinghaus, J. W.
see Crawford, R. D.
Honda, Y.
Irsigler, G. B.
Kagawa, S.
Severns, M. L. *see* Adams, J. M.
Severson, J. A., Fell, R. D., and Griffith, D. R. Adrenocortical function in response to myocardial necrosis in exercise-trained rats. 44:104
Severson, J. A., Fell, R. D., Vander Tuig, J. G., and Griffith, D. R. Adrenocortical function in aging exercise-trained rats. 43:839
Seylaz, J., and Pinard, E. Continuous measurement of gas partial pressures in intracerebral tissue. 44:528
Seymour, J. *see* Fahey, T. D.
Shackleford, G. M. *see* Moore, R. N.
Shaffer, T. H.
see Koen, P. A.
Lowe, C.
Shahnawaz, H. Influence of limb length on a stepping exercise. 44:346
Shallal, J. A. *see* Davies, P.
Shannon, R. Effects of thoracic dorsal rhizotomies on the respiratory pattern in anesthetized cats. 43:20
Shannon, R. Respiratory pattern changes during costovertebral joint movement. 48:862
Shapiro, A. H. *see* Rossing, T. H.
Shapiro, H. M., Greenberg, J. H., Van Horn Naughton, K., and Reivich, M. Heterogeneity of local cerebral blood flow-Pa_{CO2} sensitivity in neonatal dogs. 49:113
Shapiro, L. *see* Effros, R. M.
Shapiro, Y., Avellini, B. A., Toner, M. M., and Pandolf, K. B. Modification of the Monark bicycle ergometer for underwater exercise. 50:679
Shapiro, Y., Epstein, Y., Ben-Simchon, C., and Tsur, H. Thermoregulatory responses to patients with extensive healed burns. 53:1019
Shapiro, Y., Hubbard, R. W., Kimbrough, C. M., and Pandolf, K. B. Physiological and hematologic responses to summer and winter dry-heat acclimation. 50:792
Shapiro, Y., Pandolf, K. B., Avellini, B. A., Pimental, N. A., and Goldman, R. F. Physiological responses of men and women to humid and dry heat. 49:1
Shapiro, Y.
see Avellini, B. A.
Shoenfeld, Y.
Shvartz, E.
Sharma, S. C. Platelet count in temporary residents of high altitude. 49:1047
Sharma, S. C., Hoon, R. S., Balasubramanian, V., and Chadha, K. S. Urinary catecholamine excretion in temporary residents of high altitude. 44:725
Sharma, S. C. *see* Hoon, R. S.
Sharp, J. T.
see Druz, W. S.
Kim, M. J.
Vellody, V. P.
Sharp, R. L. *see* Costill, D. L.
Shasby, D. M., Fox, R. B., Harada, R. N., and Repine, J. E. Reduction of the edema of acute hyperoxic lung injury by granulocyte depletion. 52:1237
Shaughness, G. P. *see* Ferguson, E. W.
Shaw, W. A. S. *see* Issekutz, B., Jr.
Shaya, B. *see* Mayevsky, A.
Shea, M. *see* Schaefer, K. E.
Shea, M. L. *see* Pasquale, S. M.
Shearin, N. L., Pfeiffer, C. J., and Kilam, S. Novel telemetric system for extraluminal measurement of gastrointestinal motility. 41:425
Sheehan, M. E. *see* Brauer, R. W.
Sheldon, G. M. *see* Hubbard, R. W.
Sheldon, M. I., and Green, J. F. Evidence for pulmonary CO_2 chemosensitivity: effects on ventilation. 52:1192
Sheldon, R. E. *see* Jones, M. D., Jr.
Sheller, J. R., and Brigham, K. L. Bronchomotor responses of isolated sheep airways to electrical field stimulation. 53:1088
Sheller, J. R., Holtzman, M. J., Skoogh, B.-E., and Nadel, J. A. Interaction of serotonin with vagal- and ACh-induced bronchoconstriction in canine lungs. 52:964
Sheller, J. R. *see* Skoogh, B.-E.
Shepard, J. W., Jr., Dolan, G. F., and Yu, S. Y. Factors regulating lamellar body volume density of type II pneumocytes in excised dog lungs. 53:555
Shepard, J. W., Jr., Minh, V.-D., and Dolan, G. F. Gas exchange in nonperfused dogs lungs. 51:1261
Shepard, R. H. *see* Burns, B.
Shephard, R. J.
see Folinsbee, L. J.
Goldberg, D. I.
Kavanagh, T.
Niinimaa, V.
O'Hara, W. J.
Paterson, D. H.
Sidney, K. H.
Silverman, F.
Verde, T.
Shepherd, J. T. *see* Thorén, P.
Shepherd, R. E., Kuehne, M. L., Kenno, K. A., Durstine, J. L., Balon, T. W., and Rapp, J. P. Attenuation of blood pressure increases in Dahl salt-sensitive rats by exercise. 52:1608

Shepherd, R. E., Noble, E. G., Klug, G. A., and Gollnick, P. D. Lipolysis and cAMP accumulation in adipocytes in response to physical training. 50:143
Shepherd, R. E., Sembrowich, W. L., Green, H. E., and Gollnick, P. D. Effect of physical training on control mechanisms of lipolysis in rat fat cell ghosts. 42:884
Sheppard, D., Epstein, J., Holtzman, M. J., Nadel, J. A., and Boushey, H. A. Dose-dependent inhibition of cold air-induced bronchoconstriction by atropine. 53:169
Shepro, D. *see* Justice, R. E.
Sherman, W. M. *see* Ivy, J. L.
Sherter, C. B.
see Koo, K. W.
Snider, G. L.
Shewchuk, R. *see* Richardson, D.
Stănescu, D. C., Rodenstein, D., Caushima, T., and Imaishi, N. Effects of gravity and branching on longitudinal gas mixing in glass tube models. 52:1476
Shibata, H. *see* Hayashi, M.
Shibolet, S. *see* Shvartz, E.
Shida, A. *see* Kawakami, Y.
Shida, K. K., and Lin, Y. C. Contribution of environmental factors in development of hyperbaric bradycardia. 50:731
Shields, R. *see* Brown, J. K.
Shigezawa, G. Y. *see* Beran, A. V.
Shih, C. K. *see* Giordano, A., Jr.
Shimada, Y. *see* Yoshiya, I.
Shimoji, K., Matsuki, M., Ito, Y., Masuko, K., Maruyama, M., Iwane, T., and Aida, S. Interactions of human cord dorsum potential. 40:79
Shinto, R. A. *see* Beran, A. V.
Shiverick, K. T. *see* Scammell, J. G.
Shoemaker, R. L. *see* Graves, C. N.
Shoenfeld, Y., Udassin, R., Shapiro, Y., Ohri, A., and Sohar, E. Age and sex difference in response to short exposure to extreme dry heat. 44:1
Shore, J. H. *see* Elliott, S. E.
Shown, B. *see* Emery, D. L.
Shrivastav, B. B. *see* Parmentier, J. L.
Shukla, R. K. *see* Chand, N.
Shult, M. D. *see* Barrow, R. E.
Shvartz, E. Effect of neck versus chest cooling on responses to work in heat. 40:668
Shvartz, E., Bhattacharya, A., Sperinde, S. J., Brock, P. J., Sciaraffa, D., and Van Beaumont, W. Sweating responses during heat acclimation and moderate conditioning. 46:675
Shvartz, E., Convertino, V. A., Keil, L. C., and Haines, R. F. Orthostatic fluid-electrolyte and endocrine responses in fainters and nonfainters. 51:1404
Shvartz, E., Shapiro, Y., Magazanik, A., Meroz, A., Birnfeld, H., Mechtinger, A., and Shibolet, S. Heat acclimation, physical fitness, and responses to exercise in temperate and hot environments. 46:579
Shvartz, E., Shibolet, S., Meroz, A., Magazanik, A., and Shapiro, Y. Prediction of heat tolerance from heart rate and rectal temperature in a temperate environment. 43:684
Shvartz, E.
see Bhattacharya, A.
Greenleaf, J. E.
Siafakas, N. M., Chang, H. K., Bonora, M., Gautier, H., Milic-Emili, J., and Duron, B. Time course of phrenic activity and respiratory pressures during airway occlusion in cats. 51:99
Siafakas, N. M., Morris, A. J. R., and Green, M. Thoracoabdominal mechanics during relaxed and forced vital capacity. 47:38
Siafakas, N. M., Peslin, R., Bonora, M., Gautier, H., Duron, B., and Milic-Emili, J. Phrenic activity, respiratory pressures, and volume changes in cats. 51:109
Sibbald, W. J., Driedger, A. A., Moffat, J. D., Myers, M. L., Reid, B. A., and Holliday, R. L. Pulmonary microvascular clearance of radiotracers in human cardiac and noncardiac pulmonary edema. 50:1337
Sick, T. J., Lutz, P. L., LaManna, J. C., and Rosenthal, M. Comparative brain oxygenation and mitochondrial redox activity in turtles and rats. 53:1354
Sidebotham, T. *see* Whalen, W. J.
Sidney, K. H., and Shephard, R. J. Maximum and submaximum exercise tests in men and women in the seventh, eighth, and ninth decades of life. 43:280
Siegel, R. A. *see* Kornbluth, I.
Sielczak, M. *see* Maurer, D. R.
Sigrist, S. *see* De Troyer, A.
Sikand, R. S., Magnussen, H., Scheid, P., and Piiper, J. Convective and diffusive gas mixing in human lungs: experiments and model analysis. 40:362
Silage, D. A.
see Gil, J.
Millman, R. P.
Silbaugh, S. A., Muggenburg, B. A., Mauderly, J. L., and Crain, C. R. Cardiopulmonary function in dogs during lung lavage and unilateral hypoxia. 43:778
Siler, K. *see* Larkin, E. C.
Sils, I. *see* Hubbard, R. W.
Silverberg, P. A. *see* Askanazi, J.
Silverman, F., Folinsbee, L. J., Barnard, J., and Shephard, R. J. Pulmonary function changes in ozone—interaction of concentration and ventilation. 41:859
Silverman, F. *see* Folinsbee, L. J.
Silverman, M. *see* Beardsmore, C. S.
Silverman, P.
see Chang, R. S. Y.
Effros, R. M.
Silverton, N. P. *see* Chen, H.
Simmons, D. H., Alpas, A. P., Tashkin, D. P., and Coulson, A. Hyperlactatemia due to arterial hypoxemia or reduced cardiac output, or both. 45:195
Simnowitz, M. *see* Haas, F.
Simon, D. S., Murray, J. F., and Staub, N. C. Measurement of pulmonary edema in intact dogs by transthoracic γ-ray attenuation. 47:1228
Simon, L. M., Raffin, T. A., Douglas, W. H. J., Theodore, J., and Robin, E. D. Effects of high oxygen exposure on bioenergetics in isolated type II pneumocytes. 47:98
Simon, L. M. *see* Liu, J.
Simon, R. *see* Kléber, A. G.
Simon, R. P., Bayne, L. L., and Naughton, M. P. Left atrial pressure elevation recreates the altered lung lymph flow of seizures. 53:432
Simon, R. P., Bayne, L. L., Tranbaugh, R. F., and Lewis, F. R. Elevated pulmonary lymph flow and protein content during status epilepticus in sheep. 52:91
Simpser, M. *see* Brody, J. S.
Simpson, A. A. *see* Bonen, A.
Simpson, D. R. *see* Ohira, Y.
Sinclair, R. D. *see* Clark, J. M.
Sinnett, E. E., Jackson, A. C., Leith, D. E., and Butler, J. P. Fast inegrated flow plethysmograph for small mammals. 50:1104
Sinnett, E. E., Kooyman, G. L., and Wahrenbrock, E. A. Pulmonary circulation of the harbor seal. 45:718
Sinnett, E. E. *see* Vinegar, A.
Sirois, P. *see* Bégin, R.
Sivak, E. D. *see* Gray, B. A.
Sivieri, E. M. *see* Lowe, C.
Sjostrom, K. *see* Crapo, J. D.
Skatrud, J. B., Dempsey, J. A., and Kaiser, D. G. Ventilatory response to medroxyprogesterone acetate in normal subjects: time course and mechanism. 44:939
Skatrud, J. B. *see* Iber, C.
Skogen, W. F. *see* Litwin, S. B.
Skoog, C. *see* Berend, N.
Skoogh, B.-E., Holtzman, M. J., Sheller, J. R., and Nadel, J. A. Barbiturates depress vagal motor pathway to ferret trachea at ganglia. 53:253
Skoogh, B.-E.
see Holtzman, M. J.
Sheller, J. R.
Skrinar, G. S. *see* Robertson, R. J.
Slate, J. L. *see* Hales, C. A.
Slater, A. *see* Gelfand, R.
Slocombe, R. F. *see* Derksen, F. J.
Slusarczuk, G. M. J. *see* LeBlanc, O. H., Jr.
Slutsky, A. S. Gas mixing by cardiogenic oscillations: a theoretical quantitative analysis. 51:1287
Slutsky, A. S., Berdine, G. G., and Drazen, J. M. Steady flow in a model of human central airways. 49:417
Slutsky, A. S., Berdine, G. G., and Drazen, J. M. Oscillatory flow and quasi-steady behavior in a model of human central airways. 50:1293
Slutsky, A. S., and Drazen, J. M. Estimating central and peripheral respiratory resistance: an alternative analysis. 47:1325
Slutsky, A. S., Drazen, J. M., O'Cain, C. F., and Ingram, R. H., Jr. Alveolar pressure-airflow characteristics in humans breathing air, He-O_2, and SF_6-O_2. 52:1571
Slutsky, A. S.
see Khoo, M. C. K.
Lehnert, B. E.
O'Cain, C. F.
Rossing, T. H.
Strohl, K. P.
Smaldone, G. C., and Bergofsky, E. H. Delineation of flow-limiting segment and predicted airway resistance by movable catheter. 40:943
Smaldone, G. C. *see* Kaplan, J.
Smatresk, N. J., and Lahiri, S. Aortic body chemoreceptor responses to dopamine, haloperidol, and pargyline. 53:596
Smets, P. *see* Vanderhoeft, P.
Smiles, K. A., Elizondo, R. S., and Barney, C. C. Sweating responses during changes of hypothalamic temperature in the rhesus monkey. 40:653
Smith, A. H.
see Katovich, M. J.
Rahn, H.
Smith, B. *see* Mortola, J. P.
Smith, D. *see* Prazma, J.
Smith, D. M., Mercer, R. R., and Eldridge, F. L. Servo control of end-tidal CO_2 in paralyzed animals. 45:133
Smith, D. M. *see* Gross, N. J.
Smith, E. J. *see* Donnelly, D. F.
Smith, E. N. *see* Davies, D. G.
Smith, E. R. *see* Gray, G. D.
Smith, G. J. W. *see* Gross, I.
Smith, H. C. *see* Greenleaf, J. F.
Smith, J. B. *see* Mortola, J. P.
Smith, J. C., and Mitzner, W. Analysis of pulmonary vascular interdependence in excised dog lobes. 48:450
Smith, J. C. *see* Loring, S. H.
Smith, J. J.
see Ebert, T. J.
Schmidt, R. R.
Smith, K. H. *see* D'Aoust, B. G.
Smith, L. J., Inners, C. R., Terry, P. B., Menkes, H. A., and Traystman, R. J. Effects of methacholine and hypocapnia on airways and collateral ventilation in dogs. 46:966

Smith, O. L. K., Huszar, G., Davidson, S. B., and Davis, E. Effects of acute cold exposure on muscle amino acid and protein in rats. 52:1250
Smith, P. D. *see* Winslow, R. M.
Smith, P. K. *see* Hammon, J. W., Jr.
Smith, R. El., *Ingram, D. L., and Heath,* M. E. Thermal effects of reproductive hormones on the sheep udder. 43:668
Smith, R. M., and Gray, B. A. Canine thoracic electrical impedance with changes in pulmonary gas and blood volumes. 53:1608
Smith, R. P. *see* Ou, L. C.
Smith, R. T. *see* Patterson, R. W.
Snapper, J. R., Drazen, J. M., Loring, S. H., Braasch, P. S., and Ingram, R. H., Jr. *Vagal effects on histamine, carbachol,* and prostaglandin $F_{2\alpha}$ responsiveness in the dog. 47:13
Snapper, J. R., *Drazen, J. M., Loring, S.* H., Schneider, W., and Ingram, R. H., Jr. Distribution of pulmonary responsiveness to aerosol histamine in dogs. 44:738
Snapper, J. R., Harris, T. R., and Brigham, K. L. Effect of changing lung mass on lung water and permeability-surface area in sheep. 52:1591
Snapper, J. R.
see Drazen, J. M.
Loring, S. H.
Snashall, P. D., *Keyes, S. J., Morgan, B.,* Jones, B., and Murphy, K. Regional extravascular and interstitial lung water in normal dogs. 49:547
Snashall, P. D., Keyes, S. J., Morgan, B. M., and Chung, K. F. Pulmonary interstitial compliance: a function of the osmotic constituents of the interstitium. 53:324
Snashall, P. D., Nakahara, K., and Staub, N. C. Estimation of perimicrovascular *fluid pressure in isolated perfused dog* lung lobes. 46:1003
Snashall, P. D., Weidner, W. J., and *Staub, N. C.* Extravascular lung water after extracellular fluid volume expansion in dogs. 42:624
Sneddon, S. L., and Brain, J. D. Steady expiratory flow in dog lungs: an isovolume preparation. 51:1331
Sneddon, S. L. *see* Valberg, P. A.
Snider, G. L., and Sherter, C. B. A one-year study of the evolution of elastase-induced emphysema in hamsters. 43:721
Snider, G. L., Sherter, C. B., Koo, K. W., *Karlinsky, J. B., Hayes, J. A.,* and Franzblau, C. Respiratory mechanics in hamsters following treatment with endotracheal elastase or collagenase. 42:206
Snider, G. L.
see Fedullo, A. J.
Koo, K. W.
Lucey, E. C.
O'Brien, J. J., Jr.
Snider, M. T.
see Liggins, G. C.
Teplick, R.
Zapol, W. M.
Snow, D. H. *see* Nimmo, M. A.
Snyder, B., Dantzker, D. R., and Jaeger, M. J. Flow partitioning in symmetric cascades of branches. 51:598
Snyder, G. K., Black, C. P., Birchard, G. F., and Lucich, R. Respiratory properties of blood from embryos of highland vs. lowland geese. 53:1432
Snyder, G. K., and Weathers, W. W. Hematology, viscosity, and respiratory functions of whole blood of the lesser mouse deer, *Tragulus javanicus.* 42:673
Snyder, G. K. *see* Weathers, W. W.
Sobin, S. S. *see* Wall, R. J.
Sobonya, R. E. *see* Hasan, F. M.
Sodal, I. E.
see Huber, F.
Johnson, T. S.
Sode, J. *see* Hoar, P. F.
Sodeyama, H. *see* Kobayashi, K.
Sod-Moriah, U. A. *see* Chayoth, R.
Sohar, E. *see* Shoenfeld, Y.
Soholt, L. F. *see Dill, D. B.*
Sohrab, S., and Yamashiro, S. M. Pseudorandom testing of ventilatory response to inspired carbon dioxide in man. 49:1000
Solymar, L. *see* Aronsson, H.
Song, P. *see* Urmey, W. F.
Song, S. H. *see* Ohta, Y.
Sonoda, Y. *see Hansen, T. N.*
Sordahl, L. A., Asimakis, G. K., Dowell, R. T., and Stone, H. L. Functions of *selected biochemical systems from the* exercised-trained dog heart. 42:426
Sordahl, L. A. *see* Dowell, R. T.
Sorenson, P. R., and Robinson, N. E. Postural effects on lung volumes and asynchronous ventilation in anesthetized horses. 48:97
Sorenson, P. R. *see* Robinson, N. E.
Sorkin, B., *Rapoport, D. M., Falk, D. B.,* and Goldring, R. M. Canopy ventilation monitor for quantitative measurement of *ventilation during sleep.* 48:724
Sörli, J. *see* Grunstein, M. M.
Sosenko, I. R. S., Hartig-Beecken, I., and Frantz, I. D., III. Cortisol reversal of functional delay of lung maturation in *fetuses of diabetic rabbits.* 49:971
Sosenko, I. R. S., Lawson, E. E., Demottaz, V., and Frantz, I. D., III. Functional *delay in lung maturation in fetuses of* diabetic rabbits. 48:643
Soskolne, W. A. *see* Horowitz, M.
Sotrel, A. *see Thach, B. T.*
Souhrada, J. F., and Dickey, D. W. Effect of substrate on hypoxic response of pulmonary artery. 40:533
Souhrada, J. F., and Dickey, D. W. Mechanical response of pulmonary artery under aerobic and hypoxic conditions. 42:438
Souhrada, J. F.
see Kivity, S.
Souhrada, M.
Souhrada, M., *Souhrada, J. F., and Cherniack,* R. M. Evidence for a sodium electrogenic pump in airway smooth muscle. *51:346*
Soukini, M. A. *see* Bard, H.
Soulard, C. D. *see* Teisseire, B. P.
Southorn, P., Rehder, K., and Hyatt, R. E. Halothane anesthesia and respiratory mechanics in dogs lying supine. 49:300
Spande, J. I.
see Nair, P.
Whalen, W. J.
Spannhake, E. W., Lemen, R. J., Wegmann, M. J., Hyman, A. L., and Kadowitz, P. J. *Effects of arachidonic acid* and prostaglandins on lung function in the intact dog. 44:397
Spannhake, E. W., Lemen, R. J., Wegmann, M. J., Hyman, A. L., and Kadowitz, P. J. Analysis of the airway effects of a PGH_2 analog in the anesthetized dog. 44:406
Spannhake, E. W., Levin, J. L., Mellion, B. T., Gruetter, C. A., Hyman, A. L., and Kadowitz, P. J. Reversal of 5HT-induced bronchoconstriction by PGI_2: distribution of central and peripheral actions. 49:521
Spannhake, E. W.
see Hyman, A. L.
Kadowitz, P. J.
Sparks, K. E. *see* Martin, B. J.
Spath, J. A., Jr. *see* Gee, M. H.
Spaur, W. H.
see Clarke, J. R.
Piantadosi, C. A.
Speers, D. M. *see* Utell, M. J.
Spektor, D. M. *see* Yeates, D. B.
Spencer, J., *Findling, A., Bachrach, A. J.,* Gelfand, R., Lambertsen, C. J., and Karreman, G. Tremor and somatosensory studies during chamber He-O_2 compressions to 13.1, 25.2, 37.3, and 49.4 ATA. 47:804
Spencer, M. P. Decompression limits for compressed air determined by ultrasonically detected blood bubbles. 40:229
Sperinde, S. J. *see* Shvartz, E.
Sperling, D. R. *see* Beran, A. V.
Spiegel, R. *see Ultman, J. S.*
Spiro, S. G., Culver, B. H., and Butler, J. Pressure outside the extrapulmonary airway in dogs. 45:437
Spitznagel, E. *see* Hagberg, J. M.
Spodick, D. *see* Nakamura, Y.
Sponholtz, D. K. *see* Van Liew, H. D.
Spriet, L. *see* Buick, F. J.
Sproule, B. J. *see Jones, R. L.*
Spurr, G. B. *see* Barac-Nieto, M.
Srimal, R. C. *see* Chand, N.
Staats, B. A., *Wilson, T. A., Lai-Fook, S.* J., Rodarte, J. R., and Hyatt, R. E. Viscosity and density dependence during maximal flow in man. 48:313
Stacy, R. W., Seal, E., Jr., Green, J., and House, D. Pulmonary function in normal humans with exercise and temperature-humidity stress. 53:1015
Stacy, R. W. *see Hellman, J. B.*
Staessen, J. *see* Lijnen, P.
Stafford, D. *see* Petrofsky, J. S.
Stafford, D. E., *and Petrofsky, J. S.* Interactions between fatiguing and nonfatiguing isometric contractions. 51:399
Stafford, M. J.
see Irsigler, G. B.
Kagawa, S.
Stagg, D., Goldman, M., and Newsom Davis, J. Computer-aided measurement of breath volume and time components using magnetometers. 44:623
Stagno, P. A. *see* York, J. W.
Stahlhofen, W. *see Gebhart, J.*
Stahlman, M. T. *see* Cotton, R. B.
Stainsby, W. N., Gladden, L. B., Barclay, *J. K., and Wilson, B. A.* Exercise efficiency: validity of base-line subtractions. 48:518
Stainsby, W. N.
see Chapler, C. K.
Gladden, L. B.
Wilson, B. A.
Stalcup, S. A., Lipset, J. S., Legant, P. M., Leuenberger, P. J., and Mellins, R. B. Inhibition of converting enzyme activity by acute hypoxia in dogs. 46:227
Stalcup, S. A.
see Block, E. R.
Leuenberger, P. J.
O'Brodovich, H. M.
Pang, L. M.
Stalder, H. *see* Ody, C.
Staley, R. W. *see* Greenleaf, J. E.
Stamford, B. A., Moffatt, R. J., Weltman, A., Maldonade, C., and Curtis, M. Blood lactate disappearance after supramaximal one-legged exercise. 45:244
Stamford, B. A., Rowland, R., and Moffatt, R. J. Effects of severe prior exercise on assessment of maximal oxygen uptake. 44:559
Stamford, B. A., Weltman, A., Moffatt, R., and Sady, S. Exercise recovery above and below anaerobic threshold following maximal work. 51:840
Stamford, B. A. *see* Weltman, A.
Stamm, A. M., Clausen, J. L., and Tisi, G. M. Effect of aerosolized isoproterenol on resting myogenic tone in normals. 40:525

Standaert, T. A.
see Belenky, D. A.
Godal, A.
Guthrie, R. D.
LaFramboise, W. A.
Robertson, H. T.
Truog, W. E.
Woodrum, D. E.
Wright, K.
Stanek, K. *see* Bisgard, G. E.
Stanek, K. A., Nagle, F. J., Bisgard, G. E., and Byrnes, W. C. Effect of hyperoxia on oxygen consumption in exercising ponies. 46:1115
Stănescu, D., Moavero, N. E., Veriter, C., and Brasseur, L. Frequency dependence of respiratory resistance in healthy children. 47:268
Stănescu, D., Veriter, C., and Brasseur, L. *Difference between the He bolus and N_2* technique for measuring closing volume. 42:859
Stănescu, D. C., Nemery, B., Veriter, C., and Maréchal, C. Pattern of breathing and ventilatory response to CO_2 in subjects practicing hatha-yoga. 51:1625
Stănescu, D. C., Rodenstein, D., Cauberghs, M., and Van de Woestijne, K. P. Failure of body plethysmography in bronchial asthma. 52:939
Stănescu, D. C. *see Rodenstein, D. O.*
Stanley, N. N.
see Altose, M. D.
Kelsen, S. G.
Stark, A. R. *see* Waggener, T. B.
Stark, R. A., Nahrwold, M. L., and Cohen, P. J. Blind oral tracheal intubation of rats. 51:1355
Statham, N. *see* Boucher, J. H.
Statham, N. J. *see* Winslow, R. M.
Staub, J.-F., and Coutris, G. A technique *for multiple, high-rate blood samplings* via an external cannula in rats. 46:197
Staub, N. C.
see Bhattacharya, J.
Binder, A. S.
Conhaim, R. L.
Cowan, G. S. M., Jr.
Flick, M. R.
Gee, M. H.
Gorin, A. B.
Landolt, C. C.
Matthay, M. A.
Ohkuda, K.
Simon, D. S.
Snashall, P. D.
Vreim, C. E.
Stavert, D. M., Reischl, P., and Murdock, L. C. A refrigerated treadmill apparatus for exercising dogs. 52:495
Stavert, D. M., Reischl, P., and O'Loughlin, B. J. A respiratory mask for resting and exercising dogs. 52:500
Stavert, D. M. *see* Reischl, P.
Stearns, D. R., McFadden, E. R., Jr., Breslin, F. J., and Ingram, R. H., Jr. *Reanalysis of the refractory period in* exertional asthma. 50:503
Stearns, D. R. *see* McFadden, E. R., Jr.
Stearns, J. M. *see* Bernstein, M. H.
Steele, P. *see* Haynes, J. B.
Stefanski, M. *see* Schulze, K.
Stein, P. D., Sabbah, H. N., and Mandal, A. K. Augmentation of the sickling process due to turbulent blood flow. 40:60
Stein, P. M., and Ederstrom, H. E. Temperature regulation in the dog in helium-oxygen environments. 50:478
Steinberg, H. *see* Fisher, A. B.
Stemler, F. W., and Craig, F. N. Effects of respiratory equipment on endurance in hard work. 42:28
Stengel, P. W., Frazer, D. G., and Weber, K. C. Lung degassing: an evaluation of two methods. 48:370
Stephens, N. L., and Mitchell, R. W. *Effect of respiratory acidosis and activity* on airway smooth muscle intracellular pH. 42:408
Stephens, N. L. *see* Antonissen, L. A.
Stephenson, L. A. *see* Kolka, M. A.
Stephenson, T. P. *see Dohm, G. L.*
Stere, A. J., and Anthony, A. Myocardial Feulgen-DNA levels and capillary vascu*larization in hypoxia-exposed rats.* 42: 501
Steward, R. D. *see* Klein, J. P.
Stewart, G. H. *see* Heckman, J. L.
Stewart, G. J. *see* Levin, L. L.
Stewart, P. A. *see Gorin, A. B.*
Stiff, E. J. *see* Tsai, M. J.
Stiles, R. N. Frequency and displacement *amplitude relations for normal hand tremor.* 40:44
Stiles, R. N., and Pozos, R. S. A mechanical-reflex oscillator hypothesis for parkinsonian hand tremor. 40:990
Stinger, R. B., Iacopino, V. J., Alter, I., Fitzpatrick, T. M., Rose, J. C., and Kot, P. A. Catheterization of the pulmonary artery in the closed-chest rat. 51:1047
Stinnett, H. O. *see* Greenleaf, J. E.
Stirling, C. *see* Patrick, G.
Stirling, J. L. *see Stock, M. J.*
Stitt, J. T. Variable open-loop gain in the control of thermogenesis in cold-exposed *rabbits.* 48:495
St. John, W. M. Respiratory neuron responses to hypercapnia and carotid chemoreceptor stimulation. 51:816
St. John, W. M., and Bartlett, D., Jr. Comparison of phrenic motoneuron responses to hypercapnia and isocapnic hypoxia. 46:1096
St. John, W. M., and Bartlett, D., Jr. Comparison of phrenic motoneuron activity during eupnea and gasping. 50:994
St. John, W. M., Bartlett, D., Jr., Knuth, K. V., and Hwang, J.-C. Brain stem genesis of automatic ventilatory patterns independent of spinal mechanisms. 51:204
St. John, W. M., and Knuth, K. V. A characterization of the respiratory pattern of gasping. 50:984
St. John, W. M., and Wang, S. C. Integration of chemoreceptor stimuli by caudal pontile and rostral medullary sites. 41:612
St. John, W. M., and Wang, S. C. Response of medullary respiratory neurons to hypercapnia and isocapnic hypoxia. 43:812
Stock, M. J., Chapman, C., Stirling, J. L., and Campbell, I. T. Effects of exercise, altitude, and food on blood hormone and metabolite levels. 45:350
Stock, M. J., Norgan, N. G., Ferro-Luzzi, A., and Evans, E. Effect of altitude on dietary-induced thermogenesis at rest and during light exercise in man. 45:345
Stock, M. K., Lanphier, E. H., Anderson, D. F., Anderson, L. C., Phernetton, T. M., and Rankin, J. H. G. Responses of fetal sheep to simulated no-decompression dives. 48:776
Stocks, J., and Godfrey, S. Specific airway conductance in relation to postconceptional age during infancy. 43:144
Stocks, J., Levy, N. M., and Godfrey, S. A new apparatus for the accurate measurement of airway resistance in infancy. 43:155
Stocks, J.
see Beardsmore, C. S.
Helms, P.
Stoddard, W. H., Jr. *see* LeBlanc, O. H., Jr.
Stokes, B. T. O_2 tension in the spinal cord of the avian embryo. 53:1455
Stokes, D. *see* Castile, R.
Stokes, D. L., MacIntyre, N. R., and Nadel, J. A. Nonlinear increases in diffusing *capacity during exercise by seated and* supine subjects. 51:858
Stokke, T. *see* Jennings, D. B.
Stolwijk, J. A. J.
see Cunningham, D. J.
Roberts, M. F.
Wenger, C. B.
Stone, D. R. *see* Scherer, P. W.
Stone, H. L. Cardiac function and exercise training in conscious dogs. 42:824
Stone, H. L. Coronary flow, myocardial *oxygen consumption, and exercise train*ing in dogs. 49:759
Stone, H. L.
see Billman, G. E.
Denn, M. J.
Dormer, K. J.
Dowell, R. T.
Liang, I. Y. S.
Sordahl, L. A.
Stone, J. A. *see* Thomson, J. M.
Storey, B. T. *see* Mulligan, E.
Stothart, P. *see Green, H.*
Stothert, J. *see* Winn, R.
Stothert, J. C., Jr., Winn, R., Nadir, B., Weaver, L. J., Carrico, C. J., and Hildebrandt, J. Modified chronic lung lymph fistula in goats via thoracic duct. 51:226
Stout, R. L. *see* Wessel, H. U.
Stowe, D. F. *see* Ebert, T. J.
Strathman, L. *see* Hagan, R. D.
Strathman, T. *see* Hagan, R. D.
Straub, P. W. *see* Bärtsch, P.
Strauss, R. H., Haynes, R. L., Ingram, R. H., Jr., and McFadden, E. R., Jr. Comparison of arm versus leg work in induc*tion of acute episodes of asthma.* 42:565
Strauss, R. H. *see* Deal, E. C., Jr.
Strawn, W. B., Hall, S. M., and Levitzky, M. G. Effect of baroreceptor reflex stimulation on blood flow to an atelectatic lung. 52:1128
Streeton, J. A. *see* Johns, D. P.
Strein, J. W. *see* Kearney, J. T.
Stremel, R. W., Convertino, V. A., Bernauer, E. M., and Greenleaf, J. E. Cardiorespiratory deconditioning with static and dynamic leg exercise during bed rest. 41:905
Stremel, R. W., Huntsman, D. J., Casaburi, R., Whipp, B. J., and Wasserman, K. Control of ventilation during intravenous CO_2 loading in the awake dog. 44:311
Stremel, R. W., Whipp, B. J., Casaburi, R., Huntsman, D. J., and Wasserman, K. Hypopnea consequent to reduced pulmonary blood flow in the dog. 46:1171
Stremel, R. W.
see Casaburi, R.
Greenleaf, J. E.
Stribley, R. F. *see* Nunneley, S. A.
Strieder, D. J. *see* Dorkin, H. L.
Strobusch, A. D. *see* Balmer, R. T.
Strohl, K. *see* Banzett, R.
Strohl, K. P., Hensley, M. J., Hallett, M., Saunders, N. A., and Ingram, R. H., Jr. Activation of upper airway muscles before onset of inspiration in normal humans. 49:638
Strohl, K. P., Mead, J., Banzett, R. B., Loring, S. H., and Kosch, P. C. Regional differences in abdominal muscle activity during various maneuvers in humans. 51:1471
Strohl, K. P., O'Cain, C. F., Ingram, R. H., Jr., Yanta, M. A., Kaplan, W. D., and McFadden, E. R., Jr. Inhalation patterns and predominant site of bronchoconstriction in healthy subjects. 50:575
Strohl, K. P., O'Cain, C. F., and Slutsky, A. S. Alae nasi activation and nasal resistance in healthy subjects. 52:1432

Strohl, K. P.
see Khoo, M. C. K.
O'Cain, C. F.
Patrick, G. B.
Strome, D. R., Clancy, R. L., and Gonzalez, N. C. Determinants of transmembrane bicarbonate flux during acid-base changes. 43:925
Strome, D. R., Clancy, R. L., and Gonzalez, N. C. Contribution of a net transmembrane HCO_3 flux to intracellular acid-base regulation. 43:931
Strømme, S. B., Ingjer, F., and Meen, H. D. Assessment of maximal aerobic power in specifically trained athletes. 42:833
Strong, R. *see* Polacheck, J.
Strope, G. L., Cox, C. L., Pimmel, R. L., and Clyde, W. A., Jr. Dynamic respiratory mechanics in intact anesthetized hamsters. 49:197
Struikenkamp, R. S. *see* Bakker, H. K.
Strydom, N. B., Kotze, H. F., Van der Walt, W. H., and Rogers, G. G. Effect of ascorbic acid on rate of heat acclimatization. 41:202
Strydom, N. B.
see Kotze, H. F.
Mitchell, D.
Stuart, M. K., Howley, E. T., Gladden, L. B., and Cox, R. H. Efficiency of trained subjects differing in maximal oxygen uptake and type of training. 50:444
Stubbing, D. G., Pengelly, L. D., Morse, J. L. C., and Jones, N. L. Pulmonary mechanics during exercise in normal males. 49:506
Stubbing, D. G., Pengelly, L. D., Morse, J. L. C., and Jones, N. L. Pulmonary mechanics during exercise in subjects with chronic airflow obstruction. 49:511
Stubbling, D. G. *see* Morrison, S. C.
Studney, T. A. *see* Palmer, W. K.
Stull, G. A. *see* Kearney, J. T.
Sturkie, P. D. *see* Nolan, W. F.
Stutts, M. J. *see* Boucher, R. C.
Sudlow, M. F. *see* Douglas, N. J.
Sue, D. Y., Hansen, J. E., Blais, M., and Wasserman, K. Measurement and analysis of gas exchange during exercise using a programmable calculator. 49:456
Sugiyama, M. *see* Sasaki, T.
Sukanek, P. C. *see* Cole, R. P.
Sullivan, C. E., Kozar, L. F., Murphy, E., and Phillipson, E. A. Primary role of respiratory afferents in sustaining breathing rhythm. 45:11
Sullivan, C. E., Kozar, L. F., Murphy, E., and Phillipson, E. A. Arousal, ventilatory, and airway responses to bronchopulmonary stimulation in sleeping dogs. 47:17
Sullivan, C. E., Murphy, E., Kozar, L. F., and Phillipson, E. A. Waking and ventilatory responses to laryngeal stimulation in sleeping dogs. 45:681
Sullivan, C. E., Murphy, E., Kozar, L. F., and Phillipson, E. A. Ventilatory responses to CO_2 and lung inflation in tonic versus phasic REM sleep. 47:1304
Sullivan, C. E. *see* Phillipson, E. A.
Sullivan, L. *see* Holm, G.
Sullivan, M. J., Paliotta, J., and Saklad, M. Endotracheal tube as a factor in measurement of respiratory mechanics. 41:590
Sullivan, S. F. *see* Patterson, R. W.
Sullivan, T. E., and Armstrong, R. B. Rat locomotory muscle fiber activity during trotting and galloping. 44:358
Sulzman, F. M., Fuller, C. A., and Moore-Ede, M. C. Environmental synchronizers of squirrel monkey circadian rhythms. 43:795
Summer, W. R. *see* Rosenthal, R. R.
Summerville, J. *see* Frank, L.
Sundell, H. *see* Cotton, R. B.
Suratt, P. M., Owens, D. H., Hsiao, H., Kaiser, D. L., and Rochester, D. F. Lung compliance and its transient elevations measured with pulse-flow method. 50:1318
Suratt, P. M., Owens, D. H., Kilgore, W. T., Harry, R. R., and Hsiao, H. S. A pulse method of measuring respiratory system compliance. 49:1116
Survanshi, S. *see* Weathersby, P. K.
Suryaprasad, A. G.
see Glaser, R. M.
Sawka, M. N.
Susskind, H., Atkins, H. L., Klopper, J. F., Ansari, A. N., and Richards, P. Comparison of airway closure measured in vivo and from single-breath washout curve. 50:587
Sutton, J., and Lazarus, L. Growth hormone in exercise: comparison of physiological and pharmacological stimuli. 41:523
Sutton, J.
see Basset, G.
Coates, G.
Mansell, A.
Sutton, J. R. Effect of acute hypoxia on the hormonal response to exercise. 42:587
Sutton, J. R., Viol, G. W., Gray, G. W., McFadden, M., and Keane, P. M. Renin, aldosterone, electrolyte, and cortisol responses to hypoxic decompression. 43:421
Sutton, J. R.
see Green, H. J.
Jones, N. L.
Jurkowski, J. E.
MacDougall, J. D.
Oldridge, N. B.
Sargeant, A. J.
Zimmerman, P.
Suzuki, S., Sasaki, H., Sekizawa, K., and Takishima, T. Isovolume pressure-flow relationships in intrapulmonary bronchi of excised dog lungs. 52:295
Suzuki, S.
see Hida, W.
Sasaki, T.
Suzuki, Y. Mechanical efficiency of fast- and slow-twitch muscle fibers in man during cycling. 47:263
Suzuki, Y. *see* Bonde-Petersen, F.
Swan, P. C. *see* Abdul-Rasool, I. H.
Swanson, G. D., Arena, L., Arancibia, A. B., and Bellville, J. W. New electronics for the Beckman LB-1 carbon dioxide analyzer. 41:781
Swanson, G. D., Ward, D. S., and Bellville, J. W. Posthyperventilation isocapnic hyperpnea. 40:592
Swanson, G. D., Wasserman, K., and Lewis, S. M. Ventilatory response to venous and inhaled CO_2 loading (Letter to the Editor). 40:651
Swanson, G. D., Whipp, B. J., Kaufman, R. D., Aqleh, K. A., Winter, B., and Bellville, J. W. Effect of hypercapnia on hypoxic ventilatory drive in carotid body-resected man. 45:971
Swanson, G. D.
see Bellville, J. W.
Engeman, R. M.
Johnson, T. S.
Robbins, P. A.
Swanson, H. T. *see* D'Aoust, B. G.
Swift, D. L. *see* Kaplan, J.
Swinburne, A. J., MacArthur, C. G. C., Rhodes, C. G., Heather, J. D., and Hughes, J. M. B. Measurement of lung water in dog lobes using inhaled $C^{15}O_2$ and injected $H_2{}^{15}O$. 52:1535
Swinburne, A. J. *see* Utell, M. J.
Sybert, A., Ayash, R., Chatham, M., and Gurtner, G. H. CO concentration-dependent changes in pulmonary diffusing capacity in humans. 53:505
Sybert, A.
see Knoblauch, A.
Lussier, L. M.
Sybrecht, G., Landau, L., Murphy, B. G., Engel, L. A., Martin, R. R., and Macklem, P. T. Influence of posture on flow dependence of distribution of inhaled ^{133}Xe boli. 41:489
Sybrecht, G. *see* Engel, L. A.
Sylvester, J. T., Cymerman, A., Gurtner, G., Hottenstein, O., Cote, M., and Wolfe, D. Components of alveolar-arterial O_2 gradient during rest and exercise at sea level and high altitude. 50:1129
Sylvester, J. T., Harabin, A. L., Peake, M. D., and Frank, R. S. Vasodilator and constrictor responses to hypoxia in isolated pig lungs. 49:820
Sylvester, J. T.
see Harabin, A. L.
Jaeger, J. J.
Knoblauch, A.
Mitzner, W.
Peake, M. D.
Zidulka, A.
Szidon, J. P., and Flint, J. F. Significance of sympathetic innervation of pulmonary vessels in response to acute hypoxia. 43:65

T

Tabachnik, E., Muller, N. L., Bryan, A. C., and Levison, H. Changes in ventilation and chest wall mechanics during sleep in normal adolescents. 51:557
Tack, M., Altose, M. D., and Cherniack, N. S. Effect of aging on respiratory sensations produced by elastic loads. 50:844
Taeusch, H. W. *see* Brown, E. R.
Taeusch, H. W., Jr.
see Frantz, I. D., III
Thach, B. T.
Tahamont, M. V. *see* Johnson, A.
Taitelman, U. *see* Bursztein, S.
Takada, K. *see* Kobayashi, Y.
Takano, N., Lever, M. J., and Lambertsen, C. J. Acid-base curve nomogram for chimpanzee blood and comparison with human blood characteristics. 46:381
Takeuchi, T. *see* Kobayashi, Y.
Takezawa, J., Miller, F. J., and O'Neil, J. J. Single-breath diffusing capacity and lung volumes in small laboratory mammals. 48:1052
Takishima, T.
see Hida, W.
Kikuchi, Y.
Nakamura, M.
Sasaki, H.
Sasaki, T.
Shibata, H.
Suzuki, S.
Talag, T. S. *see* Drinkwater, B. L.
Tallarida, G., Baldoni, F., Peruzzi, G., Raimondi, G., Massaro, M., and Sangiorgi, M. Cardiovascular and respiratory reflexes from muscles during dynamic and static exercise. 50:784
Tallman, R. D., Jr., and Grodins, F. S. Intrapulmonary CO_2 receptors and ventilatory response to lung CO_2 loading. 52:1272
Tallman, R. D., Jr., and Grodins, F. S. Intrapulmonary CO_2 receptor discharge at different levels of venous P_{CO_2}. 53:1386

Tallman, R. D., Jr., and Kunz, A. L. Changes in breathing pattern mediated by intrapulmonary CO_2 receptors in chickens. 52:162
Tallman, R. D., Jr. *see* Berger, P. J.
Talwar, G. P. *see* Guha, S. K.
Tam, H. S. *see* Downey, J. A.
Tam, H.-S., Darling, R. C., Cheh, H.-Y., and Downey, J. A. Sweating response: a means of evaluating the set-point theory during exercise. 45:451
Tam, H.-S., Darling, R. C., Downey, J. A., and Cheh, H.-Y. Relationship between evaporation rate of sweat and mean sweating rate. 41:777
Tam, P. Y. *see* Verdugo, P.
Tamura, T. *see* Miyamoto, Y.
Tan, M. H., Bonen, A., Garner, J. B., and Belcastro, A. N. Physical training in diabetic rats: effect on glucose tolerance and serum lipids. 52:1514
Tanaka, K. *see* Yoshiya, I.
Tanche, M. *see* Therminarias, A.
Tappan, D. V. *see* Jacey, M. J.
Tappel, A. L. *see* Dillard, C. J.
Tarasantchi, J. *see* Russo, A. K.
Tarshis, A. M. *see* Pengelly, L. D.
Tashkin, D. P. *see* Simmons, D. H.
Tate, C. A. *see* Krieger, D. A.
Tattersfield, A. E. *see* Twentyman, O. P.
Taulbee, D. B., Yu, C. P., and Heyder, J. Aerosol transport in the human lung from analysis of single breaths. 44:803
Taussig, L. *see* Engel, L. A.
Taussig, L. M., Landau, L. I., Godfrey, S., and Arad, I. Determinants of forced expiratory flows in newborn infants. 53:1220
Taylor, A. E.
see Grimbert, F. A.
Hildebrandt, J.
Kinnebrew, P. S.
Parker, J. C.
Rutili, G.
Taylor, B. W. *see* Helms, P.
Taylor, C. R. *see* Armstrong, R. B.
Taylor, E. W., and Butler, P. J. Nervous control of heart rate: activity in the cardiac vagus of the dogfish. 53:1330
Taylor, F. B. *see* McCaffree, D. R.
Taylor, P. B., and Cerny, F. J. Evaluation of the isolated paced rat heart. 41:328
Taylor, P. C. *see* Johnson, T. A.
Taylor, R. *see* Jones, N. L.
Tazawa, H. Effect of O_2 and CO_2 in N_2, He, and SF_6 on chick embryo blood pressure and heart rate. 51:1017
Tazawa, H. Measurement of blood pressure of chick embryo with an implanted needle catheter. 51:1023
Tazawa, H. Regulatory processes of metabolic and respiratory acid-base disturbances in embryos. 53:1449
Tazawa, H., Ono, T., and Mochizuki, M. Oxygen dissociation curve for chorioallantoic capillary blood of chicken embryo. 40:393
Tazawa, H., Ono, T., and Mochizuki, M. Oxygenation and deoxygenation velocity factors of chorioallantoic capillary blood. 40:399
Tazawa, H., Piiper, J., Ar, A., and Rahn, H. Changes in acid-base balance of chick embryos exposed to He or SF_6 atmosphere. 50:819
Tcheng, T.-K.
see Paynter, D. E.
Varlas, A. C.
Teague, S., Collins, S., Wu, D., Denes, P., Rosen, K., and Arzbaecher, R. A quantitative description of the normal AV nodal conduction curve in man. 40:74
Teculescu, D. *see* Bohadana, A. B.
Teisseire, B. *see* Duvelleroy, M. A.
Teisseire, B. P., Soulard, C. D., Hérigault, R. A., Leclerc, L. F., and Laver, M. B. Effects of chronic changes in hemoglobin-O_2 affinity in rats. 46:816
Temkin, L. P. *see* Wilmore, J. H.
Tempel, G. E., Musacchia, X. J., and Jones, S. B. Mechanisms responsible for decreased glomerular filtration in hibernation and hypothermia. 42:420
Tenney, S. M. *see* Ou, L. C.
Teperow-Putter, K. *see* Auchincloss, J. H., Jr.
Teplick, R., Snider, M. T., and Gilbert J. P. A comparison of continuous and discrete foreign gas V_A/Q distributions. 49:684
Tepper, R. S., Lightfoot, E. N., Baz, A., and Lanphier, E. H. Inert gas transport in the microcirculation: risk of isobaric supersaturation. 46:1157
Terblanche, S. E., Fell, R. D., Juhlin-Dannfelt, A. C., Craig, B. W., and Holloszy, J. O. Effects of glycerol feeding before and after exhausting exercise in rats. 50:94
Terblanche, S. E.
see Fell, R. D.
Juhlin-Dannfelt, A. C.
Terjung, R. L., Budohoski, L., Nazar, K., Kobryń, A., and Kaciuba-Uscilko, H. Chylomicron triglyceride metabolism in resting and exercising fed dogs. 52:815
Terjung, R. L.
see Abraham, W. M.
Dudley, G. A.
Koerner, J. E.
Mackie, B. G.
Meyer, R. A.
Ter-Pogossian, M. M. *see* Raichle, M. E.
Terry, P. B.
see Enjeti, S.
Inners, C. R.
Kaplan, J.
Smith, L. J.
Traystman, R. J.
Thach, B. T., Abroms, I. F., Frantz, I. D., III, Sotrel, A., Bruce, E. N., and Goldman, M. D. Intercostal muscle reflexes and sleep breathing patterns in the human infant. 48:139
Thach, B. T., Frantz, I. D., III, Adler, S. M., and Taeusch, H. W., Jr. Maturation of reflexes influencing inspiratory duration in human infants. 45:203
Thach, B. T., and Taeusch, H. W., Jr. Sighing in newborn human infants: role of inflation-augmenting reflex. 41:502
Thach, B. T., Wyszogrodski, I., and Milic-Emili, J. Effect of ether on control of rate and depth of breathing in newborn rabbits. 40:281
Thach, B. T.
see Adler, S. M.
Brouillette, R. T.
Frantz, I. D., III
Lawson, E. E.
Mathew, O. P.
Wilson, S. L.
Wyszogrodski, I.
Thalmann, E. D.
see Piantadosi, C. A.
Van Liew, H. D.
Theodore, J. *see* Simon, L. M.
Therminarias, A., Chirpaz, M. F., Lucas, A., and Tanche, M. Catecholamines in dogs during cold adaptation by repeated immersions. 46:662
Therminarias, A., Chirpaz, M. F., Lucas, A., and Tanche, M. Calorigenic effect of insulin in hypothermic dogs. 47:342
Thet, L. A., Delaney, M. D., Gregorio, C. A., and Massaro, D. Protein metabolism by rat lung: influence of fasting, glucose, and insulin. 43:463
Thiessen, B. *see* Pedersen, O. F.
Thomas, D. P., and Fregin, G. F. Cardiorespiratory and metabolic responses to treadmill exercise in the horse. 50:864
Thomas, H. M., III, and Garrett, R. C. Strength of hypoxic vasoconstriction determines shunt fraction in dogs with atelectasis. 53:44
Thomas, J. D. *see* Yakaitis, R. W.
Thomas, J. L. *see* Davies, D. G.
Thomas, M. F., and Penney, D. G. Hematologic responses to carbon monoxide and altitude: a comparative study. 43:365
Thomas, M. W. *see* Ultman, J. S.
Thomas, S., and Hughes, G. M. Effects of hypoxia on blood gas and acid-base parameters of sea bass. 53:1336
Thomas, T. R., and Etheridge, G. L. Hydrostatic weighing at residual volume and functional residual capacity. 49:157
Thomas, T. R., Londeree, B. R., Gerhardt, K. O., and Gehrke, C. W. Fatty acid profile and cholesterol in skeletal muscle of trained and untrained men. 43:709
Thompson, D. A., Moskowitz, H. R., and Campbell, R. G. Effects of body weight and food intake on pleasantness ratings for a sweet stimulus. 41:77
Thompson, W. K., Marchak, B. E., Bryan, A. C., and Froese, A. B. Vagotomy reverses apnea induced by high-frequency oscillatory ventilation. 51:1484
Thompson, W. K., Marchak, B. E., Froese, A. B., and Bryan, A. C. High-frequency oscillation compared with standard ventilation in pulmonary injury model. 52:543
Thompson, W. K. *see* Bohn, D. J.
Thomson, A. B. R. *see* Man, S. F. P.
Thomson, J. *see* Chang, H. K.
Thomson, J. A. *see* Green, H. J.
Thomson, J. M., Stone, J. A., Ginsberg, A. D., and Hamilton, P. O_2 transport during exercise following blood reinfusion. 53:1213
Thorén, P., Shepherd, J. T., and Donald, D. E. Anodal block of medullated cardiopulmonary vagal afferents in cats. 42:461
Thorstensson, A., Grimby, G., and Karlsson, J. Force-velocity relations and fiber composition in human knee extensor muscles. 40:12
Thurlbeck, W. M.
see Berend, N.
Ford, G. T.
Klassen, T.
Thurman, R. G. *see* Itakura, N.
Thursby, M. *see* Bishop, B.
Thurston, H. *see* Keim, H. J.
Thurston, J. R. *see* Riley, J. L.
Tibbits, G., Koziol, B. J., Roberts, N. K., Baldwin, K. M., and Barnard, R. J. Adaptation of the rat myocardium to endurance training. 44:85
Tien, Y. K. *see* Melissinos, C. G.
Tien, Y.-K., Elliott, E. A., and Mead, J. Variability of the configuration of maximum expiratory flow-volume curves. 46:565
Tien, Y.-K., and Gabel, R. A. Prediction of Po_2 from So_2 using the standard oxygen hemoglobin equilibrium curve. 42:985
Tierney, D. F.
see Abe, M.
Kao, D. K.
O'Neil, J. J.
Tiffin, S. J. *see* Barclay, J. K.
Timbal, J. *see* Boutelier, C.
Timson, B. F. *see* Gollnick, P. D.

Tipton, C. M.
see Bedford, T. G.
Conlee, R. K.
Edwards, J. G.
Garfin, S. R.
Laughlin, M. H.
Murphy, R. D.
Paynter, D. E.
Vailas, A. C.
Tisi, G. M. *see* Stamm, A. M.
Tiwari, S. C. *see* Hoon, R. S.
Tobin, J. D. *see* McGuire, E. A. H.
Toda, Y. *see* Araki, T.
Todd, T. R. J., Baile, E., and Hogg, J. C. Pulmonary capillary permeability during hemorrhagic shock. 45:298
Toews, C. J.
see Jones, N. L.
Jurkowski, J. E. H.
Toftegaard Nielsen, T., and Bloch Thomsen, P. E. Leg and splanchnic arteriovenous differences of plasma citrate in exercising man. 46:120
Togawa, T. *see* Ito, H.
Toner, M. *see* Magel, J. R.
Toner, M. M. *see* Shapiro, Y.
Tonkin, A. M. *see* Korner, P. I.
Tooley, W. H.
see Hazinski, T. A.
Heldt, G. P.
Kitterman, J. A.
Topliff, E. D. L. *see* Landolt, J. P.
Toporoff, B. *see* Lai-Fook, S. J.
Toraason, M. *see* Wright, G.
Torres, F. *see* Whipp, B. J.
Tow, D. E. *see* Scharf, S. M.
Towell, M. E., Lysak, I., Layne, E. C., and Bessman, S. P. Tissue oxygen tension in rabbits measured with a galvanic electrode. 41:245
Townsend, E. R.
see Bowes, G.
Phillipson, E. A.
Townsley, M. I. *see* Jones, T. A.
Tracy, S. E. *see* Malik, A. B.
Tranbaugh, R. F. *see* Simon, R. P.
Trap-Jensen, J. *see* Klausen, K.
Traugott, F. M. *see* Quail, A. W.
Trautwein, S. *see* Gordon, C. J.
Traystman, R.
see Batra, G.
Gertner, A.
Traystman, R. J., Batra, G. K., and Menkes, H. A. Local regulation of collateral ventilation by oxygen and carbon dioxide. 40:819
Traystman, R. J., Terry, P. B., and Menkes, H. A. Carbon dioxide—a major determination of collateral ventilation. 45:69
Traystman, R. J.
see Enjeti, S.
Gurtner, G. H.
Inners, C. R.
Kaplan, J.
Smith, L. J.
Tremblay, G. *see* Heckman, J. L.
Tremer, H. M. *see* Wall, R. J.
Tricot, J. P. *see* Collen, D.
Trieb, M. *see* Fahey, T. D.
Triebwasser, J. H. *see* Hull, D. H.
Trippenbach, T., and Milic-Emili, J. Temperature and CO_2 effect on phrenic activity and tracheal occlusion pressure. 43:449
Trippenbach, T., Zinman, R., and Mozes, R. Effects of airway occlusion at functional residual capacity in pentobarbital-anesthetized kittens. 51:143
Trippenbach, T. *see* Aubier, M.
Trost, F. *see* Braumann, K.-M.
Trousdale, F. R.
see Benumof, J. L.
Pease, R. D.
Pirlo, A. F.
Zasslow, M. A.
Truog, W. E., Hlastala, M. P., Standaert, T. A., McKenna, H. P., and Hodson, W. A. Oxygen-induced alteration of ventilation-perfusion relationships in rats. 47:1112
Truog, W. E., and Standaert, T. A. Nonrebreathing valve for spontaneously breathing or mechanically ventilated animals. 44:974
Truog, W. E.
see Robertson, H. T.
Wright, K.
Tsai, M. J., Pimmel, R. L., Stiff, E. J., Bromberg, P. A., and Hamlin, R. L. Respiratory parameter estimation using forced oscillatory impedance data. 43:322
Tsai, M. J.
see Pimmel, R. L.
Williams, S. P.
Tsakiris, A. G., Gordon, D. A., Mathieu, Y., Padiyar, R., and Labrosse, C. Sudden interruption of leaflet opening by ventricular contractions: a mechanism of mitral regurgitation. 40:132
Tse, K. S. *see* Antonissen, L. A.
Tsoi, C. M., Raemer, D. B., and Westenskow, D. R. Instrumentation simultaneously measuring $V\dot{C}O_2$ and $V\dot{O}_2$ in humans using titration methods. 52:786
Tsuchiya, M. *see* Walsh, G. M.
Tsujino, A. *see* Araki, T.
Tsur, H. *see* Shapiro, Y.
Tsuya, Y. *see* Lai, Y.-L.
Tucker, A., McMurtry, I. F., Alexander, A. F., Reeves, J. T., and Grover, R. F. Lung mast cell density and distribution in chronically hypoxic animals. 42:174
Tucker, A., Weir, E. K., Reeves, J. T., and Grover, R. F. Failure of histamine antagonists to prevent hypoxic pulmonary vasoconstriction in dogs. 40:496
Tucker, A. *see* Weir, E. K.
Tucker, C. E., James, W. E., Berry, M. A., Johnstone, C. J., and Grover, R. F. Depressed myocardial function in the goat at high altitude. 41:356
Tucker, C. E. *see* James, W. E.
Tucker, K. R., Seider, M. J., and Booth, F. W. Protein synthesis rates in atrophied gastrocnemius muscles after limb immobilization. 51:73
Tullson, P. *see* Armstrong, R. B.
Tuma, R. F. *see* Lowe, C.
Tung, C. *see* Laver, M. B.
Tung, W. *see* Laver, M. B.
Turino, G. M. *see* Leuenberger, P. J.
Turner, S. C. *see* Hughes, E. F.
Turowski, A. M. *see* Maxwell, L. C.
Tusiewicz, K., Moldofsky, H., Bryan, A. C., and Bryan, M. H. Mechanics of the rib cage and diaphragm during sleep. 43:600
Twente, J. *see* Twente, J. W.
Twente, J. W., Twente, J., and Moy, R. M. Regulation of arousal from hibernation by temperature in three species of *Citellus*. 42:191
Twentyman, O. P., Disley, A., Gribbin, H. R., Alberti, K. G. M. M., and Tattersfield, A. E. Effect of β-adrenergic blockade on respiratory and metabolic responses to exercise. 51:788
Tyce, G. M. *see* Freeman, W. K.
Tyler, P. E.
see Barney, C. C.
Fregly, M. J.
Tyler, T. *see* Abrams, R. M.
Tyler, W. S. *see* Hyde, D. M.
Tzankoff, S. P., and Norris, A. H. Effect of muscle mass decrease on age-related BMR changes. 43:1001
Tzankoff, S. P., and Norris, A. H. Longitudinal changes in basal metabolism in man. 45:536
Tzankoff, S. P.
see Aulick, L. H.
Raff, H.
Robinson, S.

U

Udassin, R. *see* Shoenfeld, Y.
Ueki, I. F. *see* German, V. F.
Ulane, R. E. *see* Kotas, R. V.
Ultman, J. S., and Bursztein, S. Analysis of error in the determination of respiratory gas exchange at varying FI_{O_2}. 50:210
Ultman, J. S., Doll, B. E., Spiegel, R., and Thomas, M. W. Longitudinal mixing in pulmonary airways—normal subjects respiring at a constant flow. 44:297
Ultman, J. S., and Thomas, M. W. Longitudinal mixing in pulmonary airways: comparison of inspiration and expiration. 46:799
Umeno, K. *see* Araki, T.
Underkofler, S. *see* Van Beaumont, W.
Unge, G. *see* Ljungqvist, A.
Unger, M., Atkins, M., Briscoe, W. A., and King, T. K. C. Potentiation of pulmonary vasoconstrictor response with repeated intermittent hypoxia. 43:662
Ungerer, T. *see* Curet, L. B.
Upton, A. R. M. *see* Sale, D. G.
Urmey, W. F., Scharf, S. M., Brown, R., Carlson, D., and Song, P. Effect of interstitial fluid (kerosene) on pressure-volume characteristics of rat lung. 52:260
Usami, E. *see* Kadono, H.
Usami, S. *see* Chen, R. Y. Z.
Utell, M. J., Swinburne, A. J., Hyde, R. W., Speers, D. M., Gibb, F. R., and Morrow, P. E. Airway reactivity to nitrates in normal and mild asthmatic subjects. 46:189
Utell, M. J.
see Peterson, B. T.
Petrini, M. F.
Uther, J. B. *see* Korner, P. I.
Utsunomiya, T. *see* Justice, R. E.

V

Vadstrup, S. *see* Bojsen, J.
Vaida, P., Anton-Kuchly, B., and Varene, P. Mechanics and energetics of stilt walking. 51:529
Vailas, A. C., Tipton, C. M., Laughlin, H. L., Tcheng, T. K., and Matthes, R. D. Physical activity and hypophysectomy on the aerobic capacity of ligaments and tendons. 44:542
Vailas, A. C. *see* Murphy, R. D.
Valberg, P. A., and Brain, J. D. Lung surface tension and air space dimensions from multiple pressure-volume curves. 43:730
Valberg, P. A., Brain, J. D., and Kane, D. Effects of colchicine or cytochalasin B on pulmonary macrophage endocytosis in vivo. 50:621
Valberg, P. A., Brain, J. D., Sneddon, S. L., and LeMott, S. R. Breathing patterns influence aerosol deposition sites in excised dog lungs. 53:824
Valdez, V. *see* Baldwin, K. M.
Valeri, C. R. *see* Justice, R. E.
Valero, A. *see* Foux, A.
Valladares, W. *see* Fournier, P.
Van Beaumont, S. *see* Van Beaumont, W.
Van Beaumont, W., Underkofler, S., and Van Beaumont, S. Erythrocyte volume, plasma volume, and acid-base changes in exercise and heat dehydration. 50:1255
Van Beaumont, W.
see Greenleaf, J. E.
Shvartz, E.

Vanbenthuysen, K. M. *see* Hammon, J. W., Jr.
Van Brummelen, A. G. W. *see* Li, J. K.-J.
Vandagriff, R. *see* Caiozzo, V. J.
Vanderhoeft, P., De Francquen, P., Gelin, M., Van Stratum, M., Joris, M., Servais, N., Jank, K., Grevisse, P., Demeester, M., and Smets, P. Ventilation in dogs on cardiopulmonary bypass with and without lungs. 47:1176
Van der Kooij, A. M. *see* Luijendijk, S. C. M.
Van der Linden, L. *see* Nagels, J.
Van der Linden, L. P. *see* Paiva, M.
Van der Mark, T. W. *see* Kiers, A.
Vander Tuig, J. G. *see* Severson, J. A.
Van der Walt, W. H.
see Kotze, H. F.
Strydom, N. B.
Van der Zee, H., Malik, A. B., Lee, B. C., and Hakim, T. S. Lung fluid and protein exchange during intracranial hypertension and role of sympathetic mechanisms. 48:273
Van der Zee, H.
see Hakim, T. S.
Lee, B. C.
Malik, A. B.
Van de Woestijne, K. P.
see Bobbaers, H.
Demedts, M.
De Wilde, R.
Lándsér, F. J.
Nagels, J.
Stănescu, D. C.
Van Dieren, A. *see* Zwart, A.
Van Dyke, R. A. *see* Sass, D. J.
Vanfraechem, J. H. P. Stroke volume and systolic time interval adjustments during bicycle exercise. 46:588
Van Handel, P. J. *see* Ivy, J. L.
Vanhees, L. *see* Fagard, R.
Van Horn Naughton, K. *see* Shapiro, H. M.
Vanhoutte, P. M. *see* Vermeire, P. A.
Van Huss, W. D. *see* Hickson, R. C.
Van Itallie, T. B. *see* Yang, M. U.
Van Leuven, F. *see* Weyne, J.
Van Liew, H. D., and Arieli, R. Exchanges of oxygen and carbon dioxide alter inert gas pattern in single-breath tests. 50:487
Van Liew, H. D., Thalmann, E. D., and Sponholtz, D. K. Hindrance to diffusive gas mixing in the lung in hyperbaric environments. 51:243
Van Liew, H. D. *see* Arieli, R.
Van Nice, P. S., and Galey, W. R. Actions of hyperbaric elemental gases on electrolyte transport in the human erythrocyte. 49:204
Van Rensburg, A. J. *see* Mitchell, D.
Van Rij, A. M. *see* Dohm, G. L.
Van Rooyen, W. *see* Jansen, J. R. C.
Van Santen, E. *see* Schoeller, D. A.
Van Someren, R. N. M., Coleshaw, S. R. K., Mincer, P. J., and Keatinge, W. R. Restoration of thermoregulatory response to body cooling by cooling hands and feet. 53:1228
Van Stratum, M. *see* Vanderhoeft, P.
Van't Laar, A. *see* Cleophas, T. J. M.
Varene, P. *see* Vaida, P.
Vargas, E. *see* Lockhart, A.
Vassallo, C. L. *see* Sahebjami, H.
Vaughn, K. Z. *see* Eldridge, F. L.
Vawter, D. L. Stress-free equilibrium volume of the lung. 43:3
Vawter, D. L., Fung, Y. C., and West, J. B. Elasticity of excised dog lung parenchyma. 45:261
Veicsteinas, A., Ferretti, G., and Rennie, D. W. Superficial shell insulation in resting and exercising men in cold water. 52:1557
Veicsteinas, A., and Rennie, D. W. Thermal insulation and shivering threshold in Greek sponge divers. 52:845
Veicsteinas, A.
see Cerretelli, P.
Samaja, M.
Vejby-Christensen, H. *see* Petersen, E. S.
Velasquez, T. *see* Brody, J. S.
Velasquez, T. M. *see* Lahiri, S.
Vellody, V. P., Nassery, M., Druz, W. S., and Sharp, J. T. Effects of body position change on thoracoabdominal motion. 45:581
Venkatesh, S., and Cumming, G. Boundary-layer oxygen depletion in blood gas analysis. 51:232
Venters, M. D. *see* Loeppky, J. A.
Venters, R. *see* Brauer, R. W.
Ventura, D. F. *see* Porcelli, R. J.
Venugopalan, C. *see* Drazen, J. M.
Verde, T., Shephard, R. J., Corey, P., and Moore, R. Sweat composition in exercise and in heat. 53:1540
Verdugo, P., Johnson, N. T., and Tam, P. Y. β-Adrenergic stimulation of respiratory ciliary activity. 48:868
Vergne-Marini, P. *see* Nixon, J. V.
Verhamme, M. *see* Demedts, M.
Veriter, C. *see* Stănescu, D.
Vermeire, P. A., and Vanhoutte, P. M. Inhibitory effects of catecholamines in isolated canine bronchial smooth muscle. 46:787
Vermylen, J. *see* Collen, D.
Versprille, A.
see Jansen, J. R. C.
Schreuder, J. J.
Viau, A. T. *see* Porcelli, R. J.
Vidruk, E. H., Hahn, H. L., Nadel, J. A., and Sampson, S. R. Mechanisms by which histamine stimulates rapidly adapting receptors in dog lungs. 43:397
Vieras, F. *see* Weathersby, P. K.
Vignau, S. R. *see* Greenleaf, J. E.
Vihko, V., Salminen, A., and Rantamäki, J. Exhaustive exercise, endurance training, and acid hydrolase activity in skeletal muscle. 47:43
Viires, N. *see* King, M.
Villa, R. F. *see* Benzi, G.
Vinegar, A., Sinnett, E. E., and Kosch, P. C. Respiratory mechanics of a small carnivore: the ferret. 52:832
Vinegar, A., Sinnett, E. E., and Leith, D. E. Dynamic mechanisms determine functional residual capacity in mice, *Mus musculus*. 46:867
Vinegar, A.
see Grant, M. M.
Jackson, A. C.
Vinten-Johansen, J. *see* Neubauer, J. A.
Viol, G. W. *see* Sutton, J. R.
Virgulto, J. A. *see* Loke, J.
Virtue, R. W. *see* Johnson, T. S.
Vissers, A. C. A. *see* Binkhorst, R. A.
Vízek, M. *see* Herget, J.
Vodak, J. *see* Davis, J. A.
Vodak, P. *see* Davis, J. A.
Voelkel, N. *see* Gerber, J. G.
Voelkel, N. F., Hegstrand, L., Reeves, J. T., McMurty, I. F., and Molinoff, P. B. Effects of hypoxia on density of β-adrenergic receptors. 50:363
Voelkel, N. F., McMurtry, I. F., and Reeves, J. T. Chronic propranolol treatment blunts right ventricular hypertrophy in rats at high altitude. 48:473
Voelkel, N. F., Morris, K. G., McMurtry, I. F., and Reeves, J. T. Calcium augments hypoxic vasoconstriction in lungs from high-altitude rats. 49:450
Voelkel, N. F. *see* Walker, B. R.
Vogel, I. *see* Wirth, A.
Vogel, J. A. *see* Knuttgen, H. G.
Vogt, J. J.
see Candas, V.
Libert, J. P.
Volgyesi, G.
see Kattan, M.
Muller, N.
Von Luhrte, T. C. *see* Sawka, M. N.
Vreim, C. E., and Ohkuda, K. Improved method for cannulation of the right lymph duct in dogs. 43:899
Vreim, C. E., Ohkuda, K., and Staub, N. C. Proportions of dog lung lymph in the thoracic and right lymph ducts. 43:894

W

Wade, C. E., and Claybaugh, J. R. Plasma renin activity, vasopressin concentration, and urinary excretory responses to exercise in men. 49:930
Wade, C. E., Dressendorfer, R. H., O'Brien, J. C., and Claybaugh, J. R. Renal function, aldosterone, and vasopressin excretion following repeated long-distance running. 50:709
Wade, C. E.
see Claybaugh, J. R.
Dressendorfer, R. H.
Wagerle, L. C. *see* Busija, D. W.
Waggener, T. B., Frantz, I. D., III, Stark, A. R., and Kronauer, R. E. Oscillatory breathing patterns leading to apneic spells in infants. 52:1288
Waggener, T. B.
see Brusil, P. J.
Kagawa, S.
Wagner, H.-J. *see* Meyer, M.
Wagner, J. A., Bedi, J. F., and Horvath, S. M. Correction for cardiac output calculations by the nitrous oxide technique. 41:251
Wagner, J. A., Horvath, S. M., and Dahms, T. E. Cardiovascular, respiratory, and metabolic adjustments to exercise in dogs. 42:403
Wagner, J. A., Miles, D. S., and Horvath, S. M. Physiological adjustments of women to prolonged work during acute hypoxia. 49:367
Wagner, J. A., Miles, D. S., Horvath, S. M., and Reyburn, J. A. Maximal work capacity of women during acute hypoxia. 47:1223
Wagner, J. A.
see Maron, M. B.
Robinson, S.
Wagner, P. D. Susceptibility of different gases to ventilation-perfusion inequality. 46:372
Wagner, P. D. Information content of the multibreath nitrogen washout. 46:579
Wagner, P. D.
see Bencowitz, H. Z.
Breen, P. H.
Evans, J. W.
Fortune, J. B.
Hedenstierna, G.
McEvoy, R. D.
Young, I.
Wagner, W. W., Jr., Latham, L. P., and Capen, R. L. Capillary recruitment during airway hypoxia: role of pulmonary artery pressure. 47:383
Wagner, W. W., Jr.
see Capen, R. L.
Kuriyama, T.
Wagner-Weber, V. M. *see* Linehan, J. H.
Wahrenbrock, E. A.
see Benumof, J. L.
Sinnett, E. E.
Waldo, A. L. *see* Branch, C. E.
Waldrop, T. G.
see Lawson, E. E.
Millhorn, D. E.

Walker, A. M., Oakes, G. K., Ehrenkranz, R., McLaughlin, M., and Chez, R. A. Effects of hypercapnia on uterine and umbilical circulation in conscious pregnant sheep. 41:727
Walker, A. M. *see* Oakes, G. K.
Walker, B. R., Voelkel, N. F., McMurtry, I. F., and Adams, E. M. Evidence for diminished sensitivity of the hamster pulmonary vasculature to hypoxia. 52: 1571
Walker, B. R., Voelkel, N. F., and Reeves, J. T. Pulmonary pressor response after prostaglandin synthesis inhibition in conscious dogs. 52:705
Walker, J. M., Floyd, T. C., Fein, G., Cavness, C., Lualhati, R., and Feinberg, I. Effects of exercise on sleep. 44:945
Walker, J. M. *see* Haskell, E. H.
Walker, W. C. *see* Jurkowski, J. E.
Wall, P. T. *see* Gisolfi, C. V.
Wall, R. J., Sobin, S. S., Karspeck, M., Lindal, R. G., Tremer, H. M., and Fung, Y.-C. B. Computer-derived image compositing. 51:84
Wallace, A. G. *see* Williams, R. S.
Wallace, J. M. *see* Keim, H. J.
Wallace, J. P. *see* Kasch, F. W.
Wallis, T. W., Rogers, W. R., and Johanson, W. G., Jr. Effects of acute and chronic exposure to nicotine aerosol on bronchial reactivity to inhaled methacholine. 52:1071
Walsh, G. M., Tsuchiya, M., and Frohlich, E. D. Direct Fick application for measurement of cardiac output in rat. 40:849
Walsh, L. F., Hautman, R. P., and Blank, D. L. Electromechanical stimulator for presenting moving cutaneous stimuli. 40:824
Wand, I. *see* Ody, C.
Wang, J.
see Colt, E. W. D.
Yang, M. U.
Wang, L. C. H. Modulation of maximum thermogenesis by feeding in the white rat. 49:975
Wang, L. C. H., and Anholt, E. C. Elicitation of supramaximal thermogenesis by aminophylline in the rat. 53:16
Wang, L. C. H., and Peter, R. E. Changes in plasma glucose, FFA, corticosterone, and thyroxine in He-O_2-induced hypothermia. 42:694
Wang, L. C.-H. *see* Jones, D. L.
Wang, S. C. *see* St. John, W. M.
Wangensteen, D., Bachofen, H., and Weibel, E. R. Lung tissue volume changes induced by hypertonic NaCl: morphometric evaluation. 51:1443
Wangensteen, D., and Yankovich, R. Alveolar epithelium transport of albumin and sucrose: concentration difference effect. 47:846
Wangensteen, D.
see Bachofen, H.
Goodman, B. E.
Wanner, A., Begin, R., Cohn, M., and Sackner, M. A. Vascular volumes of the pulmonary circulation in intact dogs. 44:956
Wanner, A., Mezey, R. J., Reinhart, M. E., and Eyre, P. Antigen-induced bronchospasm in conscious sheep. 47:917
Wanner, A., and Reinhart, M. E. Respiratory mechanics in conscious sheep: response to methacholine. 44:479
Wanner, A.
see Abraham, W. M.
Ahmed, T.
Baier, H.
Friedman, M.
Küng, M.
Maurer, D. R.
Ward, D. S. *see* Swanson, G. D.
Ward, G. R. *see* MacDougall, J. D.
Ward, S. A., Aqleh, K. A., and Poon, C.-S. Breath-to-breath monitoring of inspiratory occlusion pressures in humans. 51:520
Ward, S. A., and Whipp, B. J. Ventilatory control during exercise with increased external dead space. 48:225
Ward, S. A. *see* Whipp, B. J.
Wardley-Smith, B.
see Baden, J. M.
Bailey, C. P.
Warren, R. Q. *see* Dohm, G. L.
Waschler, R. *see* Raab, J. L.
Wasserman, D. *see* Wright, G.
Wasserman, K.
see Beaver, W. L.
Brown, H. V.
Casaburi, R.
Davis, J. A.
Diamond, L. B.
Gross, P. M.
Jones, P. W.
Juratsch, C. E.
Koyal, S. N.
Nery, L. E.
Oren, A.
Stremel, R. W.
Sue, D. Y.
Swanson, G. D.
Weissman, M. L.
Whipp, B. J.
Wasserman, S. *see* O'Neil, J. J.
Wasserman, S. I. *see* Marquardt, D. L.
Watanabe, S.
see Clark, J. S.
Honda, Y.
Watkins, C. A., and Rannels, D. E. In situ perfusion of rat lungs: stability and effects of oxygen tension. 47:325
Watkins, C. A. *see* Rannels, D. E.
Watson, A. *see* Hahn, H. L.
Watson, A. W. S., and O'Donovan, D. J. Factors relating to the strength of male adolescents. 43:834
Watson, H. *see* Abraham, W. M.
Watt, P. W., Kelly, F. J., Goldspink, D. F., and Goldspink, G. Exercise-induced morphological and biochemical changes in skeletal muscles of the rat. 53:1144
Watt, T. B., Jr., and Burrus, C. S. Arterial pressure contour analysis for estimating human vascular properties. 40:171
Watts, P. R. *see* McLean, J. A.
Waugh, W. H., Bales, T. E., and Nihei, H. Reusable tubular membrane oxygenator for isolated organ hemoperfusion. 40:476
Waxman, M. B. *see* Finley, J. P.
Wead, W. B., and Norton, J. F. Effects of intrapleural pressure changes on canine left ventricular function. 50:1027
Weathers, W. W., and Schoenbaechler, D. C. Contribution of gular flutter to evaporative cooling in Japanese quail. 40:521
Weathers, W. W., and Snyder, G. K. Hemodynamics of the lesser mouse deer, *Tragulus javanicus*. 42:679
Weathers, W. W.
see Nolan, W. F.
Snyder, G. K.
Weathersby, P. K., Barnard, E. E. P., Homer, L. D., and Mendenhall, K. G. Stochastic description of inert gas exchange. 47:1263
Weathersby, P. K., Homer, L. D., and Flynn, E. T. Homogeneous nucleation of gas bubbles in vivo. 53:940
Weathersby, P. K., Mendenhall, K. G., Barnard, E. E. P., Homer, L. D., Survanshi, S., and Vieras, F. Distribution of xenon gas exchange rates in dogs. 50:1325
Weaver, L. J. *see* Stothert, J. C., Jr.
Webb, P. *see* Convertino, V. A.
Webber, C. *see* Coates, G.
Weber, G., Kartodihardjo, W., and Klissouras, V. Growth and physical training with reference to heredity. 40:211
Weber, K. C.
see Frazer, D. G.
Stengel, P. W.
Weber, M. E.
see Chang, H. K.
King, M.
Weber, R. E. *see* Qvist, J.
Webster, J. G. *see* Bhansali, P. V.
Webster, P. *see* Melissinos, C. G.
Webster, P. M., Loring, S. H., Butler, J. P., and Hoppin, F. G., Jr. Lung recoil during rapid vital capacity expirations simulated by gas compression. 49:142
Weeks, S. *see* Mortola, J. P.
Weeks, T. A. *see* York, J. W.
Wegmann, M. J.
see Lemen, R. J.
Spannhake, E. W.
Wei, E. P. *see* Levasseur, J. E.
Wei, J. Y., and Harris, W. S. Heart rate response to cough. 53:1039
Weibel, E. R., Limacher, W., and Bachofen, H. Electron microscopy of rapidly frozen lungs: evaluation on the basis of standard criteria. 53:516
Weibel, E. R.
see Bachofen, H.
Gil, J.
Wangensteen, D.
Weidner, W. J.
see Gorin, A. B.
Jones, T. A.
Snashall, P. D.
Weil, J. V.
see Martin, B. J.
Patrick, J. M.
Sahn, S. A.
Scoggin, C. H.
Zwillich, C. W.
Weil, J. W. *see* Huber, F.
Weiner, D., Mitra, J., Salamone, J., and Cherniack, N. S. Effect of chemical stimuli on nerves supplying upper airway muscles. 52:530
Weir, E. K., McMurtry, I. F., Tucker, A., Reeves, J. T., and Grover, R. F. Prostaglandin synthetase inhibitors do not decrease hypoxic pulmonary vasoconstriction. 41:714
Weir, E. K., Mlczoch, J., Seavy, J., Cohen, J. J., and Grover, R. F. Platelet antiserum inhibits hypoxic pulmonary vasoconstriction in the dog. 41:211
Weir, E. K., Will, D. H., Alexander, A. F., McMurtry, I. F., Looga, R., Reeves, J. T., and Grover, R. F. Vascular hypertrophy in cattle susceptible to hypoxic pulmonary hypertension. 46:517
Weir, E. K.
see Doekel, R. C.
Tucker, A.
Weiskopf, R. *see* Horstman, D.
Weiskopf, R. B., Fencl, V., Gabel, R. A., and Davies, D. G. CSF pH and PCO_2 measurement (Letter to the Editor). 43:566
Weiskopf, R. B., Gabel, R. A., and Fencl, V. Alkaline shift in lumbar and intracranial CSF in man after 5 days at high altitude. 41:93
Weisman, I. M.
see Allison, R. C.
Murphy, T. L.
Weiss, H. R. *see* Neubauer, J. A.
Weiss, H. S. Role of shell diffusion area in incubating eggs at simulated high altitude. 45:551
Weiss, J. W., McFadden, E. R., Jr., and Ingram, R. H., Jr. Bronchodilatation, lung recoil, and density dependence of maximal expiratory flow. 52:874

Weiss, J. W., McFadden, E. R., Jr., and Ingram, R. H., Jr. Parenteral vs. inhaled atropine: density dependence of maximal expiratory flow. 53:392
Weiss, J. W. *see* Rossing, T. H.
Weissman, C., Abraham, B., Askanazi, J., Milic-Emili, J., Hyman, A. I., and Kinney, J. M. Effect of posture on the ventilatory response to CO_2. 53:761
Weissman, M. L., Jones, P. W., Oren, A., Lamarra, N., Whipp, B. J., and Wasserman, K. Cardiac output increase and gas exchange at start of exercise. 52:236
Weissman, M. L., Wasserman, K., Huntsman, D. J., and Whipp, B. J. Ventilation and gas exchange during phasic hindlimb exercise in the dog. 46:878
Weissman, M. L., Whipp, B. J., Huntsman, D. J., and Wasserman, K. Role of neural afferents from working limbs in exercise hyperpnea. 49:239
Weissman, M. L.
see Casaburi, R.
Effros, R. M.
Jones, P. W.
Weitz, C. A. *see* Lahiri, S.
Wekstein, D. R. *see* Ordway, G. A.
Welch, H. G., Bonde-Petersen, F., Graham, T., Klausen, K., and Secher, N. Effects of hyperoxia on leg blood flow and metabolism during exercise. 42:385
Welch, H. G., and Pedersen, P. K. Measurement of metabolic rate in hyperoxia. 51:725
Welch, H. G.
see Adams, R. P.
Gladden, L. B.
Welch, J. E.
see Bristow, J. D.
Kerr, H. H.
Welker, M. *see* Abraham, W. M.
Welkowitz, W. *see* Doblar, D. D.
Wellman, J. J., Brown, R., Ingram, R. H., Jr., Mead, J., and McFadden, E. R., Jr. Effect of volume history on successive partial expiratory flow-volume maneuvers. 41:153
Wellman, J. J.
see Brown, R.
McFadden, E. R., Jr.
Wells, J. H. *see* Pennock, B. E.
Welsh, M. J., Widdicombe, J. H., and Nadel, J. A. Fluid transport across the canine tracheal epithelium. 49:905
Weltman, A., Stamford, B. A., and Fulco, C. Recovery from maximal effort exercise: lactate disappearance and subsequent performance. 47:677
Weltman, A. *see* Stamford, B. A.
Wemken, H.-G. *see* Gonzalez, N. C.
Weng, T. R. *see* Wood, L. D. H.
Wenger, C. B., and Roberts, M. F. Control of forearm venous volume during exercise and body heating. 48:114
Wenger, C. B., Roberts, M. F., Stolwijk, J. A. J., and Nadel, E. R. Nocturnal lowering of thresholds for sweating and vasodilation. 41:15
Wenger, C. B.
see Avellini, B. A.
Cunningham, D. J.
Fortney, S. M.
Nadel, E. R.
Roberts, M. F.
Wenger, H. *see* Belcastro, A. N.
Wenger, H. A. *see* Russell, J. C.
Wergeles, A. C. *see* Oscai, L. B.
Werner, P. *see* Gerrity, T. R.
Werner, R. A. *see* Sanders, T. M.
Wertz, R., Maeda, G., and Willey, T. J. Design for a micropowered multichannel PAM/FM biotelemetry system for brain research. 41:800
Wessel, H. U., Stout, R. L., Bastanier, C. K., and Paul, M. H. Breath-by-breath variation of FRC: effect of V_{C_2} and V_{CO_2} measured at the mouth. 46:1122
West, J. B. Man at extreme altitude. 52:1393
West, J. B.
see Bencowitz, H. Z.
Mazzone, R. W.
McEvoy, R. D.
Michels, D. B.
Vawter, D. L.
West, N. R. *see* Nieman, G. F.
Westenfelder, C., Earnest, W. R., and Al-Bazzaz, F. J. Characterization of Na-K-ATPase in dog tracheal epithelium: enzymatic and ion transport measurements. 48:1008
Westenskow, D. R.
see Raemer, D. B.
Tsoi, C. M.
Westphal, D. M. *see* Hales, C. A.
Weygandt, G. R. A sensitive five-breath N_2 washout test of distribution of ventilation. 40:464
Weyne, J., Kazemi, H., and Leusen, I. Restoration of CSF $[HCO_3^-]$ after its experimental lowering in normocapnic conditions. 47:369
Weyne, J., Van Leuven, F., Kazemi, H., and Leusen, I. Selected brain amino acid and ammonium during chronic hypercapnia in conscious rats. 44:333
Whalen, W. J., and Nair, P. Po_2 in the carotid body perfused and/or superfused with cell-free media. 41:180
Whalen, W. J., Nair, P., Sidebotham, T., Spande, J., and Lacerna, M. Cat carotid body: oxygen consumption and other parameters. 50:129
Whalen, W. J., and Spande, J. I. A hypodermic needle PO_2 electrode. 48:186
Whalen, W. J. *see* Nair, P.
Whinnery, J. E., and Laughlin, M. H. Right ventricular pressure response to $+G_z$ acceleration stress. 53:908
Whipp, B. J., Davis, J. A., Torres, F., and Wasserman, K. A test to determine parameters of aerobic function during exercise. 50:217
Whipp, B. J., Ward, S. A., Lamarra, N., Davis, J. A., and Wasserman, K. Parameters of ventilatory and gas exchange dynamics during exercise. 52:1506
Whipp, B. J.
see Bellville, J. W.
Brown, H. V.
Casaburi, R.
Davis, J. A.
Diamond, L. B.
Gross, P. M.
Juratsch, C. E.
Koyal, S. N.
Nery, L. E.
Oren, A.
Stremel, R. W.
Swanson, G. D.
Ward, S. A.
Weissman, M. L.
White, D. M. *see* Rannels, D. E.
White, F. *see* Sanders, M.
White, F. C.
see Hastings, A. B.
Hedenstierna, G.
White, J. *see* Laughlin, M. H.
White, M. J. *see* Davies, C. T. M.
White, R.
see Bonde-Petersen, F.
D'Aoust, B. G.
White, S. W. *see* Quail, A. W.
White, T. P.
see Brooks, G. A.
Maxwell, L. C.
Whitelaw, W. *see* Grassino, A. E.
Whitelaw, W. A., Derenne, J.-P., Couture, J., and Milic-Emili, J. Adaptation of anesthetized men to breathing through an inspiratory resistor. 41:285
Whitelaw, W. A., McBride, B., Amar, J., and Corbet, K. Respiratory neuromuscular output during breath holding. 50:435
Whitelaw, W. A.
see Derenne, J.-P.
Grassino, A. E.
McBride, B.
Whiteside, D. A. *see* Beran, A. V.
Whitlock, R. M. L. *see* Macfie, A. E.
Whitney, P., Jr. *see* Chiang, M. J.
Whitney, P. L. *see* Ryan, U. S.
Whitney, W. P. *see* Haynes, J. B.
Whittaker, R. N. *see* Laughlin, M. H.
Whittembury, J. *see* Winslow, R. M.
Whitton, J. *see* Muller, N.
Wiberg, D. M. *see* Bellville, J. W.
Widdicombe, J. G. *see* Davis, B.
Widdicombe, J. H. *see* Welsh, M. J.
Wiegman, D. L., Harris, P. D., Joshua, I. G., and Miller, F. N. Decreased vascular sensitivity to norepinephrine following exercise training. 51:282
Wigodsky, H. S. *see* McMahan, C. A.
Wilcox, B. R. *see* Davies, P.
Wilde, S. W.
see Glaser, R. M.
Miles, D. S.
Sawka, M. N.
Wilhelmsen, C. L. *see* Boucher, J. H.
Wilkerson, J. E., Horvath, S. M., and Gutin, B. Plasma testosterone during treadmill exercise. 49:249
Wilkerson, J. E., Horvath, S. M., Gutin, B., Molnar, S., and Diaz, F. J. Plasma electrolyte content and concentration during treadmill exercise in humans. 53:1529
Wilkerson, J. E.
see Kolka, M. A.
Maron, M. B.
Wilkins, S. A., Jr. *see* Friedman, M.
Wilkinson, M. H. *see* Bowes, G.
Will, D. H., McMurtry, I. F., Reeves, J. T., and Grover, R. F. Cold-induced pulmonary hypertension in cattle. 45:469
Will, D. H.
see Hyers, T. M.
Moore, L. G.
Weir, E. K.
Will, J. A.
see Brown, M. J.
Demling, R. H.
Willey, T. J. *see* Wertz, R.
Willford, D. C., Hill, E. P., and Moores, W. Y. Theoretical analysis of optimal P_{50}. 52:1043
Williams, J. J.
see Forman, H. J.
Neufeld, G. R.
Williams, R. H. *see* Johnson, D. G.
Williams, R. S., Eden, R. S., Moll, M. E., Lester, R. M., and Wallace, A. G. Autonomic mechanisms of training bradycardia: β-adrenergic receptors in humans. 51:1232
Williams, R. T. *see* Dohm, G. L.
Williams, S. P., Fullton, J. M., Tsai, M. J., Pimmel, R. L., and Collier, A. M. Respiratory impedance and derived parameters in young children by forced random noise. 47:169
Williams, S. P., Pimmel, R. L., Fullton, J. M., Tsai, M. J., and Collier, A. M. Fractionating respiratory resistance in young children. 47:551
Williams, T. R. *see* Pang, J. A.
Willis, D. *see* Mortola, J. P.
Wills, R. E. *see* Woodson, R. D.
Wilmore, J. H., Davis, J. A., and Norton, A. C. An automated system for assessing metabolic and respiratory function during exercise. 40:619

Wilmore, J. H., Farrell, P. A., Norton, A. C., Coté, R. W., III, Coyle, E. F., Ewy, G. A., Temkin, L. P., and Billing, J. E. An automated, indirect assessment of cardiac output during rest and exercise. 52:1493

Wilmore, J. H.
see Coyle, E. F.
Davis, J. A.

Wilson, A. F. *see* Fairshter, R. D.

Wilson, A. G. *see* Hahn, H. L.

Wilson, B. A., and Stainsby, W. N. Relation between oxygen uptake and developed tension in dog skeletal muscle. 45:234

Wilson, B. A.
see Barclay, J. K.
Bonen, A.
Stainsby, W. N.

Wilson, C. M. *see* Gross, I.

Wilson, D. R. *see* Pendergast, D. R.

Wilson, G. *see* Ekblom, B.

Wilson, J. E., III *see* Bynum, L. J.

Wilson, J. M., Kligfield, P. D., Adams, G. M., Harvey, C., and Schaefer, K. E. Human ECG changes during prolonged hyperbaric exposures breathing N_2-O_2 mixtures. 42:614

Wilson, M. F. *see* Ninomiya, I.

Wilson, N. C., and Gisolfi, C. V. Effects of exercising rats during pregnancy. 48:34

Wilson, N. C., Gisolfi, C. V., Farber, J., and Hinrichs, D. K. Colonic and tail-skin temperature responses of the rat at selected running speeds. 44:571

Wilson, N. C. *see* Bedford, T. G.

Wilson, O., Goldman, R. F., and Molnar, G. W. Freezing temperature of finger skin. 41:551

Wilson, S. L., Thach, B. T., Brouillette, R. T., and Abu-Osba, Y. K. Upper airway patency in the human infant: influence of airway pressure and posture. 48:500

Wilson, S. L., Thach, B. T., Brouillette, R. T., and Abu-Osba, Y. K. Coordination of breathing and swallowing in human infants. 50:851

Wilson, T. A. Modeling the effect of axial bronchial tension on expiratory flow. 45:659

Wilson, T. A. Effect of alveolar wall shape on alveolar water stability (Letters to the Editor). 50:222

Wilson, T. A. Relations among recoil pressure, surface area, and surface tension in the lung. 50:921

Wilson, T. A. Surface tension-surface area curves calculated from pressure-volume loops. 53:1512

Wilson, T. A., and Bachofen, H. A model for mechanical structure of the alveolar duct. 52:1064

Wilson, T. A.
see Hajji, M. A.
Hyatt, R. E.
Kallok, M. J.
Lai-Fook, S. J.
Lambert, R. K.
Staats, B. A.

Wilson, W. O. *see* Braganza, A.

Winder, W. W., Hagberg, J. M., Hickson, R. C., Ehsani, A. A., and McLane, J. A. Time course of sympathoadrenal adaptation to endurance exercise training in man. 45:370

Winder, W. W., Hickson, R. C., Hagberg, J. M., Ehsani, A. A., and McLane, J. A. Training-induced changes in hormonal and metabolic responses to submaximal exercise. 46:766

Winder, W. W.
see Hagberg, J. M.
Hickson, R. C.

Winikoff, J. *see* Chayoth, R.

Winn, R., Hildebrandt, J. R., and Hildebrandt, J. Semiautomatic blood pressure monitor utilizing an electronic sphygmomanometer. 43:379

Winn, R., Hildebrandt, J. R., and Hildebrandt, J. Cardiorespiratory responses following isoproterenol injection in rabbits. 47:352

Winn, R., Nadir, B., Gleisner, J., and Hildebrandt, J. Chronic lung lymph fistula in the goat. 48:399

Winn, R., Nadir, B., Gleisner, J., Stothert, J., and Hildebrandt, J. Deficiencies in pore-membrane models of microvascular fluid and solute transudation. 51:1574

Winn, R. *see* Stothert, J. C., Jr.

Winslow, R. M., Monge, C. C., Statham, N. J., Gibson, C. G., Charache, S., Whittembury, J., Moran, O., and Berger, R. L. Variability of oxygen affinity of blood: human subjects native to high altitude. 51:1411

Winslow, R. M., Morrissey, J. M., Berger, R. L., Smith, P. D., and Gibson, C. C. Variability of oxygen affinity of normal blood: an automated method of measurement. 45:289

Winter, B. *see* Swanson, G. D.

Winter, D. A. A new definition of mechanical work done in human movement. 46:79

Winter, D. C. *see* Pimmel, R. L.

Wirth, A., Diehm, C., Mayer, H., Mörl, H., Vogel, I., Björntorp, P., and Schlierf, G. Plasma C-peptide and insulin in trained and untrained subjects. 50:71

Wise, R. A., Robotham, J. L., Bromberger-Barnea, B., and Permutt, S. Effect of PEEP on left ventricular function in right-heart-bypassed dogs. 51:541

Wiswell, R. A. *see* Girandola, R. N.

Withers, P. C. Measurement of $\dot{V}O_2$, $\dot{V}CO_2$, and evaporative water loss with a flow through mask. 42:120

Withers, R. T. *see* Ivy, J. L.

Witt, W. M. *see* Laughlin, M. H.

Wittenberg, B. A. *see* Cole, R. P.

Wittenberg, J. B. *see* Cole, R. P.

Witzmann, F. A., Kim, D. H., and Fitts, R. H. Recovery time course in contractile function of fast and slow skeletal muscle after hindlimb immobilization. 52:677

Witzmann, F. A., Kim, D. H., and Fitts, R. H. Hindlimb immobilization: length-tension and contractile properties of skeletal muscle. 53:335

Witzmann, F. A. *see* Costill, D. L.

Woakes, A. J. *see* Butler, P. J.

Wohl, M. E. *see* Castile, R.

Wohl, M. E. B. *see* Fredberg, J. J.

Woldring, M. G. *see* Kiers, A.

Wolfe, D.
see Bynum, G.
Fencl, V.
Hubbard, R. W.
Sylvester, J. T.

Wolfe, D. L. *see* Maher, J. T.

Wolfe, L. A., Cunningham, D. A., Davis, G. M., and Rechnitzer, P. A. Reliability of noninvasive methods for measuring cardiac function in exercise. 44:55

Wolfe, L. A., Cunningham, D. A., Davis, G. M., and Rosenfeld, H. Relationship between maximal oxygen uptake and left ventricular function in exercise. 44:44

Wolfe, L. A., Cunningham, D. A., Rechnitzer, P. A., and Nichol, P. M. Effects of endurance training on left ventricular dimensions in healthy men. 47:207

Wolfe, M. H.
see Goodenough, R. D.
Wolfe, R. R.

Wolfe, R. R., Goodenough, R. D., Wolfe, M. H., Royle, G. T., and Nadel, E. R. Isotopic analysis of leucine and urea metabolism in exercising humans. 52:458

Wolfe, R. R.
see Allsop, J. R.
Goodenough, R. D.

Wolff, C. B., and Garratt, R. C. Measurements of dead space ventilation (Letter to the Editor). 53:297

Wolff, C. B. *see* Band, D. M.

Wolff, H. S. *see* Abrams, R. M.

Wolff, R. K., Dolovich, M. B., Obminski, G., and Newhouse, M. T. Effects of exercise and eucapnic hyperventilation on bronchial clearance in man. 43:46

Wolff, R. K. *see* Felicetti, S. A.

Wolfson, D. A. *see* DiMarco, A. F.

Wolkove, N., Altose, M. D., Kelsen, S. G., Kondapalli, P. G., and Cherniack, N. S. Perception of changes in breathing in normal human subjects. 50:78

Wolkove, N. *see* Gliner, J. A.

Wolthuis, R. A. *see* Hull, D. H.

Womack, M. *see* Dohm, G. L.

Womersley, J., Durnin, J. V. G. A., Boddy, K., and Mahaffy, M. Influence of muscular development, obesity, and age on the fat-free mass of adults. 41:223

Woo, S. L.-Y. *see* Garfin, S. R.

Wood, E. H.
see Chevalier, P. A.
Greenleaf, J. F.
Sass, D. J.

Wood, L. D. H., and Bryan, A. C. Exercise ventilatory mechanics at increased ambient pressure. 44:231

Wood, L. D. H., Bryan, A. C., Bau, S. K., Weng, T. R., and Levison, H. Effect of increased gas density on pulmonary gas exchange in man. 41:206

Wood, L. D. H., Engel, L. A., Griffin, P., Despas, P., and Macklem, P. T. Effect of gas physical properties and flow on lower pulmonary resistance. 41:234

Wood, L. D. H.
see Breen, P. H.
Craven, K. D.
Fisher, C. J., Jr.
Forkert, L.
Light, R. B.
Lisboa, C.
Mink, S.
Oppenheimer, L.

Wood, L. M. *see* Mohammed, M. M. J.

Wood, S. C. Effect of O_2 affinity on arterial P_{O_2} in animals with central vascular shunts. 53:1360

Wood, S. C., Johansen, K., Glass, M. L., and Hoyt, R. W. Acid-base regulation during heating and cooling in the lizard, *Varanus exanthematicus*. 50:779

Wood, S. C., and Schaefer, K. E. Regulation of intracellular pH in lungs and other tissues during hypercapnia. 45:115

Woodroof, G. *see* Davis, C.

Woodroff, G. M. F. *see* Openshaw, P. J. M.

Woodrum, D. E., Standaert, T. A., Parks, C. R., Belenky, D., Murphy, J., and Hodson, W. A. Ventilatory response in the fetal lamb following peripheral chemodenervation. 42:630

Woodrum, D. E.
see Belenky, D. A.
Godal, A.
Guthrie, R. D.
LaFramboise, W. A.
Wright, K.

Woodside, K. H., and Massaro, D. Degradation of endogenous protein by rabbit pulmonary macrophages. 47:79

Woodson, R. D., and Auerbach, S. Effect of increased oxygen affinity and anemia on cardiac output and its distribution. 53:1299

Woodson, R. D., Wills, R. E., and Lenfant, C. Effect of acute and established anemia on O_2 transport at rest, submaximal and maximal work. 44:36

Woodson, R. D. *see* Hlastala, M. P.
Malmberg, P. O.
Woolcock, A. J. *see* Young, I. H.
Worth, H., Adaro, F., and Piiper, J. Penetration of inhaled He and SF_6 into alveolar space at low tidal volume. 43:403
Worth, H. *see* Meyer, M.
Wraith, P. K. *see* Douglas, N.J.
Flenley, D. C.
Wranne, B. *see* Hlastala, M. P.
Wright, G., Knecht, E., and Toraason, M. Cardiovascular effects of whole-body heating in spontaneously hypertensive rats. 45:521
Wright, G., Knecht, E., and Wasserman, D. Colonic heating patterns and the variation of thermal resistance among rats. 43:59
Wright, G. L. Critical thermal maximum in mice. 40:683
Wright, J. R., Castranova, V., Colby, H. D., and Miles, P. R. Ascorbate uptake by isolated rat lung cells. 51:1477
Wright, K., Lyrene, R. K., Truog, W. E., Standaert, T. A., Murphy, J., and Woodrum, D. E. Ventilation by high-frequency oscillation in rabbits with oleic acid lung disease. 50:1056
Wright, K. *see* Chang, R. S. Y.
Wu, A. *see* Klein, J. P.
Wu, D. *see* Teague, S.
Wuennenberg, W. *see* Schaefer, K. E.
Würdinger, I. *see* Petschow, D.
Wurster, R. D. *see* McCaffrey, T. V.
Wyatt, H. L., and Mitchell, J. Influences of physical conditioning and deconditioning on coronary vasculature of dogs. 45:619
Wyndham, C. H., Rogers, G. G., Senay, L. C., and Mitchell, D. Acclimatization in a hot, humid environment: cardiovascular adjustments. 40:779
Wyndham, C. H. *see* Mitchell, D.
Senay, L. C.
Wyss, C. R., and Rowell, L. B. Lack of humanlike active vasodilation in skin of heat-stressed baboons. 41:528
Wyszogrodski, I., Thach, B. T., and Milic-Emili, J. Maturation of respiratory control in unanesthetized newborn rabbits. 44:304
Wyszogrodski, I. *see* Thach, B. T.

Y

Yabe, K. Premotion silent period in rapid voluntary movement. 41:470
Yagil, R., and Berlyne, G. M. Sodium and potassium metabolism in the dehydrated and rehydrated Bedouin camel. 41:457
Yagil, R., and Berlyne, G. M. Glucose loading and dehydration in the camel. 42:690
Yagil, R., Etzion, Z., and Ganani, J. Camel thyroid metabolism: effect of season and dehydration. 45:540
Yagil, R. *see* Finberg, J. P. M.
Yakaitis, R. W., Dodge, T. L., and Thomas, J. D. Effects of catecholamines during respiratory alkalosis in dogs. 44:581
Yamabayashi, H. *see* Noguchi, H.
Yamada, K. A., Hamosh, P., and Gillis, R. A. Respiratory depression produced by activation of GABA receptors in hindbrain of cat. 51:1278
Yamaguchi, Y. *see* Kawashima, Y.
Yamakoshi, K. *see* Ito, H.
Yamamoto, W. S. Computer simulation of experiments in responses to intravenous and inhaled CO_2. 50:835
Yamamura, H. *see* Kawashima, Y.
Yamashiro, S. M. *see* Bennett, F. M.
Sohrab, S.
Yang, M. U., Wang, J., Pierson, R. M., Jr., and Van Itallie, T. B. Estimation of composition of weight loss in man: a comparison of methods. 43:331
Yankovich, R. *see* Wangensteen, D.
Yanowitz, F. G. *see* Yeh, M. P.
Yanta, M. A., Loring, S. H., Ingram, R. H., Jr., and Drazen, J. M. Direct and reflex bronchoconstriction induced by histamine aerosol inhalation in dogs. 50:869
Yanta, M. A. *see* Strohl, K. P.
Yarkony, M. *see* Bonen, A.
Yeager, H., Jr. *see* Lussier, L. M.
Yeates, D. B., Pitt, B. R., Spektor, D. M., Karron, G. A., and Albert, R. E. Coordination of mucociliary transport in human trachea and intrapulmonary airways. 51:1057
Yeh, M. P., Gardner, R. M., Adams, T. D., and Yanowitz, F. G. Computerized determination of pneumotachometer characteristics using a calibrated syringe. 53:280
Yen, R. T., and Fung, Y. C. Inversion of Fahraeus effect and effect of mainstream flow on capillary hematocrit. 42:578
Yerger, L. *see* Abraham, W. M.
Yergin, B. M., Saketkhoo, K., Michaelson, E. D., Serafini, S. M., Kovitz, K., and Sackner, M. A. A roentgenographic method for measuring nasal mucous velocity. 44:964
Yernault, J.-C., De Troyer, A., and Rodenstein, D. Sex and age differences in intrathoracic airways mechanics in normal man. 46:556
Yernault, J.-C. *see* De Troyer, A.
Yeung, H. N. *see* Beran, A. V.
Yip, P., Palombini, B., and Coburn, R. F. Inhibitory innervation to the guinea pig trachealis muscle. 50:374
Yipintsoi, T. *see* Codini, M. A.
Cohen, M. V.
Yokota, M., Iga, T., Awazu, S., and Hanano, M. Simple method of hepatic venous blood sampling in the rat. 41:439
Yokoyama, E. Flow-volume curves of excised right and left rabbit lungs. 46:463
Yonemoto, K. *see* Homma, I.
Yonezawa, Y. *see* Ninomiya, I.
York, J. W., Penney, D. G., Weeks, T. A., and Stagno, P. A. Lactate dehydrogenase changes following several cardiac hypertrophic stresses. 40:923
Yoshikawa, T. *see* Kawakami, Y.
Yoshimura, N. *see* Freund, H.
Yoshiya, I., Shimada, Y., and Tanaka, K. Evaluation of a hot-wire respiratory flowmeter for clinical applicability. 47:1131
Yoshiya, I. *see* Noguchi, H.
Younes, M., and Polacheck, J. Temporal changes in effectiveness of a constant inspiratory-terminating vagal stimulus. 50:1183
Younes, M., and Riddle, W. A model for the relation between respiratory neural and mechanical outputs. I. Theory. 51:963
Younes, M., Riddle, W., and Polacheck, J. A model for the relation between respiratory neural and mechanical outputs. III. Validation. 51:990
Younes, M., and Youssef, M. Effect of five human anesthetics on respiratory control in cats. 44:596
Younes, M. *see* Bradley, P. W.
Polacheck, J.
Riddle, W.
Younes, M. K., Remmers, J. E., and Baker, J. Characteristics of inspiratory inhibition by phasic volume feedback in cats. 45:80
Younes, M. K. *see* Baker, J. P., Jr.
Young, A. *see* Sargeant, A. J.
Young, A. C. *see* Martin, C. J.
Young, A. J., Evans, W. J., Cymerman, A., Pandolf, K. B., Knapik, J. J., and Maher, J. T. Sparing effect of chronic high-altitude exposure on muscle glycogen utilization. 52:857
Young, A. J. *see* Cymerman, A.
Young, C., and D'Aoust, B. G. Factors determining temporal pattern of isobaric supersaturation. 51:852
Young, H. L. *see* Greenleaf, J. E.
Young, I., Mazzone, R. W., and Wagner, P. D. Identification of functional lung unit in the dog by graded vascular embolization. 49:132
Young, I. H., and Wagner, P. D. Effect of intrapulmonary hematocrit maldistribution on O_2, CO_2, and inert gas exchange. 46:240
Young, I. H., and Wagner, P. D. Solubility of inert gases in homogenates of canine lung tissue. 46:1207
Young, I. H., and Woolcock, A. J. Changes in arterial blood gas tensions during unsteady-state exercise. 44:93
Young, J. B. *see* Johnson, T. S.
Young, J. C. *see* Fell, R. D.
Juhlin-Dannfelt, A. C.
Young, J. M. *see* Bondi, K. R.
Young, R. E. *see* Glaser, R. M.
Young, S. L., Kremers, S. A., Apple, J. S., Crapo, J. D., and Brumley, G. W. Rat lung surfactant kinetics: biochemical and morphometric correlation. 51:248
Younglai, E. V. *see* Jurkowski, J. E.
Youssef, M. *see* Younes, M.
Yu, C. P. *see* Taulbee, D. B.
Yu, S. Y. *see* Shepard, J. W., Jr.

Z

Zachman, R. D. *see* Olson, E. B., Jr.
Zack, A. G. *see* Peterson, B. T.
Zaiss, C. *see* Gunther, R.
Zakheim, R. M., Molteni, A., Mattioli, L., and Park, M. Plasma angiotensin II levels in hypoxic and hypovolemic stress in unanesthetized rabbits. 41:462
Zambraski, E. J. *see* Merrill, G. F.
Zamel, N. *see* Goldstein, R. S.
Griffin, P. M.
Harf, A.
Muller, N.
Muller, N. L.
Paul Man, S. F.
Zapletal, A., Paul, T., and Šamánek, M. Pulmonary elasticity in children and adolescents. 40:953
Zapol, W. M., Liggins, G. C., Schneider, R. C., Qvist, J., Snider, M. T., Creasy, R. K., and Hochachka, P. W. Regional blood flow during simulated diving in the conscious Weddell seal. 47:968
Zapol, W. M. *see* Liggins, G. C.
Murphy, B.
Qvist, J.
Zaremba, M. M. *see* Marin, M. G.
Zarzecki, S. *see* Baier, H.
Zasslow, M. A., Benumof, J. L., and Trousdale, F. R. Hypoxic pulmonary vasoconstriction and the size of hypoxic compartment. 53:626
Zbinden, A. *see* Nisam, M. R.
Zeccardi, A. V. *see* Schlesinger, R. B.

Zechman, F. W., Frazier, D. T., and Lally, D. A. Respiratory volume-time relationships during resistive loading in the cat. 40:177

ZeidiFard, E., Godfrey, S., and Davies, E. E. Estimation of cardiac output by an N_2O rebreathing method in adults and children. 41:433

ZeidiFard, E. *see* Davies, C. T. M.

Zeldis, S. M., Morganroth, J., and Rubler, S. Cardiac hypertrophy in response to dynamic conditioning in female athletes. 44:849

Zelis, R.
see Flaim, S. F.
Moskowitz, R. M.

Zelter, M.
see Capderou, A.
Lockhart, A.

Zerbe, G. O. *see* Haynes, J. B.

Zidulka, A., Sylvester, J. T., Nadler, S., and Anthonisen, N. R. Lung interdependence and lung-chest wall interaction of sublobar and lobar units in pigs. 46:8

Ziesmann, M. *see* Mink, S.

Ziglio, P. G. *see* Conconi, F.

Zijlstra, W. G. *see* Landsman, M. L. J.

Zimmerman, K. *see* Russell, J. A.

Zimmerman, M. *see* Millen, J. E.

Zimmerman, P., Heigenhauser, G. J. F., McCartney, N., Sutton, J. R., and Jones, N. L. Impaired cardiac "acceleration" at the onset of exercise in patients with coronary disease. 52:71

Zimmerman, P. V. see Morrison, S. C.

Zin, W. A., Pengelly, L. D., and Milic-Emili, J. Single-breath method for measurement of respiratory mechanics in anesthetized animals. 52:1266

Zin, W. A., Pengelly, L. D., and Milic-Emili, J. Active impedance of respiratory system in anesthetized cats. 53:149

Zink, J., Delaive, J., Mazerall, E. W., and Greenway, C. V. An improved plethysmograph with servo control of hydrostatic pressure. 41:107

Zinman, R. *see* Trippenbach, T.

Zonder, H. *see* Bar-Or, O.

Zorn, J. P.
see Estep, J. A.
Marin, M. G.

Zucker, I. H., and Gilmore, J. P. Contribution of peripheral pooling to the renal response to immersion in the dog. 45:786

Zucker, I. H. *see* Peterson, T. V.

Zumrick, J. L. see Clarke, J. R.

Zumsteg, T. A., Havill, A. M., and Gee, M. H. Relationships among lung extravascular fluid compartments with alveolar flooding. 53:267

Zuperku, E. J., Hopp, F. A., and Kampine, J. P. Central integration of pulmonary stretch receptor input in the control of expiration. 52:1296

Zuperku, E. J.
see Coon, R. L.
Kostreva, D. R.
Nilsestuen, J. O.

Zwart, A., Seagrave, R. C., and Van Dieren, A. Ventilation-perfusion ratio obtained by a noninvasive frequency response technique. 41:419

Zwart, A.
see De Vries, W. R.
Luijendijk, S. C. M.

Zwillich, C. W., Pierson, D. J., Creagh, E. M., and Weil, J. V. Effects of hypocapnia and hypocapnic alkalosis on cardiovascular function. 40:333

Zwillich, C. W.
see Martin, B. J.
Sahn, S. A.
Scoggin, C. H.

Subject Index to Volumes 40–53

A

Abdomen
configuration, curare effects, 44:589
gas: *see* Gas
mechanics, body position changes and, 45:581
movement restriction, breathing effects, 50:412
muscles: *see* Muscle
pressure: *see* Pressure
restriction, lung mechanics and, 49:946, 51:1115
sympathetic afferents, respiratory inhibition (dog, monkey), 44:718
Abdomen-diaphragm, tidal volume, carbon monoxide rebreathing, 46:709
Abdominothoracic mechanics
diaphragmatic contraction, statics and dynamics, 44:829, 840
forced expiratory maneuvers, 50:84
motion, sleep state, 43:600
Absorption: *see* specific subject and site
Absorption spectra, 40:575
Acceleration: *see also* Centrifugation; Gravity; G stress
body, oxygen uptake during running and jumping, 49:881
body mass, composition, food intake and, 45:51
cardiovascular response, 42:682
convective
expiratory flow, 47:490
pressure-flow relations, bronchial tree, 51:1072
ear oximeter calibration, 44:483
forces, eye level, rotation on horizontal bar, 46:1119
$+G_z$ stress
anti-G suit and, blood flow, renal (miniature swine), 49:471
blood flow, coronary (miniature swine), 49:471
cardiovascular dynamic changes, anti-G suit effect, 43:765
fluid and electrolyte shifts, 42:682
gas exchange, 40:491
plasma antidiuretic hormone and renin activity, 40:911
regional blood flow measurement (miniature swine), 47:1148
relaxed, aging healthy men, 45:626
nonsynchronous and synchronous vibration, cardiac responses, 46:549
pulmonary blood flow
regional, 44:384
spatial distribution, 44:384
pulmonary parenchymal movements, spatial distribution, 44:26
synchronized oscillating, cardiac function and, 47:612
thermoregulatory responses, 42:74
tolerance, heat and dehydration, 47:197
Acceleration power spectra, physiological action tremor, ankle, 52:226
Acclimation; Acclimatization: *see* Temperature, and the specific environmental condition
Acetazolamide
carbon dioxide catalysis, lung, 44:882
carbon dioxide reactions, pulmonary capillary, 48:972
carbonic anhydrase
lung, 44:882
vascular, 49:211
cerebrospinal fluid bicarbonate, 40:559, 47:369, 471
hydrogen, central nervous system, in hypercapnia, 42:667
hyperoxia and high helium pressure synergism, convulsions, 53:192
pH changes, postcapillary, 43:582
titration, blood pH postcapillary changes, 45:565
Acetoacetate, ^{14}C-labeled, ketone bodies, exercise and fasting, 44:5
Acetylcholine
adrenergic neurotransmission, airway, 51:376
bronchoconstriction, serotonin interaction, lungs, 52:964
calcium effects, tracheal epithelium, 44:900
contractile force, continuous stretch, tracheal smooth muscle, 52:655
hypoxia-induced changes, heart, 50:1017
ion transport and, excised airways, 52:893
muscarinic receptors and, airway smooth muscle, 52:1084
pulmonary surfactant and, 43:39
pulmonary vascular responses, newborn (lamb), 48:188
receptors: *see* Receptors
responses to, isolated airway, 45:690
serotonin-vagus interactions, lung, 44:144
sodium and chloride transport, tracheal epithelium, 47:598
trachealis muscle, 48:320, 329
vagal motor pathway, trachea at ganglia (ferret), 53:253
viscoelastic properties, trachea, 44:137
Acetylene
blood and tissue volume measurement, pulmonary, 49:910
lung tissue volume, rebreathing, 44:795
partition coefficients, hematocrit and temperature effects, 51:1357
pulmonary tissue volume, edema, 44:782
rebreathing lung tissue volume, computation techniques, 52:1375
rebreathing technique, pulmonary tissue volume, isolated perfused lung, 48:799
solubility, blood, mass spectrometry, 48:1035
tissue volume measurement, pulmonary edema, 48:66, 1038, 51:1375
Acid
aspiration
pneumonitis, 49:150
pulmonary vascular permeability after, 51:335
exposure effects, water and solute transport, alveolar epithelium (bullfrog), 52:902
injury, lobar, pulmonary perfusion and gas exchange, 49:150
Acid-base balance
acute hyponatremia, 49:95
Astrup technique, 40:123
blood
arterial, hyperoxia (pony), 48:10
body temperature effects (alligator), 52:114
blood flow, cerebral, 47:818
body temperature and (iguana), 53:1466
carbon dioxide set-point effects, exercise, 51:185
catecholamines, 44:581
cerebrospinal fluid, 47:369
bicarbonate control, 40:559
carbon dioxide breathing and, awake state (pony), 47:445
during muscular exercise (pony), 45:94
hyperoxia (pony), 48:10
newborn, 51:1086
progesterone effects, pregnancy, 51:1433
respiratory regulation, newborn (lamb), 47:1212
changes, exercise, heat dehydration and, 50:1255
exercise, 40:864
(duck), 47:827
following blood reinfusion, 53:1213
muscle, 45:474
exercise stress and, species differences (dog and miniswine), 52:10.7
heating and cooling (lizard), 50:779
helium and sulfur hexafluoride, embryo (chick), 50:819
hypercapnia, 44:333
brain, newborn, 50:566
hypoxia and, pial arterioles, 46:89
hypothermia, 40:876
inspired oxygen fraction, 49:863
interstitial, breathing regulation, 53:1551
metabolic and respiratory, regulation, embryo (chicken), 53:1449
muscle, needle-biopsy specimens, 53:1310
parameters, hypoxia effects (sea bass), 53:1336
phasic changes during hypercapnia, bone, 48:802
pH changes, plasma, 41:928
regulation, cerebrospinal fluid, 50:566, 51:369
response, repeated exercise, 53:436
stress, ventilation and (turtle), 53:1365
temperature-induced changes, 40:752, 762
(alligator), 45:922
transmembrane bicarbonate flux and, 43:925, 931
vascular smooth muscle, adenosine and (hog), 51:179
ventilation
prolonged hypercapnia, 51:78
temperature effects (iguana), 51:452
ventilatory response and, exercise, 52:1013
Acid-base infusion, ventilatory response, 44:28
Acid-base metabolism, chloride ion depletion, myocardial cells, 51:1630
Acid-base nomogram, blood (chimpanzee, human), 46:381
Acidemia, lactate levels, 42:44
Acid hydrolase, activity, exercising skeletal muscle, 47:43
Acidity, cerebral extracellular fluid, blood flow and, 47:818
Acidosis
acute small animal preparation, fetal, 49:42
carbon dioxide effects, cerebrovascular (goat), 53:873
carbon dioxide inspiration and, 52:287
dilution, embryo (chicken), 53:1449
exercise stress and, species differences (dog and miniswine), 52:1077
helium or sulfur hexafluoride exposure, embryo (chick), 50:819
hydrochloric, respiratory response after carotid body denervation, 46:1138
isocapnic metabolic, brain surface pH changes during, 51:276
lactic
incremental exercise, 41:544
shock, respiratory muscle failure, 51:499
liquid ventilation, cardiovascular adjustments, 47:1051

Acidosis (continued)
metabolic
angiotensin I conversion, vascular reactivity, 48:308
breathing control and, 53:1551
carbon dioxide pressure after carotid body denervation, 46:1138
carbon dioxide set point, exercise, 51:185
cardiorespiratory, exercise, 43:959
cerebrospinal fluid bicarbonate, 47:369
cerebrospinal fluid pH, oxygen and carbon dioxide responses, 48:355
exercise, 49:864
hypercapnic exercise, 48:1065
pulmonary perfusion and gas exchange, 42:279
respiratory regulation, newborn (lamb), 47:1212
ventilatory drive, 46:913
muscle surface pH and, measurement technique, 52:85
pH effects, cycling exercise, electromyography, 52:1181
respiratory
angiotensin I conversion, vascular reactivity, 48:308
body temperature and ventilatory responses to carbon dioxide, 43:491
cerebrospinal fluid bicarbonate control, 40:559
hypercapnia, newborn, 50:566
hypercapnic exercise, 48:1065
metabolism and, exercise, 53:63
pH, intracellular, airway smooth muscle, 42:408
tissue, steady-state gas exchange, pulmonary, 52:1330
Acid phosphatase, granular pneumocytes, primary culture, 49:743
Acoustic areas, measurement, central airways, 48:896
Acoustic gas analyzer: *see* Gas analyzer
Acoustic pulse: *see* Pulse
Acoustic reflections
airway, 43:523
measurement, airway area, 48:749
ACTH: *see* Adrenocorticotropin
Actin, running-trained heart, 48:409
Action potentials: *see* Potentials
Action tremor
amplitude modification, exercise-induced, ankle, 53:1164
physiological, ankle, 52:226
Actomyosin
cardiac enlargement, exercise capacity and function, heart, 52:591
running-trained heart, 48:409
Actomyosin ATPase: *see* Adenosine triphosphatase
Adair equation, oxygen affinity, variability, 45:289
Adaptation, temperature, long-term exposure, 52:1008
Adaptation: *see* specific condition
Adaptation syndrome, general, motion sickness, 50:469
Adductor pollicis muscle, conduction velocity and electromyographic power spectrum, sustained maximal efforts, 51:1300
Adenine nucleotides
elevated oxygen pressure, lung, 45:56
hypoxic myocardium, 45:791
mitochondrial, cardiac, physical conditioning effects, 45:978
Adenosine
coronary collateral circulation, exercise, 52:376
smooth muscle acid-base state, vascular (hog), 51:179
Adenosine diphosphate, muscle, exercise, 43:852
Adenosine monophosphate, muscle, exercise, 43:852
Adenosine monophosphate, cyclic
accumulation response, adipocytes, physical training, 50:143
adipose tissue
lipid mobilization, 50:250
nucleotide catabolism, 50:255
β-adrenergic mechanisms, pulmonary circulation, 43:612
airway smooth muscle response, 47:330
anaphylaxis and, lung, 46:919
exercise, 43:949
exhaustive exercise effects, heart, 51:1539
fat cell ghosts, physical training effects, 42:884
heat acclimation and, liver, 43:445
phosphodiesterase, adipocytes, exercise, 50:143
protein kinase activity and, heat acclimation, liver (hamster), 53:716
temperature-regulating centers, 42:257
thermal stress, 42:257
Adenosine monophosphate deaminase, skeletal muscle fibers, exercise, 49:1037
Adenosine triphosphatase
actomyosin, conditioned and deconditioned heart, 44:171
fast-twitch skeletal muscle, 52:467
myofibril, partial sympathectomy effects, 53:242
myofibrillar
autografted limb muscle, 44:431
developmental changes, 49:583
exercise capacity and cardiac function, thyroid deficiency, 49:1022
increased respiratory load, 44:905
myocardial, endurance training, 44:85
myosin
developing coronary collaterals, 45:797
exercise capacity and cardiac function, thyroid deficiency, 49:1022
running-trained heart, 48:409
Adenosine triphosphate
arm-leg work, 46:249
endogenous, lung, newborn, 43:557
granular pneumocytes, primary culture, 49:743
hemoglobin, embryo (chicken), 53:1439
hyperbaric oxygen exposure, lung, 46:943
hyperoxia, lung, 45:56
muscle, exercise, 43:852
protein degradation, lung, 47:1058
serotonin uptake, lung, 46:447
skeletal muscle, training and immobilization effects, 43:700
skeletal muscle immobilization, recovery, 47:435
Adenylate cyclase
activity, hypoxia effects, 50:363
exercise training, heart, 52:1133
fat cell ghosts, physical training effects, 42:884
ADH: *see* Antidiuretic hormone; Vasopressin
Adhesion, airway wall, upper airway patency, infant, 48:500
Adiabatic heating, rapid vital capacity expiration, 49:142
Adipocytes
exercise and adenosine monophosphate, cyclic, lipid mobilization, 50:250
free, lipolysis and adenosine monophosphate, cyclic accumulation, exercise, 50:143
insulin effects, exercise and, 51:1500
metabolism, exercise effects, 43:425
size, exercise effects, 43:425
Adipose mass, exercise, 43:425
Adipose tissue
brown: *see* Brown fat
lipolysis and adenosine monophosphate, cyclic accumulation, adipocytes, 50:143
training and cyclic nucleotide phosphodiesterase, 50:255
training and lipolysis, 50:250
xenon partition coefficient, 49:178
Adiposity, glucose metabolism and insulin binding, physical training and, 46:235
Adolescents: *see also* Boys; Girls
aerobic power, relation to body growth and training, male, 44:666
athletes, hormones during menstrual cycles, 50:545
chest wall mechanics, sleep, 51:557
muscular strength, male, 43:834
Adrenal component
cerebrospinal fluid pressure-induced pulmonary hypertension, 47:153
nicotine-induced hypertension, 49:66
Adrenal cortex
function, altitude exposure, 47:1185
myocardial necrosis, exercise training, 44:104
Adrenal gland
activity, pulmonary hypertension, cerebrospinal fluid pressure effects, 47:153
adaptation to endurance training, 42:753
demedullated, glucose kinetics, 43:230
feedback inhibition, microwaves and, 47:1284
function, age and exercise, 43:839
hypokinesia, muscle atrophy in, 49:479
response, microwaves, hypophysectomy and dexamethasone effects, 47:1284
selective autonomic stimulation, trachealis muscle, 51:428
sympathetic inhibition, histamine-induced contractions, trachealis, 53:21
Adrenal medulla, enymes, catecholamine-synthesizing (vole), 44:59
Adrenal medullary hormones, muscular glycogenolysis control, 50:21
β-Adrenergic aerosols, mucociliary function, 48:965
Adrenergic agents
aerosol, mucociliary clearance and, 41:146
sodium-chloride ionic transport, tracheal epithelium, 47:598
tracheal epithelium, 44:900
β-Adrenergic agents
airway smooth muscle response, 47:330
prenatal, pulmonary oxygen toxicity, newborn, 48:505
Adrenergic blockade: *see* Blockade
Adrenergic changes, metabolic, during exercise and recovery, 47:701
α-Adrenergic control, intestinal circulation, heat stress (baboon), 48:759
Adrenergic ground plexus, 41:30
α-Adrenergic innervation, thoracic duct, 49:1010
Adrenergic mechanisms
histamine bronchoconstriction, 44:340
microvascular response, skeletal muscle, 44:190
vascular response, heat stress, renal (baboon), 43:739
Adrenergic metabolites: *see* Metabolites
Adrenergic nerves
bronchial walls, catecholamines, 46:787
fluid secretion, tracheal gland, 49:1027
5-hydroxytryptamine effects, pulmonary artery, 51:693
inhibition, electrical field stimulation (sheep), 53:1088
Adrenergic neurotransmission, acetylcholine inhibition, airway, 51:376
Adrenergic receptors: *see* Receptors
β-Adrenergic stimulation
cardiac response, attenuated, hypoxia, 44:647
respiratory ciliary activity, 48:868
α-Adrenergic system, intravenous copper sulfate, pulmonary hemodynamic effects of (ewe), 51:1204
β-Adrenergic system, responsiveness, chronic cold exposure, 49:923
Adrenoceptor: *see* Receptors

Adrenocortex, cortisol responses, hypoxia, 51:1257
Adrenocortical function, aging and, exercise training, 43:839
Adrenocortical hormones, saline loading effects, heat acclimatization, 50:605
Adrenocortical responses, microwave exposure and (monkey), 53:1565
Adrenocorticotropic hormone, cortisol responses and, hypoxia, 51:1257
Adrenocorticotropin
adrenocortical function, high altitude, 47:1185
microwaves, adrenal response to, 47:1284
Adrenodemedullation, cold exposure effects, amino acids, muscle, 52:1250
Aerobic capacity: *see also* Exercise
aging, 43:280
ambient pressure, 44:231
body growth and training relations, male, 44:666
conditioning, isometric exercise, cardiovascular response to, 52:1257
ligaments and tendons, hypophysectomy and, 44:542
maximal, female, 47:1223
oxygen consumption, maximum, 47:1278
peak height velocity, 44:666
performance, skin temperature effects, severe work, 47:770
sweating sensitivity, 43:822
undernourished adult males, 44:209
Aerobic function: *see also* Exercise
test, ramp exercise, 50:217
time constant, ramp exercise, 50:217
Aerobic metabolism
arm exercise, 47:754
rowing, simulated, 45:87
Aerobic power: *see also* Exercise
and anaerobic threshold, exercise, 41:544
body temperature, 42:885
endurance, exercise-induced, 42:372
hypervolemia, cardiac performance and, exercise, 52:1186
maximal
estimation, 42:833
training and heredity, 40:211
muscle respiratory capacity, fatigue relations, 53:470
ozone exposure, 42:531
postcoronary patients, 40:611
response to work, hot environment, 41:815
testosterone, plasma, 49:249
trained athletes, 42:833
training duration effects, 53:225
Aerobic work: *see also* Work
capacity, erythrocythemia, 48:636
physiological adjustments, 41:46
Aerodynamics, steady expiratory flow, lung, 51:1331
Aerosolization, alveolar-capillary membrane permeability, 51:955
Aerosols
β-adrenergic, mucociliary function, 48:965
air-space dimensions and, pulmonary, model, 51:465
airway reactivity, 46:189
antigen, airway mast cell changes, 43:271
bronchoconstrictor, ozone-induced tachypnea, 46:1108
challenge
asthma, 49:953
vagal effects, 47:13
compound 48/80, histamine release, lung, 44:455
deposition
clearance and, 40:468
clearance and, respiratory tract (chicken), 53:1423
defense mechanisms, pulmonary (snake), 50:979
lung mechanics, 46:217
mucociliary transport, pulmonary, 51:1057
sites, breathing pattern effects, lung, 53:824
effective diffusion, lung, 44:803
fluorescent, deposition, model airways, 47:947
histamine: *see also* Histamine
inhalation, direct and reflex bronchoconstriction, 50:869
lung response and, cigarette smoking, 53:582
hygroscopic, growth, bronchial airway model, 47:544
inhaled particles, calculated deposition in airway generations, 47:867
nondispersed, collateral channel response, vagal effects, 51:1314
transport, airway, 53:1023
Afferent pathways, genioglossus muscle response, upper airway pressure changes, 52:445
Afferents
bronchial
bradykinin stimulation, 48:511
chemoreceptor: *see* Chemoreceptors
chest wall, respiratory regulation, neonatal, 42:362
cutaneous and muscle, 40:138
intercostal muscle, respiratory effects, 43:20
mechanisms, 40:434
neural, exercise hyperpnea, limbs, 49:239
respiratory, breathing rhythm, 45:339
urinary bladder, amplitude, frequency and respiration, 48:826
vagal: *see* Vagal afferents
Afterdischarge, respiratory, central neural, 45:339
Afterload
heart contractility, exercise, ischemia, 52:340
intrapleural pressure effects, left ventricular, 50:1027
left ventricular, pulsus paradoxus in upper airway obstruction, 45:598
mild exercise, myocardial function and hypertrophy, 46:354
negative-pressure breathing, 48:977
ventricular
hypoxia and sinoaortic denervation, 43:1012
inspiration and, 47:582
lung volume and pleural pressure, 47:257
Age
gestational, carbon dioxide sensitivity (monkey), 50:956
postnatal, carbon dioxide sensitivity (monkey), 50:956
Aggregate formation, 40:575
Aging
adrenocortical function, 43:839
airway mechanics, intrathoracic, 46:556
altitude and, tolerance, 50:367
anaerobic threshold, alterations in endurance training, 46:556
basal metabolic rate
longitudinal changes, 45:536
muscle mass decrease, 43:1001
blood gases, exercise, vital capacity and, altitude, 48:6
body density, 40:300
cardiovascular comparison, endurance athletes, 51:634
central hemodynamics, active adults, 45:709
changes, cardiac function, 53:799
cooling, local, 44:813
effects on pulmonary mechanics, 41:20
elastic recoil, exponential analysis, 47:683
exercise
performance, wheelchair, 50:824
tests, maximum and submaximum, 43:1113
heart rate and, high-pressure convulsions, 47:834
heat exposure, 44:1
hyperbaric oxygen toxicity, brain, 49:700
lung function, active adults, 45:709
lung mechanical properties, normal adults, 43:1054
lung morphometry, 43:86
oxygen consumption, maximum, 47:1278
physiological, runners, 41:46
polycythemia, high-altitude, 45:1019
pressure-volume relations, excised lung, 49:558
regional residual volume, 44:195
relaxed $+G_z$ tolerance, healthy men, 45:626
respiratory sensations, elastic loads and, 50:844
salt intake and blood pressure, 40:601
sweating and, female, 53:671
variations
body fat estimation and, 41:223
respiratory sinus arrhythmias, 41:734
Agonists, inspiratory pressure swings, partitioning, 44:200
β-Agonists, bronchodilation, distribution, 45:778
Air
action potentials, single axons (crayfish), 47:561
breathing, apparatus and, 53:1281
drying, lung lobe shrinkage, 49:536
embolism: *see* Embolism
flow: *see* Flow
hyperbaric
electrocardiogram changes, 42:614
ventilation and inspiratory activity, 45:756
inflation, surfactant release and, excised lung, 51:905
inspired, diffusing capacity at different lung volumes, 47:32
lungs: *see* Lungs
pollutants: *see* Irritants; Pollution
pressure: *see* Pressure
pressure-flow relations, alveolar, 51:1033
resistance: *see* Resistance
sampling, alveolar, altitude in aging, 48:6
synaptic modifications (mollusk), 47:568
trapped, volume, lungs, 51:172
velocity, skin wettedness and sweating efficiency, 47:1194
volume pressure curves, emphysema, 48:284
Air-blood barrier, cells, distribution of vesicles, 50:334
Air-space dimensions, pulmonary, aerosols and, models, 51:465
Airway
acoustic reflections, 43:523
adrenergic neurotransmission, acetylcholine and, 51:376
aerosol penetrance, 40:468
ammonia, continuous method, 46:603
anaphylaxis, cyclooxygenase metabolites in, 53:589
anesthesia, histamine effects and, 53:690
area, acoustic reflections measured at the mouth, 48:749
area-distance function, 43:523
Ascaris suum allergy, histamine and methacholine effects (monkey), 45:846, 47:645
asymmetrical model, lung, 52:21
augmented diffusion, pulmonary gas exchange, 49:232
axial forces, 42:773
bronchial, hygroscopic aerosols, growth, 47:544
bronchoconstriction, general anesthesia effects, 53:126
bronchomotor response, electrical field stimulation (sheep), 53:1088
bronchomotor tone, regional ventilation distribution, 40:411
capsaicin-induced bronchoconstriction, 47:961

Air-way (continued)
carbon dioxide: *see* Carbon dioxide
central
acoustical area measurements, 48:896
casts, cross-sectional area measurements, 48:896
oscillatory flow and quasi-steady behavior, 50:1293
pressure-flow relations, 51:1338
steady flow, model, 49:417
central and peripheral, 5-hydroxytryptamine-induced prostaglandin I_2, 49:521
closure
anesthesia, resident-gas and argon-bolus techniques, 47:874
awake and anesthetized-paralyzed man, 44:238
breathing and swallowing coordination, infants, 50:851
bronchomotor tone, 40:411
closing volume and, 46:24
diving, 40:736
during anesthesia, lung, 50:55
expiratory flow rate, 46:1011
gas trapping, nitrous oxide-induced, 43:414
gas volume measurement, infant, 52:995
immersion, 44:679
infection points of lung pressure-volume curves, three-balloon catheter system, 47:931
limitation of maximal expiration, 48:695
low lung volume, 43:138
measurement, helium and nitrogen techniques, 42:859
measurement comparison, 50:587
nonhomogeneous alveolar pressure, 49:398
pressure-volume relations, lung, 51:353
volume in pressure communication with mouth, 48:695
collapsibility
dynamic bronchial, 42:699
series distribution, 50:325
compliance: *see* Compliance
conductance
specific, inhaled atropinelike agent, 46:256
specific, in infancy, 43:144
S-segment, lung growth, 44:521
upstream segment, age and sex differences, 46:556
conducting, separation of inhaled gas mixtures (pig), 43:391
connective transport in, oscillatory flow, bronchial tree, 53:1023
constriction, localization using gases, 41:396
contractile force, continuous stretch, smooth muscle, 52:655
density dependence, inhaled histamine and, 42:508
diameter
maximum, bronchomotor tone, 49:270
prostaglandins and arachidonic acid, 53:1005
dilation, vagal blockade, 46:217
dimensions
bronchomotor tone, 49:270
emphysema, model, 51:321
disease
animal model (sheep), 44:479
early, 40:464
distension
extrapulmonary, breathing and, 46:890
inspiratory, 40:525
dynamics
expiratory flow-volume curves, variability, 46:565
high altitude, 42:245
maximum flow, time dependence, 47:1043
normal, 45:840
wave-speed theory of flow limitations, 43:516
edema: *see* Edema
electrical and ion transport properties, 42:735
epithelium
liquid and protein clearance, anesthesia (sheep), 53:96
ozone-induced tachypnea mechanism, 46:1108
expansion, peripheral pulmonary, photography, 42:976
expiratory flow, wave-speed limitation, lungs, 43:498
extrathoracic
head-out exercise body plethysmography, 47:1336
obstruction, partial curarization, 52:57
patency maintenance, neuromuscular mechanism, 46:772
flow-limiting segment, lung growth, 44:521
frequency dependence, smooth muscle, 47:1251
function
atropine like agent, inhaled, 46:256
expiratory flow-volume curves, analysis, 44:156
structure and, 43:603
gas compression, noninvasive measurement, 46:399
gas mixing, model, 52:1476
gastric irritation, tracheal mucus gland, 52:1153
generations, inhaled particles, calculated deposition, 47:867
geometry, 48:749
acoustic pulse response measurements, 43:523
cross-sectional areas, 48:896
serotonin-vagus interaction, 44:144
heat exchange, exercising asthmatic and nonasthmatic subjects, 46:484
histamine receptors, smooth muscle (monkey), 49:729
H_2-receptor antagonism, histamine response, 48:613
hypercapnia effects, mouth pressure during occlusion, 40:338
hyperirritability, ozone-induced, 43:626
hyperreactivity
atropine effects, 53:169
bronchomotor tone regulation, lung, asthma, 50:1079
hypocapnia, 46:966
normal subjects, 47:8
hypoxia
capillary recruitment, 47:383
respiratory muscles during occlusion, 40:372
hysteresis: *see* Hysteresis
impedance, low-frequency periodic flow, model, 47:347
inflammation, maximum expiratory flow and, 52:346
innervation
noradrenergic inhibitor, 48:16
smooth muscle (baboon), 48:947
intrapulmonary
bradykinin stimulation of afferent vagal C-fibers, 48:511
mucociliary transport, 51:1057
ion permeability, regional differences, 51:706
ion transport, autonomic agent effects, 52:893
isolated, acetylcholine and electrical stimulation, 45:690
large, dilation, vagal blockade, 46:217
length-tension relations, 45:690
longitudinal mixing
inspiration and expiration, 46:799
respiring at constant flow, 44:297
lower, specific conductance, forced airflow oscillation, 51:715
mast cells, allergy, antigen aerosols, and histamine, 43:271
maximum expiratory flow, density dependence of, 53:397
mean pressure, oleic acid lung disease, 50:1056
mechanics
axial bronchial tension, expiratory flow and, model, 45:659
collapsibility, 50:325
intrathoracic, during lung growth, 44:521
intrathoracic, sex and age differences, 46:556
isoproterenol, 47:330
lung surface tension, 47:692
oscillation, 48:749
oscillatory and unidirectional flow, model, 52:1097
posture effects, 53:1175
smooth muscle, in asthma, 46:681
spontaneous smooth muscle, 48:320
theophylline, 47:330
methacholine effects, 46:966
movable catheters, 40:943
mucus, 40:247
secretion in, hypoxemia effects, 52:1416
muscarinic receptors, smooth muscle, 52:1084
noradrenergic inhibitory system (baboon), 48:947
obstruction
arm and leg work-induced, 42:565
atropine effects, 45:238
body plethysmography failure in, 52:949
breathing frequency, various tidal volumes, 44:538
cardiac performance, 44:703
chronic, 44:538
chronic, inspiratory muscle activity and, 51:1388
collateral flow resistance and time constant (dog, horse), 63
exercise effects, 53:1594
exercising, asthmatic and nonasthmatic, 46:484
genioglossus muscle and, 49:801
heat loss, respiratory, atropine and, 48:619
hemorrhage and shock, 46:792
intralobar collateral ventilation, 46:792
intrapleural pressure effects, 50:1027
left ventricular hemodynamics during respiration, 47:1295
pulsus paradoxus mechanisms, 45:598
rib cage deformation, 46:1071
vagal stimulation, histamine, 50:1286
occlusion
anesthesia, species differences (human, cat), 51:1162
anesthesia and, 51:143
breath-to-breath monitoring, 51:520
β-endorphin effects, 50:1011
inspiratory duration, infants, 45:202
inspiratory motor output, 49:609
inspiratory timing, maturational changes, newborn, 50:1282
maturational changes and, newborn, 53:766
pathogenesis, during sleep, 44:931
phrenic activity and respiratory pressure, 51:99
respiratory response in infants, 41:634
valve, 45:481
ozone effects, detection (sheep), 48:789
particles, deposition, model, 47:947
peripheral
disease, single-breath nitrogen test, 51:1568
forced expiration indices and, 50:15
pH, smooth muscle, 42:408
potentials: *see* Potentials
pressure: *see* Pressure; Pressure-flow relations
prostaglandin D_2, methyl analog, 44:406
protein permeability, epithelial, 42:144

pulmonary vascular distension, 49:620
reactivity
histamine (sheep), 49:826
methacholine inhalation, 52:1464
nitrates, normal and mildly asthmatic, 46:189
pulmonary impedance measurement, 52:725
sulfur dioxide exposure, allergy (sheep), 51:1651
vagal effects, 47:13
receptors: *see* Receptors
reflexes: *see* Reflexes
resistance: *see* Resistance
respiratory acidosis and, 42:408
respiratory heat loss, 49:875
responses
bronchopulmonary stimulation during sleep, 47:17
inhaled histamine, variability in normal subjects, 47:51
lung inflation, histamine, 51:806
measurement techniques, 52:1363
vasoconstrictor agents, vagal effects, 47:13
secretions
bioelectric properties, 51:706
breathing mode, 46:205
reflex control of, 53:985
selective autonomic stimulation, dimethylphenylpiperazinium, 51:428
size
expiratory flow and density dependence, 49:897
forced expiratory flow, newborn, 53:1220
small, 40:468
closure, residual volume and, 51:313
hypoxia, 47:251
impairment during hemorrhage and shock, 46:792
lung volume, 44:728
maximum expiratory flow and, 52:346
metabolic gas effects, single-breath nitrogen test, 53:789
smoking effects, 42:508
smooth muscle: *see also* Muscle, smooth
control of, 53:1080
sodium electrogenic pump and (guinea pig, bovine), 51:346
stimulus-response relations, 45:690
stretch receptors, inhaled carbon dioxide effects, newborn, 53:1461
supraglottic, resistance, occlusive sleep apnea and, 53:1158
surface, water loss, 46:205
surface liquid composition, 50:613
thermal effects, 45:238
tone, vagal-histamine effects, 45:40
tracheal pressure during occlusion, 40:345
upper
acoustic inferences, 48:749
airflow through, newborn, 53:805
function, carbon dioxide rebreathing, electromyogram, 50:1052
muscle activation, 53:1133
muscles before inspiration and, 49:638
musculature, infant, 48:500
nerves, chemical stimuli effects, 52:530
obstruction, pulsus paradoxus mechanisms, 45:598
occlusion during sleep, pathogenesis, 44:931
pressure, genioglossus muscle and, 52:438, 445
sound speed, 49:326
vagal tone, inhibition, 46:256
volume: *see* Volume
walls
adhesion, upper airway patency, infant, 48:500
panting frequency effects, thoracic gas volume, 52:739
Airway-parenchyma interaction, peribronchial pressure, 45:858
Alae nasi
activation
before inspiration, 49:638
nasal resistance and, 52:1432
Alanine: *see also* Glucose-alanine cycle
cold exposure effects, amino acids, muscle, 52:1250
exercise and, 42:525
graded, 43:288
β-receptor blockade, 40:855
respiratory acidosis effects, exercise, 53:63
response during prolonged exercise, 41:683
serotonin uptake, lung, 46:447
Albumin
clearance, lung lymph and, ethchlorvynol, 50:1151
edema and, perfused lung, 50:1065
extravascular, lung (sheep), 46:932
flux, differential permeability of endothelial and epithelial barriers (sheep), 47:1315
half-time, edematous lung, 51:1268
plasma, hypervolemia, exercise-induced, 48:665
radioiodinated, tissue permeation vs. airway displacement, 43:487
therapy, acid aspiration and, 51:335
transport, alveolar epithelium, 47:846
Alcohol
consumption
cold water immersion, 43:211
effects, work capacity, heat, 50:1006
tepid water immersion, 44:683
elimination, total body water and lean body mass estimation, 42:803
fatty, uptake, diffusion barriers, tracheal epithelium, 52:1223
Aldosterone
antidiuretic hormone and, response to heat and hydration (cattle), 48:249
excretion, distance running, 50:709
exercise, hypoxia, 52:320
heat exposure and, 42:554
hypoxia effects, 53:815
hypoxic decompression, 43:421
levels, during heat stress, 41:323
plasma
acute heat stress and, 41:708
running exercise, 41:26
saline loading effects, heat acclimatization, 50:605
plasma and urinary, running exercise, 41:26
urinary
extraction and radioimmunoassay, 42:643
running exercise and, 41:26
zero gravity, cardiovascular adaptation, 46:541
Algorithm, smoothing, estimation of ventilation-perfusion ratio distribution, inert gas data, 43:1106
Aliphatic acids, permeability, erythrocytes, 53:1138
Alkalemia, lactate levels, 42:44
Alkaline phosphatase, granular pneumocytes, primary culture, 49:743
Alkalosis
exercise stress and, species differences (dog and miniswine), 52:1077
helium or sulfur hexafluoride exposure, embryo (chick), 50:819
hypocapnic, cardiovascular function, 40:333
isocapnic metabolic, brain surface pH changes during, 51:276
maternal hyperventilation and, high-altitude pregnancy, 52:690
metabolic
angiotensin I conversion, vascular reactivity, 48:308
aortic chemoreceptor response, 53:75
bicarbonate formation, cerebrospinal fluid, 46:471
cardiorespiratory, exercise, 43:959
cerebrospinal fluid pH, oxygen, carbon dioxide responses, 48:355
oxygen uptake, 45:399
muscle surface pH and, measurement technique, 52:85
pH effects, cycling exercise, electromyography, 52:1181
respiratory
angiotensin I conversion, vascular reactivity, 48:308
breathing rhythm, 45:11
catecholamines, 44:581
oxygen uptake, 45:399
panting (antelope, dik-dik), 44:534
transient, following hemodialysis, 41:216
uteroplacental blood flow and, 41:197
Allantoic artery, vein and, needle catheter, blood pressure measurement, embryo (chick), 51:1023
Allergy
airway mast cells, 43:271
Ascaris suum
airway responses (monkey), 45:846
anaphylaxis, 46:919
histamine and methacholine effects (monkey), 47:645
bronchospasm
parasympathetic system, 42:600
sheep, 47:917
mucociliary dysfunction, ciliary motility and (sheep), 52:1018
sulfur dioxide exposure, airway reactivity after (sheep), 51:1651
Alloxan
detection, blood flow, 50:1367
diabetes: *see* Diabetes
pulmonary edema
cardiopulmonary baroreflexes in, 43:107
lung tissue volume, 44:782
measurement, 47:1228
noncardiogenic, 45:962
solute permeability, alveolar epithelium, 44:353
Althesin, high-pressure neurological syndrome, 43:183
Altitude: *see also* Hypoxia
acclimation, thyroxine changes and, 53:313
acclimatization
lung mechanics, 52:1407
respiratory control, Sherpas, 49:374
thermoregulatory response to cold, 41:848
ventilatory, cerebrospinal fluid pH and, 45:275
adaptation, human, 43:204
adrenocortical function, 47:1185
aging and, tolerance, 50:367
airway dynamics, 42:245
alveolar-arterial oxygen gradient, exercise, 50:1129
blood and, respiratory properties of, embryo (geese), 53:1432
blood gases, aging and, 48:6
blood hormone and metabolite levels, exercise and feeding effects, 45:350
breathing regulation, newborn, 44:673
capillary vascularization, myocardial, 42:501
cardiac output, 42:722
catecholamines, urinary excretion, 42:728, 44:725
cerebral fluids, composition (goat), 47:508
changes, eggshell conductance and (chicken), 53:1429
decompression: *see* Decompression
endotoxic fever, reduction, 49:294
equation of motion, cyclist, 47:201
erythropoiesis, splenic, 48:857
exercise
blood flow, cutaneous, 53:920
vital capacity, aging, 48:6
extreme, man and, 52:1393
Feulgen-DNA levels, myocardial, 42:501
fluid volume, intrathoracic, 47:670

Altitude (continued)
heat and humidity, exercise and, 40:206
hematologic responses, 43:365
high
acclimation, atrial response to drugs and, 51:1607
blood oxygen affinity and, 51:1411
chemoreceptor denervation (goat), 50:392
chronic exposure, glycogen utilization and, muscle, 52:857
energy expenditure during load carriage, 51:14
fibrinopeptide A, strenuous exercise and, 53:40
hemoglobin-oxygen affinity effects, exercise tolerance, 53:1487
maternal arterial oxygenation, infant birth weight and, 52:695
oxygen consumption and blood flow, skeletal muscle (avian), 50:450
pregnancy, maternal hyperventilation effects, 52:690
pulmonary edema, fluid filtration and, lung (pig), 51:1065
pulmonary hypertension, collateral ventilation effects, species differences, 51:1251
pulmonary vascular reactivity (hamster), 52:1571
simulated, body fluid and hematologic changes (toad), 51:794
ventilatory control, climbers, 53:886
high mountain disease, pregnancy-induced pulmonary hypertension (cow), 46:184
hypoxemia, accentuated, pulmonary edema susceptibility, 46:41
lung mechanics, 42:413
metabolic performance (gopher), 43:965
oxygen
affinity, blood, natives, 47:337
affinity (goose, guanaco), 42:139
capacity, blood (harbor seal), 42:852
transport, 40:658
periodic breathing and, model, 53:644
peripheral chemoreceptor function, denervation (pony), 49:964
pial arteriolar responses, 46:89
plasma growth hormone, exercise, 50:229
platelet count, highlanders, 49:1047
polycythemia, aging effects, 45:1019
pressure-volume relations, pulmonary, 49:79
prolonged work, women, 49:367
pulmonary edema, 47:670
fluid leaks, 44:759
respiratory control, neonatal, 48:587
respiratory oscillations and, 48:545
right ventricular hypertrophy, propranolol treatment, 48:473
shell diffusion, incubating eggs (chick), 45:551
simulated
fluid-electrolyte shifts, 44:652
induced erythrocythemia effects, hypoxia tolerance, exercise, 53:490
oxygen uptake, 44:652
splanchnic responses in highlanders, 43:204
stroke volume, 42:722
thermogenesis, diet-induced, rest and exercise, 45:345
vasoconstriction, calcium effects, lung, 49:450
ventilatory responses, 43:114
work capacity
polycythemia effects, 49:311
women, 47:1223
work rate, optimal, mountaineers, 44:952
Alveocapillary permeability: *see* Permeability
Alveolar-arterial gradient, cardiac output, intrapulmonary shunt, 46:315
Alveolar-arterial oxygen: *see* Oxygen
Alveolar capillaries, protein permeability, 42:144
Alveolar-capillary barrier
carbon dioxide and bicarbonate exchange, lung, 51:1136
carbonic anhydrase distribution, lung, 51:190
Alveolar-capillary membrane, permeability, aerosolization, 51:955
Alveolar cells
epithelial, type II, apoprotein metabolism, pulmonary surfactant, 48:812
type II
surfactant kinetics, lung, 51:248
volume regulation in, 53:258
Alveolar dead space: *see* Dead space
Alveolar duct
constriction
antigen exposure, immunization and, 46:346
histamine and β-blockade, 44:690
mechanical structure, model, 52:1064
pulmonary acinus, gas mixing in, 52:624
Alveolar epithelium
acid exposure effects, water and solute transport, (bullfrog), 52:902
liquid and protein clearance, anesthesia (sheep), 53:96
pore, water and solute transport (bullfrog), 50:1263
solute permeability, 52:3
alloxan edema, 44:353
oxygen breathing effects, 50:859
transport, lung inflation effects (bullfrog), 52:1498
water and solute transport (bullfrog), 50:1263
Alveolar expansion gradient, diaphragmatic contraction, lateral posture, 43:32
Alveolar flooding
oleic acid-induced pulmonary edema, 48:1045
pneumococcal lobar pneumonia effects, lung, 50:283
regional pulmonary perfusion, intact lung, 49:834
Alveolar fluid pressure: *see* Pressure
Alveolar gas: *see* Gas, and the specific gas
Alveolar hyperventilation: *see* Hyperventilation
Alveolar hypoxia: *see* Hypoxia
Alveolar level, collateral resistance, excised lung, 48:982
Alveolar macrophages: *see* Macrophages
Alveolar membrane, fluid flow, protein permeability and, 42:144
Alveolar monolayer, stability, 47:604
Alveolar plateau, 41:185
airway closure, lung, 50:55
carbon dioxide measurement, infant, 45:648
growth changes, lung, 51:699
slope of, helium and sulfur hexafluoride washouts, 51:1122
Alveolar pressure: *see* Pressure
Alveolar septa, tissue structure, 53:879
Alveolar septal cells, hypertonic sodium chloride effects, lung tissue, 51:1443
Alveolar slope, gaseous interaction and, 53:496
Alveolar space, helium and sulfur hexafluoride, penetration, 43:403
Alveolar surface tension, interstitial fluid pressure, perivascular, micropipette measurement, 52:9
Alveolar tissue, surfaces and volumes of, zone II and zone III conditions, 53:879
Alveolar vasoconstriction: *see* Vasoconstriction
Alveolar ventilation: *see* Ventilation
Alveolar vessels
fluid shifts, zone I lungs, 48:256
sitting position, 46:36
Alveoli
aging, effects on numerical surface and volumetric density, 43:86
air sampling, altitude in aging, 48:6
albumin
radioiodinated, tissue permeation vs. airway displacement, 43:487
transport, epithelial, 47:846
amplitude response technique, lung perfusion, exercise, 50:1071
carbon dioxide measurement, infants, 45:648
carbon monoxide concentration, diffusing capacity, pulmonary, 51:571
circulation, pulmonary tubular microcirculation, 53:510
collapse, pressure-volume relations, lung, 51:353
development (pig), 45:806
edema, inflation and permeability effects, 53:121
fibrinogen clearance, 45:516
flooding, lung extravascular fluid compartments and, 53:267
function, surfactant deactivation and, 51:895
gas
composition, nonperfused lung, 51:1261
forcing, time courses, model, 52:1353
geometry, 43:730
air- and saline-filled lungs, 47:990
detergent rinsing, 47:1002
hypoxia, vasoconstriction and, 53:626
liquid and protein clearance, anesthesia (sheep), 53:96
liquid pressure measurement, micropipettes, lung, 53:737
neutrophils, pool size, normal lung, 47:440
nonhomogenous pressure swings, airway closure, 49:398
phospholipids, swimming exercise effects, 53:1521
pore radius, lung inflation, 49:1032
pores, transpulmonary and vascular pressure effects, 51:739
pressure-flow relations, breathing air, helium-oxygen, and sulfur hexafluoride-oxygen, 51:1033
pressure swings, respiratory muscle effects, 52:638
solute permeability, epithelial, lung inflation, 49:1032
stability
detergent rinsed lung, 47:440
hypoxic vasoconstriction, 49:846
phospholipid release, 47:285
surfactant aggregation and, lung, 51:646
sucrose transport, epithelial, 47:846
surface area, morphometry, cold acclimation during growth, 48:886
surface lining, temperature effects, 51:823
surface tension, interstitial pressure-volume behavior, 48:939
type II pneumocytes, lamellar body volume density of, 53:555
ventilation, measurement, tracer-bolus method, 50:898
vessels, lung inflation and, 53:1110
Ambient pressure: *see* Pressure; Force environment; Acceleration
Ambient temperature: *see* Temperature
Amine oxidase, ventilation, pulmonary amine removal and, 44:553
Amines
biogenic
extraction, lung and hindlimb, 52:1545
lung clearance, indicator-dilution measurement, 46:1178
microembolization effects, 52:421
pulmonary removal, ventilation and

pH effects, 44:553
trachea and bronchus and, 41:62
uptake and metabolism, lung, newborn, 50:118
Amino acids
branched chain
muscle glycogen levels, exercise, 48:624
postoperative, exercise effects, 46:141
catabolism, exercise effects (rat, human), 52:27
cold exposure effects, muscle, 52:1250
free, plasma concentration, exercise, tissues, 50:41
hypercapnia, brain, 44:333
metabolism
lung, 47:72
pulmonary macrophages, 47:79
oxidation, rest and exercise, 53:947
physical training, 128
lean body mass and obesity, 45:176
protein degradation, lung, 47:1058
uptake, insulin effects, lung, 42:216
γ-Aminobutyric acid, receptors: *see* Receptors
α-Aminoisobutyric acid, uptake, insulin effects, lung, 42:216
δ-Aminolevulinic acid synthetase, activity, ventricular, after exercise, 44:57
Aminophylline
fluid transport, tracheal epithelium, 49:905
lung capillary filtration, reduction during high permeability (sheep), 46:146
microtubules, filtration, lung, 47:537
supramaximal thermogenesis and, 53:16
Amitriptyline, altitude acclimation and, heart atria, 51:1607
Ammonia
cerebrospinal fluid bicarbonate, 40:559
chemiluminescent detection, airway, 46:603
exercise, skeletal muscle fibers, 49:1037
formation, bicarbonate regulation, metabolic acidosis, 49:778
inhalation, reflex effects, lung, 45:212
muscle atrophy, hypokinesia, 48:479
Ammonium, brain, hypercapnia, 44:333
Anaerobic efficiency: *see* Exercise
Anaerobic metabolism, rowing, simulated, 45:87
Anaerobic power: *see also* Exercise
muscle respiratory capacity, fatigue relations, 53:470
Anaerobic threshold: *see also* Exercise
arm exercise, 47:754
determination, noninvasive field test, running, 52:869
endurance training, middle-aged men, 46:1039
exercise, glycogen depletion and, 52:1598
exercise chemoresponsiveness, 45:557
exercise recovery, maximal work, 51:840
gas exchange indices, 53:1184
maximal effort exercise, 47:677
onset during incremental exercise, 41:544
ramp exercise, 50:217
recovery from exercise, 47:514
short-term dynamic exercise, 51:1175
ventilatory, computer determination, 52:1349
Anaerobic work: *see* Work
Analgesics, narcotic, ventilatory response to exercise, 47:112
Anal sphincter, pressure, viscoelastic properties of rectum and, 41:677
Anaphylaxis
Ascaris suum allergy, lung nucleotides, histamine, 46:919
cyclooxygenase metabolites in, lung, 53:589
lung volume, 45:957
mediators of, allergic mucociliary dysfunction and (sheep), 52:1018
ovalbumin-induced, vagal mechanisms and (pony), 53:719
Anatomical dead space: *see* Dead space
Anatomy: *see* specific subject and site
Anemia
acute, α-adrenergic blockade effects, 52:16
cardiac output and, 53:1299
isovolumic, myocardial blood flow during, 53:203
norepinephrine and propranolol, blood flow, hindlimb, 51:565
sickle cell: *see* Sickle cell anemia
sports, erythrocyte alterations during exercise (horse), 51:131
thoracic resistivity, impedance cardiography, 50:191
Anemic hypoxia: *see* Hypoxia
Anemometer
hot-wire
evaluation, 47:1131
respiratory measurements by, 40:275
Anesthesia
absence of compensatory augmentation of neural drive and, 41:285
airway, sensation of inspired volume, quadriplegics, 53:1481
airway closure
lung, 50:55
resident-gas and argon-bolus techniques, 47:874
airway occlusion, functional residual capacity, 51:143
barbiturate, 40:895
blood flow, pulmonary, spatial distribution, with positive end-expiratory pressure ventilation, 47:938
blood pressure and, 40:977
bronchial circulation in (sheep), 53:272
chest wall motion, inspired gas distribution and, 49:279
dental, supersaturation, 42:758
diaphragmatic muscle tone, 47:279
extrathoracic airway patency, maintenance, neuromuscular mechanism, 46:772
gas density, effects on respiratory control, 48:528
gas distribution, intrapulmonary, 42:391
gas exchange
cerebral, 46:1164
middle ear, isobaric counterdiffusion, 47:1239
general
gas distribution, regional intrapulmonary, 45:528
reflex bronchoconstriction and, 53:126
respiratory control, 51:19
guanosine monophosphate, cyclic, lung tissue, 45:487
halothane-oxygen, cardiopulmonary function, 43:778
heatstroke model, experimental, 43:292
inert gas absorption, closed lung system, 47:40
liquid and protein clearance, alveoli (sheep), 53:96
loaded breathing, reflex response to, 53:355
lung emptying and, 43:983
methoxyflurane, carbon dioxide rebreathing and, 41:285
mucociliary clearance, measurement, 42:451
mucous transport, tracheal, species differences (guinea pig, rabbit, dog), 51:1612
paralysis, ventilation-perfusion, 47:745
pH, slow postcapillary changes, 45:674
phrenic nerve activity, 46:1029
posture and, end-expiratory volume, 53:1071
pressure reversal, 49:204
axon (crayfish), 45:747
pulmonary perfusion, regional, ventilation-perfusion and, 43:993
repetitive impulse generation, pressure-induced, axon (crayfish), 45:747
respiratory control, sulfur dioxide effects, 43:844
respiratory effects, newborn, 42:845
respiratory measurement, single-breath method, 52:1266
respiratory mechanics, 46:646, 716, 49:197
supine, 49:300
respiratory patterns in, species differences (human, cat), 51:1162
respiratory responses to sodium bicarbonate, hydrochloric acid and potassium cyanide, 43:1075
reversal, high-pressure neurological syndrome, 43:221
steroid, high-pressure neurological syndrome, 43:183
temperature, pressure reversal and (fish), 42:329
topical, tracheal receptors, 47:1123
ventilation-perfusion ratio distributions, mass spectrometry, 53:770
ventilatory response, acute carbon dioxide exposure, 45:611
water immersion during, circulatory responses to, 53:1625
Anesthesia-paralysis, closing capacity, 44:238
Anesthetics: *see also* specific agent
apparatus, 41:429
gases, atrial conduction and excitability, 45:24
general, hypoxic pulmonary vasoconstriction, 49:189
human, respiratory control (cat), 44:596
ventilatory pattern changes, 45:171
volatile, measurements, with quadrupole mass spectrometer, 44:634
Angiocardiography, mitral regurgitation, 40:132
Angiography, 41:925
radionuclide cardiac, coronary artery disease, exercise, 50:636
Angiotensin: *see also* Renin-angiotensin system
antagonism, exercise during sodium depletion, 45:403
converting enzyme: *see* Converting enzyme
infused, effect on hypoxic pulmonary vasoconstriction, 41:84
pulmonary vascular reactivity, pregnancy and, 53:703
renin-aldosterone axis, hypoxia and, 52:320
vasopressin response and regulation, exercise, 49:930
Angiotensin antagonists, hemodynamics, exercise, 43:440
Angiotensin I, conversion, vascular reactivity, pathophysiological states, 48:308
Angiotensin II
hypoxia effects, pulmonary vascular response (pig), 50:561
levels, heat stress, 41:323
mechanical activities, trachealis muscle, 48:320
plasma, in hypoxic and hypovolemic stress, 41:462
pulmonary vasoconstriction, 49:450
radioimmunoassay, 41:462
running exercise and, 41:26
Anions
monovalent, hemoglobin-oxygen affinity regulation, 43:632
specificity, apneic reflex, laryngeal (puppy), 53:455
Ankle
action tremor, exercise-induced, 53:1164
dorsiflexion, joint position and, 51:160
physiological action tremor, 52:226
Anodal block, medullated cardiopulmonary vagal afferents, 42:461

Anoxia
brain metabolism and, 41:480
central control of (turtle), 53:1365
rate of change, ventricular pressure, 53:726
respiratory patterns, neonatal, 43:468
tolerance, 40:324
Ansa subclavia, respiratory inhibition, sympathetic afferent stimulation *(dog, monkey)*, 44:718
Anthropometry, 40:330
aerobic work capacity, undernourished *adult males*, 44:209
Anticholinergic agents, heat loss, respiratory, asthma, 48:619
Anticonvulsants, high-pressure neurological syndrome, 43:221
Antidiuretic hormone: *see also* Vasopressin
aldosterone and, response to heat and dehydration (cattle), 48:249
$+G_z$, acceleration, 40:911
hypoxia, eucapnic and hypocapnic, 53:815
plasma response, heat exposure, working men, 44:166
regulation after thermal stress, adenosine monophosphate, cyclic effects, 42:257
zero gravity, cardiovascular adaptation, 46:541
Antigens
aerosols, airway mast cells, 43:271
allergy: *see* Allergy
Ascaris suum
airway responses (monkey), 45:846
rapid, shallow breathing, role of vagus nerves, 42:101
asthma, 49:953
bronchoconstriction, atropine effects (Basenji-Greyhound), 50:761
bronchospasm (sheep), 47:917
challenge, allergic mucociliary dysfunction *and (sheep)*, 52:1018
hypoxic pulmonary vasoconstriction (sheep), 49:22
infusion, lung volume, 45:957
pulmonary effects, immunized (guinea pig), 46:346
***Anti-G* suit**
blood flow, renal (miniature swine), 49:471
cardiovascular dynamic changes due to $+G_z$ stress, 43:765
Antihistamine
H_1, *lung histamine release*, 44:455
ion transport, tracheal epithelium, 42:735
Antioxidant enzymes: *see* Enzymes
Antipapain, 41:174
α_2-Antiplasmin, *fibrinolysis and, exercise* effects, female, 53:330
Antipyretics, temperature regulation, *prostaglandins and (monkey)*, 50:1248
Antipyrine, alveolar-capillary membrane *permeability, aerosolization*, 51:955
Antirotary restraint device, multicatheter perfusion, 42:449
Antithrombin III, *fibrinolysis and*, exercise effects, female, 53:330
Antitrypsin, separation from antipapain, 41:174
Aorta
blood flow: *see* Blood flow
blood velocity, exercise, 50:1173
chemoreceptors: *see* Receptors
constriction, exercise conditioning and, methoxamine effects, 52:967
diameter, exercise, 50:1173
flow: *see* Flow
pressure: *see* Pressure
pressure-flow relations: *see* Pressure-flow relations
substrates, hypoxia and, 40:533
Aortic body
chemoreceptors: *see also* Chemoreceptors
carboxyhemoglobinemia effects, 50:580
involvement, cortisol hypoxia, 52:1092
function, hypoxic ventilatory drive, 45:971
neural response, hypercapnia and hypoxia, 52:596
respiratory responses, 42:1075
Aortic depressor nerves, chemoreceptor function, 42:344
Aortic rings
cold-induced responses, catecholamines, 42:349
hypoxic vasoconstriction, calcium effects, 49:450
Aortic stenosis: *see* Stenosis
Apical excluded volume, 41:400
Apnea
airflow, upper airway, newborn, 53:805
anesthesia effects, bronchoconstrictor responses, 53:126
breathing, fetal (lamb), 47:527
central, stimulus duration and end-tidal carbon dioxide partial pressure effects, *newborn (piglet)*, 53:105
chest wall mechanics, sleep, adolescents, 51:557
concussive brain trauma, 49:856
constant-flow ventilation in, 53:483
diaphragmatic fatigue, inspiratory muscles, newborn, 51:547
eupneic, cardiopulmonary bypass, 47:1176
heart rate, resting and exercise, facial immersion, female swimmers, 45:875
hypercapnic stimulation, fetus, in utero (sheep), 50:701
hypoxic, respiratory patterns, neonatal, 43:468
inhaled carbon dioxide and, newborn, 53:1461
inspiratory muscle tone effects, newborn, 51:830
intercostal muscle reflexes and sleep *breathing patterns, infant*, 48:500
lactase responses, arterial, 42:39
laryngeal stimulation, sleep, 45:681
lung volume, diving and, 45:783
obstructive, upper airway patency, infant, 48:500
oscillation-induced, vagotomy effects, 51:1484
oscillatory respiratory pattern and, infant, 52:1288
prematurity, 41:41
reflex-induced, respiratory inhibition, newborn (pig), 50:874
respiratory inhibition, sympathetic afferent stimulation *(dog, monkey)*, 44:718
sleep: *see also* Sleep
occlusive, airway resistance and, 53:1158
upper airway occlusion
breathing rhythm, 45:11
sleep, 44:931
upper airway resistance and, newborn, 51:641
vagal afferents, cardiac, 47:312
Apneic bradycardia, 41:336
Apneusis
automatic ventilatory patterns, brain stem genesis of, 51:204
gasping, respiratory pattern comparison, 50:984
Apneustic center, regulation of ventilation, 41:612
Apolipoproteins, pulmonary surfactant, 53:1
Apomorphine, temperature regulation, exercise, 49:363
Apoproteins, metabolism, pulmonary surfactant, 42:483, 48:812
Apparatus and techniques: *see* specific subject and site; *see also* Models
Applied physiology: *see* Physiology
Aquatic exercise: *see* Exercise
Arachidonate, vascular permeability, lungs (sheep), 48:581
Arachidonate metabolites, anaphylaxis, lung, 53:589
Arachidonic acid
airway diameters and, 53:1005
cyclooxygenase, anaphylaxis, lung, 53:589
hypoxic vasoconstriction, pulmonary vascular effects, 49:107
prostaglandins and, lung function, 44:397
Arginine, influence on serum growth hormone, 41:523
Arginine vasopressin: *see* Vasopressin
Argon
electrolyte transport, erythrocytes, 49:204
flow-dependent catheter, 44:124
solubility and partition coefficients, brain and blood, 46:1169
Argon-bolus technique, anesthesia, airway closure and, 47:874
Arm
blood flow: see Blood flow
ergometry, exercise: *see* Exercise
intravascular temperature, submaximal *exercise, men*, 51:1092
work-induced asthma, 42:565
Arousal: *see also* Awake state
behavior, genioglossus muscle and, 49:801
carbon dioxide-induced ventilatory changes, infant, 48:684
hibernation: *see* Hibernation
respiratory mechanics and timing, occlusive sleep apnea, 48:432
responses
bronchopulmonary stimulation, 47:1304
carotid body denervation effects, hypoxia, *sleep*, 51:40
rapid-eye-movement sleep, 47:1304
sudden death syndrome, infant, 50:1313
temperature effects, hibernation (ground squirrel), 52:216
ventilatory responses
hypoxia, newborn (calf), 48:892
laryngeal stimulation, sleep, 45:681
Arrhythmias, cardiac, apnea and facial immersion, female swimmers, 45:875
Arterial bed, *square-pulse flow measurement*, 40:425
Arterial blood
acid-base, normocapnic hyperoxia (pony), 48:10
carbon dioxide breathing and (awake *pony)*, 47:445
Arterial chemoreceptors: *see* Receptors
Arterial circulation: *see* Circulation
Arterial gases: *see* Gas, and the specific gas
Arterial hemodynamics, evaluation, venous ultrasound, 41:946
Arterial hyperoxia: *see* Hyperoxia
Arterial occlusion: *see* Occlusion
Arterial oxygen pressure: *see* Pressure
Arterial pressure: *see* Pressure
Arterial resistance: *see* Resistance, vascular
Arterial rings, pulmonary, hypoxic vasoconstriction, calcium effects, 49:450
Arterial viscoelasticity: *see* Viscoelasticity
Arterial wall, vibrating microelectrodes, 48:737
Arteries: *see also* specific artery
lactate responses, during apnea or breathing nitrogen, 42:39
longitudinal and helical ridges, 41:910
mechanical properties, 40:634
pulmonary, occlusion and reperfusion effects, extravascular fluid accumulation, 50:102
Arterioles: *see also* specific type and site
norepinephrine effects, exercise, 51:282
pial, hypercapnia and hypoxia, 46:89

pulmonary, oxygen uptake, reflection spectrophotometric measurement, 48:848
Arteriovenous differences, citrate, leg and splanchnic, exercise, 46:120
Arteriovenous oxygen: *see* Oxygen
***Ascaris suum* antigen**
airway mast cell and histamine changes, 43:271
airway responses (monkey), 45:846
anaphylaxis, lung cyclic nucleotides, histamine, and function, 46:919
asthma and, 49:953
asthma model (Basenji-Greyhound), 50:761
breathing, role of vagus nerve, 42:101
bronchial challenge and, 41:668
histamine and methacholine effects (monkey), 47:645
hypersensitivity (sheep), 47:917
Ascent criteria, gas equilibration rates and, 41:348
Ascorbate, uptake, lung cells, 51:1477
Ascorbic acid
heat acclimatization and, 41:202
plasma and, 42:711
Asphyxia
apneic, cardiovascular effects, diving (duck), 52:206
breath-holding time, Mueller and Valsalva maneuver, 42:717
fluid balance and, awake state, newborn, lung (lamb), 51:423
inhaled carbon dioxide and, newborn, *53:1461*
respiratory patterns, neonatal, 43:469
ventilatory response to, prochlorperazine *effects, 53:637*
Aspirin
hypoxic vasoconstriction, alveolar, 45:33
*ingestion, ventilatory responses to hy-*percapnia and hypoxia, 43:971
pulmonary vasoconstriction, hypoxic, 42:903
Asthma
β-adrenergic blockade, pulmonary responses after (Basenji-Greyhound), 51:1423
α-*adrenergic receptors, tracheal and* bronchial, 45:307
aerosolized histamine effects, occlusion *pressure and ventilation, 53:690*
airway
reactivity, nitrates, 46:189
smooth muscle mechanics, 46:681
antigen aerosol-induced changes, airway mast cells and histamine, 43:271
antigen inclusion, lung volume after, 45:957
Ascaris suum, 49:953
allergy, airway responses to histamine and methacholine (monkey), 45:846
atropine effects, antigen-induced bronchoconstriction (Basenji-Greyhound), 50:761
Basenji-Greyhound model, 49:953
bronchial, failure of body plethysmography in, 52:939
bronchomotor tone regulation, lung inflation, 50:1079
collateral and airway resistance, 46:67
diffusing capacity, 43:617
exercise-induced
arm vs. leg work, 42:565
atropine effects, 45:238, 53:169
bronchial, hypocarbia and hyperpnea mechanisms, 42:22
esophageal temperature, 46:484
flow limitation, density dependence, 42:746
hyperpnea, heat flux and water exchange, 46:476
refractory period, 50:503
respiratory heat exchange, 46:467, 476, 484
sympathomimetics effects, 52:1119
exertional, refractory period, 50:503
expiratory flow-volume curves, maximum, 44:156
hemodynamics, exercising children, 46:293
histamine aerosols, pulmonary responsiveness, 44:738
histamine-induced, inspiratory muscle activity, 49:869
histamine infusion, lung mechanics, 42:221
hypoxic chemosensitivity, carotid body resection, 46:632
immunization, pulmonary, 46:346
indomethacin and atropine effects, 40:889
ion transport and electrical properties, tracheal epithelium, 44:900
*lung mechanics, following antigen chal*lenge, 41:668
methacholine, 49:953
model (sheep), 47:917
parasympathetic system, 42:600
prolonged, 47:418
prostaglandin $F_{2\alpha}$, lung mechanics, 44:150
stimulus-response relations, dose-response effects of atropine, 53:1576
tonic inspiratory muscle activity, hyperinflation, 50:279
vagal effects, 47:13
ventilation distribution, frequency dependence, 42:548
volume-referencing of flow-volume curves, 48:731
Astrand prediction, aerobic power, aging, 43:280
Atelectasis
absorption, interlobar collateral ventilation, 46:658
blood flow
baroreceptor reflex stimulation effects, lung, 52:1128
decreased, lung, 46:1047
force environment, 44:384
intrapulmonary, 52:96
lung lobe, 50:1022
pulmonary, 40:883
cardiac output, ventilation-perfusion relations, 50:341
embolization and, extravascular thermal volume, lung, 53:1614
fluid accumulation, lung, 45:284
growth, lung, 43:27
hemodynamic mechanisms, lung (pig), *52:647*
lobar, forces involved, interdependence, 48:29
oxygen absorption, lung degassing, 48:370
pulmonary mechanics, chest restriction, 51:26
reexpansion of collapsed lung, 46:31
shunt
flow, pulmonary, 42:196
fraction, vasoconstriction strength and, 53:44
sublobar, regional pulmonary blood flow and (pig), 47:1245
surfactant aggregation and, lung, 51:646
Athletes; Athletics: *see* Exercise
Atmospheric contamination, changes in pulmonary function, 41:859
ATPase: *see* Adenosine triphosphatase; Magnesium-potassium-ATPase; Sodium-potassium-ATPase
ATP: *see* Adenosine triphosphate
Atria: *see* Heart atria
Atrioventricular nodal conduction curve, 40:74
Atrioventricular transmission intervals, automatic recording and processing, 41:784
Atrophy
limb, skeletal muscle and, 52:1113
muscular
contractile properties and, 53:335
hypokinesia, 48:479
immobilization, hindlimb, 47:435
mechanics and, 47:1162
protein and, time course, 43:656
skeletal muscle, *regrowth after immobili*zation, 44:225
Atropine
antigen-induced bronchoconstriction, asthma (Basenji-Greyhound), 50:761
asthma, 40:889
bronchodilation, distribution, 45:778
catecholamines, coronary, during exercise, 43:949
dose-dependent inhibition, cold-induced bronchoconstriction, 53:169
dose-response effects, thermal bronchoconstriction, asthma, 53:1576
exercise-induced bronchospasm, potentiation by cold air, 45:238
exercising heart, 42:878
fluid secretion, tracheal gland (ferret), 49:1027
heart rate
control, athletes, 52:1652
recovery and, exercise, 53:1572
heat loss, respiratory, in asthma, 48:619
heat stress and, 53:1171
high-pressure convulsions, 47:834
high-pressure neurological syndrome, 46:756
intravenous, lung mechanics, 46:217
mucociliary clearance, tracheal, 42:761
muscarinic receptors and, airway smooth muscle, 52:1084
parenteral vs. inhaled, density dependence of maximal inspiratory flow, 53:392
pulmonary surfactant and, 43:39
vagal stimulation, collateral resistance, 49:287
Atropinelike agent, inhalation, airway *function response,* 46:256
Atropine methylnitrate, exercise heart rate, 40:741
Autografting: *see Grafting*
Automated techniques: *see* Computers; Models
Autonomic agents, ion transport and, excised airways, 52:893
Autonomic blockade: *see* Blockade
Autonomic mechanisms, initial response to standing, heart rate, 49:809
Autonomic modulation, local, bronchial smooth muscle, 46:787
Autonomic nervous system
inhaled carbon dioxide effects, newborn, 53:1461
pulmonary vascular response , hypoxia, 43:65
skin humidity and, 41:256
surface tension, lung, fetal, 43:1039
surfactant
homeostasis, lung, swimming, 53:1521
release, 51:90
Autonomic pathways, bradycardia, on facial immersion, 47:834
Autonomic transmission: *see* Transmission
Autoradiography
capillary proliferative activity, myocardium and skeletal muscle, exercise, 43:306
cerebral blood flow and arterial carbon dioxide sensitivity, neonatal, 49:113
Autoregulation
acid-base state, vascular smooth muscle, 51:179
arterial hyperoxia, 46:973
pulmonary
arterial oxygen pressure, vasoconstriction, 51:871
hypoxic pulmonary vasoconstriction and, 53:134
skin blood flow, 40:597
ventilation-perfusion, hypoxic pulmonary vasoconstriction, 42:56
Awake state: *see also* Arousal
arachidonate, vascular effects, lung

Awake state (continued)
(sheep), 48:581
bronchoalveolar milieu, sequential analysis (sheep), 50:665
carbon dioxide
arterial, pressure response, intravenous carbon dioxide, 47:1099
arterial, response, inhaled low levels of carbon dioxide, 52:672
carotid chemoreceptors and (sheep), 51:1398
ventilatory response to (rooster), 53:1371
cardiac output, static exercise, 52:642
cardiorespiratory changes, oxygen exposure (sheep), 53:110
chest wall configuration and occlusion pressure, 50:134
hypercapnia effects, fluid balance, newborn, lung (lamb), 51:423
lung function, model, 53:1050
posture, end-expiratory volume, 53:1671
prostacyclin infusion, pulmonary microvascular response to (sheep), 52:1338
prostaglandin inhibition, pulmonary vascular response after, 52:705
pulsatile blood flow, pulmonary artery, 50:805
respiratory response
halothane-enflurane anesthesia, 46:646
oxygen drive, newborn (lamb), 52:428
respiratory rhythmicity, metabolic carbon dioxide load, 50:45
ventilation, prolonged hypercapnia, 51:78
ventilation-perfusion, 47:745
ventilatory monitoring, respiratory inductive plethysmography (sheep), 51:1657
ventilatory response, carbon dioxide (duck), 50:1121
Axial bronchial tension, expiratory flow and, mathematical model, 45:659
Axial forces, bronchial tree, 42:773
Axilla, thermal features, female, 49:1042
Axillary artery, intravascular temperature, submaximal exercise, men, 51:1092
Axillary vein, intravascular temperature, submaximal exercise, men, 51:1092
Axons
action potentials, hyperbaric air and hydrostatic pressure effects (crayfish), 47:561
repetitive impulse generation, anesthetics, pressure and temperature in (crustacean), 45:742, 747
thermal features, female axilla, 49:1042
Azide, carotid chemoreceptor responses, 50:884

B

Bacteremia, gram-negative, protein flux, pulmonary transvascular (sheep), 45:225
Bacterial sepsis, lung fluid balance (sheep), 49:693
Balloon
esophageal
dynamic compliance, postural changes, 42:706
infants, 49:735, 51:270
transdiaphragmatic pressure measurement, 47:628
three-balloon catheter system inflection points, lung pressure-volume curves, 47:931
Band-pass filter, time-varying biological rhythmicities, 48:557
Barbiturates
high-pressure neurological syndrome, 43:221
reflex bronchoconstriction and, 53:126
tracheal mucus, rheology and transport, 46:504
vagal motor pathway, trachea at ganglia (ferret), 53:253
Barium sulfate, clearance, mucociliary, measurement, 42:451
Barometric measurement
tidal volume, implementation, 49:1107
ventilation
hypoxia and hypercapnia (mole-rat), 47:1011
maturation of, sleep state, infant, 46:998
response, hypoxia, sleep, 52:309
unrestrained animals, 45:644
Barometric pressure, tidal volume, pattern and nasal temperature effects, 49:319
Baroreceptors: *see* Receptors
Baroreflex: *see* Reflexes
Basal excluded volume: *see* Volume
Basal metabolic rate: *see* Metabolic rate
Bead embolization: *see* Embolization
Bed rest: *see* Rest
Behavior
motivated, antirotary device, 42:449
personality and mood, exercise and sleep effects, 44:945
regulation, use of sweet stimuli, 41:77
Bends: *see* Diving; Decompression sickness
Benzoates, halogenated, hemoglobin-oxygen affinity regulation, 43:632
Benzolamide, pH changes, postcapillary, 43:582
Betamethasone, pressure-volume relations, fetal lung (monkey), 47:377
Bezold-Jarisch reflex: *see* Reflexes
Bicarbonate
carbon dioxide
disequilibrium, hindlimb, 47:1090
exchange, lung, 51:1136
reactions, pulmonary capillary, 48:972
carbonic anhydrase activity and, 49:589
hindlimb, 47:1090
carbonic anhydrase distribution, alveolar capillary barrier, lung, 51:190
cerebrospinal fluid
concentration, pial responses after hypercapnia and hypoxia, 46:89
control, 40:559
fetal (lamb), 50:880
formation, carbon dioxide equilibrium and, 47:471
generation, 42:667
metabolic acidosis, 49:778
normocapnia, 47:369
regulation, in hypercapnia, 42:667
regulation during long-term hypoxic hypocapnia, 44:175
cerebrospinal-plasma gradients, hypocapnia, 44:175
dehydration
pH changes, plasma, 42:928
pulmonary endothelial cells (calf), 53:914
intracellular muscle, concentration after exercise, 45:474
microcannulation, 40:984
physical performance and, 49:863
pool, tracer priming, 45:137
repeated exercise effects, 53:436
respiratory acidosis effects, exercise, 53:63
stabilization, transcutaneous oxygen-carbon dioxide pressure electrode, 51:1027
temperature effects (iguana), 51:452
transmembrane flux
intracellular acid-base regulation and, 43:925, 931
myocardium, 47:651
Bicarbonate-carbon dioxide, buffer system (chimpanzee), 46:381
Bicarbonate-chloride exchange, ratio, red cells, 40:707
Bicarbonate-chloride ions, exchange, myocardial cell pH, 51:1630
Biceps brachii muscle, blood flow, oxygen tension and, 45:419
Bicuculline, respiratory depression and, hindbrain, 51:1278
Bicycle ergometry: *see* Exercise
Bicycling: *see* Exercise
Biochemical systems, functions, exercise-trained heart, 42:426
Biochemistry
autografted limb muscle, 44:431
bone, physical training effects, 44:50
tolerance and cross-tolerance, nitrogen dioxide and oxygen, pulmonary, 44:364
Bioelectric activity, postexercise limb muscle, training effects, 46:1093
Bioelectric properties
regional differences, airway, 51:706
water and solute transport, alveolar epithelium (bullfrog), 52:902
Bioenergetics: *see* specific subject and site
Biogenic amines: *see* Amines
Biological rhythms: *see* Rhythms
Biomechanics: *see also* specific subject and site
vibration effects, 42:682
Biomedical instrumentation: *see* specific instrument and subject
Biomedical silicone elastomer, 40:476
Biophysical limits, work in heat, clothed men and women, 44:918
Biopotentials: *see* Potentials
Biopsy
needle
muscle, glycogen analysis, 42:129
pH, muscle, 53:1310
skeletal muscle, biochemical adaptation to resistance training and immobilization, 43:700
Bioptome, 41:832
Biostatistics, primer of, 53:534
Biotelemetry system, micropowered, brain research, 41:800
Birth: *see* Parturition
Bladder: *see* Urinary bladder
Bleeding volume: *see* Volume
Bleomycin
connective tissue, lung, 49:1083
pulmonary fibrosis (baboon), 47:138
Block
anodal, medullated cardiopulmonary vagal afferents, 42:461
curare, oxygen uptake and developed tension, 45:751
nerve, bronchial, alveolar surface activity in hyperventilation, 44:327
vagal, breathing rhythm, 45:11
α-Block, oxygen uptake and blood flow, hindlimb, 51:1245
Blockade
adrenergic
exercise (sheep), 52:315
hemodynamic response to graded exercise, 42:133
lactate levels, pH effects in hypoxia, 42:44
α-adrenergic
acute anemia and, 52:16
intestinal circulation in heat stress (baboon), 48:759
oxygen extraction, hindlimb, 48:630
oxygen extraction during hypoxia, 45:219
β-adrenergic
airway responses to inhaled histamine, 47:51
and histamine, lung mechanics, 44:690
catecholamines, during exercise, coronary, 43:949
exercise, 44:869
glycogenolysis and, exercise, 53:549
isometric exercise, aerobic training effects, 52:1257
oxygen balance, myocardial, during exercise, 49:28

oxygen extraction, hindlimb, hypoxia, 46:1023
oxygen uptake, skeletal muscle during anemia, 46:1035
pulmonary responses after, asthma (Basenji-Greyhound), 51:1423
pyrogenesis, 40:35
respiratory and metabolic responses and, exercise, 51:788
ventilation and, 41:886
autonomic
coronary catecholamines during exercise, 43:949
exercising heart, 42:878
heart rate recovery from exercise, 53:1572
initial heart rate response to standing, 49:809
cholinergic
effects, collateral ventilation mechanics, 50:358
stimulus-response relations in asthma, 53:1576
neuromuscular, respiratory mechanics, 47:1162
β-receptor
exercise effects, renal, 51:1618
glucagon and plasma catecholamines, 40:855
heart rate control, body position effects (monkey), 52:1552
β-sympathetic, 41:356
vagal
breathing rhythm, 45:11
cardiac response in hypoxia, 44:647
inspiratory onset regulation, 52:863
lung mechanics, 46:217
Blood: *see also* Hematocrit; Hematology; Hemoconcentration; Hemodilution; Hemodynamics
acetylene solubility, 48:1035
arterial, progesterone effects, pregnancy, 51:1433
arterial and mixed venous, single-breath measurement, cardiac output, 53:1034
biochemistry, ozone inhalation, exercise, 43:75
boosting, aerobic work capacity, 48:636
changes, decompression sickness-induced, 50:944
changes after two dives, 42:838
chorioallantoic capillary oxygen dissociation curve, 40:393
coagulation
defibrinogenation effects, microembolization (sheep), 53:895
exercise at high altitude, 53:40
constituents: *see* specific constituent
electrical resistivity during work, 45:459
gas: *see* Gas, and the specific gas
hydrodynamics, 41:910
interval jugular, 41:93
oxygen
affinity, 53:87
affinity and carbon monoxide, 40:487
content, determination by galvanic oxygen cell, 50:456
solubility, 40:815
oxygenation and deoxygenation, 40:399
perfusion, tendon capillary bundles (guinea pig, bullfrog), 46:696
pH: *see* pH
platelets: *see* Platelets
pooling, exercise, 50:1173
pulmonary, content, interactive influences, 50:905
red cell membrane and CO_2 transfer, 50:265
reinfusion, oxygen transport during exercise, 53:1213
removal, work capacity at high altitude, 49:311
respiratory functions (mouse deer), 42:673
respiratory properties of, embryo (geese), 53:1432
sampling
acid-base disturbance, embryo (chicken), 53:1449
hepatic venous, 41:439
multiple, high-rate, external cannula, 46:197
solute concentration, exercise, 42:739
static or slowly flowing, carbon monoxide diffusion, lung, 46:992
stored
oxygen consumption, skeletal muscle, 51:864
oxygen dissociation curve, cardiac output and, 53:1299
temperature, submaximal exercise, men, 51:1092
transfusion: *see* Transfusion
trauma, 40:476
velocity, sickling, 40:60
venous, hypoxic pulmonary vasoconstriction and, 53:134
venous admixture
hemorrhage and shock, 42:279
pulmonary microembolization, 43:51
viscosity: *see* Viscosity
volume: *see* Blood volume; Volume
Blood-borne stimulus, aortic and carotid chemoreceptor afferents, 48:362
Blood-brain barrier
acid-base balance regulation, cerebrospinal fluid, 51:369
cerebrospinal fluid bicarbonate, 47:369
changes, isocapnic metabolic acidosis and alkalosis, 51:276
microwave exposure, 49:218
ventilatory response, medroxyprogesterone acetate, 44:939
Blood cells
red: *see* Erythrocytes
white: *see* Leukocytes
Blood flow: *see also* Circulation; Microcirculation
adrenal
chemoreceptor involvement, cortisol, hypoxia, 52:1092
hypoxia, 51:1257
anemia, norepinephrine and propranolol, hindlimb, 51:565
aortic
$+G_z$ stress (miniature swine), 47:1148
positive-pressure inflation, 49:124
arm, thermal and nonthermal regulation during exercise, 46:780
atelectasis, lung lobes, 50:1022
baroreceptor reflex stimulation effects, atelectatic lung, 52:1128
bone, 40:17
bronchial, anesthesia (sheep), 53:272
calf muscle, postexercise, 49:649
cardiac, ventricular volume overload, exercise, 49:482
carotid body, 50:129
thermoregulatory influences, 52:1138
cerebral, 40:501
carbon dioxide and 100% oxygen effects, preterm infant, 48:468
carbon dioxide arterial pressure sensitivity and, heterogeneity, neonatal, 49:113
carbon monoxide inhalation effects (goat), 43:455
carotid chemoreceptor control, 45:419
cerebrospinal fluid acidity and, 47:818
dynamics, sinusoidal hypoxia (goat), 46:721
exercise, 40:191
gas partial pressure and, 44:528
graded reduction, chemical control of breathing (goat), 47:1289
graded reduction, ventilatory responses (goat), 47:104
hypoxia, breathing control (goat), 49:497
isocapnic and hypocapnic hypoxia, 53:247
measurement of total and regional, 40:501
normocapnic hyperoxia (pony), 48:10
regional distribution during exercise, 48:213
Starling resistor regulation, 53:1496
collateral, pulmonary embolism, 49:476
control, feedback system, lung lobes, 53:1650
coronary
β-adrenergic blockade, 49:28
distribution, in exercise, 43:988
exercise, 49:444
exercise training, 45:604
$+G_z$ acceleration stress (miniature swine), 49:462
oxygen consumption, myocardial, exercise, 49:759
deuterium oxide, indocyanine green and, detection, 50:1367
distribution
anemia, 44:36
foreign gas, 49:684
inert gas elimination and, 42:889
diversion, hypoxia, 49:189
exercise training, heat acclimation and, 43:133
finger
passive body tilt, 46:288
thermal and nonthermal regulation during exercise, 46:780
forearm, 40:96
circulatory regulation during exercise, different ambient temperatures, 46:430
exercise at high internal temperature, skin, 43:790
exercise training and heat acclimation, 43:133
graded leg exercise, 46:457
hydration state, 49:715
ischemic muscle mass, 45:762
passive body tilt, 46:288
hepatic, 40:269
hypocapnia, 47:290
intermittent positive-pressure breathing, 47:290
hyperoxia and, interaction during muscle fatigue, 47:1018
hypoxia
prolonged, 43:784
skeletal muscle (avian), 50:450
iliac, skin temperature effects (baboon), 50:974
in branching vessels, 41:646
increase, exercise effects, 52:236
interactions between local and reflex influences, 41:826
intermittent, tendon capillary bundles (guinea pig, bullfrog), 46:696
intestinal, heat stress (baboon), 48:759
intrapulmonary
gas exchange surface area and, 52:1575
redistribution, 52:96
intrarenal, positive end-expiratory pressure ventilation, 50:643
isometric contractions, skeletal muscle, 50:493
krypton-81m measurement, 44:115
left circumflex coronary, 40:263
leg
during exercise in hyperoxia, 42:385
exercise, one-leg training, 52:976
lactate release and exercise, 44:350
lung lobe, edema, 48:444
muscle
arterial occlusion, glycogen loss, exercise, 51:552
carotid chemoreceptor control, 45:419
myocardial
exercise during pregnancy, 48:34
exercise training, 46:571
isovolumic anemia and exercise, 53:203
norepinephrine and α-block effects, hindlimb, 51:1245

Blood flow (continued)
organ, 40:876
peripheral
arterial hypoxia, 46:973
thermally induced (chicken), 44:81
pulmonary
arterial oxygen pressure and, 51:871
atelectasis, lung lobes, 50:1022
capillary, rebreathing, 53:930
diffusing capacity to work, lung, 52:1124
distribution, panting and (ostrich), 53:1411
edema, 44:782
gas exchange and, 53:1100
hyperventilation effects, 52:1161
hypoxic vasoconstriction and, 53:134
in atelectasis, 40:883, 46:1047
interlobar collateral ventilation, 46:658
isocapnic hypoxia, 42:413
local regulation, 40:216
normal and edematous lungs, 51:1375
panting effects (ostrich), 53:1411
redistribution during air embolism, 51:211
redistribution, with positive end-expiratory pressure ventilation, 46:278
reduced, hypopnea, 46:1171
regional, hematocrit, 46:937
regional, positive end-expiratory pressure (pig), 47:1245
regional, spatial distribution with positive end-expiratory pressure ventilation, 47:938
regional, sublobar atelectasis (pig), 47:1245
regional (sheep), 45:320
sitting position, 46:36
single-breath method, 52:104
pulmonary capillary, 40:293
atraumatic measurements, 42:980
diffusing capacity, 47:32
hysteresis, 49:566
isolated perfused lung, 48:799
oxygen diffusing capacity, 46:100
rebreathing, 44:795, 49:910, 52:1375
pulsatile, pulmonary artery, awake state, 50:805
regional
anemic hypoxia, 45:966
aquatic and treadmill exercise, 46:302
diving (seal), 47:968
exercise, microsphere measurement, 52:1629
graded leg exercise, 46:457
$+G_z$ stress (miniature swine), 47:1148
hyperbaric helium-oxygen exposure, 48:281
hypoxia, physical restraint effects, 51:1601
oxygen exposure and, awake state (sheep), 53:110
oxygen extraction, α-adrenergic blockade, hindlimb, 48:630
pulmonary edema after microembolization, 47:556
upright exercise effects, 50:814
volume and vascular resistance relations, lung, 52:914
regional bronchial arterial, bronchovascular resistance and, 53:1044
renal
anemia, 44:36
exercise, 40:932
hibernation and hypothermia, 42:420
regional stress, $+G_z$ stress and anti-G suit inflation (miniature swine), 49:471
renin-angiotensin in heat stress, 43:739
response, contractions, calf muscles, 51:929
retrograde, coronary collateral development, exercise effects, 45:797
serotonin uptake and, lung, 53:677
skeletal muscle, 49:627
acute anemia, 46:1035
skin
control, thermal reflexes and baroreflexes during exercise, 48:717
exercise and acute hypoxia effects, 53:920
exercise at high internal temperature, 43:790
external pressure loading, 40:597
graded leg exercise, 46:457
healed and grafted, vasomotor control, 51:168
noise effects, 49:985
reflex control by skin temperature, core temperature role, 47:1188
sweating and, upright exercise effects, 50:814
thermal and nonthermal control during exercise, 46:780
skin temperature effects, leg (baboon), 50:974
spatial distribution, increased force environments, 44:384
spinal cord
cerebrospinal pH and altitude, 45:275
during exercise, 48:213
splanchnic
in highlanders, 43:204
renin-angiotensin system effects, 52:1438
stratification, alveolar gas exchange, 48:147
turbulence and sickling process, 40:60
umbilical, effect of hypercapnia, 41:727
uterine
effect of exercise on, pregnancy, 40:725
effect of hypercapnia, 41:727
uteroplacental, during hyperthermia, 41:197
velocity, pulmonary, hypercapnia and (bullfrog), 53:1556
ventilation-perfusion inequality, 46:372
ventilation-perfusion relations, lobar atelectasis, 50:341
vibration effects, 42:682
visceral, 40:927
exercise, 40:927
zero, 4[illegible]256
Blood-gas barrier
albumin and sucrose transport, lung, 47:846
hypercapnia, 47:1074
Blood gas catheter: *see* Catheters
Blood-gas partition coefficient, acetylene solubility, 48:1035
Blood pressure: *see also* Pressure
β-adrenergic blockade, 42:133
age and physical activity effects, 45:709
ambient gas effects, embryo (chick), 51:1017
anesthesia and, 40:977
antidiuretic hormone response to, hypoxia, 53:815
antihistamine, 40:549
arterial, 41:323
exercise, one-leg training, 52:976
hypoxia-induced tachypnea, 49:769
microwave radiation effects, 50:931
attenuation, salt sensitivity and, exercise, 52:1608
chemoreceptor afferents, arterial, aortic and carotid, 48:362
coronary artery, 40:263
desert walks, 40:236
digital, arterial tone, Raynaud's phenomenon, 43:907
exercise, 49:482
graded, 42:133
hemodynamic responses and, 53:1589
facial immersion, 47:1218
fluid-filled measurement, 40:839
graded muscle ischemia and, 41:693
heart contractility, exercise, ischemia, 52:340
heart-rate computer, 40:253
isometric contractions and, 51:399
isoproterenol and exercise effects, sodium intake levels, 45:870
left ventricular, treadmill exercise (horse), 50:864
measurement
catheter, embryo (chick), 51:1023
Doppler ultrasound instrument for, 41:806
noninvasive, 43:379
monitor, semiautomatic, using an electronic sphygmomanometer, 43:379
muscle
ischemia, 45:574, 762
reflexes and, exercise, 50:784
orthostatic responses, fainting, 51:1404
pulmonary, sitting position, 46:36
renal, hibernation and hypothermia, 42:420
respiratory failure and (sheep), 52:1230
response, isometric exercise, 50:32
salt intake, 40:601
systemic altitude, 40:96
systolic
diastolic and, 40:253
digital measurement, 43:907
exercise training and, 51:298
isometric exercise, aerobic training, 52:1257
wheelchair and arm crank exercise, 49:784
thermal and baroreflexes, summated circulatory response of, 52:184
training and, 42:935
hypophysectomy, 53:448
vibration effects, 42:682
Blood vessels
myocardial and skeletal muscle, exercise, 43:306
wall, changes, decompression sickness-induced, 50:944
Blood volume: *see also* Volume
age, physical activity and, 45:709
alterations
circulatory performance, 50:292
exercise and, 50:292
capillary
carbonic anhydrase, lung, 44:882
prolonged recumbency effects, 50:950
cardiovascular, zero gravity, 46:541
central, immersion effects, 49:184
changes with pressure, 50:320
circulatory, pulmonary vessels, 44:956
diffusing capacity increase, exercise, 51:858
dry-heat acclimation, summer and winter, 50:792
electrical impedance and, thoracic, 53:1608
heat exposure, 42:252
homeostasis, water immersion, 51:1384
hypervolemia, exercise training-induced, 48:665
lung, liquid clearance, newborn, 49:171
microwave determination, postmortem, lung (dog, sheep), 52:1661
oxygen capacity (harbor seal), 42:852
plasma protein and, heat acclimation, 50:597
pulmonary
atelectasis and embolization effects, 53:1614
head-up tilt, 45:249
prolonged recumbency effects, 50:950
sitting position, 46:36
vascular engorgement and, 45:119
pulmonary artery, hypoxia, 43:8
pulmonary capillary, single exhalation, 43:617
renal, hibernation and hypothermia, 42:420
simulated high altitude (toad), 51:794
supine and standing positions, 45:414
sweat rate and body fluids, exercise, 51:1594
Body
acceleration: *see* Acceleration

carbon dioxide storage capacity, exercise, 46:811
composition
acceleration, chronic, 45:51
adaptation to endurance training, 42:753
age-related changes, muscle mass decrease and, 43:1001
aging and, 40:300
analysis, implication of lung volume in water immersion, 43:276
estimation by ethanol dilution, 42:803
exercise and bed rest, 43:126
fat estimation and, 41:223
fat-free body mass, density, 42:731
longitudinal changes, 45:526
oxygen capacity, blood (harbor seal), 42:852
plasma creatinine and, 51:762
swimming, front crawl, analysis, 43:475
weight loss estimation, 43:331
wheel cage running and food deprivation (kangaroo rat), 44:17
density
aging, 40:300
exercise and bed rest, 43:126
hydrostatic weighing, 49:157
swimming, front crawl, analysis, 43:475
water immersion, 43:276
exercise, air and water, 40:85
fat: *see* Fat
fluid: *see* Fluid
growth: *see* Development; Growth; Maturation
lower, negative pressure, cardiovascular adaptation, 46:541
mass: *see* Mass
plethysmography: *see* Plethysmography
position: *see* Posture
shape, strength and, adolescent male, 43:834
size
equation of motion, cyclist, 47:201
strength, adolescent male, 43:834
surface area
determination, 40:101
swimming, front crawl, analysis, 43:475
temperature: *see* Temperature, body; Thermoregulation; and the specific condition
vibration, nonsynchronous and synchronous, cardiac responses, 46:549
water: *see* Water
weight: *see* Weight
Bohr coefficients, oxygen affinity and, blood, 53:87
Bohr effect
embryonic hemoglobin (chicken), 53:1439
hemoglobin-oxygen affinity, 46:816
oxygen dissociation computations, 46:599
oxygen dissociation curve and, physical training, 52:1524
oxygen equilibrium, blood and hemoglobin (seal), 50:999
oxygen-hemoglobin equilibrium, 45:818
respiratory properties of blood, embryo (geese), 53:1432
shift, correction for, 40:259
temperature dependence, 43:545
Bohr-Haldane effect, steady-state gas exchange and, lung, model, 52:1330
Bolus technique
airway closure, lung, 50:55
closing volume measurement, 42:859
distribution
airway closure measurement, 50:587
residual volume, induced bronchospasm, 53:361
low-viscosity, lung inflation during hypoxia, vascular resistance and, 47:532
Bone
calcium, phasic changes during hypercapnia, 48:802
capillary permeability, 40:17
carbon dioxide, titration, acute hypercapnia, 48:197
carbon dioxide fractions, phasic changes during hypercapnia, 48:802
long, biochemistry, physical training effects, 44:50
phosphorus, phasic changes during hypercapnia, 48:802
Boyle's law, thoracic gas volume, abdominal gas effects, 44:469
Boys: *see* Children
Brachial artery, exercise effects, hypertension, 53:891
Bradycardia
apnea and facial immersion, female swimmers, 45:875
autonomic pathways, facial immersion, 47:1218
brain and face cooling, 46:905
carotid body chemoreceptors and, diving (duck), 53:1405
cold wind, 40:127
diving
fetal (seal), 49:424
hyperpnea and (duck), 52:206
heart rate, nervous control of (dogfish), 53:1330
high-pressure, 47:834
hyperbaric, environmental factors, 50:731
laryngeal stimulation, sleep, 45:681
lung volume, diving, 45:783
maturation, 40:741
pulmonary circulation (harbor seal), 45:718
training, 42:935
β-adrenergic receptors and, 51:1232
cardiac denervation, 52:1586
Bradykinin
afferent vagal C-fiber stimulation, intrapulmonary airways, 48:511
bronchial C-fiber stimulation
reflex contraction, tracheal, 51:485
tracheal gland secretion and, 53:985
fluid-protein exchange, lung (sheep), 47:1025
hypoxia, 46:227
pulmonary vascular permeability, hypoxia (sheep), 52:370
pulmonary vascular responses, newborn (lamb), 48:188
respiratory failure and (sheep), 52:1230
Brain
acid-base balance, hypercapnia, newborn, 50:566
amino acids, hypercapnia, 44:333
blood flow: *see* Blood flow, cerebral
calcium ions, body temperature control during exercise (monkey), 44:689
catecholamines, elevated temperature (quail), 45:705
concussive trauma effects, 49:856
decerebration, respiratory patterns during progressive asphyxia, neonatal, 44:468
diving, metabolic activity (seal), 48:596
extracellular fluid pH, blood flow and, isocapnic and hypocapnic hypoxia, 53:247
gas exchange, perfusion and diffusion limitations, 46:1164
gas solubility, partition coefficients and, 46:1169
heat production, fetal (sheep), 43:747
hyperbaric oxygen toxicity, development, 49:700
hypercapnia, ventilatory responses (goat), 47:104
hyperoxygenation, 46:53
hypoxia
arousal, sleep, 51:1294
breathing control and, vagus nerve (goat), 53:212
carbon monoxide inhalation (goat), 43:455
ventilatory responses (goat), 47:104
ionic fluxes, high altitude (goat), 47:508
ions, acute hyponatremia, 49:95
ischemia: *see* Ischemia
metabolism, pyridine nucleotide fluorescence, 41:480
monoamine metabolism, hypoxia-induced tachypnea, 49:769
norepinephrine, response to endurance training, 46:19
oxygenation, mitochondrial activity and, species differences (turtle, rat), 53:1354
oxygen: *see also* Oxygen
consumption, carbon monoxide inhalation and (goat), 43:455
utilization, 40:638
partial gas pressure, continuous measurement, 44:528
rapid cooling, exercise (hamster), 51:1349
research, micropowered biotelemetry system for, 41:800
surface pH, metabolic acidosis and alkalosis, 51:276
temperature
bradycardia, 46:905
running (quail), 50:1277
trauma, induced, physiological effects, 49:856
venous outflow, Starling resistor regulation, 53:1496
ventral medulla, pH, breathing control and, 53:1551
ventriculocisternal perfusion, cerebral fluid composition at high altitude (goat), 47:508
water and ion response, hypo- and hypernatremia, newborn, 51:1086
Brain stem
hypercapnia, carotid chemoreceptor stimulation effects, 51:816
neurogenesis, ventilatory patterns, spinal mechanisms, 51:204
neuronal responses to hypercapnia and hypoxia, 43:812
respiratory activity, computer simulation, 41:931
respiratory neuron activity during sleep, 48:54
Brain ventricles: *see* Cerebral ventricles
Branching, gravity and, gas mixing, model, 52:1476
Breath-by-breath variations
analysis
computerized, gas exchange, exercise, 49:456
mass spectrometry, 51:1417
functional residual capacity, effects on oxygen and carbon dioxide consumption measured at mouth, 46:1122
oxygen and carbon dioxide, delay and response compensation, 52:79
Breath holding
aerosol behavior during, air-space dimensions, lung model, 51:465
carbon monoxide diffusing capacity, measurement, 46:1149
cardiogenic oscillations, 49:552
lung, 51:922
diffusing capacity
different lung volumes, 47:32
exhaled, lung model, 48:648
diving, lung volume, 45:783
gas mixing in lungs, 40:362
heart rate, resting and exercise, female swimmers, 45:875
helium and sulfur hexafluoride washouts, asymmetric lung model, 51:1122
hypoxic chemosensitivity, asthma, 46:632
Mueller and Valsalva maneuvers, 42:717

Breath holding (continued)
neuromuscular output, 50:435
response of heart rate, 41:336
upper airway receptors, stimulus to, 51:1189
Breathing control: *see* Respiratory regulation
Breathing movements: *see* Respiratory movements
Breathing pattern: *see* Respiratory pattern
Breathing: *see* Respiration
Breath sounds
spectral characteristics, normal, thoracic, and tracheal, 50:307
ventilation, regional phase differences, 46:361
vesicular mapping, lung, 53:603
Breath-to-breath monitoring
gas exchange, alveolar, 51:1662
gas-mixing system for, models, 52:1358
inspiratory occlusion pressure, 51:520
Breath volume: *see* Volume
Breuer-Hering inflation reflex: *see* Reflexes
Bromcresol green, prostaglandin A_1 and $F_{2\alpha}$ metabolism, pulmonary (pig), 46:211
Bronchi
α-adrenergic receptors, smooth muscle, 45:37
airway surface liquid, 50:613
arterial blood flow, bronchovascular resistance and, 53:1044
carbachol and histamine effects (monkey), 49:729
circulation, anesthesia (sheep), 53:272
clearance: *see* Clearance
collapsibility
dynamic, 42:699
lung surface tension and, 47:692
contracted segments, mechanical properties, 50:1236
elastance (pig, dog, human), 50:1168
flow, vascular communications, 50:1045
histamine aerosols and, 44:738
5-hydroxytryptamine-induced constriction, prostaglandin I_2, 49:521
hyperirritability
nitrates, 46:189
ozone-induced, 43:626
intrapulmonary, pressure-flow relations, excised lung, 52:295
ion permeability, regional differences, 51:706
isotropy, normal excised lung, 45:45
length and diameter, bronchomotor tone effects, 49:270
mast cells, histamine, 44:455
mechanics, length-diameter relations (pig, dog, human), 50:1168
methacholine provocation (sheep), 44:479
nerve block, alveolar surface activity in hyperventilation, 44:327
occlusion, redistribution, pulmonary blood flow, 52:96
parenchyma and, interdependence, 44:859
perfusion, reference sample method, pulmonary embolism, 49:476
pressure-area behavior, expiratory flow prediction, 48:991
pressure-diameter behavior, continuum analysis, 44:859
reactivity
Ascaris suum allergy, histamine and methacholine effects, 45:846
methacholine, cigarette-smoking (baboon), 50:754
methacholine inhalation, nicotine aerosol exposure effects (baboon), 52:1071
vagal stimulation-histamine interaction, 43:643
response, methacholine, asymptomatic smokers, 52:1464
static mechanical properties, normal lungs, 45:45
tension, axial, expiratory flow and, model, 45:659
Bronchial afferents, bradykinin stimulation, 48:511
Bronchial airway: *see* Airway
Bronchial-arterial interdependence, lung, 52:1000
Bronchial asthma: *see* Asthma
Bronchial C-fibers
contraction and relaxation, tracheal, 52:984
stimulation
reflex contraction, tracheal, 51:485
tracheal gland secretion and, 53:985
Bronchial challenge
airway resistance, noninvasive measurement, 46:399
asthma, 49:953
vagal effects, 47:13
Bronchial mucus: *see* Mucus
Bronchial-pulmonary vascular communications: *see* Vascular communications
Bronchial rings, catecholamines, inhibitory effects, 46:787
Bronchial smooth muscle, catecholamines, inhibitory effects, 46:787
Bronchial tree
axial forces, 42:773
gas mixtures, separation (pig), 43:391
morphology, asymmetrical model, lung, 52:21
oscillatory flow through, models, 53:1023
pressure-flow relations, 51:1072
Bronchiectasis, ion transport and electrical properties, epithelial, 44:900
Bronchioles, oxygen consumption, protein inhibition, 44:659
Bronchitis
chronic
expiratory flow-volume curves, maximum, 44:156
sulfated mucous glycoprotein secretion, trachea, 50:383
tracheal submucosal gland secretion and, 52:1416
flow, maximum, time dependence, 47:1043
ventilation distribution, frequency dependence, 42:548
Bronchoactive agents, smooth muscle reactivity, airway (monkey), 50:513
Bronchoalveolar lavage, sequential analysis, awake state (sheep), 50:665
Bronchoalveolar milieu, sequential analysis, awake state (sheep), 50:665
Bronchoconstriction, 40:411
α-adrenergic receptors, 45:307
aerosols
ozone-induced tachypnea, 46:1108
penetration and clearance, 41:920
aerosol histamine, 42:946, 44:738
occlusion pressure and ventilation, 53:690
allergic
hypoxic (sheep), 49:22
immunization, 46:346
antigen aerosol-induced, 43:271
antigen exposure, immunization and, 46:346
antigen-induced, 42:101
atropine effects, asthma (Basenji-Greyhound), 50:761
asthma
β-adrenergic blockade (Basenji-Greyhound), 51:1423
exertional, refractory period, 50:503
carbon dioxide elimination, histamine infusion effects, 53:1256
central and peripheral actions, 49:521
cold-induced, atropine effects, 53:169
direct and reflex
additive interaction, 50:869
histamine aerosol inhalation induced, 50:869
supra-additive interaction, 50:869
dynamic lung recoil and, 51:477
glottis opening, narrowing and, 49:403
histamine, 49:403
aerosol, 44:738
infusion, 42:221
lung inflation, 51:806
histamine-induced, 49:403
histamine-mediated, adrenergic influences, 44:340
hypocapnic, normal subjects, 47:8
induced, airway response to inhaled histamine, 47:51
mechanism, 44:144
methacholine-induced, prolonged, 47:418
muscarinic receptors, airway smooth muscle, 52:1084
peribronchial pressure, 45:858
prostaglandin $F_{2\alpha}$, 44:150
reflex
atropine effects, 53:169
bronchial C-fiber stimulation, 51:485
capsaicin-induced, 47:961
general anesthesia effects, 53:126
histamine stimulation, 43:397
lung and somatic afferents, 52:984
ozone effects, 43:626
serotonin-vagus interaction, 44:144
vagal, 47:13
respiratory heat loss, 49:875
sympathomimetics effects and, 52:1119
serial distribution, vagal stimulation, histamine and, 50:1286
site, inhalation patterns and, 50:575
thermal, dose-response effects of atropine, 53:1576
vagal, 41:581
serotonin interaction, lungs, 52:964
volume history, effects, 47:657
Bronchodilation
adrenergic, catecholamines, 46:787
β-agonist vs. atropine, 45:778
airway dimensions and resistance, excised lungs, 49:270
dose-response curve measurement, partial flow-volume curves, 50:1193
drug-induced, 41:62
expiratory flow, maximal, 52:874
5-hydroxytryptamine, prostaglandin I_2, 49:521
muscarinic receptors, airway smooth muscle, 52:1084
nonadrenergic, nature and efficacy of, 52:562
peribronchial pressure, 45:858
reflex, lung and somatic afferents, 52:874
site of, atropine effects, 53:392
Bronchogram
tantalum, 43:643
airway dimensions and resistance, excised lung, 49:270
Bronchomotor response
airway, electrical field stimulation (sheep), 53:1088
histamine aerosol, ozone effects and, 43:626
Bronchomotor tone
airway dimensions and resistance, excised lung, 49:270
bronchial pressure-diameter behavior and, 44:859
normal, bronchodilator dose-response curves, 50:1193
regulation, lung inflation, asthma, 50:1079
serotonin-vagus interaction, 44:144
tracheal diameter and, 51:767
Bronchoprovocation
detection of airway responses to ozone (sheep), 48:789
ventilatory monitoring, plethysmography, awake state (sheep), 51:1657
Bronchopulmonary dysplasia, infant,

45:648
Bronchopulmonary receptors: *see* Receptors
Bronchopulmonary reflexes: *see* Reflexes
Bronchopulmonary stimulation, arousal, ventilatory, airway responses during sleep, 47:17
Bronchoscopy, fiber-optic, glottis width, 49:403
Bronchospasm
allergic, hypoxic (sheep), 49:22
antigen-induced, 42:600
antigen-induced (sheep), 47:917
exercise-induced
atropine and cold air effects, 45:238
dose-response effects of atropine, 53:1576
induced, residual volume at, regional ventilaton, 53:361
parasympathetic system, 42:600
reflex response to, anesthesia, 53:355
vagal- and acethylcholine-induced, serotonin effects, 52:964
Bronchospirometry, lung function, regional (sheep), 45:320
Bronchovascular adjustments, pulmonary embolism, 49:476
Bronchovascular cuffing, temporary unilateral pulmonary artery occlusion, 51:845
Brown fat
lipolysis, heat and cold acclimation, 43:1007
norepinephrine-induced thermogenesis, diet and exercise effects, 52:556
pyrogenesis, 40:29, 35
Bubble: *see also* Gas; Pulsating bubble technique; Microbubbles
detection, lung, 47:537
formation
decompression, nitrogen elimination and, 45:916
intracellular, high gas supersaturation, 47:1270
isobaric gas, eye, 47:220
nucleation, microorganisms, 47:1270
technique, pulsating, pulmonary surfactant-associated proteins, 49:34
trap, pulmonary, 47:537
Buffering
capacity, blood (chimpanzee), 46:381
cerebrospinal fluid, 45:275
intracellular, myocardial, 47:651
Buffer system, bicarbonate-carbon dioxide (chimpanzee), 46:381
Buffer value
gas exposure, embryo (chick), 50:819
nonbicarbonate, cardiac, 47:651
Bullfrog palate clearance method, mucus clearance, 42:761
Bundle branches, proximal electrical interaction with subjacent muscle, 42:235
Bunsen coefficient, 40:815
Bupivacaine, topical, tracheal receptors, 47:1123
Burimamide, histamine responses, airway, 48:613
Burns
extensive healed, thermoregulatory response, 53:1019
healed grafted skin, vasomotor control, 51:168
Bypass: *see also* Shunt
cardiopulmonary
arterial levels of prostaglandins, 50:1161
mitral regurgitation, 40:132
removal of prostaglandin E_1 after, 52:887

C

Calcium
altitude acclimation and, heart atria, 51:1607
antagonism, right ventricular hypertrophy at high altitude, 48:473
bone, phasic changes during hypercapnia, 48:802
electrical properties, tracheal epithelium, 44:900
hypoxic vasoconstriction, lung, 49:450
metabolism, fast-twitch skeletal muscle, 52:467
plasma content, treadmill exercise effects, 53:1529
running-trained heart, 48:409
sulfated mucous glycoprotein secretion and, trachea, 52:198
transport, exercise-trained heart, 42:426
uptake, mitochondrial, physical conditioning effects, 45:978
Calcium ions
brain, central control of body temperature during exercise (monkey), 43:689
fast-twitch muscle, developing, 49:583
ingestions, plasma volume-electrolyte distribution, rest and exercise, 48:838
plasma, thermoregulation during exercise, 43:1026
plasma content, treadmill exercise, 53:1529
Calcium-sodium theory
temperature control during exercise (monkey), 43:689
transport, tracheal epithelium, 44:900
Calculators, hand-held, blood oxygen equation, 50:971
Calibration
flowmeter, helium-oxygen breathing, 51:1038
oximeter, calculator/computer-assisted, 51:1042
Calorigenic effects, insulin, in hypothermia, 47:342
Calorimetry
direct
steady-temperature environment (steer), 52:324
submaximal exercise, 48:770
direct and indirect, 40:384
fast-response, 40:827
indirect
hyperoxia, 51:725
muscular efficiency during steady rate exercise, 43:431
newborn, 50:1098
respiratory gas analysis, 43:164
oxygen deficit during exercise, 49:16
partitional, convective heat transfer coefficient in water, 42:93
refinements in, 40:827
Camera, scintillation, airway closure measurement, 50:587
cAMP: *see* Adenosine monophosphate, cyclic
Cancer therapy, hyperthermia at 42°C (pig), 48:712
Cannulation
external, multiple high-rate blood sampling, 46:197
intratracheal, mucociliary clearance measurement, 42:451
main-stem, apnea, 53:483
right lymph duct, 43:899
Canopy ventilation monitor, ventilation measurement, during sleep, 48:724
Cantilever beams, muscle research, 42:786
Capacitance-plethysmography: *see* Plethysmography
Capacitance spirometer: *see* Spirometry
Capacity: *see also* Volume
aerobic: *see* Aerobic capacity
closing
awake and anesthetized paralyzed man, 44:238, 45:528
diving, 40:320
fluid volume, intrathoracic, 47:670
lung, age and sex differences, 41:129
diffusing: *see* Diffusing capacity; Diffusion
exercise, treadmill running, 52:505
forced vital
expiratory, diaphragmatic activity during, 51:1515
frequency spectra of flow and volume events, 53:977
lung function and, 53:1015
measurement, 42:607
plethysmography (mouse, rat, guinea pig, hamster), 50:1104
functional residual
airway carbon dioxide and, 52:190
airway occlusion, anesthesia, 51:143
anesthesia, 45:255
automated nitrogen-washout method, infant, 52:1378
awake and anesthetized-paralyzed man, 44:238
body position and weight, 44:291
breath-by-breath variations, 46:1122
cardiac response, 47:257
cesarean section delivery, 52:716
chest wall vibration effects, spinal cord lesion, 50:107
consciousness and posture effects, 53:1071
dynamic mechanisms, 46:867
expiratory loading, 49:601
halothane, 49:300
hydrostatic weighing, 49:157
hypoxemia, newborn (monkey), 51:1169
immersion effects, 43:297
infant, 52:1209
inspiratory muscle tone effects, newborn, 51:830
intraesophageal pressure, infant, 51:270
measurement, 46:927, 47:907
measurement from supine portable chest radiographs, 47:1223
measurement (small animals), 43:755
normal (bonnet and rhesus monkeys), 46:166
oxygen and carbon dioxide consumption measured at mouth, 46:1122
pneumococcal lobar pneumonia effects, lung, 50:283
postural effects (horse), 48:98
prolonged hypercapnia, lung, 52:1156
relationship of thoracic volume and airway occlusion pressure, 43:312
running, 52:1400
sleep breathing patterns, infant, 48:139
sulfur dioxide, 43:844
tonic inspiratory muscle activity, asthma, 50:279
inspiratory
partial curarization, diaphragm, 48:921
prediction of functional residual capacity, 44:291
interstitial, lung inflation, 48:939
lung
exercise, 49:505, 511
panting frequency effects, 52:739
pneumococcal lobar pneumonia effects, 50:283
total, histamine, inhaled effects, 42:508
total, smoking effects, 42:508
oxidative: *see* Oxidative capacity; Oxidation
respiratory
exercise, graded, 43:288
glycogen depletion and, thyroid-deficient muscle, 49:102
muscle, lactate threshold, 48:523
thyroid-deficient muscle, 49:102
total
abdominal and thoracic gas effects, 44:469
aging, exponential analysis, 47:683

Capacity (continued)
hypoxia, 47:251
lung, intratracheal fixation, 48:389
regional lung expansion and, 45:363
venous, forearm, during exercise and body heating, 48:114
vital
body gases at altitude, aging, 48:6
raised air pressure, 50:747
rapid expirations, lung recoil, 49:142
relaxed and forced, thoracoabdominal mechanics, 47:38
stapedius reflex and, 52:416
working: *see* Work, capacity
Capillaries: *see also* Blood flow; Filtration; Pressure
alveolar, protein permeability, 42:144
bed, permeability, dehydration (desert rodent), 44:585
blood
pH postcapillary changes, acetazolamide titration, 45:565
pulmonary, static, carbon monoxide diffusion and, 46:992
blood volume, prolonged recumbency effects, pulmonary, 50:950
carbon dioxide transfer, hematocrit effects, pulmonary, 53:413
cerebral, carbon dioxide pressure gradients, hypocapnia, 43:480
chorioallantoic, 40:393
density, free autografting, limb muscles, 44:431
distension, alveolar tissue, 53:879
extraction, tibia, 40:17
filtration: *see* Filtration
fluid shifts, zone I lungs, 48:246
hematocrit, mainstream flow effect, 42:578
lung
blood flow, atraumatic measurement, 42:980
carbon dioxide diffusion, 46:992
filtration coefficient, 42:13
filtration during high permeability (sheep), 46:146
permeability to horseradish peroxidase, 42:13
red blood cells, effect of osmolality, 42:941
microcirculation, pulmonary, 53:510
myocardial
Feulgen-DNA levels, vascularization, hypoxia, 42:501
physical conditioning and deconditioning, 45:619
myocardial and skeletal muscle, neoformation, 43:306
perfusion, surfactant deactivation, alveolar, 51:895
permeability: *see* Permeability
pH changes, blood, after gas exchange, 44:770
pulmonary
air embolism, model, 51:1002
carbon dioxide reactions, equilibrium, 48:972
hypertonic sodium chloride effects, 51:1443
oxygen diffusing capacity, 46:100
permeability, hemorrhagic shock, 45:298
pH changes, during carbonic anhydrase inhibition, 43:582
rebreathing, 44:795
rebreathing and tissue volume, saline infusion effects, 43:246
recruitment
diffusing capacity during hypoxia, lung, 50:165
gas exchange surface area and, hypoxia, 52:1575
hypoxic vasoconstriction, lung (pig), 51:1065
pulmonary, hemorrhagic shock, 45:298
pulmonary artery pressure, airway hypoxia, 47:383
transit time, lung, carbonic anhydrase, 44:882
Capillarity, skeletal muscle, 49:627
Capillary bundles, tendon, intermittent flow (guinea pig, bullfrog), 46:696
Capillary pores, pulmonary, hemorrhagic shock, 45:298
Capsaicin
bronchial C-fiber stimulation, tracheal gland secretion and, 53:985
reflex bronchoconstriction, 47:961
tracheal contraction, lung and somatic afferents, 52:984
Captopril, inhibition, exercise and, 53:576
Carbachol
airway reactivity to nitrates, 46:189
bronchial reactivity (monkey), 49:729
effects on trachea and bronchus, 41:62
ozone effects, airway (sheep), 48:789
responsiveness, vagal effects, 47:13
Carbamino, hemoglobin-ligand interaction, temperature effects, 43:545
Carbohydrates
bone fractions, phasic changes during hypercapnia, 48:802
catecholamines and, relations during exercise and fasting, 48:109
ingestion, before exercise, 51:783
loading muscle glycogen levels, exercise and, 48:624
metabolism
gluconeogenesis and heat acclimation, 41:871
muscle, during exercise, 43:695
physical exercise, 45:128
mobilization, β-adrenergic receptors, 44:869
Carbon dioxide
airway, breathing frequency and, 52:190
alveolar, measurement in infants, 45:648
ambient temperature, effects, 47:522
arterial
inhaled carbon dioxide response, awake state, 52:672
oxygen pressure, ventilation and, 52:287
arterial-alveolar differences, liquid breathing, 49:262
asthma, exercise-induced, 42:22
bicarbonate
disequilibrium, hindleg, 47:1090
exchange and, lung, 51:1136
formation, equilibria, cerebrospinal fluid, 47:471
blood flow and recirculation, hyperventilation, 52:1161
blood gas, lungs, hypercapnia, 52:1177
body storage capacity, exercise, 46:811
body temperature
chronic respiratory acidosis, 46:491
interaction on phrenic activity and tracheal occlusion pressure, 43:449
bone, in hypercapnia, titration technique, 48:197
breathing
apparatus and, 53:1281
frequency response, lung lobe, 47:1201
inspiratory duration, infants, 45:202
breathing pattern
divers, 46:1076
ventilatory response, yoga, 51:1625
buffering, myocardial cells, 43:925, 931
carbonic anhydrase activity, 49:599
hind leg, 47:1090
vascular, 49:211
carbonic anhydrase distribution, alveolar-capillary barrier, lung, 51:190
cardiac function and, embryo (chick), 51:1017
catalysis, lung carbonic anhydrase, 44:882
central respiratory responses, raised nitrogen pressure, 45:756
cerebral blood flow, preterm infant, 48:468
cerebrospinal fluid pH and altitude, 45:275
cerebrovascular response
chemical control of breathing and (goat), 47:1289
inhibition of sympathetic activity (goat), 53:873
chemoreception
metabolic alkalosis and, 53:75
pneumothorax effects, 51:665
chemoreceptors: *see* Receptors
chemoreflexes: *see* Reflexes
chemosensitivity
central (duck), 50:1121
pulmonary, ventilation and, 52:1192
clearance, high-frequency oscillation and, 53:1638
collateral resistance, pulmonary venous pressure and, 49:643
collateral ventilation determinant, 45:69
consumption
breath-by-breath variations of end-expiratory lung volume, 46:1122
treadmill exercises, 45:1009
control, computer simulation, 50:835
correction during osmotic pressure measurement, 44:474
disequilibrium, carbonic anhydrase activity, 49:589
elimination
bicycle exercise, 42:959
high-frequency oscillations, histamine infusion effects, 53:1256
step work load effects, 52:1198
endogenous, responses to, computer simulation, 50:835
end-tidal
clearance, 1% inspired carbon dioxide and, 48:1077
servo-control, paralyzed animals, 45:133
transrespiratory pressure effects, 51:660
exchange
hematocrit maldistribution effects, intrapulmonary, 46:240
inert gas pattern, single-breath tests, 50:487
liquid breathing, 49:262
parabronchial lung, 41:302
excretion
measurement, titration methods, 52:786
pulmonary, 40:844
exercise and
chemoresponsiveness, 45:557
hyperpnea, 48:1065
tidal volume, 46:322
exogenous
responses to, computer simulation, 50:835
ventilatory response, 48:337
exposure, acute, ventilatory responses, 45:611
feedback, ventilatory phase duration (chicken), 53:1378
fluid balance and, awake state, newborn, lung (lamb), 51:423
gradient, arterial-alveolar, 43:357
hemoglobin-ligand interaction, temperature effects, 43:545
homeostasis, during hemodialysis, 50:259
hydration of, pulmonary endothelial cells (calf), 53:914
hyperoxia, convulsions, 53:192
hypoxia and, naloxone effects, 52:1030
indirect tension, single breath, 50:196
induction of cyclic hypoxic pulmonary vasoconstriction, 41:466
infrared analysis, 47:954
inhaled
airway stretch receptors and, newborn, 53:1461
alae nasi activation and, 52:1432
low levels, awake state, 52:672
sulfur dioxide and, 43:844

inspiratory muscle activation, upper airway, 49:638
inspiratory occlusion valve, 45:481
inspired
  isocapnic hyperpnea, awake state (pony), 47:445
  low levels, end-tidal response, 48:1077
  ventilatory response, 49:1000
  ventilatory response to, carotid body denervation (pony), 52:1614
intrapulmonary receptor discharge, venous carbon dioxide tension (duck), 53:1386
intravenous and inhaled, responses, computer simulation, 50:835
intravenous and intrapulmonary, respiratory responses, 45:109
kinetics
  aortic and carotid body chemoreception, 51:55
  plasma carbonic anhydrase effects, ventilation, exercise, 49:708
loading
  airway, exercise and, 48:225
  intrapulmonary carbon dioxide receptors and (duck), 52:1272
  ventilatory response, 48:337
local regulation of collateral ventilation, 40:819
measurement, 40:443
membrane transport, alveolar and pulmonary end-capillary, 42:323
metabolic, respiratory rhythmicity, 50:45
metabolic acidosis and alkalosis, 48:355
mitochondrial, hyperbaric oxygen exposure, lung, 46:943
neurohumoral control, computer simulation, 50:835
occlusion pressure under methoxyflurane anesthesia, 40:805
output
  anaerobic threshold, 53:1184
  analog measurement on-line, 43:563
  breath-to-breath measurement, 51:1662
  continuous measurement, 41:810
  exercise, 46:1054, 47:954, 52:921
  exercise, coronary disease and, 52:71
  exercise and rest, 43:704
  exercise with increased external dead space, 48:225
  hyperoxia and sinusoidal work, 48:1083
  physical performance and, 49:863
  respiratory acidosis effects, exercise, 53:63
oxygen and
  blood concentrations, 44:818
  interaction, chemoreflex loop gain, 46:843
oxygen-15-labeled, cardiac output determination, 53:1125
partial pressure
  alveolar, with increased external dead space, 48:225
  arterial, control of, 50:1362
  arterial blood, titration technique, 48:197
  central apnea recovery and, newborn (piglet), 53:105
  metabolic rate and, species differences (human, pony), 52:1623
  oleic acid dose-related edema, perfused lung, 50:1115
  plasma pH changes, 50:320
  transcutaneous, monitoring, 50:1220
  ventilatory response, exercise, 51:185
pH and, measurement, 40:625
pial arteriolar responses, after hypercapnia and hypoxia, 46:89
pool, heat-labile bone, 48:197
postcapillary changes
  blood, 45:565
  pH, slow, 45:674
postcapillary pH disequilibrium after gas exchange, isolated perfused liver, 47:1079
pressure
  alveolar, elastic loading and, ventilatory responses, 47:778
  alveolar, elevated, normal gas exchange and, 43:357
  alveolar end-capillary oxygen and, 42:323
  arterial, carotid body sensitivity, 45:768
  arterial, cerebral blood flow sensitivity and, neonatal, 49:113
  arterial, end-tidal pressure and, exercise, 47:954
  arterial, intravenous carbon effects, awake state, 47:1099
  arterial, transrespiratory pressure effects, 51:660
  arterial-expired differences during hypercapnia, 47:1074
  capillary-alveolar difference, measurement, infant, 45:648
  cerebrospinal fluid, measurement, 43:566
  cerebrospinal fluid and cerebral capillary blood, hypocapnia, 43:480
  changes, aortic body chemoreceptor response, 47:858
  differences due to slow pH equilibration, 45:666
  electrode, noninvasive monitoring, 51:1027
  gas-to-blood differences, hypercapnia, 47:67
  metabolic acidosis after carotid denervation, 46:1138
  mixed venous, exercise, 46:510, 46:811
  pH and, relations (chimpanzee), 46:381
  phrenic activity, hypercapnia and vagotomy, 47:91
  plasma, bicarbonate formation, cerebrospinal fluid, 47:471
  postcapillary, during carbonic anhydrase inhibition, 43:582
  transcutaneous, electrochemical sensor for, 41:442
  venous, single breath, 50:196
  venous, ventilation, exercise, 50:718
pressure regulation, alveolar ventilation-perfusion, 52:245
production
  artificial respiration, 51:1451
  canopy ventilation monitor, 48:724
  delay and response compensation, 52:79
  determination from respiratory functions alone, 42:117
  flow-through respirometry, 42:120
  gas analyzer response time, 47:1118
  granular pneumocytes, primary culture, 49:743
  lung slices, 43:902
  newborn, 50:1098
  rate, measurement, tracer-bolus method, 50:898
  repeated exercise effects, 53:436
  respiratory rhythmicity, 50:45
  sinusoidal and impulse work loads, 48:289
  sinusoidal work, 42:300
  stairclimbing and cycling exercises, 46:510
  submaximal exercise in trained state, 48:218
  temperature change effects (iguana), 51:452
  varying fractional inspiratory oxygen, errors, 50:210
pulmonary, species differences (human, monkey, rat), 52:352
reactions
  plasma pH changes, 42:928
  pulmonary capillary, 48:972
reactivity, high ambient pressures and inspired gas densities, 48:528
rebreathing
  cardiac output, arm exercise, women, 51:1488
  changes in phrenic activity and occlusion pressure, 41:536
  diaphragmatic and genioglossal electromyogram, 50:1052
  elastic loading, 49:669
  β-endorphin effects, 50:1011
  esophageal diaphragmatic electromyography, 47:1234
  isocapnic hyperpnea, awake state (pony), 47:445
  mixed venous carbon dioxide tension during exercise, 48:933
  mixed venous pressure, exercise, 46:510
  pulmonary stretch receptor discharge, 53:346
  rewarming from hypothermia, 46:1061
  tidal volume, rib cage and abdomen-diaphragm contribution, 46:709
receptors: *see* Receptors
respiratory activity, fetus, in utero (sheep), 50:701
respiratory pattern, exercise, 47:192
respiratory response, diving, 46:1076
response
  body temperature effects (alligator), 52:114
  prochlorperazine effects, 53:637
response curve, ventilatory responsiveness and, 52:287
response test, fetal (lamb), 47:527
secretion, alveolar, 42:323
sensitivity
  eucapnic ventilation, maturation, premature infant (monkey), 48:347
  gestational age, postnatal age, sleep state effects (monkey), 50:956
set point, ventilatory response and, exercise, 51:185
single-breath measurement, cardiac output, 53:1034
solubility, alveolar, 43:357
steady-state response, glomectomized asthmatics, 46:632
stores, ventilation, exercise, 50:718
tension
  airway, 40:720
  arterial, altitude and aging, 48:6
  arterial, lung stretch interaction, 53:185
  arterial, respiratory pattern, heat stress (sheep), 50:315
  Astrup, 40:123
  carotid chemoreceptor stimulation, 50:884
  end-tidal, 40:903
  inspiratory-augmented reflex, 53:1152
  mixed venous, exercise, 48:933
  prolonged exercise, 50:27
  temperature-induced changes, 40:752
  venous, receptor discharge and (duck), 53:1386
threshold mechanism
  closed-loop respiratory system (chicken), 48:1029
  initiation of inspiration (avian), 47:233
transfer
  erythrocyte anion exchange effects, lung, 50:265
  hematocrit effects, pulmonary, 53:413
  red cells, 40:707
  skin, 49:438
transpleural diffusion, nonperfused lung, 51:1261
uptake, bone, titration technique, 48:197
ventilation and, 45:109
ventilatory adaptation, 51:78
ventilatory changes, sleeping infants, 48:684
ventilatory control and, running (bird), 53:1397
ventilatory equivalent, endurance training, middle-aged men, 46:1039

Carbon dioxide (continued)
ventilatory regulation, respiratory acidosis, 46:491
ventilatory responses
at raised nitrogen pressure, 45:756
awake state (rooster), 53:1371
carotid chemoreceptors (sheep), 51:1398
posture effects, 53:761
REM sleep, 47:1304
Carbon dioxide analyzer
Beckman LB-1, new electronics for, 41:781
electronic circuit, for paralyzed animals, 45:133
Carbonic acid, carbonic anhydrase activity, hind leg, 47:1090
Carbonic anhydrase
activity
hind leg, 47:1090
lung, 49:589
anion exchange kinetics, carbon dioxide transfer, lung, 50:265
asymmetric distribution, alveolar-capillary barrier, lung, 51:190
bicarbonate formation, cerebrospinal fluid, 47:471
carbon dioxide reactions, pulmonary capillary, 48:972
carotid body sensitivity, arterial carbon dioxide, 45:768
catalysis of carbon dioxide, lung, 44:882
inhibition
convulsions and, 53:192
pH, postcapillary changes, 43:582
localization, pulmonary endothelium (calf), 53:914
metabolic acidosis, 49:778
oxygen and species differences, vascular, 49:211
pH changes, plasma, 42:928
postcapillary changes, blood pH, 45:565
pulmonary, species differences (human, monkey, rat), 52:352
slow postcapillary pH changes, blood, 45:674
Carbon monoxide
acclimation to exposure, 41:689
adrenocorticotropic hormone and cortisol responses, hypoxia, 51:1257
breathing control, vagus nerve and (goat), 53:212
carrier-mediated transport, pulmonary diffusing capacity and, 53:505
chemoreceptors: *see* Receptors
concentration-dependent changes, pulmonary diffusing capacity, 53:505
delayed equilibration between plasma and red blood cells, hypercapnia, 47:67
diffusing capacity
different lung volumes, 47:32
distribution, 46:1149
exhalation, 46:992
increases, exercise, 51:858
independent of lung levels, 51:571
lung volume relations, 49:566
placenta, 45:155
placenta (sheep), 43:885
pulmonary, rebreathing technique, 51:1643
rebreathing techniques, 49:910
regional, slow exhalation, lung, 52:1487
single-breath, measurements, 51:1306
single-breath measurement by continuous rapid carbon monoxide analysis, 46:1149
diffusion, lungs, effect of static or slowly flowing blood, 46:992
effects on right ventricle, 40:324
electrode determination, blood gases, 44:818
exposure, cardiac function (goat), 47:429
hematologic responses, 43:365
hemorrhagic shock, 47:889
hypoxia and, cytochrome P-450-mediated reaction, lung (sheep), 51:1635
influence on hemoglobin-oxygen binding, 41:893
inhalation, cerebrovascular responses (goat), 43:455
oximeter, 44:317
oxygen affinity with, blood, 40:487
oxygen transfer, placenta (sheep), 52:479
production, excretion and, pulmonary, 40:844
saturation, determination in presence of carboxyhemoglobin, 44:317
steady-state pulmonary transfer, saturation kinetics, 43:880
transfer factor, competitive inhibition, lung, 50:1061
transport
competitive inhibition, lung, 50:1061
facilitated, lung, 43:880
uptake, inspired concentration effects, 52:109
ventilation distribution, diffusing capacity and, lung, 51:1463
Carbonyl cyanide, *p*-trifluoromethoxyphenylhydrazone, carotid chemoreceptor responses, 50:884
Carboxyhemoglobin
carbon monoxide diffusion and, lungs, 46:992
measurement, oximeter calibration, 51:1042
oxygen pressure, half saturation, 44:317
placenta, in exercise or hypoxia, 46:828
placenta (sheep), 43:885
Carboxyhemoglobinemia
brain hypoxia (goat), 49:497
chemoreceptor responses, aortic body and carotid body, 50:580
hypoxic arousal, carotid chemodenervation and, sleep, 51:1294
Cardiac autonomic effectors, 40:434
Cardiac cells, pH regulation, chloride depletion, 51:1630
Cardiac cost, work rate, optimal, for mountaineers, 44:952
Cardiac decompensation, right ventricular pressure, stress acceleration (miniature swine), 53:908
Cardiac edema: *see* Edema
Cardiac fossa, respiratory system compliance, 53:57
Cardiac function: *see* Heart
Cardiac index, age-related changes, 53:799
Cardiac output
acetylene solubility, blood, 48:1035
admittance plethysmography, transthoracic, 40:451
α-adrenergic blockade effects, acute anemia, 52:16
age and physical activity, 45:709
alteration effects, circulatory performance, exercise, 50:292
altitude exposure, 42:722
anemia, 44:36
hemorrhagic shock and, 47:882
anemia and oxygen affinity effects, 53:1299
antihistamine, 40:549
arm training, 45:75
atraumatic measurement, 42:980
biogenic amine extraction, lung and hindlimb, 52:1545
bronchial circulation and, anesthesia (sheep), 53:272
calculation, nitrous oxide technique, 41:251
carbon dioxide interaction and, computer simulation, 50:835
carbon dioxide tension, mixed venous, during exercise, 48:933
cerebrospinal fluid pressure and, 46:84
changes, ventilatory response to, pacemaker, 51:1103
changing lung mass effects (sheep), 52:1591
closed lung system, inert gas absorption, 47:240
deep hypothermia, 40:876
dietary potassium depletion, 45:728
electrical impedance, arm exercise, women, 51: 1488
estimation
nitrogen-oxygen rebreathing method, 41:433
rebreathing method, 44:821
exercise
air and water, 40:85
ambient temperatures and, 46:430
1- and 3-minute responses, 46:1132
aquatic and treadmill, 46:302
children, 45:1005
effects, 49:444
exhaustive, 51:1098
hemodynamic responses and, 53:1589
impedance cardiography, 45:459
noninvasive methods for measurement, 44:55
oxygen uptake, 44:44
pregnancy, 40:725
recovery, 48:833
supramaximal one-legged, 45:244
swimming, tethered, 44:821
treadmill, 50:1206
treadmill (horse), 50:864
Fick measurement, 40:849
+G_z stress, measurement (miniature swine), 47:1148
harbor seal, 45:718
high-frequency oscillation, standard ventilation and, pulmonary injury model, 52:543
humid heat, 40:779
hydration state, 49:715
hyperbaric helium-oxygen exposure, 48:281
hyperlactatemia, 45:195
hypertension, pulmonary, cold-induced (cattle), 45:469
hyperventilation, 40:333, 52:1161
hypervolemic polycythemia effects, newborn, 53:865
hypoxia, physical restraint effects, 51:1601
impedance cardiography, 52:274
increase
exercise, 52:236
pulmonary edema and, 53:1273
inspiration, normal and loaded, 47:582
intrapulmonary shunt, 46:315
measurement, thermodilution technique, artificial ventilation (pig), 51:584
menstrual cycle effects, exercise performance, 51:1493
microwave radiation effects, myocardial ischemia, 50:931
mouse deer, 42:679
muscle ischemia, 45:574
negative pressure breathing, 48:977
noninvasive determination, inhaled carbon dioxide and, 53:1125
noninvasive measurement, 40:91
one-leg training, circulatory adaptations, 52:976
on-line, 40:266
oxygen exposure and, awake state (sheep), 53:110
passive tilt, 47:503
pH, exercise and, 43:959
polycythemia at high altitude, 49:311
positive end-expiratory pressure, 50:630
rebreathing, dead space measurement, 53:930
respiratory failure and (sheep), 52:1230
respiratory muscle fatigue, cardiogenic shock, 51:499
respiratory system compliance and, 53:57
rest, exercise and, 52:1493
shunt components, quantitation (lamb), 43:352

single breath, 50:200
method for estimating, 53:1034
static exercise and, awake state, 52:642
step work load effects, 52:1198
stroke volume
exercise, 50:1173
exercise (duck, pigeon), 53:207
switching valve for rebreathing studies, 48:386
thoracic resistivity, impedance cardiography, 50:191
venesection and reinfusion, 40:379
ventilation control, right ventricular load and, 53:218
ventilation-perfusion relations, lobar atelectasis, 50:341
ventricular volume overload, exercise, 49:482
water immersion and, anesthesia, 53:1625
wheelchair and arm-crank exercise, 49:784
zero gravity, 46:541
Cardiac slowing: *see* Heart
Cardioacceleration
isoproterenol, 47:352
systemic hypoxia, sinus node, 52:570
Cardiodeceleration, exponential, autonomic contribution to, exercise, 53:1572
Cardiodynamic hypopnea: *see* Hypopnea
Cardiogenic gas: *see* Gases
Cardiogenic oscillations: *see* Oscillations
Cardiogenic shock: *see* Shock
Cardiography
impedance
cardiac output, arm exercise, women, 51:1488
cardiac output during submaximal and maximal work, 45:459
computer-assisted method, 52:274
stroke index and, 41:797
thoracic resistivity for stroke volume calculation, 50:191
Cardiopulmonary bypass: *see* Bypass; Shunt
Cardiopulmonary system
baroreflexes: *see* Reflexes
function
lung lavage and unilateral hypoxia, 43:778
pulmonary circulation growth (pig), 45:806
interdependence, mechanical, 52:333
receptors: *see* Receptors
responses
passive tilt, 47:503
running (duck), 47:827
wheelchair and bicycle ergometry, comparison, 46:1066
wheelchair exercise, 48:41
vagal afferents, anodal block, 42:461
Cardiopulmonary training: *see* Exercise, training
Cardiorespiratory system
deconditioning, 41:905
depression, β-endorphin, 50:1011
dynamics, sinusoidal and impulse work loads, systems analysis, 48:289
endurance, 41:822
fitness, myocardial infarction, 47:482
isoproterenol injection, 47:352
metabolic response to exercise, pH effects, 43:959
response
exercise, treadmill (horse), 50:864
female, training intensity and, 41:822
Cardiovascular reflexes: *see* Reflexes
Cardiovascular system
adaptations
early, to zero gravity, 46:541
training, hypophysectomy and, 53:448
adjustments
arm training, 45:75
liquid ventilation, hyperlactatemia and acidosis, 47:1051
anti-G suit, dynamic changes due to $+G_z$ stress, 43:765
assist, synchronized oscillating acceleration, 47:612
dynamics
acute prolonged hypoxia, 43:784
autonomic blockade, exercise, cardiac, 42:878
endurance, 41:822
exercise adjustments, 42:403
factors, fatigue and lifting, 45:60, 64
function
hypocapnia and hypocapnic alkalosis, 40:333
inspiration, normal and loaded, 47:582
maximal work capacity, hypoxic women, 47:1223
physical training after myocardial infarction, 47:482
norepinephrine effects, exercise training, 42:166
performance, carbon monoxide exposure (goat), 47:429
positive end-expiratory pressure effects, 44:743
responses
aging comparison, exercise, 51:634
cold and mental activity, plasma catecholamines and, 47:1207
diving, fetal (seal), 49:424
exercise, 53:1589
exercise (duck), 47:827
exercise (treadmill), 50:1206
graded muscle ischemia, 41:693
heating, whole-body, spontaneous hypertension, 45:521
muscle ischemia, 45:762
positive-pressure ventilation, 47:453
pressor, dependency on ischemic muscle mass, 45:762
prolonged work, hypoxic women, 49:367
static exercise, athletes, 49:676
vibration-induced, 42:682
variables, hyperpnea and, diving (duck), 52:206
Carinal artery, bronchial circulation, anesthesia (sheep), 53:272
Carotid artery
blood flow, thermoregulation, 52:1138
cannulated, multiple blood sampling, 46:197
Carotid baroreflex: *see* Reflexes
Carotid blood gases: *see* Gas
Carotid body
blood flow: *see* Blood flow
breathing pattern changes, carbon dioxide receptors, intrapulmonary (chicken), 52:162
chemoreceptors: *see* Receptors
chemoreflexes: *see* Reflexes
chronic airway obstruction, exercise effects, 53:1594
denervation
arousal response to hypoxia, sleep, 51:40
exercise hyperpnea, 46:908
hypoxia-induced tachypnea, 49:769
inspiratory onset regulation, 52:863
inspired carbon dioxide effects (pony), 52:1614
respiratory pattern, awake state (cat), 46:1127
respiratory response to hydrochloric acid acidosis, 46:1138
ventilatory response, 44:28
glomectomy, exercise hyperpnea, 46:908
hyperpnea and, exercise (goat), 52:1216
hyperventilation, after denervation of, 40:184
metabolic acidosis and alkalosis, 48:355
neural response, hypercapnia and hypoxia, 52:596
oxygen consumption, 50:129
oxygen tension, microelectrode tip position, 49:916
resection
alveolar ventilation-perfusion, 52:245
chemoreflex loop gain, 46:843
hypoxic chemosensitivity in asthmatics, 46:632
ventilatory drive, hypoxic, 45:971
respiratory responses to sodium, bicarbonate, hydrochloric acid and potassium cyanide, 43:1075
role in heart rate response to breath holding, 41:336
ventilatory response
carbon dioxide (duck), 50:1121
prochlorperazine effects, 53:637
within-breath changes, arterial carbon dioxide pressure, 45:768
Carotid sinus
chemoreceptors: *see* Receptors
dimensions in coarctation, 41:36
hypotension, baroreceptor reflex stimulation effects, lung, 52:1128
nerves, hypercapnia and isocapnic hypoxia, 43:812
neurotomy, tidal volume dynamics, 45:502
Carotid sinus nerve, pilocarpine effects, breathing control, fetal (lamb), 50:1348
Carousel-type treadmill: *see* Exercise, treadmill
Carrier-mediated transport, cytochrome P-450, hypoxia and carbon monoxide effects, lung (sheep), 51:1635
Cascades, branches, flow partitioning, lung, 51:598
Casts, central airway, acoustical area measurements, 48:896
Catabolism
nucleotide, exercise and adenosine monophosphate, cyclic, adipose tissue, 50:255
postoperative, exercise effects, 46:141
Catalase
low-level hyperoxia, 51:577
oxygen toxicity and, neonatal and adult, 45:699
prenatal isoxsuprine, newborn, 48:505
pulmonary, preexposure to hypoxia (rat, mouse, hamster), 53:475
Catecholamines
adenosine monophosphate, cyclic and, exhaustive exercise, heart, 51:1539
β-adrenergic stimulation, hypoxia, cardiac responses to, 44:647
calorigenic action, hindlimb, 51:1245
central, exercise and, 46:19
cerebral blood flow, 40:797
exercise and, 40:191
cerebrospinal fluid pressure-induced pulmonary hypertension, adrenal component, 47:153
chronic cold exposure, 49:923
coagulation abnormalities, hypobaric hypoxia, 41:702
cold adaptation, repeated immersions, 46:662
cold-induced responses, 42:349
demonstration of, 41:30
depletion, copper sulfate effects (ewe), 51:1204
diving, 40:605
dynamic exercise response, oxygen breathing, 51:176
elevated temperature effects, brain (quail), 45:705
excretion
high altitude, 44:725
hypoxia, 52:304
urinary, at high altitude, 42:728
exercise, 42:525
angiotensin antagonism, 43:440
angiotensin antagonism, during sodium depletion, 45:403

Catecholamines (continued)
coronary, 43:949
coronary sinus, 43:801
fuels and, interrelationships during exercise and fasting, 48:109
glycogenolysis and, exercise, 53:549
high altitude, pulmonary edema, 46:41
infusion, lung fluid balance and (sheep), 50:1353
inhibitory effects, bronchial smooth muscle, 46:787
ion transport, tracheal epithelium, 47:397
left ventricular performance, 40:196
muscular glycogenolysis and, 50:21
plasma, exercise effects, hypertension, 53:891
plasma, cardiovascular responses to cold and mental activity, 47:1207
postexercise disappearance from circulation, 47:1311
prolonged work, hypoxic women, 49:367
pulmonary hypertension, 49:66
β-receptor blockade, 40:855
respiratory acidosis effects, exercise, 53:63
respiratory alkalosis, 44:581
respiratory failure and (sheep), 52:1230
serum, training and adipose tissue lipolysis, 50:250
synthesis
by adrenal enzymes, seasonal acclimation (vole), 44:59
hypothermia (hamster), 50:962
training-induced responses, submaximal exercise, 46:766
urinary
altitude, 40:96
excretion, 41:631
excretion on acute induction to high altitude, 41:631
submaximal exercise and recovery, 47:701
Catheter
needle, blood pressure measurement, embryo (chick), 51:1023
retrograde, pulmonary impedance measurement, 52:725
water-filled, pleural pressure, neonate, 52:491
Catheterization
chronic, fetal, simulated no-decompression dives (sheep), 48:776
pulmonary artery, closed-chest, 51:1047
Catheters
blood gas
fast-responding flow-independent, oxygen measurement, 48:376
flow-dependent, in vivo calibration, 44:124
intrafetal, 42:661
retrograde
airway dimensions and resistance, 49:270
airway resistance-lung volume relations, 44:728
technique for measurement of peripheral resistance, 46:615
wick, perivascular pressure measurement, lung lobe, 46:950
Cathode, recessed, oxygen electrode, 45:145
Caudal mediastinal lymph node: *see* Lymph node
Cauterization, coronary artery, myocardial infarction size in restraint and exercise, 47:393
Cells: *see also* specific type and site
motility, colchicine or cytochalasin B effects, endocytosis (hamster), 50:621
Cellular dynamics, heat acclimation, submaxillary gland, 44:21
Central autonomic transmission: *see* Transmission
Central blood volume: *see* Blood volume; Volume
Central chemoreceptors: *see* Receptors
Central chemoreflex: *see* Reflexes
Central nervous system
cerebrospinal fluid bicarbonate
hypercapnia, 42:667
metabolic acidosis, 49:778
chemical regulation
respiration, newborn (lamb), 47:1212
ventilation (turtle), 53:1365
depression, respiratory, high altitude, newborn, 44:673
β-endorphin effects, respiration and circulation, 50:1011
high-pressure-barbiturate interaction, neurological syndrome, 43:221
high-pressure neurological syndrome, 50:272
high-pressure responses, maturation, newborn, 49:390
human anesthetic effects, feline respiratory control, 44:596
hydrogen ion transport, hypercapnia, 42:667
hypoxia, neonatal (lamb), 47:927
interaction
dopamine effects
naloxone effects, 51:1533
neural production, periodic respiratory movements, 53:1653
norepinephrine effects, thermal, rest and exercise, 49:937
respiratory mechanics and timing, occlusive sleep apnea, 48:432
thermoregulatory control, skin temperature effects, blood flow, leg (baboon), 50:974
vagal input processing, 50:1183
venous bubbles, decompression (goat), 51:1238
Central neural mechanisms, respiratory afterdischarge, vagal afferent input, 45:339
Central organs, metabolic activity, diving (seal), 48:596
Central resistance: *see* Resistance
Central temperature: *see* Temperature, body
Central venous pressure: *see* Pressure
Centrifugation: *see also* Acceleration
acceleration effects on thermoregulatory responses, 42:74
ear oximeter calibration, 44:483
pituitary-gonadal function, 48:1
Cerebellar lobes, ablation, ventilatory response, 47:1062
Cerebellar pressor response, 41:574
Cerebellum, ventilatory response, muscle receptor stimulation, 47:1062
Cerebral blood flow: *see* Blood flow
Cerebral capillaries, carbon dioxide pressure gradients, hypocapnia, 43:480
Cerebral cortex
cytochrome aa_3
oxidation with hyperbaric pressures, 43:873
reflectance spectrophotometry, 43:858, 873
oxygen tension, hyperbaric conditions, 46:53
pyrenebutyric acid, optical oxygen probe, 41:593
xenon partition coefficient, tissue-blood, 49:178
Cerebral fluids, interstitial, composition, high altitude and (goat), 47:508
Cerebral inhibition, to hypoxia at 3,850 m, 43:114
Cerebral metabolism, exercise, 48:213
Cerebral palsy, oxygen consumption, work load and, 40:873
Cerebral tissue, gas partial pressure, continuous measurement, 44:528
Cerebral trauma, pulmonary vascular response, 42:335
Cerebral ventricles
body temperature control, exercise (monkey), 43:689
perfusion, central control of (turtle), 53:1365
Cerebral white matter, blood flow and oxygen tension, chemoreceptor control, 45:419
Cerebrospinal fluid
acid-base balance
normocapnic hyperoxia (pony), 48:10
progesterone effects, pregnancy, 51:1433
regulation, 51:369
regulation, hypercapnia, newborn, 50:566
acidity, cerebral blood flow and, 47:818
acute hyponatremia, 49:95
bicarbonate
carbon dioxide equilibria and, 47:471
control, 40:559
fetal (lamb), 50:880
metabolic acidosis, 49:778
normocapnia, 47:369
regulation, hypercapnia, 42:667
carbon dioxide partial pressure gradients, 41:93
carbon dioxide pressure gradients, hypoxia, 43:480
carotid body denervation, 40:184
changes, pial response after hypercapnia and hypoxia, 46:89
ionic composition, fetal (lamb), 50:880
ionic fluxes, high altitude (goat), 47:508
passive transport, acid-base balance regulation, 51:369
pH
carbon dioxide pressure measurements and, 43:566
gradients, 41:93
metabolic acidosis and alkalosis, 48:355
ventilatory acclimatization to altitude, 45:275
pressure: *see also* Pressure
increase, positive end-expiratory pressure effects, 52:231
positive end-expiratory pressure and, 44:25
pulmonary hemodynamics, 46:84
pulmonary venoconstriction, 49:73
regulation, long-term hypoxic hypocapnia, 44:175
sampling, Astrup pH and carbon dioxide pressure values and, 40:123
sampling technique, 40:123
ventilation and (turtle), 53:1365
ventilatory response to medroxyprogesterone acetate, 44:939
ventriculocisternal perfusion, fetal (lamb), 50:880
water and ion response, hypo- and hypernatremia, newborn, 51:1086
Cerebrospinal-plasma gradients, bicarbonate and hydrogen ions, hypoxic hypocapnia, 44:175
Cerebrovascular system
permeability: *see* Permeability
resistance: *see* Resistance
response
carbon dioxide, chemical control of breathing (goat), 47:1289
carbon monoxide inhalation, correlation with ventilatory responses (goat), 43:455
Cerebrum
energy state, hypoxia and ischemia, 45:312
extracellular fluid acidity, blood flow and, 47:818
gas exchange, perfusion and diffusion limitations, 46:1164
metabolism, gas partial pressure, 44:528
metabolism of oxygen, oxygenation and, fetal (sheep), 43:1080
perfusion pressure, positive end-expira-

tory pressure and, 44:25
Cerveau isolé, cytochrome aa_3, 43:858, 873
Cervical cord
injury, ventilatory response to mechanical loads, 52:748
lesion, chest wall vibration effects, ventilation, 50:107
Cervical dilation, 41:316
Cesarean section
liquid clearance, lung, newborn, 49:171
onset of respiration, infant, 52:716
C fibers
anodal block, 42:461
vagal: *see* Vagal C-fibers
cGMP: *see* Guanosine monophosphate, cyclic
Chaetonotus, bubble formation, intracellular, lack of, 47:1270
Chair rest: *see* Rest
Changing the guard, 52:1
Charged membrane hypothesis
carbon dioxide secretion, 42:323
gas-to-blood carbon dioxide pressure differences, during hypercapnia, 47:67
Chemical regulation, respiration, newborn (lamb), 47:1212
Chemical stimulus, aortic and carotid chemoreceptor afferents, 48:362
Chemical sympathectomy: *see* Sympathectomy
Chemiluminescent detection, ammonia, respiratory, 46:603
Chemodenervation
tidal volume, 45:502
ventilatory response, fetal (lamb), 42:630
Chemoreceptors: *see* Receptors
Chemoreflexes: *see* Reflexes
Chemosensitive area, cerebrospinal fluid acid-base balance, progesterone effects, pregnancy, 51:1433, 1437
Chemosensitive nerves, lung, 48:511
Chemosensitivity
carbon dioxide, pulmonary, ventilation and, 52:1192
high altitude, ventilatory control, climbers, 53:886
respiratory, 40:372
Chemosensory convergence, carotid body, 49:45
Chemotaxis, colchicine or cytochalasin B effects (hamster), 50:621
Chest
closed, pulmonary artery catheterization, 51:1047
compression, respiratory pattern changes, 48:862
flail: *see* Flail chest
intact, vasoconstrictor responses, precapillary blood-oxygen pressure, 51:1009
open vs. closed, atelectasis, lung lobe, 50:1022
radiography
lung shape, normal gravity and weightlessness, 47:851
supine, portable, lung volume measurement, 47:1332
restriction
effects on breathing, 50:412
pulmonary mechanics and gas exchange, 51:26
strapping, lung mechanics, 49:946, 50:650
sweating, exercise and heat acclimation, 43:133
Chest wall
afferents
respiratory regulation, neonatal, 42:362
thoracic deafferentation, 52:757
breath volume, computer-aided magnetometer measurement, 44:623
carbon dioxide rebreathing, 46:709
compliance, measurement, pulse method, 49:1116
configuration
awake state, 50:134
during voluntary contraction, statics and dynamics, 44:829, 840
elastic loading, 49:669
neural-mechanical outputs, 51:979
relaxed and forced vital capacity, 47:38
distortion, 40:352, 357
elastic recoil, neuromuscular blockade, 47:1162
excursion, lung function, 49:655
human anesthetics, feline inspiratory inhibitory reflex, 44:596
lobar atelectasis, 48:29
mechanical properties, spontaneous breathing, 49:408
mechanics
acute diaphragm paralysis, 53:373
awake state, 50:134
breathing, 53:750
changes, sleep, adolescents, 51:557
diaphragm fatigue and, 50:538, 53:1190, 1196
elastic cost of wall distortion, 41:752
forced vital capacity, 47:38
force-velocity relations, muscle, 52:930
magnetometer measurement, 49:355
volume-pressure relations, 41:739
voluntary contraction, statics and dynamics, 44:829, 840
motion, paradoxical, inspired gas distribution and, 49:279
occlusion pressure, awake state, 50:134
partial curarization, 49:1049
pressure-volume curve
anesthesia, 45:255
halothane, 49:300
measurement, 45:927
thiopental sodium anesthesia, 46:716
quiet breathing and hyperpnea, abdominal muscle use, 52:700
resistance and compliance, after papain exposure, 46:61
restriction, lung function during, 49:655
shape
change, flow dependence of gas distribution, 45:733
forced expiratory maneuvers, 50:84
inspired gas distribution, 49:279
lung function, 49:655
vibration, ventilation effects, spinal cord lesion, 50:107
Chest wall-lung interaction (pig), 46:8
Cheyne-Stokes respiration, factors inducing, model, 53:644
Children: *see also* Adolescents; Boys; Girls
asthmatic, hemodynamics during exercise, 46:293
boys
prepubescent and adolescent, aerobic power, body growth and training relations, 44:666
trained, protein mass and plasma volume, intravascular, 43:1085
dry heat acclimatization, in boys, 50:406
exercising, recirculation times, 45:1005
girls, prepubertal, response to work in heat, 43:1046
hypohydration, voluntary, in boys, 48:104
lung growth, airway mechanics, 44:521
lung recoil, relation to lung volume and maximum expiratory flow, 42:817
respiratory impedance, forced random noise analysis, 47:169
respiratory jacket for ventilatory measurements, 45:630
respiratory resistance, fractionating, 47:551
transit time, forced spirograms, 46:263
Chloralose
ventilation stimulation
2,4-dinitrophenol, 47:1066
tissue receptors and, 47:1066
ventilatory response to muscular exercise, humoral factors, 47:126
α-Chloralose, collateral channel response, vagal effects, 51:1314
Chloralose-urethan anesthesia, tracheal mucus, ventilatory responses to carbon dioxide administration, 48:337
Chloramphenicol, transtracheal, hyperoxia effects, 50:234
Chloride
acute hyponatremia, 49:95
anion exchange kinetics, CO_2 transfer, lung, 50:265
concentration, sweat, exercise and, women, 51:1526
depletion, myocardial cell pH in, 51:1630
microcannulation, 40:984
muscle, after exercise, 45:474
secretion
catecholamine effects, tracheal epithelium, 47:397
tracheal epithelium, 49:905
shift effects, CO_2 transfer, lung, 50:265
transport
and sodium ions transport, interdependence, tracheal epithelium, 47:598
sodium transport and, interaction, tracheal mucosa, 46:111
tubule fluid, 40:1009
Chloride ions, depletion, myocardial cell pH, 51:1630
Chlorpheniramine, 40:496
airway reactions, histamine (sheep), 49:826
histamine receptor function and, circulation (sheep), 53:175
Chlorpromazine
chronic administration effects, exercise, heat, 50:509
hypothermia, treadmill performance in the heat, 47:813
Choke point
expiratory flow, 47:490
posture effects, 53:1175
Cholecystokinin octapeptide, sulfobromophthalein sodium excretion, 43:714
Cholesterol
physical training effects, diabetes, 52:1514
skeletal muscle, trained and untrained, 43:709
Choline acetyltransferase
hypoxia-induced changes, heart, 50:1017
training and, hypophysectomy, 53:448
Choline pathway, lung development, fetal (rhesus monkey), 43:92
Choline phosphotransferase, lung, newborn, 43:557
Cholinergic agents
sodium-chloride ionic transport, tracheal epithelium, 47:598
tracheal epithelium, 44:900
Cholinergic blockade: *see* Blockade
Cholinergic control, pulmonary surfactant, 43:39
Cholinergic effects, bronchoconstriction, prolonged, 47:418
Cholinergic nerves
bronchial wall, catecholamines, 46:787
bronchospasm, antigen-induced, 42:600
excitation, electrical field stimulation (sheep), 53:1088
fluid secretion, tracheal gland (ferret), 49:1027
smooth muscle, airway, control of, 53:1080
Cholinergic receptors: *see* Receptors
Cholinergic stimulation
mucus pH, tracheal, 50:1224
tracheal mucus, rheology and transport, 47:26
Cholinesterases, 41:30
Cholinomimetic stimulation, tracheobronchial secretion, 45:190

Chorioallantois
acid-base regulation, embryo (chicken), 53:1449
cardiac function measurement, ambient gas effects, embryo (chick), 51:1017
Chromatography
column, 5-hydroxytryptamine effects, pulmonary artery, 51:693
gas
hematocrit and temperature effects, blood-gas partition coefficient, 51:1357
hypoxic vasoconstriction, 49:107
solubility of inert gases, lung tissue homogenates, 46:1207
gas-liquid fatty acids and cholesterol, skeletal muscle, 43:709
Chromium, isotopic, extravascular thermal volume, lung, 53:1614
Chromium-51, regional lung water, 49:547
Chromophore protein receptor: *see* Receptors
Chronotropic response
cardiac, to β-histamine in hypoxia, 44:647
cough, 53:1039
Chylomicron, triglyceride uptake, contracting skeletal muscle, 49:851
Chylomicron triglyceride, metabolism, rest and exercise feeding, 52:815
Cigarette smoking
histamine and lung responses, periphery, 53:582
methacholine inhalation
bronchial reactivity (baboon), 50:754
bronchial reactivity to (baboon), 52:1071
Ciliary activity, respiratory, β-adrenergic stimulation, 48:868
Ciliary motility, mucociliary dysfunction, allergic (sheep), 52:1018
Cilioexcitation, effect of aerosol adrenergic agents, 41:146
Cinemicroscopy, surfactant deactivation, alveolar function following, 51:895
Cineradiography, high-speed, stroke volume relations, 52:1672
Circadian rhythms: *see* Rhythms
Circulation: *see also* Blood flow; Microcirculation
adaptations, one-leg training, 52:976
arterial
hyperoxia, 46:973
trachealis muscle, 49:84
bronchial
anesthesia (sheep), 53:272
pulmonary artery occlusion (sheep), 53:543
central, venesection and reinfusion of red blood cells, exercise, 40:379
central depression, β-endorphin, 50:1011
cerebral
adrenergic receptors and vascular resistance, 40:797
carbon dioxide effects (goat), 53:873
changes
acute high-altitude exposure, 41:159
oxygen exposure, awake state (sheep), 53:110
chemoreceptor afferents, aortic and carotid, 48:362
controls, hydration state, 49:715
coronary collateral, physical training effects, 52:376
coronary, high-altitude effects, 41:832
extracorporeal
hypopnea, 46:1171
hypoxemia, during hemodialysis, 50:259
growth, normal (pig), 45:806
heart, nonsynchronous/synchronous vibration, 46:549
hind leg, carbonic anhydrase and, 47:1090
histamine receptor function (sheep), 53:175
hypervolemia and, 52:1186
intestinal, heat stress and, α-adrenergic control (baboon), 48:759
norepinephrine disappearance, postexercise, 47:1311
normocapnic hypoxia, 40:96
peripheral
exercise, high internal temperatures and, 43:790
gas diffusion, 45:903
graded leg exercise, 46:457
healed grafted skin, 51:168
heat stress and exercise effects, 53:744
heat stress, role of renin-angiotensin (baboon), 43:739
interactions between local and reflex influences, 41:826
regulation, oxygen extraction and, hindlimb, 48:630
renin-angiotensin system effects, 52:1438
reproductive hormone effects (sheep), 43:668
skin and, 47:1188
thermoregulatory changes, 41:15
upright exercise effects, 50:814
prolonged hypoxia effects, 40:549
pulmonary
β-adrenergic mechanisms, 43:612
airway carbon dioxide and, 52:190
collateral ventilation, carbon dioxide determinant, 45:69
compartments, 46:74
converting enzyme activity, inhibition, hypoxia, 46:227
diphenhydramine, endotoxin effects (sheep), 49:516
diving, 40:293
edema, 49:815
edema, monocrotaline model, 45:962
fluid leaks, extra-alveolar vessels, 44:759
functional diagram, 52:1035
glucagon blood vessels, 46:593
growth, cardiopulmonary function (pig), 45:806
harbor seal, 45:718
head-up tilt, 45:249
histamine effects, 51:1320
5-hydroxytryptamine clearance, 46:1178, 52:634
hypercapnia, awake state, newborn (lamb), 51:423
hypoxia, 43:65
hypoxia, acute, growth and (pig), 52:811
hypoxia, graded (sheep), 45:949
hypoxia, graded, species differences, 51:1214
immersion, 44:679
insulin blood levels, 46:593
intracranial hypertension (sheep), 52:1324
isoproterenol and aminophylline effects during high permeability (sheep), 46:146
lung inflation effects, 53:1110
newborn (lamb), 48:188
oxygen uptake, reflection spectrophotometric measurement, 48:848
permeability indicators (sheep), 43:99
pressure-flow-volume relations, 41:449
prolonged recumbency effects, 50:950
prostaglandin arterial levels, 50:1161
recruitment, during airway hypoxia, 47:383
reflex effects, 49:620
spatial distribution, with positive end-expiratory pressure ventilation, 47:938
sympathetic innervation, 43:65
vasoactive agents, 49:1016
recirculation time, exercising children, 45:1005
regional
regulation, hypoxia, 46:1023
responses, water immersion, anesthesia and, 53:1625
regulation
exercise and ambient temperature, 46:430
hydration state, 49:715
response
exercise, arm crank and wheelchair, 49:784
summated, thermal and baroreflex responses, 52:184
skin
forearm venous volume during exercise and body heating, 48:114
thermally induced (chicken), 44:81
vibration-induced responses, 42:682
Circulatory monitor
arterial chemoreceptor response, hypotension, 48:781
chemoreceptor responses, carbon monoxide, 50:580
Circulatory occlusion, ventilation, exercise, 50:718
Circulatory performance, blood volume alteration effects, exercise, 50:292
Circulatory shunts: *see* Shunt
Circulatory volume: *see* Blood volume; Volume
Circumflex artery, diameter, in physical conditioning and deconditioning, 45:619
Citrate, plasma, leg and splanchnic arteriovenous differences during exercise, 46:120
Citrate synthase
myofibril, running time course changes, 42:267
testosterone propionate effects, hindlimb immobilization, 52:1643
Citric acid
asthma, 49:953
bronchoconstriction, atropine effects (Basenji-Greyhound), 50:761
pulmonary response after , asthma (Basenji-Greyhound), 51:1423
Clearance: *see also* specific subject and site
bronchial, exercise and hyperventilation effects, 43:46
lymph protein, α-naphthylthiourea and, lung, 52:1316
pulmonary
high-frequency oscillation effects, 51:1507
mucociliary transport, 51:1057
pulmonary defense mechanisms (snake), 50:979
pulmonary microvascular, radiotracers, edema, 50:1337
regional, inhaled aerosol (chicken), 53:1423
Climate, dry heat acclimatization methods, in boys, 50:406
Closed-loop servo, paralyzed animals, 45:133
Closing capacity: *see* Capacity
Closing volume: *see* Volume
Coagulation
abnormalities, during hypobaric hypoxia, 41:702
disseminated intravascular, pulmonary response to endotoxin, 50:178
exercise effects, 48:821
high-altitude pulmonary edema, 46:41
intravascular, exercise effects, 42:865
pulmonary vascular response, time course, 43:51
Coagulopathy, 41:702
Coarctation, baroreflex sensitivity in, 41:36
Cobalt-57, pulmonary edema measurement, transthoracic γ-ray attenuation, 47:1228
Colchicine, effects, pulmonary macrophage endocytosis (hamster), 50:621
Cold: *see also* Temperature
acclimation
body fluid and hematologic adjust-

ments (monkey), 52:1024
brown adipose tissue, lipolysis, 43:1007
catecholamine-synthesizing enzymes, adrenal (vole), 44:59
creatine metabolism, skeletal muscle, 44:12
fever, 40:29
L-thyroxine deiodination, hepatic, 49:386
lung morphometry during growth, 48:886
microvascular response, skeletal muscle, norepinephrine, 44:190
personal factors, 44:813
physiological and behavioral reactions, 41:292
pyrogenesis, 40:29, 35
acclimatization
ketone bodies, nonshivering thermogenesis, 42:159
swimmers and runners, 46:1086
acid-base balance during (lizard), 50:779
adaptation
catecholamines, 42:349, 46:662
decompression sickness, 47:412
distance runners, 40:404
glycogen and, 51:1428
hormone responses to, 53:610
diving and, 40:605
exposure
acceleration, thermoregulatory effects, 42:74
amino acids and proteins, muscle, 52:1250
bradycardia, face and brain cooling, 46:905
bronchospasm, exercise-induced, atropine effects, 45:238
calcium ions, brain, body temperature control during exercise (monkey), 43:689
catecholamines, 42:349
chronic, β-adrenergic responsiveness, 49:923
fat loss, 46:872
glucose kinetics, 43:230
glucose kinetics in, glucagon effects, 52:1458
hyperbaric helium-oxygen, thermal responses, 49:1099
leucine and urea metabolism in, 53:367
metabolic heat production and (monkey), 52:1049
metabolism and thermoregulation, sleep stages, 51:948
neural signs, sorting, spinal cord, 42:154
norepinephrine turnover and, lung, 51:614
pulmonary hypertension (cattle), 45:469
renal function (prairie dog), 42:295
sensitization with endotoxin-induced serum factor, 46:14
short term, vasodilation, 40:455
survival, with Sindbis virus infection, 47:923
thermogenesis, control, variable open-loop gain, 48:495
thermogenic control during exercise, 47:1084
thermoregulation, hypergravity and, 46:1049
thermoregulatory heat production, prediction equation, 42:377
thermosensitivity, spinal cord, 42:154
thyroid hormone metabolism, 51:1157
vasoconstriction, cutaneous, 43:770
water requirements (small mammals), 43:121
facial responses to, 40:127
feeding response, energy density and, 51:327
inhalation rewarming, thermal increment, 46:1061
metabolic response to, 53:1228
stress
cardiovascular responses, plasma catecholamines and, 47:1207
catecholamines, 46:662
insulin, calorigenic effect, 47:342
summated circulatory response, 52:184
tolerance, estrogen and, 47:59
thermoregulatory response, gravity effects, 49:663
tolerance
aminophylline effects, 53:16
feeding effects, 49:975
Collagen
effects of hyperbaric oxygen, 41:295
lung, penicillamine and bleomycin effects, 49:1083
network
lungs, 42:206
computer-derived image compositing, 51:78
physical training effects, 44:50
postnatal development, lung, 53:140
pulmonary fibrosis (baboon), 47:138
Collapsibility, dynamic, airway and bronchial, 42:699
Collateral
gas flow, lung, 52:1426
stimulation, coronary, exercise, stenotic coronary arteries, 52:664
Collateral channels, resistance, excised lungs, 48:982
Collateral flow resistance: *see* Resistance
Collateral ventilation: *see* Ventilation
Colloid osmotic pressure: *see* Pressure
Colon
heating patterns, thermal resistance variation, 43:59
temperature: *see* Temperature, body
Colpidium, bubble formation, intracellular, lack of, 47:1270
Comb filter analysis
respiratory oscillations, 48:545
time-varying biological rhythmicities, 48:557
Comparative physiology: *see* Species differences
Compartments
body fluid, plasma water and protein shifts during thermal dehydration, 47:738
muscle, pressure, fascia effects, hindlimb, 51:317
vascular and extravascular, isolated perfused lung, 46:74
Compliance
airway
dynamic, 47:1251
flow limitation and, forced expiration, 52:357
tracheal, wave-speed theory test, 43:516
vagal effects, 47:13
arterial, 40:425
chest wall
after papain exposure, 46:61
electrical impedance, 53:1608
pulse method of measuring, 49:1116
diastolic, cardiopulmonary interdependence, 52:333
dynamic
anesthesia, 49:197
arachidonic acid, lung, 44:397
asthma, 40:889, 49:953
body position and time constant, 42:706
consciousness and posture effects, 53:1071
edema fluid accumulation and, lung, 53:70
esophageal balloon technique, infant, 49:735
frequency dependence, one cycle of breathing, 48:45
lung, frequency dependence, 48:45
methacholine inhalation, bronchial reactivity (baboon), 52:1071
methysergide effects, endotoxin response, 50:185
prostaglandin, lung, 44:397
prostaglandin H_2 analog, lung, 44:406
pulmonary computer measurement, 48:903
reflex effects, 49:620
regional transpulmonary pressure and, 51:678
serotonin-vagus interaction, lung, 44:144
gain, 40:67
index, exponential function, 46:387
interlobar collateral ventilation, 46:658
interstitial fluid space, isolated perfused lung, 48:677
left ventricular diastolic pressure-area curves, positive end-expiratory pressure shifts and, 48:670
lung
airway carbon dioxide and, 52:190
altitude acclimatization, 52:1407
anaphylaxis, 46:919
anesthesia, halothane-enflurane, 46:646
antigen-induced tachypnea, 42:101
cardiac fossa, 53:57
dynamic, airway response measurement techniques, 52:1363
dynamic, prostaglandins and arachidonic acid, 53:1005
exercise, 49:506, 511
frequency dependence, atropinelike agents, 46:256
(hamster), 40:936
histamine bronchoconstriction, adrenergic influences, 44:340
histamine release, 44:455
hypoxia, isocapnic, 42:413
intact and excised (monkey), 44:547
interstitial forces, estimation, 44:267
local, airway hysteresis and, 47:1251
low lung volume breathing, 50:650
methacholine inhalation (baboon), 50:754
oleic acid injury effects, 52:1519
penicillamine and bleomycin effects, 49:1083
pneumococcal lobar pneumonia effects, 50:283
positive end-expiratory pressure and, 44:25
pressure measurement, neonate, 52:491
pressure-volume curve-fitting analysis, 42:111
pulmonary vascular engorgement, 45:119
pulse method of measuring, 49:1116
regression, body weight and (monkey), 46:166
respiratory distress syndrome, 44:25
respiratory resistance, central and peripheral, 45:375
sepsis, pulmonary edema and (dog, baboon), 50:1198
static, jacket plethysmography, 52:267
static, oleic acid-induced edema, 48:1045
static, prostaglandin H_2 analog, 44:406
systemic venous hypertension effects, 51:592
temperature effects, 51:823
transient elevations and, pulse-flow measurement, 50:1318
lung lobe, breathing frequency responses to pulmonary carbon dioxide, 47:1201
measurement, 40:839
muscle, cantilever beam design, 42:786
pulmonary
aging and sex, exponential analysis, 683
atropine effects (Basenji-Greyhound), 50:761
contusion, 47:718
frequency dependence, 43:942
normal (ferret), 50:799

Compliance (continued)
positive end-expiratory pressure effects, water content, 53:9
pulmonary interstitial, osmotic constituents and, 53:324
pulmonary vascular
arterial and venous occlusion, 52:710
cerebrospinal fluid pressure, 49:73
lobar venous occlusion, 47:145
serotonin and, 48:606
sympathetic innervation in hypoxia, 43:65
respiratory
cardiac fossa, 53:57
forced random noise analysis, young children, 47:169
infant, 52:1209
measurement using forced oscillatory impedance data, 43:322
noise parameters, 52:1530
pulmonary impedance measurement, 52:725
single-breath method, anesthesia, 52:1266
spontaneous breathing, lung and chest wall, 49:408
tracheal, diameter and, 51:767
vascular
functional diagram, lung, 52:1035
lung lobe, 53:158
venous, 40:96
Compression chamber, electrophysiological measurement, 48:562
Compression rate
barbiturates, 43:221
convulsion, high pressure, 43:173
high-pressure neurological syndrome, 43:221, 46:756
Computers: *see also* Models, and the specific subject and site
analog pulmonary resistance, 40:110
arterial pressure, 40:171
digital
for analyzing respiratory muscle electromyograms, 43:551
muscle fatigue, 43:750
forced oscillation technique, measurement of respiratory resistance, 42:650
heart-rate, blood pressure, 40:253
left ventricular function, 40:105
lung morphometry, 43:86
oxygen uptake, analog measurement online, 43:563
Paynter filter, electromyogram analysis, 43:551
programmable calculator, pressure-volume curve-fitting analysis, 42:111
pulmonary gas transfer, on-line digital integration, 43:375
respiratory
automated, 42:968
response to exercise, 42:968
ventilatory and gas exchange dynamics, sinusoidal work, 42:300
Conditioning, physical: *see* Exercise
Conductance
airway, specific, inhaled atropinelike agent, 46:246
coronary collaterals, exercise effects, 45:797
forced airflow oscillation, mechanical ventilation, 51:715
heat exposure, skin, 44:1
pneumotachometer calibration, computerized, 53:280
pulmonary, computerized measurement, 44:611
regional, intrapulmonary blood flow, 52:96
respiratory, magnetometry, 48:731
S-segment, lung growth, 44:521
thermal, rest and exercise (monkey), 49:789
upstream
computerized measurement, 44:611
sex and age difference, 46:556
vascular, skin temperature effects, iliac (baboon), 50:974
Conductance-recoil pressure, computerized measurement, 44:611
Conduction
atrial, hydrostatic pressure, 45:24
cardiac, pressure-induced changes, action potential correlates, 47:1169
Conduction velocity
action potential, muscle fatigue, 43:750
fatigue, sustained maximal efforts, 51:1300
sympathetic afferents (dog, monkey), 44:718
vagal afferents, 47:312
Conductivity
hydraulic, tracheal epithelium, 49:905
inhalate thermal, hypothermia, 47:228
tissue, 40:971
Congestion
pulmonary
airway resistance and, 49:620
breathing and, 45:385
cardiopulmonary baroreflexes, 43:107
measurement by transthoracic γ-ray attenuation, 47:1228
negative-pressure breathing, 48:977
peribronchial electrical admittance measurement, 49:337
saline infusion, 43:246
pulmonary vascular
arachidonic acid and prostaglandins, 44:397
prostaglandin H_2 analog, 44:406
Connective tissue
bleomycin, 49:1083
penicillamine, 49:1083
Constriction, passive, trachealis muscle, 48:320
Continuum mechanics
analysis, vascular interdependence, lung lobes, 46:419
lung lobes, 47:182
Contractile function: *see* Muscle
Contractile properties
disuse effects, skeletal muscle, 53:335
thenar muscles, training and immobilization effects, 53:419
Contractility
heart: *see* Muscle, heart
myocardial: *see* Myocardium
Contraction: *see* Muscle
Contusion, pulmonary, pathophysiology, 47:718, 729
Convection
apnea, 53:483
gas transport and, 47:296
rest and exercise, 49:789
Convective acceleration: *see* Acceleration
Convective diffusion: *see* Diffusion
Convective heat transfer: *see* Heat
Converters, current-to-voltage, oxygen measurement, 44:977
Converting enzyme
angiotensin, exercise during sodium depletion, 45:403
exercise, hypoxia, 52:320
inhibition
hemodynamic response to, exercise and, 53:576
hypoxia, 46:227
pulmonary edema after microembolization, 53:1546
Convulsions
high-pressure
barbiturates, 43:221
heart rate and, 47:834
maturation, newborn, 49:390
high-pressure neurological syndrome, 43:173, 221, 46:128, 756, 50:272
hyperbaric oxygen toxicity, brain, 49:700
hyperoxic, high helium pressure synergism, 53:192
threshold pressure, 43:173
Cooling
body, thermoregulatory response, 53:1228
circulating water, 40:668
core: *see* Temperature
digital, blood pressure measurements, 43:907
evaporative, 40:653
local, age, sex, and physical fitness effects, 44:813
Cooper test, exercise, aging, 43:280
Copper sulfate, intravenous, pulmonary hemodynamic effects (ewe), 51:1204
Cord dorsum potential, 40:79
Core temperature: *see* Temperature, body
Cornea, intact globe studies, 40:447
Coronary artery
autonomic innervation, 41:30
blood flow: *see* Blood flow
cannulation, 40:263
catecholamines, during exercise, 43:949
cauterization, myocardial infarction size in restraint and exercise, 47:393
collateral conductance, exercise effects, 45:797
dynamics
hypoxia, 43:1012
sinoaortic denervation, 43:1012
pressure: *see* Pressure
reactive hyperemia, exercise training, 45:604
stenotic, collateral stimulation by exercise, 52:664
vasodilator reserve and flow distribution, exercise, 43:988
Coronary artery disease
exercise response, 46:1132
hyperventilation and, 52:1161
left ventricular function and volume, exercise, 50:636
Coronary collateral circulation: *see* Circulation
Coronary disease
catecholamines, during exercise and training, 43:901
exercise capacity, after myocardial infarction, 42:782
impaired cardiac acceleration, exercise, 52:71
Coronary flow, exercise training, sex differences, 50:112
Coronary ligation, lymph transport, lung (sheep), 47:792
Coronary occlusion, left ventricular effects, right ventricular developed pressure, 41:925
Coronary reserve, exercise training, 45:604
Coronary sinus
catecholamines, exercise and training effects, 43:801, 949
oxygen consumption, myocardial, exercise and, 49:759
Coronary vascular resistance: *see* Resistance
Cor pulmonale, systemic vascular hypertension, extravascular water, lung, 51:592
Corpuscles
hemoglobin
concentration, exercise, heat, 47:798
G_z acceleration and bed rest, 42:67
volume: *see* Volume
Correlation analysis: *see* specific subject and site; *see also* Models
Corticosteroids
chemoreceptor involvement in, hypoxia, 52:1092
cholinergic receptors and, lung, 53:731
Corticosterone
adrenal response to microwaves, 47:1284
age and altitude tolerance, 50:367
dehydration, acute (camel), 44:926
hypothermia, 42:694
microwave effects, 48:927
myocardial necrosis, exercise training, 44:104
plasma, adrenocortical function in high

altitude, 47:1185
temperature and
microwave effects, 44:438
thyrotropin and, microwave-induced relations, 50:399
Corticotropin, responses, hypoxia, 51:1257
Cortisol
carbohydrate ingestion and, before exercise, 51:783
chemoreceptor involvement, hypoxia, 52:1092
dehydration, acute (camel), 44:926
exercise effects on excretion, 40:155
hypoxia effects, 53:815
hypoxic decompression, 43:421
hypoxic exercise, 42:587
lung maturation, fetal, diabetic mother, 49:971
microwave exposure and (monkey), 53:1565
plasma
acute heat stress, 41:708
saline loading effects, heat acclimatization, 50:605
prepartum maturation, lung, fetal (sheep), 51:384
responses, adrenocorticotropic hormone and, hypoxia, 51:1257
response to heat, aldosterone and renin, 42:554
tracheal fluid decrease, fetal (lamb), 47:985
vasopressin response and regulation, exercise, 49:930
Costovertebral joint
mechanoreceptors: see Receptors
movement, respiratory pattern changes, 48:862
Cotyledons, uterine blood flow, 40:725
Cough
bronchopulmonary reflexes, sleep, 47:17
dynamics, progressive expiratory muscle weakness, *d*-tubocurarine, 51:494
heart rate response to, 53:1039
laryngeal stimulation, sleep, 45:681
Counterdiffusion
isobaric
eye, 47:220
middle ear, 47:1239
subcutaneous tissue, 47:224
Counterperfusion, gases, supersaturation, 42:758
Creatine
clearance, longitudinal changes, 45:536
excretion, age-related, muscle mass decrease and, 43:1001
metabolism, skeletal muscle, cold acclimation, 44:12
Creatine kinase, muscle, after exercise, 43:852
Creatine phosphate
arm-leg work, 46:249
skeletal muscle, training and immobilization effects, 43:700
skeletal muscle immobilization, recovery, 47:435
Creatine phosphokinase
alcohol effects, exercise, heat, 50:1006
chlorpromazine effects, exercise, heat, 50:509
exercise capacity, after myocardial infarction, 42:782
heat injury, 45:1
myocardial, microwave radiation effects, 50:931
plasma, microwave radiation effects, 50:931
serum
dietary potassium depletion, 45:728
heatstroke, 46:334
Creatinine
clearance, distance running, 50:709
excretion, striated muscle mass measurement, 51:762
Critical thermal maximum, 40:683
Critical volume: *see* Volume
Cross-adaptation, decompression sickness and, 47:412
Cross-link inhibitor, lung statics, connective tissue and, 49:1083
Cross-modality matching, respiratory sensations, elastic load effects, aging, 50:844
Curare, pressure-volume relations, respiratory system, 44:589
Curarization
partial
diaphragm function, 48:921
respiratory mechanics in, supine position, 52:57
respiratory muscle function, 49:1049
Curate, block, oxygen uptake and developed tension, 45:751
Current sensitivity, recessed oxygen electrode, 45:145
Current-to-voltage converter, oxygen measurement, 44:977
Cushing reflex: *see* Reflexes
Cyanate
hemoglobin-oxygen affinity, 46:816
oxygen affinity, hemorrhagic shock, 47:889
oxygen dissociation curve, cardiac output and, 53:1299
Cyanide
carotid body denervation, 40:184
carotid chemoreceptor responses, 50:884
Cycle
biological and physiological, continuous light and (hen), 51:1145
estrous: *see* Estrous cycle
Cyclic adenosine monophosphate: *see* Adenosine monophosphate, cyclic
Cyclic AMP: *see* Adenosine monophosphate, cyclic
Cyclic GMP: *see* Guanosine monophosphate, cyclic
Cyclic nucleotides: *see* Nucleotides, cyclic
Cycling: *see* Exercise
Cyclooxygenase
metabolites, anaphylaxis, lung, 53:589
pulmonary hypertension, ethchlorvynol-induced (sheep), 53:563
Cyclooxygenase inhibitor, hypoxic vasoconstriction, alveolar, 45:33
Cystic fibrosis
continuous ventilatory distribution, recovery from inert gas washout, 44:416
emptying patterns, 44:424
expiration, forced, measures, 42:607
ion transport and electrical properties, tracheal epithelium, 44:900
sulfated mucous glycoprotein secretion, trachea, 50:383
Cytochalasin B, effects, pulmonary macrophage endocytosis (hamster), 50:621
Cytochrome aa_3
direct cortical response, 43:858
oxidation, cerebral cortex with hyperbaric pressures, 43:873
Cytochrome *c*, training frequency adaptation, skeletal muscle, female, 51:746
Cytochrome *c* oxidase, redox activity, brain, species differences (turtle, rat), 53:1354
Cytochrome oxidase
coronary collaterals, exercise effects, 45:797
inhibitors, carotid chemoreceptor responses, 50:884
ligaments and tendons, 44:542
myocardial, in endurance training, 44:85
Cytochrome P-450
hypoxia and carbon monoxide effects, lung (sheep), 51:1635
oxygen-carbon monoxide transport, placenta (sheep), 52:479
placental, exercise or hypoxia, 46:828
p-nitroanisole *O*-demethylation, lung, 43:238
transport, facilitated, 43:880

D

Dantrolene, myocardial adaptation, endurance training, 44:85
Data-averaging circuit, pulmonary pressure-flow relations, 47:621
Dead space
alveolar, intracranial pressure increase, 42:335
alveolar-arterial oxygen gradient, exercise, altitude, 50:1129
anatomical, awake and anesthetized-paralyzed men, 47:745
Bohr, helium and sulfur hexafluoride washouts, 51:1122
bronchodilation, distribution, 45:778
cardiogenic gas mixing, pericardial fluid effects, 42:5
common, inert gas exchange, lung, mathematical model, 47:896
continuous ventilatory distribution, recovery from inert gas washout, 44:416
external, increased, ventilatory control during exercise, 48:225
Fowler, high-frequency oscillation effects, 51:1507
gas mixing, 40:362
heart rate and stroke volume effects, gas mixing, lung, 53:1603
lung, multiple-breath nitrogen washout, 44:424
measurement
arterial pH ventilator, 51:154
rebreathing, 53:930
physiological
hemorrhage and shock, 42:279
inert gas elimination, lung, 44:258
pulmonary vascular microembolization, 43:51
respiratory, hypercapnia, ventilation during, 51:78
tidal volume
pulmonary patients, 46:534
respiratory valve and, 49:528
ventilation
measurement of, 53:297
panting (antelope, dik-dik), 44:534
volume: *see* Volume
Death
high-pressure, 47:834
sudden: *see* Sudden infant death syndrome
Decerebration, respiratory patterns, neonatal, progressive asphyxia, 43:468
Decompression
hypobaric, lung volume, density, and ventilatory distribution, 46:752
hypoxic, aldosterone, cortisol, electrolytes, and renin, 43:421
isobaric gas counterdiffusion, eye, 47:220
limits, 40:229
lung mechanics, 46:752
nitrogen elimination, 45:916
decrease in, 41:348
rapid, inner ear dysfunction (monkey), 49:1070
supersaturation, isobaric, 51:852
tendon capillary bundles (guinea pig, bullfrog), 46:696
tolerance, cross-adaptation, 47:412
venous air emboli, microvascular permeability and (sheep), 51:887
venous bubbles following (goat), 51:1238
Decompression sickness
blood and blood vessel changes and, 50:944
calibrated microbubbles, air embolism studies, 51:524
cross-adaptive effects, 47:412
diving, fetal (sheep), 48:776
gaseous supersaturation, 42:758
gas nucleation, 53:940
inert gas
exchange, 47:1263

Decompression sickness (continued)
transport, microcirculatory isobaric supersaturation, 46:1157
inner ear dysfunction (monkey), 49:1070
microbubbles, filtration, lung, 47:537
surfactant effects, air embolism, 52:119
venous bubbles, gas elimination and (goat), 51:1238
xenon exchange rates, 50:1325
Deconditioning: *see* Exercise; Rest
Decongestants
nasal
nasal resistants and, 52:1432
sleep apnea and, 53:1158
Defibrinogenation, lung fluid and protein exchange, glass bead embolization (sheep), 53:895
Deformation, rib cage, during static inspiratory efforts, 46:1071
Degradation, products, strenuous exercise, high altitude, 53:40
Dehydration
acute
body water distribution, acclimated and nonacclimated (desert rodent), 43:585
renin-aldosterone system response (camel), 43:926
bicarbonate, plasma pH changes, 42:928
cold-induced, 41:497
fluid shifts, 42:252
glucose loading, insulin effects and (camel), 42:690
heat and
acceleration tolerance, 47:197
aldosterone and antidiuretic hormone response (cattle), 48:249
hematologic responses, 50:38
hyperthermia: *see* Hyperthermia
kidney function
(kangaroo), 42:636
(prairie dog), 42:295
mucociliary clearance, 42:761
plasma volume shifts, 49:119
sodium and potassium metabolism and, 41:457
thermal, plasma water shifts, 47:738
thermoregulation and, high ambient temperature, 51:46
thyroid metabolism, 45:540
voluntary, boys, 48:104
water and electrolytes after, muscle, 40:6
Deiodination, thyroxine, cold exposure, 51:1157
Delayed equilibration hypothesis: *see* Equilibration
Delta efficiency, anaerobic work, 44:564
Denervation: *see also* specific nerve and site
cardiac, exercise and, 42:878
carotid body, ventilatory response, 44:28
carotid chemodenervation, hypoxic arousal, sleep, 51:1294
carotid chemoreceptor, breathing and, newborn, 51:630
chemoreceptor, 41:336
hypoxia (goat), 50:392
hypoxic chemosensitivity, asthmatics, 46:632
peripheral function (pony), 49:964
ventilatory response, fetal (lamb), 42:630
intrapericardial, training bradycardia and, 52:1586
kidney, exercise effects, 51:1618
sinoaortic, cardiac and coronary dynamics in hypoxia, 43:1012
sympathetic, cerebrovascular responses to carbon dioxide (goat), 53:873
Densitometry, measurement of body fat, 41:223
Density, body: *see* Body, density
Density dependence
airway
histamine, inhaled, 42:508
hypoxia, 47:8
bronchoconstriction, 50:575
expiratory flow and, determinants, 49:897
2-Deoxy-D-glucose, uptake, lung slices from fed and fasted rats, 44:380
Deoxyribonucleic acid
exercise-induced changes, skeletal muscle, 53:1144
hypertrophic skeletal muscle, 46:835
lung growth, compensatory, 43:27
myocardial, capillary revascularization, Feulgen technique, 42:501
synthesis, liver, heat acclimation, 43:445
Depolarization, potassium chloride, hypoxia, 49:450
Depression
central, hypoxia, 46:1127
hypoxic, at 3,850 m, 43:114
Depressor nerves, aortic, chemoreceptor function, 42:344
Desalivation, heat stress and, 53:1171
Detectors, external, albumin clearance, alveolar, 43:497
Detergent rinsing, excised lung, mechanical properties and morphology, 47:1002
Deuterium, energy expenditure, doubly labeled water method of measurement, 53:955
Deuterium oxide, indocyanine green and, detection, blood flow, 50:1367
Development: *see also* Growth; Maturation
coronary collaterals, 45:797
embryonic
mechanical stress (chick), 46:298
shell diffusion area, incubation at high altitude (chick egg), 45:551
fast-twitch muscle, overload, 49:583
lung
biochemical, organ culture model, 45:355
biogenic amines, 50:118
cold acclimation and, 48:886
comparative (pig), 45:806
fetal (monkey), 53:230
hormones and, fetal, in culture, 48:872
newborn, 53:1220
muscle, fasting effects, 53:1234
postnatal, mechanical properties of lung, 53:140
pulmonary
circulation (pig), 45:806
fetus, maternal diabetes and, 49:971
in diabetes, fetal, 48:643
respiratory patterns, fetus, in utero (sheep), 50:693
Dew-point temperature: *see* Temperature
Dexamethasone
adrenal response, microwaves, 47:1284
cholinergic receptors and, lung, 53:731
lung development, fetal, in culture, 47:872
Dextran
absorption, pulmonary edema, 44:576
restricted transport, lung lymph (sheep), 52:585
skeletal muscle, acute anemia, 46:1035
Dextran 70, isovolumic anemia and exercise, myocardial blood flow, 53:203
Diabetes
alloxan
cortisol effects, fetal, 49:971
lung maturation, fetal, 48:643
cold exposure effects, amino acids, muscle, 52:1250
exercise effects, 42:240
glucose/lipid metabolism, physical training, 52:1514
streptozotocin, insulin and training effects, diaphragm, 52:1471
streptozotocin-induced, insulin and, exercise performance, 50:482
Diaphragm
action, rib cage, 53:756
activity
force expiratory vital capacity, 51:1515
pressure breathing, 50:348
relaxed and forced vital capacity, 47:38
adaptations
diabetes and training effects, 52:1471
exercise or emphysema (hamster), 53:1263
increased respiratory load, 44:905
airway
carbon dioxide, breathing frequency and, 52:190
occlusion, 40:338, 345
contraction
alveolar expansion gradient in lateral posture, 43:32
flow dependence of gas distribution, 45:733
costal and crural parts, rib cage, 53:30
developmental pattern, 44:909
electrical activity, 41:536
electromyography: *see* Electromyography
endurance, 43:189
fatigue
detection by phrenic stimulation, 50:538
evaluation of, 53:1196
(mammal), 53:440
pressure and timing of contraction effects, 53:1190
frequency response analysis, 40:729
function
during immersion, 43:297
partial curarization, 48:921
posture effects, 51:1552
hyperinflation
histamine-induced asthma, 49:869
inspiratory function, 40:67
influence of contraction of, ventilation distribution in horizontal position, 40:417
inspiratory pressure swings, partitioning, 44:200
length-tension characteristics, 41:369
lung interdependence and lung-chest wall interaction (pig), 46:8
mechanics
during contraction, statics and dynamics, 44:829, 840
during sleep, 43:600
muscle fatigue, newborn, 46:688
muscle tone, 47:279
normal, force-length relations, 53:405
paralysis, chest wall mechanics in, 53:373
partial curarization, 49:1049
pressure, measurement, gastricesophageal probe, 47:628
respiration, cold acclimatization and ouabain sensitivity, 42:150
responses
chemical stimulation and loading, 53:1133
quadriplegic men, 51:654
reversible paralysis, respiratory response, 51:1150
single motor unit activity, pressure breathing, 50:348
size, weight and muscularity effects, 52:64
stepping frequency and, exercise, awake state, 51:835
strength, phrenic stimulation, 50:538
tidal volume, carbon dioxide rebreathing, 46:709
tone
functional residual capacity and, newborn, 51:830
regional lung volumes, 43:32
tonic inspiratory muscle activity, asthma, 50:279
volume displacement, length changes and, 53:750
Diastolic compliance: *see* Compliance
Diastolic pressure-area curve: *see* Pressure-area relations

Diastolic pressure: *see* Pressure
Diazepam, hyperbaric oxygen toxicity, brain, 49:700
Dibutyryl GMP: *see* Guanosine monophosphate, cyclic
Dichloroacetate, plasma lactic acid, exercise, 48:427
Dictyostelium discoideum, bubble formation, intracellular, lack of, 47:1270
Diet: *see* Feeding
Diffusing capacity, 40:399
age and physical activity effects, lung, 45:709
alveolar-arterial oxygen gradient, exercise, altitude, 50:1129
breath holding, different lung volumes, 47:32
carbon monoxide
competitive inhibition, lung, 50:1061
independent of carbon monoxide level, lung, 51:571
lungs, effect of static or slowly flowing blood, 46:992
nitroglycerin effects, pulmonary, exercise, 52:851
placenta, 45:155
placenta (sheep), 43:885
rebreathing techniques, 49:910
steady-state pulmonary transfer, 43:880
cold acclimation, developing lung, 48:886
distribution, lung, 51:1463
exhaled, theoretical analysis, 48:648
intrapulmonary blood flow and, hypoxia, 52:1575
lung
carbon monoxide, 46:992, 52:109
during hypoxia, 50:165
hysteresis, 49:566
rapid measurement (small animal), 46:394
membrane, dithionite method, 46:100
nonlinear increases, exercise, 51:858
oxygen, placenta (sheep), 43:885
positive-pressure ventilation, 47:453
pulmonary
carbon monoxide effects, 53:505
oxygen and carbon monoxide, rebreathing, 51:1643
pulmonary disease, chronic obstructive, 43:617
regional, slow exhalation, lung, 52:1487
single-breath
carbon monoxide, 51:1306
lung volume (small mammals), 48:1052
single exhalation, new analysis, 43:617
temporary unilateral pulmonary artery occlusion, 51:845
work, lung adjustments, 52:1124
Diffusion: *see also* Counterdiffusion
aerosols, effectiveness, 44:803
albumin, alveolar, 43:497
altitude, extreme, man, 52:1393
augmented, airways, pulmonary gas exchange, 49:232
carbon dioxide and bicarbonate, hindlimb, 47:1090, 51:1136
carbon monoxide, pulmonary, 46:992, 51:571, 1306
cardiogenic oscillations, 51:1287
coefficient, cardiogenic gas mixing, pericardial fluid effects, 42:5
convective
isobaric supersaturation risk, 46:1157
pulmonary acinus, 52:624
edema, lung, 53:1273
enhanced
apnea, 53:483
high-frequency oscillation, 48:710
facilitated
carbon dioxide, lung, 50:1061
carbon monoxide effects, 53:505
cytochrome P-450 and, lung (sheep), 51:1635
placenta (sheep), 43:885
gas
acid-base balance, embryo (chick), 50:819
conducting airway (pig), 43:391
hyperbaric environment and, lung, 51:1243
supersaturation by, 42:758
helium, alveolar space, 43:403
inert gas, 43:414
isobaric, supersaturation (piglet), 44:914
washout, 45:903
limitations
cerebral gas exchange, 46:1164
exercise tolerance, high altitude, 53:1487
liquid layer, flow-dependent catheter, 44:124
membrane, carbon dioxide, 52:109
nonuniform, exhaled diffusing capacity, lung model, 48:648
oxygen
excised lungs, dithionite method, 46:100
pulmonary arterioles, reflection spectrophotometry, 48:848
prostaglandins A_1 and $F_{2\alpha}$, metabolism, pulmonary (pig), 46:211
protein, lung, 42:144
pulmonary
gaseous interaction, 53:496
prolonged recumbency effects, 50:950
simple, propranolol uptake, pulmonary, 52:393
sulfur hexafluoride, alveolar space, 43:403
supersaturation, isobaric, 51:852
Taylor, alveolar gas exchange, 48:147
Diffusion barriers, passive lipid uptake, posterior tracheal epithelium, 52:1223
Diffusivity
ambient gas, cardiac function and, embryo (chick), 51:1017
effective, oleic acid lung disease, 50:1056
gas, alveolar gas exchange and, 48:147
Digital computer: *see* Computers
Digital filtering, smoothing of maximum expiratory flow-volume relations, 48:202
Digital stimulator, 40:987
Dihydroxyacetone, blood oxygen affinity reduction, 43:102, 47:478
5,7-Dihydroxytryptamine, respiratory afterdischarge, 50:239
Dilution technique, lung volume, immersion, 44:679
Dimaprit, airway reactivity (monkey), 49:729
Dimethyl ether
partition coefficients, hematocrit and temperature effects, 51:1357
pulmonary tissue volume
edema, 44:782
measurement, 49:910, 51:1375
rebreathing, 44:795
5,5-Dimethyl-2,4-oxazolidinedione (DMO), pH, intracellular, airway smooth muscle, respiratory acidosis, 42:408
Dimethyloxazolidinedione technique, intracellular pH, body temperature and (iguana), 53:1466
Dimethylphenylpiperazinium
selective autonomic stimulation with, trachealis muscle, 51:428
sympathetic stimulation, trachealis, 53:21
Dimethyl sulfoxide, carbon dioxide partial pressure, transcutaneous, monitoring, 50:1220
Dinitrophenol, ventilation stimulation, tissue hypermetabolism, 43:72
2,4-Dinitrophenol
carotid chemoreceptor responses, 50:884
salicylate and, respiration and metabolism, 53:925
sodium-potassium-ATPase characterization, tracheal epithelium, 48:1008
ventilatory stimulation, 47:1066
Dipalmitoyl lecithin, pulmonary surface film stability and composition, 47:604
Dipalmitoyl phosphatidylcholine
metabolism
pulmonary surfactant, 48:812, 53:1
surfactant, 42:483
Diphenhydramine
endotoxin effects, vascular permeability, lung (sheep), 49:516
histamine response, pulmonary, newborn (lamb), 49:380
lung lymph, albumin clearance and, 50:1151
pulmonary hypertension, ethchlorvynol-induced (sheep), 53:563
Diphosphoglycerate
cardiac output and, 53:1299
oxygen affinity, blood, 53:87
2,3-Diphosphoglycerate
blood oxygen affinity reduction, 43:102
erythrocytic, effect of carbon monoxide, 41:689
hematologic responses, carbon monoxide and altitude, 43:365
hemoglobin affinity for oxygen, exhaustive exercise, 48:236
hemoglobin-ligand interaction, temperature effects, 43:545
hemoglobin-oxygen affinity, stored blood, skeletal muscle, 51:864
oxygen affinity
blood, 47:478
hemorrhagic shock, 47:889
oxygen equilibrium, fetal and adult (seal), 50:999
oxygen transport, anemia, 44:36
red cell oxygen affinity, fetal (sheep), 45:7
2,3-Diphosphoglyceric acid
hemoglobin-oxygen affinity reduction, 43:632
oxygen affinity, blood, in altitude Sherpas, 47:337
Dipyridamole
acid-base state, vascular smooth muscle, 51:179
coronary vasodilator reserve, flow distributon and, exercise, 43:988
Disability, exercise performance, wheelchair, 50:824
Discocytes, erythrocytic, ozone exposure, 45:893
Disequilibrium, postcapillary pH changes, gas exchange, 44:770
Disodium cromoglycate, pulmonary vascular tone and, 51:1320
Dispersion, Taylor, pulmonary airways, 46:799
Distance running: *see* Exercise
Dithionite method, oxygen diffusing capacity, lung, 46:100
Diuresis
antiorthostatic hypokinesia, 49:576
cold, hormone responses to, 53:610
diving, 40:605
immersion. 42:915
fluid shifts, 46:703
osmoregulation and, 51:686
prolonged, 49:184
renal response (monkey), 48:243
vasopressin effects, water immersion, 51:1384
Diuretic agents, sodium-chloride ionic transport, tracheal epithelium, 47:598
Diurnal rhythm: *see* Rhythm
Diving: *see also* Immersion; Submersion
adaptation, carbon dioxide, 46:1076
atrial conduction and excitability, 45:24
body cooling, thermoregulatory response, 53:1228

Diving (continued)
cardiovascular response, fetal (seal), 49:424
central organs, activity (seal), 48:596
closing volumes, 40:736
commercial divers, large lungs, functional characteristics, 46:639
decompression limits, 40:229
exercise, 40:903
gas bubbles, fetal (sheep), 48:776
heart rate control, carotid body chemoreceptors and (duck), 53:1405
hematologic changes, two exposures to 6.7 ATA air, 42:838
hemodilutions, 42:838
high-pressure, infertility and, 53:1207
hyperpnea, cardiovascular effects on (duck), 52:206
isobaric counterdiffusion
eye, 47:220
middle ear, 47:1239
subcutaneous tissue, 47:224
isobaric inert gas supersaturation (piglet), 44:914
large lungs, 47:1136
lung mechanics, 40:320
lung volume, 45:783
metabolic activities, heart, lung, and brain (seal), 48:596
no-decompression, fetal response (sheep), 48:776
oxygen
capacity, blood (harbor seal), 42:852
delivery, fetal and adult (seal), 50:999
storage (beaver), 42:545
tolerance, pulmonary, 42:593
physiology, 44:679, 914
L-DOPA, levels of serum growth hormone, 41:523
pressure transducers, 47:631
pulmonary circulation, tissue volume and, 40:293
reflexes
bradycardia response to facial immersion, 47:1218
heart rate and, female swimmers, 45:875
lung volume and, 45:783
regional blood flow (seal), 47:968
respiratory control, 48:528
respiratory responses, 40:903
saturation
electrocardiogram changes, 42:614
respiratory resistance measurement, 52:549
simulated, deep, inner ear dysfunction (monkey), 49:1070
snorkeling, negative-pressure breathing, 48:977
tables, nitrogen elimination, 45:916
thermal insulation, shivering threshold and, 52:845
thrombocytopenia, 42:838
ventilatory response to carbon dioxide, 46:1076
DMO: *see* 5,5-Dimethyl-2,4-oxazolidinedione
Donnan ratio for chloride, 40:762
Dopamine
blockade, neural response of carotid chemoreceptors, 50:172
breathing control, prolonged exercise, 50:27
carotid body, hyperpnea and, exercise (goat), 52:1216
chemoreceptor responses to, aortic body, 53:596
excretion, hypoxia, 52:304
inhibition, chemoreflexes, breathing, 50:892
interaction, oxygen and carbon dioxide chemoreception, carotid body, 49:45
prochlorperazine effects, ventilatory response to asphyxia, 53:637
respiratory afterdischarge, 50:239
respiratory alkalosis, 44:581
submaximal exercise and recovery, 47:701
Doppler detection, 40:229
Dorsiflexion, ankle, joint position and, 51:160
Dose-response relations
airway, inhaled histamine, 47:51
atropine, thermal bronchoconstriction, asthma, 53:1576
bronchodilator, partial flow-volume curves, measurement, 50:1193
inhalation, methacholine, asymptomatic smokers, 52:1464
Doxapram
blood flow, cerebral, during exercise, 48:213
chemoreceptor function, aortic and carotid, 42:344
hypoxic chemosensitivity, glomectomized asthmatics, 46:632
stimulation, carotid chemoreceptors and ventilation, 52:1261
dP/dt, exercise effects, 49:444
Drinking
altitude, simulated, 44:652
fluid-electrolyte distribution, 48:838
hypohydration, voluntary, boy, 48:104
thermogenic, 41:497
thirst
desert walks, 40:236
effect of water temperature, 41:497
Drugs, metabolism, lungs, 43:238
Dryer, rapid response, on-line expired gas measurements, 46:1196
DuBois equation, modified, 40:101
Duty cycle, occlusive sleep apnea, 48:432
Dye-dilution: *see also* Indicator-dilution technique
cardiac output estimation, single breath, 50:200
lactate release during exercise, 44:350
sitting position, effects on pulmonary blood pressure, flow, and volume, 46:36
Dyes: *see* Specific dye
Dynamic compliance: *see* Compliance
Dynamics: *see* specific subject or site
Dysanaptic growth: *see* Growth
Dysplasia, bronchopulmonary, infant, 45:648
Dyspnea
diaphragmatic fatigue, 43:189
resistive load detection, 49:958
respiratory neuromuscular output, breath holding, 50:435
upper airway receptors, stimulus to, 51:1189

E

Ear
inner, dysfunction in rapid decompression (monkey), 49:1070
middle, gas exchange in isobaric counterdiffusion, 47:1239
oximeter: *see* Oximeter
Eccrine gland
sweating, characteristics of (monkey), 53:425
thermoregulation, 40:653
Echinocytes, ozone exposure, 45:893
Echocardiography
heart size, 49:994
left ventricular
dimensions, endurance training, 47:207
function, marathon running, 51:881
masses, distance runners and weight lifters, 48:154
static exercise, athletes, 49:676
training duration effects, cardiac growth, 53:225
ventricular dimensions, noninvasive measurement, 41:953
Edema
airway, regional pulmonary perfusion, intact lung, 49:834
albumin role, perfused lung, 50:1065
alveolar, lung inflation and permeability effects, 53:121
brain, cerebrospinal fluid, newborn, 51:1086
cardiac, formation, extravascular water content, heart, 45:102
hydrostatic, lung lymph fistula (goat), 51:226
oleic acid dose-related, perfused lung, 50:1115
peribronchiolar, small airway impairment, 46:792
pulmonary
absorption, 44:576
acid aspiration and, 51:335
acute induction to high altitude, 41:631
aerosolization and, 51:955
after microembolization, converting enzyme inhibition effects, 53:1546
alloxan, lung tissue volume, 44:782
alloxan, solute permeability, alveolar epithelium, 44:353
altitude and aging, 48:6
alveolar flooding and, 53:267
blood flow, isolated perfused lung lobe, 48:444
bradykinin-induced vascular permeability, 52:370
breathing and, 45:385
capillary filtration, isoproterenol and aminophylline effects (sheep), 46:146
capsaicin and, 47:961
cardiac output, 46:315
cardiopulmonary baroreflexes, 43:107
cardiovascular effects, 44:743
catecholamine excretion, high altitude, 44:725
catecholamine excretion, urinary, high altitude, 42:728
catecholamine-induced (sheep), 50:1353
collateral ventilation changes, 53:70
continuous oxygen exposure effects, 51:1220
continuous positive-pressure ventilation in, 40:568
detection, blood flow, 50:1367
development, lung tissue volume, 48:1038
diphenhydramine, vascular permeability (sheep), 49:516
efferent duct and (sheep), 50:1372
electrical impedance and, 53:1608
endothelial injury after unilateral microembolization, 47:556
endotoxin infusion and (sheep), 53:967
extravascular lung thermal volume as measure, 48:120
extravascular thermal volume, lung, 53:1614
fetal and newborn (lamb), 53:992
fluid, proteins, lung lobe, 48:444
fluid accumulation, 45:284
fluid and protein exchange (sheep), 53:543
fluid filtration, transvascular, 42:476
fluid filtration and, lung (pig), 51:1065
fluid leaks, high altitude, 44:759
fluid pressure, lung, 52:1444
fluid pressure and interdependence, 51:911
fluid shifts, zone I lungs, 48:256
formation, 45:102
glass bead microembolization (sheep), 52:155
hemorrhagic shock, 45:298
high-altitude, 47:670, 49:1047
high-altitude, renin-aldosterone axis and, 52:320
high altitude susceptibility, 46:41

histamine, permeability indicators (sheep), 43:99
hypercapnia and, newborn, awake state (lamb), 51:423
hyperoxic lung injury, granulocyte depletion, 52:1237
hypobaric depression, lung mechanics, 46:752
hypoperfusion effects, 50:102
hypoxemia, at high altitude, 46:41
increased permeability, measurement by transthoracic γ-ray attenuation, 47:1228
indomethacin effects (sheep), 53:563
inert gas elimination, 44:258
interactive influences, lung water, 50:905
interstitial, 40:962
interstitial, oleic acid-induced, 48:1045
interstitial, peribronchial fluid pressure, 48:177
interstitial, pressure-volume relations, 52:260
interstitial fluid pressure measurement, 52:9
interstitial fluid space compliance, 48:677
intracranial hypertension and (sheep), 52:1324
isolated lobe, lung volume history and, 45:880
left atrial pressure, lymph flow and seizures (sheep), 53:432
liquid and protein clearance, alveoli, anesthesia (sheep), 53:96
lobar acid injury, 49:150
lung inflation, zone I, 49:815
lung inflation and arterial pressure, 45:442
lung water, extravascular, 42:624
lymph drainage patterns, 43:894
lymph duct, right, cannulation, 43:899
lymph flow and fluid compartmentation, 51:1268
lymph transport and (sheep), 47:792
membrane pores, 44:576
microemboli (sheep), 47:213, 48:414
microembolization, 43:51
micropipettes, 53:737
microvascular filtration, 48:438
microvascular permeability and (sheep), 51:887
microvascular permeability following, 52:403
α-naphthylthiourea and, 52:1316
neurogenic, intracranial hypertension (sheep), 48:273
neurogenic, intracranial pressure effects, 50:967
neurogenic, physiological effects, 49:856
neurogenic, vascular response, 48:957
newborn, 49:171
noncardiogenic, monocrotaline model, 45:962
peribronchial electrical admittance measurement, 49:337
permeability, epithelial, 44:576
platelet depletion (sheep), 48:414
positive end-expiratory pressure effects, water content, 53:9
positive end-expiratory pressure, 44:25
positive-pressure ventilation, 47:453
postictal, status epilepticus (sheep), 52:91
pressure-volume behavior, perivascular interstitium, isolated lung, 48:939
prostaglandins and arachidonic acid, 53:1005
protein flux, transvascular (sheep), 45:225
protein metabolism, lung, 47:1058
protein permeability, alveolar, 42:144
radiotracer clearance, 50:1337
redistribution of blood flow, 52:96
reflux, 47:556
regional perfusion and, 49:834
safety factor, interstitial forces, 44:267
sepsis and (dog, baboon), 50:1198
shock and reinfusion, 50:1227
shunt in, cardiac output increase, 53:1273
site, after unilateral microembolization, 47:556
sodium and sucrose indicators of, 52:792
solute permeability, alveolar epithelium, 50:859
systemic venous hypertension effects, lung water, 51:592
temporary unilateral pulmonary artery occlusion, 51:845
tissue volume, 44:782
tissue volume, rebreathing measurement, 48:66
transpulmonary and vascular pressures, 43:14
unilateral, after reexpansion of collapsed lung, 46:31
unilateral, positive end-expiratory pressure and position effects, 52:147
vascular and extravascular compartments, lung, 46:74
vascular response to intracranial pressure increase, 42:335
vesicle distribution, 50:334
water, extravascular content, lungs, 45:102
water, regional extravascular (sheep), 46:932
weight gain and, lung lobes, 52:173
EDTA, $_{51}$Cr-labeled, regional lung water, 49:547
EEDQ, histamine bronchoconstriction, adrenergic influences, 44:340
Effective dose concept, ozone toxicity detection, continuous exercise, 51:415
Efferent duct, anatomic variations, caudal mediastinal lymph node (sheep), 50:1372
Efferents
phrenic, respiratory inhibition (dog, monkey), 44:718
vagal
exercise, asthma, 42:746
serotonin and, interaction, lung, 44:144
Efficiency, exercise training and, 50:444
Effort: *see* Exercise
Egg: *see* Embryo
Eggshell, conductance, changes, altitude effects (chicken), 53:1429
Eicosatetraynoate, vascular effects, lung (sheep), 48:581
Ejection fraction, left ventricular function, strenuous exercise effects, 53:380
Ejection time
left ventricular, bicycle exercise, 46:588
postexercise, paradoxical reduction and increased transthoracic impedance, 45:1002
Elastance
effective, 40:539, 805, 895
hypoxemia, newborn (monkey), 51:1169
loaded breathing, 43:339
maturational changes in, newborn, 53:766
thoracic volume-airway occlusion pressure relations, 43:312
esophageal, 40:953
respiratory system, 53:149
trachea, 44:137
Elastase
connective tissue, lung, 42:206
single-breath nitrogen washouts and, 52:141
Elastic constants
lung, 40:508
trapped lung parenchyma, 44:853
Elastic emphysema: *see* Emphysema
Elastic fibers, network, lung, 42:206
Elasticity
linear analysis, lung lobes, 48:487
lung: *see* Lung
oscillatory respiratory impedance, measurement, 46:956
pulmonary fibrosis, regional and diffuse (baboon), 47:138
sex, age, and emphysema, lung, 49:558
starvation and emphysema, lung tissue, 48:284
vascular, noncontact measurement of, 40:634
Elastic load, 40:357, *see also* Load; Loading
breathing studies and, 41:277, 50:78, 299
compensation, diaphragmatic electromyography, 49:669
first-breath ventilatory responses, 46:743
inspiratory
chronic airway obstruction, 51:1388
load effects, 50:162
normal and cord-injured man, 43:339
resistive and, expiratory duration and abdominal muscle response, 46:730
respiratory sensations, aging effects, 50:844
sulfur dioxide and, 43:844
ventilatory response, hyperpnea, 47:778
Elastic modulus, renal capsule, 40:164
Elastic recoil: *see also* Lung recoil
chest wall, neuromuscular blockade, 47:1162
isoproterenol, 40:525
lung: *see* Lung, recoil
postnatal development, lung, 53:140
pressure: *see* Pressure
Elastic recoil pressure-volume curves: *see* Pressure-volume relations
Elastic storage, energy, exercise efficiency and, 48:518
Elastin
penicillamine and bleomycin effects, lung, 49:1083
postnatal development, lung, 53:140
pulmonary fibrosis (baboon), 47:138
Electrical activity
diaphragm, negative lower torso pressure, quadriplegic men, 51:654
proximal bundle breathing, subjacent muscle and, 42:235
respiratory muscle, lung volume-chemical drive interaction, 42:287
Electrical admittance, peribronchial, lung edema and congestion measurement, 49:337
Electrical field stimulation, fluid secretion, tracheal glands (ferret), 49:1027
Electrical impedance
cardiac output, arm exercise, women, 51:1488
fallopian tube, 40:114
lung edema, congestion and, 49:337
plethysmography: *see* Plethysmography
thoracic, 40:91
pulmonary gas and blood volume and, 53:1608
transthoracic, high altitude, 47:670
Electrical isolation, proximal bundle branches, 42:235
Electrical pacing, heart rate, workload and, 41:328
Electrical potentials: *see* Potentials
Electrical properties, tracheal epithelium, calcium effects, 44:900
Electrical resistivity, blood, during work, 45:459
Electrical stimulation
airway, isolated, responses, 45:690
field, bronchomotor response to, airway (sheep), 53:1088
5-hydroxytryptamine, pulmonary artery, 51:693
immobilized hindlimb muscles, 53:960

Electrical stimulation (continued)
phosphorylase *a*, skeletal muscle, 45: 852
respiratory inhibition (dog, monkey), 44:718
Electrocapacitance plethysmography: *see* Plethysmography
Electrocapillary flowmeter: *see* Flowmeter
Electrocardiography
after high altitude exposure, 41:159
esophageal temperature probe position, verification, 47:638
exercise
near-maximal, 43:988
sulfur dioxide and, 43:844
hyperbaric exposure, 42:614
noninvasive determination, anaerobic threshold, running, 52:869
Electrodes
esophageal, lung volume, electromyography, 45:392
hypodermic needle oxygen tension, 48:186
monopolar, intravascular, 44:969
nitrous and oxygen pressure, simultaneous analysis, blood and gas, 45:637
oxygen
current sensitivity, 45:145
design criteria and performance characteristics, 45:145
oxygen and carbon dioxide, blood concentrations, measurement, 44:818
pH, slow postcapillary pH changes in blood, 45:565, 674
position, esophageal diaphragmatic electromyography, 47:1234
reference, liquid junction, 41:125
transcutaneous, combined oxygen-carbon dioxide pressure, bicarbonate stabilization, 51:1027
Electroencephalography
chronic recording of activity, 41:268
extra-auditory response, noise, 49:985
high-pressure neurological syndrome, 46:756
Electrography
evoked spinal, 40:79
His bundle, 40:74
Electrolytes
after dehydration, 40:6
airway surface liquid, 50:613
cutting, 40:278
excretion, antiorthostatic hypokinesia, 49:576
$+G_z$ acceleration, 40:67
hypoxic decompression, 43:421
muscle, after exercise, 45:474
plasma
distance running, 50:709
hypovolemia, exercise training-induced, 48:665
treadmill exercise and, 53:1529
plasma volume and, distribution, sodium ion and calcium ion ingestion, 48:838
saline loading effects, heat acclimatization, 50:605
secretions, airway, 46:205
shift, bed rest with isometric and isotonic exercise, 42:59
thermal dehydration, 50:38
thermoregulation, during exercise, 43:1026
training and heat acclimation, sedentary females, 46:978
transport
hyperbaric gas effects, erythrocytes, 49:204
tracheal epithelium, 48:1008
tracheal mucosa, 46:111
urinary
exercise and bed rest effects, 43:126
hypoxia effects, 53:815
Electromagnetic flow probes: *see* Probes
Electromagnetic valves: *see* Valves
Electromechanical stimulator, 40:824
Electromyography
abdominal muscle activity, 51:1471
action tremor, exercise-induced, ankle, 53:1164
airway occlusion, 40:338, 345
alae nasi activation, nasal resistance and, 52:1432
chest wall mechanics, awake state, 50:134
diaphragm, 40:971
band-pass filtering, cardiac signal, 46:152
carbon dioxide rebreathing, quantification, 43:262, 50:1052
digital computer analysis, 43:551
esophageal, electrode position, 47:1234
esophageal recording, lung volume, 45:392
evoked potentials, 40:971
fatigue, 46:1
fatigue, newborn, spectral analysis, 46:688
force fatigue, 53:1094
inspiratory, spectral analysis, 46:152
inspiratory motor output, 49:609
mechanics during contraction, 44:829, 840
muscle tone, 47:279
quadriplegic men, 51:654
respiration, fetus in utero (sheep), 50:701
respiratory pattern, fetal, in utero (sheep), 50:693
respiratory response to elastic loads, 49:669
responses, carbon dioxide rebreathing, 50:1052
statistical time series analysis, 43:262
digital computer analysis, respiratory muscle, 43:551
endurance, spectral moments, statistical analysis, 53:779
fast and slow muscle, 52:451
forced expiratory vital capacity, diaphragmatic activity during, 51:1515
genioglossus muscle
carbon dioxide rebreathing, 50:1052
inspiratory activity, 49:801
upper airway pressure changes, 52:445
inspiratory pressure swings, partitioning, between diaphragm and intercostal/accessory muscles, 44:200
integrated, 40:971
intercostal, respiratory inhibition, sympathetic afferents (dog, monkey), 44:718
isometric contractions, fatiguing and nonfatiguing, 51:399
muscle
activation, upper airway and diaphragm, 53:1133
endurance and exercise, 51:1
fatigue index, 43:750
parasternal intercostal muscle activation, breathing efforts, 52:524
postexercise limb muscle, synchronous to respiration, training effects, 46:1093
power spectra
action tremor, ankle, 52:226
force fatigue and, 53:1094
fatigue, sustained maximal efforts, 51:1300
respiratory-locomotor coupling, exercise, awake state, 51:835
respiratory muscle
asthma, 49:869
expiratory loading, 49:601
posture effects, 51:1552
sensation and vastus lateralis, pH effects, cycling exercise, 52:1181
submental, breathing and swallowing coordination, infants, 50:851
thermogenic control, exercise and cold environment, 47:1084
thermoregulation and, 41:142
upper airway muscles, before inspiration, 49:638
Electroneurography
phrenic
airway occlusion, 51:99
pressure and volume changes, lung, 51:109
Electron microscopy
frozen lung, 45:325
immunocytochemistry, pulmonary endothelium (calf), 53:914
perfusion fixation, lung, 53:528
rapid freezing, lungs, 53:516
scanning
decompression sickness, 50:944
pulmonary microcirculation, 53:510
transmission, pore size, alveolar, 51:739
Electrophoresis
tracheobronchial secretions, 45:182, 190
two-dimensional, long-distance racing (horse), 50:245
Electrophysiological measurements, high-pressure chamber for, 48:562
Electrophysiology: *see* specific subject and site
Electrotonus, proximal bundle branches, 42:235
Emboli, venous graft, 40:229
Embolism: *see also* Microembolism
air
intracranial pressure increase, 50:967
microbubbles, filtration, lung, 47:537
positive-pressure ventilation, 42:368
pulmonary veins, 48:957
supersaturation, gaseous, 42:758
surfactant and, 52:119
bead embolization
glass, lung, 49:841
vascular, functional lung unit, identification, 49:132
gas, due to FC 80 liquid fluorocarbon, 40:745
lung fluid balance, heparin or fibrinogen depletion effects (sheep), 47:213
pulmonary
air, calibrated microbubbles, 51:524
air, hydrodynamic features, model, 51:1002
air, venous, microvascular permeability, lung (sheep), 51:887
blood flow redistribution, 51:211
bronchovascular adjustments, 49:476
carbon dioxide diffusion, 46:992
carbon monoxide diffusion, 46:992
inert gas elimination, 44:258
lung fluid balance after (sheep), 52:1565
lung vascular permeability (sheep), 45:590
vagal afferents, cardiac, 47:312
ventilation-perfusion relations in, 51:607
regional, pulmonary edema, 47:556
Embolization, atelectasis and, extravascular thermal volume, lung, 53:1614
Embryo
acid-base balance, helium and sulfur hexafluoride exposure (chick), 50:819
acid-base disturbances, respiratory and metabolic (chicken), 53:1449
blood, respiratory properties of (geese), 53:1432
blood pressure measurement, needle catheter (chick), 51:1023
development: *see* Development; Growth; Maturation
hemoglobins, functional properties of (chicken), 53:1439
oxygenation and deoxygenation, capillary blood, 40:399
oxygen
consumption, mechanical stress (chick), 46:298
dissociation curve, capillary blood,

40:393
tension, spinal cord (chicken), 53:1455
Embryology: *see* specific subject and site
Emphysema
collateral and airway resistance, 46:67
diaphragm adaptability (hamster), 53:1263
elastase-induced, 42:206
evolution, 43:721
enzyme-induced, 41:332
fasting effects, 48:284
expiratory flow-volume curves, maximum, 44:156
forced oscillatory respiratory parameters, 46:61
lung structure and function, model, 51:321
pressure-volume relations
excised lung, 49:558
exponential analysis, 52:838
pulmonary, experimental, 41:174
Encephalopathy, hypercapnic, 44:333
End-expiratory lung volume: *see* Volume, lung
End-expiratory pressure: *see* Pressure
End-expiratory pressure ventilation: *see* Ventilation
Endocrine control
microwave bioeffects, relations, 50:399
temperature (sheep), 43:668
Endocrine responses
chair rest, water immersion and, 48:927
exercise, 47:1311
orthostatic, fainting, 51:1404
saline loading, heat acclimatization, 50:605
Endocytosis, pulmonary macrophage, colchicine or cytochalasin B effects (hamster), 50:621
Endoperoxides, prostaglandin: *see* Prostaglandin endoperoxides
Endoperoxide analogs, pulmonary vascular bed, 42:953
Endorphins
breathing, fetal (lamb), 47:527
maturational effects, respiratory control, newborn, 53:1063
respiratory afterdischarge, 50:239
respiratory control and, hypoxia, newborn, 51:122
respiratory output, 47:1105
ventilation, newborn, 50:713
ventilatory depression, hypoxia-induced, 52:1030
β-Endorphins
central depression, respiration and circulation, 50:1011
plasma, immunoreactivity, treadmill exercise and, 52:1245
Endothelial barrier, microvascular fluid and solute transdudation, pore-membrane models, 51:1574
Endothelial cells
microembolization, pulmonary removal, biogenic amines, 52:421
pulmonary, carbonic anhydrase localization (calf), 53:914
serotonin uptake, oxygen tension and (calf), 50:1212
Endothelial junction, horseradish peroxidase permeability, lung, 42:13
Endothelial transport, serotonin, lung, 51:405, 53:677
Endothelium: *see also* specific subject and site
barriers, permeability to albumin flux (sheep), 47:1315
decompression sickness-induced changes, blood vessels, 50:944
pulmonary: *see* Pulmonary endothelium
carbonic anhydrase localization (calf), 53:914
propranolol uptake and, 52:393
serotonin depression, 42:33
Endotoxic fever, hypoxic reduction, 49:294
Endotoxin
diphenhydramine, vascular permeability, lung (sheep), 49:516
hemorrhage and, pulmonary microvascular permeability following, 52:403
infusion, respiratory failure and (sheep), 53:967
lung mechanics response, methysergide effects, 50:185
protection, low-level hyperoxia, 51:577
protection against oxygen-induced lung injury, 47:577
pulmonary response, platelet serotonin, 50:178
pyrogenesis induced by, propranolol effects, 40:35
Salmonella enteritidis, 40:29, 35
hypoxia, 49:294
serum factor, cold sensitization, 46:14
Endotracheal tube
pressure measurement, fluid dynamic factors, 51:218
respiratory mechanics measurement, 41:590
End-tidal forcing
dynamic, 40:592
chemoreflex loop gain, 46:843
ventilatory drive, hypoxic, 45:971
Endurance: *see* Exercise
Energetics
muscle, oxygen uptake and, 45:751
walking, 43:431
Energy
balance
cold exposure, 46:872
marathon running, 42:909
cerebral, hypoxia and ischemia, 45:312
cost
caloric, wheelchair exercise, 48:41
equation of motion, cyclist, 47:201
speed skating, 40:584
density, body weight change, cold exposure and, 51:327
elastic storage, exercise efficiency and, 48:518
exchange, heat acclimatization, 40:768
expenditure
exercise training, 50:444
load carriage, 43:577
load carriage, altitude, 51:14
measurement of, doubly labeled water method, 53:955
oxygen deficit during exercise, 49:16
oxygen deficit period of submaximal exercise, 48:770
rest and exercise (monkey), 49:789
rowing, simulated, 45:87
sweating and, exercise, women, 51:1526
treadmill running, 49:571
kinetic, pressure-flow relations, bronchial tree, 51:1072
metabolism
carotid body oxygen chemoreception and, 51:438
cold-specific feeding response, 51:327
determination, respiratory functions alone, 42:117
exercise, passive and active, 42:923
exercise (stork), 49:491
maximal exercise, recovery and, 47:677
pneumocytes, type II, hyperoxia, 47:98
requirements, endurance exercise, oxygen uptake adjustment, 44:877
sources, mobilization, β-adrenergic receptors, exercise, 44:869
status, lung, elevated Po_2 exposure, 45:56
surface, recoil pressure and, lung, 50:921
swimming, front crawl, analysis, 43:475
Energy-nitrogen balance method, weight loss composition estimation, 43:331
Enflurane
anesthesia, respiratory control, 51:19
chest wall motion, inspired gas distribution, 49:279
inspiratory, motor output, phasic vagal influence, 49:609
respiratory mechanics, 46:646
Engineering, human, wheelchair and arm crank exercise, 49:784
Enkephalin, maturational effects, respiratory control, newborn, 53:1063
Entrainment, environmental synchronizers (monkey), 43:795
Environment: *see also* Temperature, and the specific environmental condition
ambient pressure
exercise ventilatory mechanics, 44:231
physical performance, 46:984
contribution to development, hyperbaric bradycardia, 50:731
force: *see* Force environment
gravity-free hypobaric, evaporative water loss, 45:430
helium-oxygen, temperature regulation, 50:478
high ambient pressure, respiratory control, 48:528
high-pressure, inner ear dysfunction (monkey), 49:1070
humid
hot, thermoregulation, postural exercise, 48:999
thermoregulatory strain, indices, 44:889
hyperbaric
diffusive gas mixing and, lung, 51:243
exercise ventilatory mechanics, 44:231
oxygen tension, cerebral cortex, 46:53
physical performance, 46:984
tremor, 47:804
hyperdynamic, thermoregulatory responses, 42:74
hypobaric, evaporative water loss, 45:430
regional differences, airway transepithelial potentials, 48:169
seasonal, catecholamine-synthesizing enzymes, adrenal (vole), 44:59
wind assistance and resistance, running, 48:702
wind speed limits, work in heat, 46:340
Environmental chamber, treadmill running, refrigerated apparatus, 52:495
Environmental conditioning, thermoregulatory responses, acceleration, 42:74
Enzymes: *see also* specific enzyme
activity
ligaments, 44:542
muscle, after strength training, 46:96
adaptations, diabetes and training effects, 52:1471
antioxidant
oxygen toxicity, neonatal and adult lung, 45:699
prenatal, pulmonary oxygen toxicity and, newborn, 48:505
undernutrition and, newborn, 53:1248
catecholamine-synthesizing, adrenal, seasonal acclimation (vole), 44:59
degradative, cardiac, in hypoxia, 44:647
emphysema and, 48:284
endurance training, skeletal muscle, 47:787
functional overload changes, skeletal muscle, 42:267, 312
hypertrophied muscles, 46:738
macrophage, in hypoxia, 42:107
plasma, age and altitude tolerance, 50:367
red blood cell membrane, oxygen uptake, 49:306
respiratory, functional overload, skeletal muscle, 42:267, 312
responses to recurrent heat exposure, rest and exercise, 43:308
serum, diagnostic significance, 46:334
skeletal muscle, after training, 40:868
transport measurements, tracheal epithelium, 49:1008

Enzymology, lysosomes, skeletal muscles, 47:43
Epidural space, 40:79
Epinephrine
adrenal, seasonal acclimation (vole), 44:59
β-adrenergic mechanisms, pulmonary circulation, 43:612
breathing control, prolonged exercise, 50:27
brown adipose tissue lipolysis, head and cold acclimation, 43:1007
cardiovascular responses, cold and mental activity, 47:1207
cold adaptation, 46:662
cold exposure effects, amino acids, muscle, 52:1250
excretion, hypoxia, 52:304
exercise, 43:425
hypertension, 53:891
glucose-induced decrease, exercise, 42:525
glucose kinetics, 43:230
hormonal response to exercise, after training, 43:953
hypoxic myocardium, metabolism and performance, 45:791
infusion, lung fluid balance and (sheep), 50:1353
ion transport, tracheal epithelium, 47:397
muscular glycogenolysis control, 50:21
pulmonary venoconstriction, 49:73
α-receptor blockade, 40:855
respiratory alkalosis, 44:581
sympathoadrenal adaptation to training, 45:370
Epithelial cells, alveolar: *see* Alveolar cells
Epithelium: *see also* specific subject and site
airway
ozone-induced hyperirritability, 43:626
protein permeability, 42:144
alveolar
albumin clearance, 43:487
solute permeability, in alloxan edema, 44:353
barriers, permeability to albumin flux (sheep), 47:1315
permeability: *see* Permeability
tracheal, ion transport, 42:735
Equilibration, blood gas, alveolar and pulmonary end-capillary, 42:323
Equilibrium curve, oxygen, blood, high altitude, 51:1411
Equilibrium time, 40:399
Ergometry; Ergometer: *see* Exercise
Ergonomics
muscle fatigue, 43:750
muscular endurance, electromyograby and, 51:1
Erythrocytes
anion exchange kinetics, carbon dioxide transfer, lung, 50:265
bicarbonate-chloride exchange, 40:707
carbon dioxide transfer, hematocrit effects, pulmonary, 53:413
2,3-diphosphoglycerate, fetal (sheep), 45:7
distribution, Fahraeus effect, 42:578
electrolyte transport, hyperbaric gas effects, 49:204
glycolysis, oxygen affinity, 43:102, 47:478
hemoglobin-oxygen affinity (sheep, human adult), 43:632
increase, simulated high altitude (toad), 51:794
ions, hydrostatic pressure effects, 49:224
iron deficienct, hyperoxia, 44:710
mass, microcirculating, 40:962
membrame, 40:707
morphology, endurance exercise (horse), 51:131
osmotic fragility (mouse deer), 42:673
oxygen diffusion, 49:306
ozone exposure, 45:893
permeability: *see* Permeability
pH changes, after gas exchange, 44:770
plasma, carbon monoxide equilibration, delayed, in hypercapnia, 47:67
polycythemia, high altitude, 45:
reinfusion, hypoxia tolerance and, exercise, 53:490
rheology, 42:941
separated, dissociation curve for, 40:673
sickling, 40:60
size and shape (mouse deer), 42:673, 679
transit time, through lungs, osmolality effects, 42:941
volume: *see also* Volume
bed-rest deconditioning and exercise, 52:1343
changes, exercise and heat, 50:1255
exercise effects, 52:168
xenon, partition coefficient, 49:178
Erythrocythemia
aerobic work capacity, 48:636
hypoxia tolerance and, physical exercise, 53:490
Erythropoiesis, splenic, hypoxia threshold, 48:857
Esophageal balloon technique
dynamic compliance, postural changes, 42:706
infants, 49:735
intraesophageal pressure, infant, 51:270
transdiaphragmatic pressure measurement, 47:628
Esophagus
cholinergic effect on peristalsis, 40:40
elastance
infant, 51:270
measurement, 41:272
electrode: *see* Electrode; Electromyography
innervation, parasympathetic, 53:617
pressure: *see* Pressure
temperature, sweating regulation, thermal transients, 52:1147
Estradiol
exercise effects, 44:109
menstrual cycle
exercise performance, 51:1493
teenage athletes, 50:545
metabolism, exercise and, 48:765
Estrogen
cold tolerance, 47:59
lung maturation and, fetal (sheep), 51:384
metabolism, exercise and, 48:765
pulmonary vascular reactivity, pregnancy, 53:703
thermal effects, udder (sheep), 43:668
Estrous cycle, food and water intake, heat effects, 42:874
Ethacrynic acid
prostaglandins A_1 and $F_{2\alpha}$ metabolism, pulmonary (pig), 46:211
sodium-potassium-ATPase characterization, tracheal epithelium, 48:1008
Ethane, lung recoil, 49:142
Ethanol
altitude acclimation and, heart atria, 51:1607
consumption effects, work capacity, heat, 50:1006
hypertension, pulmonary, 44:76
Ethanol dilution, lead body mass estimation, 42:803
Ethchlorvynol
lung lymph, albumin clearance and, 50:1151
pulmonary hypertension, indomethacin effects (sheep), 53:563
Ether
breathing rate, depth and, newborn, 40:281
inhalation, reflex effects, lung, 45:212
transit time, pulmonary circulation, 44:956
Ethyl alcohol, hypoxic pulmonary vasoconstriction, potentiation, 44:76
Ethylene
phagocytic cells, 46:136
supersaturation (piglet), 44:914
Ethyl iodide, pulmonary blood and tissue volume measurement, 49:910
Ethynylestradiol, cold tolerance, 47:59
Eucapnic hyperventilation *see* Hyperventilation
Eucapnic ventilation: *see* Ventilation
Euglena, bubble formation, intracellular, lack of, 47:1270
Euglobulin lysis, long-distance racing (horse), 50:245
Eupnea
airflow and resistance during, vocal cord movements, 52:773
automatic ventilatory patterns, brain stem genesis of, 51:204
discharge patterns, pulmonary stretch receptors, 53:346
gasping
phrenic motoneuron comparison, 50:994
respiratory pattern comparison, 50:984
Eupneic apnea: *see* Apnea
Eupneic hypopnea: *see* Hypopnea
Evaporation
coefficient, heat exposure and, 41:71
hygroscopic aerosols, bronchial airways, 47:544
skin: *see* Skin
sleep variations, 42:50
sweat: *see* Sweat
Evaporative heat loss: *see* Heat
Evaporative water loss: *see* Water
Evoked potentials: *see* Potentials
Excitability
atrial, hydrostatic pressure, 45:24
axon (crustacean), 45:742, 747
proximal bundle branches, subadjacent muscle and, 42:235
Excretion: *see* specific subject and site
Exercise
active, oxygen consumption and ventilation, 42:923
adaptation, after β-adrenergic blockade, 42:133
adenosine monophosphate, cyclic and, 43:949
adipocyte metabolism, 43:425
adipose tissue
lipid mobilization, 50:250
nucleotide catabolism, 50:255
adrenergic blockade during (sheep), 52:315
β-adrenergic blockade effects, ventilation and metabolism, 51:788
aerobic power: *see also* Aerobic power
capacity, responses, sex differences, 50:65
efficiency, 49:16
efficiency, submaximal, 48:770
output, sweating, heat acclimation effects, 50:741
peak, body temperature and, 46:885
testosterone, plasma, 49:249
wind assistance and resistance, 48:702
work capacity, erythrocythemia, 48:636
aging, 43:280
alcohol consumption effects, work capacity, heat, 50:1006
altitude and, 40:658
alveolar-arterial oxygen gradient, altitude, 50:1129
alveolar-arterial oxygen pressure, difference, 45:512
amino acids
concentration, tissues, 50:41
metabolism, 45:128
δ-aminolevulinic acid synthetase activity, ventricular, 44:507
ammonia and ionisine 5′-monophosphate, skeletal muscle fibers, 49:1037
amplitude modification, action tremor, ankle, 53:1164
anaerobic power: *see also* Anaerobic

power
computer determination, 52:1349
efficiency, submaximal, 48:770
angiotensin antagonism effects, 43:440
apomorphine, thermal effects, 49:363
apparatus, chair (primate), 44:129
aquatic, cardiovascular response, 46:302
arm
aerobic and glycolytic metabolism, 47:754
cardiac output, women, 51:1488
sweating set point, 45:451
arm crank
metabolic and circulatory responses, 49:784
physiological response, 48:1060
arm ergometry, maximal oxygen uptake, swimming, 48:232
arm-leg work, metabolic consequences, 46:249
arterial blood gases, normal, 46:806
arterial occlusion during, glycogen loss, muscle fibers, 51:552
asthma: *see* Asthma
athletes
echocardiographic left ventricular masses, 48:154
teenage, hormones during menstrual cycle, 50:545
thermoregulation, 46:1086
athletics, respiratory drives, menstrual cycle, women, 50:1300
autonomic blockade, cardiac, 42:878
bed rest
body composition and fluid exchange, 43:126
fluid and electrolyte shifts, 42:59
bed-rest deconditioning and, venous pooling and cardiorespiratory responses, 52:1343
bicycle
aerobic power, assessment, 42:833
anaerobic threshold, middle-aged men, 46:1039
carbon dioxide elimination, 42:959
cardiac adjustments, 46:588
cardiopulmonary responses, 46:1066
equation of motion, 47:201
hyperpnea, carotid chemoreceptor resection, 46:908
mechanical efficiency, 46:1066
muscle fibers, fast- and slow-twitch, mechanical efficiency, 47:263
one- and two-leg forces exerted, 42:514
one-legged, blood lactate, 45:244
oxygen uptake, 42:959
sinusoidally varying pedal rate, ventilatory and gas exchange responses, 44:97
stairclimbing and comparative responses, 46:510
stroke volume adjustments, 46:588
systolic time interval adjustments, 46:588
biochemical changes
fast-twitch muscle, 49:583
heart, 42:426
skeletal muscle, 53:844
β-blockade, 44:869
blood flow
cerebral, 48:213
control, skin, thermal reflexes and baroreflexes, 48:717
measurement, microspheres, 52:1629
metabolism and, skeletal muscle, 50:493
renal, 40:932
skin, 53:920
skin, at high internal temperature, 43:790
skin, reflex control, 47:1188
skin, thermal and nonthermal control, 46:780
visceral, 40:927
blood hormone levels
at altitude, 45:350
feeding effects, 45:350
blood volume
alterations and, circulatory performance, 50:292
sweat rate and body fluid, 51:1594
body fluids, heat intolerance and, 40:55
body temperature and, precooling effects, 50:772
body temperature control, brain calcium ions (monkey), 43:689
bradycardia, on facial immersion, 47:1218
breathing work, 50:1087
bronchial clearance, 43:46
bronchospasm
atropine effects, 45:238
potentiation by cold air, 45:238
calorimetry, direct, submaximal, 48:770
capacity
cardiac function and, thyroid deficiency, 49:1022
drug-induced cardiac enlargement, 52:591
myocardial infarct size, 42:782
partial sympathectomy, 53:242
respiratory, thyroid-deficient muscle, 49:102
carbohydrates
ingestion before, 51:783
metabolism, 45:128
carbon dioxide
diffusing capacity, single-breath measurement, 46:1149
end-tidal pressure difference and, 47:954
pressure differences due to slow pH equilibration, 45:666
respiratory pattern, 47:192
storage capacity, 46:811
tidal volume and, 46:322
carbon dioxide set point, ventilatory response, 51:185
carbon dioxide tension, mixed venous, 48:933
cardiac intervals (stork), 49:491
cardiac output, 40:91
gas exchange and, 52:236
impedance cardiography, 45:459
uterine blood flow, pregnancy, 40:725
cardiac physiology, coronary artery disease, 50:636
cardiac response, 42:262
cardiovascular adjustments, 42:403
cardiovascular responses (duck), 47:827
ischemic muscle mass, 45:762
norepinephrine, 42:166
catecholamines, 42:525
coronary, 43:949
saralasin and coronary flow distribution, 43:988
central autonomic transmission, catecholamines, 46:19
central circulation, after venesection and reinfusion of red blood cells, 40:379
central hemodynamics, adults, 45:709
cerebral blood flow, 40:191
cerebrospinal fluid, acid-base balance (pony), 45:94
chemoresponsiveness, ventilation and, 45:557
chlorpromazine administration, heat, 50:509
chronic, cardiac function, hypertrophied heart, female, 50:1140
chylomicron triglyceride
metabolism, feeding, 52:815
uptake, contracting skeletal muscle, 49:851
circulatory regulation, different ambient temperatures, 46:430
citrate, arteriovenous differences, leg and splanchnic, 46:120
coagulation, 48:821
intravascular, 42:865
cold adaptation, glycogen and, 51:1428
concurrent, with carousel-type treadmill, 46:1205
conditioning
aortic constriction and, methoxamine effects, 52:967
coronary vasculature, 45:619
environmental, thermoregulatory responses to acceleration, 42:74
heat exposure, dry heat acclimation methods, boys, 50:406
mitochondrial function, cardiac, 45:978
constant-load, oxygen consumption, 45:381
continuous, ozone toxicity, 51:415
converting enzyme inhibition, hemodynamic response to, 53:576
coronary artery disease, one and three minute response, 46:1132
coronary collateral stimulation, stenotic coronary arteries, 52:664
coronary vascular resistance and, 53:631
cortisol excretion, 40:155
cycling
pH effects, sensation and vastus lateralis electromyography, 52:1181
plasma changes, 49:59
sex hormone metabolism, 48:765
stroke volume during recovery, 48:833
submaximal responses, 51:447
training duration effects, 53:225
deconditioning
coronary vasculature, 45:619
fluid and electrolyte shifts, 42:59, 67
thermoregulation, 48:72
detraining, lung function, adult, 45:709
diabetes, 42:240
diabetes and insulin effects on performance, 50:482
diet effects and, thermogenesis, 52:556
different intensities, exogenous glucose and, 53:1620
diffusing capacity
increases, exercise, 51:858
lung adjustments, 52:1124
nitroglycerin effects, 52:851
placenta, 46:828
single exhalation, 44:617
diving: *see* Diving
dry heat, 40:236
dynamic
muscle weakness following, 53:236
response during oxygen breathing, 51:176
eccrine sweating, characteristics of (monkey), 53:425
efficiency, gross, net, work, delta, and instantaneous, 48:518
ejection time, paradoxical reduction, 45:1002
electromyography, slow and fast muscles, 52:451
endocrine responses, 47:1311
endogenous triacylglycerols, lipoprotein lipase and, muscle, 52:1059
endurance
acid hydrolase activity, skeletal muscle, 47:43
adaptation at three intensities, 42:753
aerobic power increase, 42:372
aging comparison, 51:634
anaerobic threshold alteration, middle-aged men, 46:1039
capacity, thermoregulation and, 52:734
cardiac function, 51:941
cytochrome *c* and myoglobin, female, 51:746
diaphragmatic fatigue, 43:189
electromyographic tests of, 53:779
enzymes, skeletal muscle, 47:787
equipment effects, 42:28
erythrocyte alterations (horse), 51:131
fatty acids, plasma, increased effects, 43:829
glycerol feeding effects, 50:94
glycogen content, muscle and liver, 47:425
heat, prostaglandin E_1 hyperthermia effects, 51:62
hypoxic drive, familial aspects, 44:464

Exercise (continued)
isometric, posture effects, 45:270
left ventricular dimensions, healthy men, 47:207
left ventricular function, 51:881
lipid metabolism, skeletal muscle, 47:787
metabolism, cardiorespiratory, pH and exercise effects, 43:959
motorized minitrack (large animal), 45:140
muscle respiratory capacity and, 53:470
myocardial adaptation, 44:85
myocardial mechanics, 51:934
neurochemical adaptations, brain, 46:19
ovarian hormonal responses, 44:109
oxygen uptake, adjustment to energy requirement, 44:877
polycythemia at high altitude, 49:311
precooling effects, 50:772
respiratory mechanics, 41:508
sweating sensitivity, 43:822
sympathoadrenal adaptation, time course, 45:370
training duration effects, 53:225
undernourished adult males, 44:209
ventilatory muscle, 52:757
ventilatory muscle, oxygen cost of hyperpnea, 45:885
ventilatory responses, marathon running, 52:388, 615
energetic metabolism, 42:923
energy expenditure, oxygen deficit period, submaximal, 48:770
energy sources, mobilization, β-adrenergic receptors, 44:869
enzymatic responses, heat exposure, 43:308
enzyme levels, skeletal muscle, 42:267, 312
epinephrine effects, 43:425
ergometer
cardiopulmonary response to, 52:1198
concentric and eccentric muscular, 53:784
treadmill, studies, 52:505
ergometry
aerobic power assessment, trained athletes, 42:833
arm, 45:75, 451
arm-leg, 40:85
coronary artery disease, 46:1132
respiratory responses to, 42:959
small-animal, 48:394
wheelchair and bicycle comparison, 46:1066
ergometry, cycle
aerobic function testing, 50:217
aging, 43:280
bradycardia, autonomic pathways, 47:1218
blood lactate disappearance, 51:840
carbohydrate ingestion and, 51:783
metabolic and respiratory responses, 45:60
plasma volume shifts, 49:119
pulmonary mechanics, 49:506, 511
forces exerted during cycling, 42:514
oxygen consumption, 40:873
underwater, 50:679
erythrocythemia, induced, 48:636
estrogen metabolism, 48:765
exertion
asthma, refractory period, 50:503
isometric contractions and, 51:399
metabolic and heart rate responses, 45:1009
muscle fibers and blood pressure, 50:32
muscle metabolites, 50:493
oxygen consumption and blood lactate, glycogen depletion effects, 47:514
exhaustive
acid hydrolase activity, skeletal muscle, 47:43
adenosine monophosphate, cyclic and, heart, 51:1539
glycerol feeding effects, 50:94
glycogen content, muscle and liver, 47:425
glycogen depletion, 45:425
glycogen repletion, 49:715, 49:722
hemoglobin affinity for oxygen, 48:236
hyperthermic, treadmill, 47:813
lactate and glucose metabolism, 49:1057
metabolic recovery (marine iguana), 48:689
myocardial performance and, 51:1098
extreme altitude and, man, 52:1393
fasting, catecholamine-fuel relations, 48:109
fibrinogen turnover, 42:865
fibrinolysis, oral contraceptives and, female, 53:330
fibrinolytic and hemostatic changes, 40:287
forced inspiration and expiration, upper body posture effects, 52:879
forearm
inactive, lactate uptake by, 45:835
venous volume, control during body heating, 48:114
free fatty acids, 43:302, 425
free-running, rapid brain cooling (hamster), 51:1349
galloping, muscle fiber activity, 44:358
gas exchange
breath-to-breath measurement, 51:1662
determinants, 46:1054
G_z acceleration, 40:491
measurement, tracer-bolus method, 50:898
respiratory, 52:921
transition from rest, 43:704
gastric emptying and, postprandial, 53:851
glucose ingestion, before and during, 50:766
glucose uptake and, muscle glycogen content effects, 52:434
glycogen
levels, muscle, protein catabolism and, 48:624
metabolism, with glucose, lactate, or pyruvate infusion, 45:425
muscle usage, 43:695
glycogen repletion
cardiac, 42:240
muscle, 42:129
glycogenolysis
β-adrenergic receptor blockade effects, 53:549
regulation, muscle, 53:708
graded
β-adrenergic blockade, 42:133
fast-twitch muscle, 43:288
fluid-endocrine shifts, 50:123
gymnastics, acceleration forces at eye level with rotation on horizontal bar, 46:1119
habitual, left ventricular response, 52:1648
head-out body plethysmography, 47:1336
heart function, noninvasive methods for measuring, 44:55
heart rate
adaptations, cardiac denervation, 52:1586
dynamics, 40:679
maximum reduction, 40:741
recovery from, autonomic contribution to, 53:1572
heat, effect of neck vs. chest cooling, 40:668
heat dehydration and, erythrocyte and plasma volume changes, 50:1255
heat injury, 51:62
heat loss, respiratory evaporative, 49:979
heat storage regulation, 40:384
heat stress
cutaneous vascular responses, 53:744
pulmonary function, 43:409
thermoregulatory response, prepubertal girls and women, 43:1046
heatstroke, exertion-induced, 45:463
hematological responses, pubertal stage differences, male, 46:823
hemoconcentration, 42:744
hemodynamics, 44:44
hemoglobin-oxygen affinity and, high-altitude effects, 53:1487
high altitude, fibrinopeptide A and, 53:40
high-resistance, skeletal muscle fiber number, 48:421
hormonal response, hypoxia, 42:587
hydration state, circulatory controls, 49:715
hypercapnic, ventilatory control, 48:1065
hyperemia: *see* Hyperemia
hyperpnea, 40:138, 43:704
arterial carbon dioxide pressure response to intravenous carbon dioxide, 47:1099
carotid body and (goat), 52:1216
carotid chemoreceptor resection, 46:908
glycogen depletion, 47:514
middle-aged men, 46:1039
neural afferents, limbs, 49:239
respiratory movements, vocal cords, 52:780
respiratory responses, 45:109
sinusoidally varying pedal rate, 44:97
ventilatory control, 44:311
ventilatory dynamics, 48:1083
hypertension, 49:634
hyperthermia, 47:1039
hyperventilation, McArdle's disease, 52:991
hypervolemia, 48:657, 665
cardiac performance and aerobic power during, 52:1186
hypoxia effects, heat and humidity, 40:206
hypoxic, ventilatory response, 46:438
impaired cardiac acceleration, coronary disease and, 52:71
impedance, transthoracic, 45:1002
in air and water, 40:85
increased excretion, urea and *N*-methylhistidine (rat, human), 52:27
incremental, gas exchange, computerized testing, 49:456
induced erythrocythemia effects, hypoxia tolerance, 53:490
inspiratory occlusion pressure, breath-to-breath monitoring, 51:520
insulin, 43:302, 425
effects, fat cell adaptation, 51:1500
ingestion, before and during, 50:766
ischemia, heart contractility at pressure loads, 52:340
isokinetic training, specificity of, muscular power and, 51:1437
isometric
aerobic conditioning and, cardiovascular response to, 52:1257
blood pressure response, 50:32
energetics of, 41:136
fluid exchange and body composition, 43:126
insulin and glucose responses, 43:1033
muscle fiber recruitment, 50:32
muscular endurance and electromyography, 51:1
isoproterenol and, effects at different levels of sodium intake, 45:870
isotonic
fluid exchange and body composition, 43:126
handgrip, hemoconcentration, 42:744
insulin and glucose responses, 43:1033
isotonic training
cardiac function, 51:941
left ventricular function, 51:881
myocardial mechanics, 51:934

isotopic oxygen and carbon dioxide, diffusing capacity for, pulmonary, 51:1643
kayaking, aerobic and glycolytic metabolism, 47:754
ketone bodies, turnover and oxidation during fasting, 44:5
lactate
  metabolism, 40:312
  muscle, 43:852
  release, skeletal muscle and tissue, 44:350
LDH, 40:923
left ventricular function and volume, coronary artery disease, 50:636
leg
  blood flow, hyperoxia, 42:385
  cardiorespiratory dynamics, 48:289
  ergometry, 46:1066
  graded forearm blood flow and, 46:457
  oxygen uptake, 42:385
lifting, fatigue development factors, 45:60, 64
limb length effects, 44:346
limitation, diaphragmatic, 43:189
lipid metabolism, 45:128
lipid peroxidation, 45:927
lipolysis, 43:425
liver metabolites during, 51:1326
locomotion
  cost, heart rate and energy metabolism (stork), 49:491
  heat balance and (monkey), 49:789
  metabolic rate, long-term fasting (penguin), 49:888
  muscle fiber activity, 44:358
  muscle fiber activity (lion), 43:672
longevity and, obesity, 49:634
low-potassium diet and, hyperthermia and heatstroke, 51:8
lung function, adults, 45:709
lung perfusion, alveolar amplitude response technique, 50:1071
marathon running
  erythrocytes and, 52:168
  respiratory muscle fatigue after, 52:821
  ventilatory responses, 52:388
maximal
  anaerobic threshold, 47:677
  body temperature, 46:885
  hypoxic women, 47:1223
  lactate activity during recovery, 47:677
  ozone inhalation, 46:309
  pulmonary mechanics, 50:747
  testosterone, plasma, 49:249
  work tests, physiological responses to, 53:436
measurements, computer-based system, 42:968
mechanical efficiency vs. pedaling frequency, 47:263
menstrual cycle effects, 51:1493
metabolic adjustments, 42:403
metabolic adrenergic changes, submaximal and recovery, 47:701
metabolic assessment in, 40:619
metabolic responses, cardiorespiratory pH effects, 43:959
metabolism
  oxygen uptake and, 50:444
  respiratory acidosis effects, 53:63
metabolite levels, at altitude, 45:350
mild, myocardial function, 46:354
mitochondria, heart, 42:426
mitochondria population, skeletal muscle, 48:23
models (pony), 45:94
Monark bicycle ergometer, pedaling rate, underwater, 50:679
motor unit activation effects, 51:1131
muscle
  changes, 53:1144
  electrolytes, after dehydration, 40:6
  pH, needle-biopsy specimens, 53:1310
muscular
  fast- and slow-twitch fibers, 47:263
  ventilatory response, humoral pathway, 47:126
muscular glycogenolysis, adrenal medullary hormones, 50:21
myocardial infarction and, 40:611
  size, 47:393
nasal airflow resistance, 46:369
negative-pressure breathing, 48:977
nitrogen balance, postoperative, 46:141
norepinephrine
  disappearance from circulation, 47:1311
  hypothalamic sensitivity to, 49:937, 942
one-leg training, circulatory adaptations to, 52:976
ovarian hormonal responses, 44:109
oxidant air pollution, pulmonary function, 43:409
oxygen balance, β-adrenergic blockade, myocardial, 49:28
oxygen consumption, 42:923
  cerebral palsy, 40:868
  hyperoxia (pony), 46:1115
  maximum, changes, 47:1278
oxygen transport during, blood reinfusion, 53:1213
oxygen uptake, 40:836
ozone inhalation, blood biochemistry, 43:75
pedaling, anaerobic threshold and, 52:1598
pedaling rate effects, submaximal exercise responses, competitive cyclists, 51:447
perceptive zone determinants, industrial workers, 43:347
performance, ventilatory work, 52:1581
phasic, hindlimb, ventilation and gas exchange, 46:878
phosphagen, muscle, 43:852
phosphorylase *a*, skeletal muscle, 45:852
physical
  energy expenditure, altitude, 51:14
  plasma C-peptide and insulin, 50:71
physical fitness
  divers, lung function, 46:639
  local cooling, 44:813
  prediction, undernourished adult males, 44:209
physical performance
  body temperature, 46:885
  dietary potassium depletion, 45:728
  heat, preinduced hypothermia and, 47:813
  hyperbaric environments, 46:984
  inspired oxygen fractions, 49:863
physical training
  coronary collateral circulation, 52:376
  heat tolerance and, water and land, 53:1291
  lipolysis and adenosine monophosphate, cyclic, accumulation, adipocytes, 50:143
physiological adjustments
  hypoxia, women, 49:367
  water, 40:605
physiology
  biochemistry and, 53:535
  blood pressure monitoring using an electronic sphygmomanometer, 43:379
  teenagers and asthmatic children, 46:293
pimozide, thermal effects, 49:363
plasma C-peptide and insulin, trained and untrained, 50:71
plasma growth hormone, altitude, 50:229
plasma renin activity, 49:930
plasma volume changes, 49:119
  humid heat, 47:798
  hypoxia effects, supine posture, 51:148
  posture and, 45:414
plasma volume-electrolyte distribution, sodium and calcium ingestion, 48:838
plasmin activity, 48:821
postural, thermoregulation, hot humid environment, 48:999
power output, wheelchair, 50:824
power output ergometer, small-animal, 48:394
power supply, treadmill running, 52:505
pregnancy, 48:34
prolonged
  breathing control, 50:27
  glucose oxidation, 43:258
  glycogen levels, muscle, 48:624
prostaglandins, renin and catecholamines, hypertension and, 53:891
protein synthesis, regrowing skeletal muscle, 51:73
pulmonary function, 45:927
  heat and ozone exposure, 43:409
pulmonary mechanics, 49:506, 511
pulse rate, rectal temperature relations, 44:450
racing, long distance, fibrinolytic activity (horse), 50:245
ramp, aerobic function test, 50:217
rebreathing studies
  electromagnetic valve for, 53:286
  switching valve, 48:386
recirculation times, children, 45:1005
recovery
  active vs. passive, lactate in, 45:244
  anaerobic threshold, maximal work, 51:840
  bicarbonate concentration, muscle, 45:474
  blood lactate, glycogen depletion effects, 47:514
  metabolic adrenergic changes, 47:701
  stroke volume, 48:833
rectal temperature, 42:935
reflexes: *see* Reflexes
renin, 43:440
renin-aldosterone axis, hypoxia, 52:320
renin-angiotensin aldosterone system, changes, 41:26
repeated, physiological responses to, 53:436
respiratory adjustments, 42:403
respiratory drives and, menstrual cycle, women, 50:1300
respiratory evaporative heat loss, control (goat), 46:978
respiratory heat loss, sympathomimetics and, 52:1119
respiratory-locomotor coupling and, awake state, 51:835
respiratory responses (duck), 47:827
  computer analysis, 42:968
respiratory rhythmicity, metabolic carbon dioxide load, 50:45
rest and
  anemia, 44:36
  angiotensin antagonism, in sodium depletion, 45:403
  cardiac output during, 52:1493
  heart rate with apnea and facial immersion, female swimmers, 45:875
  heat balance, 49:789
  insulation, cold water, 52:1557
  leucine oxidation effects, 53:947
  respiratory mask, 52:500
  ventilation-perfusion ratio regional distribution, 44:115
rhythmic, human calf muscle, 49:649
rowing
  aerobic power, assessment, 42:833
  energy expenditure, 45:87
running
  anaerobic threshold, noninvasive determination, 52:869
  banked track, 46:1205
  body growth and, aerobic power relations, boys, 44:666
  brain temperature (quail), 50:1277
  cardiopulmonary response (duck), 47:827
  contractile proteins, cardiac, 48:409
  distance, effects on sleep, 44:945
  echocardiographic left ventricular masses, 48:154

Exercise (continued)
heat balance (monkey), 49:789
hyperthermia (sled dog), 51:135
increased excretion, urea and *N*-methylhistidine (rat, human), 52:27
jumping and, oxygen uptake, 49:881
left ventricular function, echocardiographic assessment, 51:881
long-distance, hypoxic drive, familiar aspects, 44:464
marathon, energy balance, 42:909
muscle fiber activity (lion), 43:672
myocardial adaptation, 44:85
myocardial function and hypertrophy, 46:354
oxygen uptake, 40:836
repeated long distance, renal function after, 50:709
sarcoplasmic reticulum, 48:409
steady-state oxygen consumption, 41:532
thermoregulation, 46:1086
time course adaptation, cardiac and skeletal muscle, 42:267
upper body posture effects, ventilation, 52:879
velocity, oxygen uptake and energy expenditure, 49:571
ventilatory control and (bird), 53:1397
ventilatory muscle function and, 52:1400
ventricular performance, 46:854
water distribution, body, 45:999
wheel cage, activity drive (kangaroo, rat), 44:17
wind assistance and resistance, 48:702
ruthenium red uptake, heart, 42:426
salt sensitivity, blood pressure attenuation and, 52:1608
saralasin effects, 43:440
severe, aerobic performance, skin temperature effects, 47:770
sex hormone metabolism, 48:765
short-term dynamic, leg force and power output during, 51:1175
sinusoidal ventilatory and gas exchange dynamics, 42:300
skating, wind resistance, 40:584
skeletal muscle fibers, increased number, 48:421
skiing, aerobic power, assessment, 42:833
snorkeling, negative-pressure breathing, 48:977
somatostatin effects, 47:273
splanchnic responses, highlanders, 43:204
stair climbing
blood gas tension, arterial, 44:93
cycling and, comparative responses, 46:510
frequency related, skeletal muscle, 45:234
plasma volume shifts, 49:119
static
cardiac output during, awake state, 52:642
isometric contractions and, 51:399
muscle fibers and blood pressure, 50:32
static and dynamic, hemodynamic responses to, 53:1589
steady-state
muscle fibers, efficiency, 47:263
muscular efficiency, 43:431
ventilatory response, hypoxia, 46:438
step-test, limb length, 44:346
step work load, cardiopulmonary response to, 52:1198
stilt walking, mechanics and energetics, 51:529
strength, adolescent male, 43:834
strenuous, fibrinogenolysis, 47:1157
stress
enzyme-induced emphysema and, 41:332
physiological responses, species differences (dog and miniswine), 52:1077
stroke volume
cardiac output and (duck, pigeon), 53:207
pulsed doppler, 50:1173
submaximal
concentric and eccentric oxygen deficit, 49:16
fluid-endocrine shifts, 50:123
heat, plasma volume changes, 47:798
heat tolerance, 43:678
hormonal and metabolic responses, 46:766
intravascular temperature, men, 51:1092
maximal and, central hemodynamics and lung function, 45:709
nasal mucous velocity and nasal airflow resistance, 46:369
testosterone, plasma, 49:249
sudden strenuous, warm up effects on left ventricular response, 53:380
supine, plasma volume shifts, hypoxia, 51:148
supramaximal
armwork, metabolic consequences of, during submaximal legwork, 46:249
one-legged, blood lactate disappearance, 45:244
sustained maximal efforts, conduction velocity and electromyographic power spectrum, 51:1300
sweat composition and, 53:1540
sweating, heat acclimatization effects, 50:741
swimming
acute, adrenocortical function in aging, 43:839
body surface area, 43:475
cardiac output estimation by rebreathing method, 44:821
decompression sickness, 47:412
glycogen content, muscle and liver, 47:425
heart rate, with apnea and facial immersion, female, 45:875
hormones during menstrual cycle, teenage athletes, 50:545
maximal oxygen uptake, 48:232
surfactant homeostasis after, lung, 53:1521
thermoregulation, 46:1086
ventricular performance, 46:854
teenagers, hemodynamics, 46:293
temperature-humidity stress and, lung function, 53:1015
temperature regulation and hypohydration, 47:1
tests
Åstrand prediction, 43:280
Cooper, 43:280
thermogenesis, diet-induced, at altitude, 45:345
thermogenic control in cold environment, 47:1084
thermoregulation, 40:404
after bed rest, 48:72
blood flow, carotid artery, 52:1138
heat exposure and, 52:734
plasma electrolytes, 43:1026
thermoregulatory strain, indices, 44:889
thrombin activity, 48:821
time-motion, physiological assessment and, 40:159
training
adipose tissue lipolysis, 50:250
adiposity, 46:235
β-adrenergic receptors and, heart, 52:1133
adrenocortical function, 44:104
adrenocortical function in aging, 43:839
aerobic capacity, ligaments and tendons, 44:542
aerobic conditions, pulmonary response, 42:438
aerobic efficiency, submaximal, 48:770, 49:16
aerobic power, assessment, 42:833
aerobic power, endurance and cardiac growth, 53:225
aerobic power increase, 42:372
amino acids, 45:176
anaerobic threshold, arm exercise, 47:754
arm, metabolic and cardiovascular adjustment, 45:75
athletes, female, muscle fiber composition, 47:388
athletes, physiological aging, 41:16
ATPase, myofibrillar, cardiac activity, 43:977
biochemical adaptation, skeletal muscle, 43:700
biochemical adaptations, skeletal muscle, 53:844
blood flow, coronary, 45:604
blood flow, skin, 43:133
blood flow and hemodynamics, myocardial, 46:571
blood plasma contents, during heat acclimatization, 43:591
blood pressure, 42:935
body growth and, relation to aerobic power, boys, 44:666
Bohr effect and oxygen dissociation curve, 52:1524
bones, long, biochemistry, 44:50
bradycardia, β-adrenergic receptors and, 51:1232
cardiac control, 52:1652
cardiac function, 42:824
cardiac function, in myopathy, 43:936
cardiac hypertrophy, dynamic conditioning, female athletes, 44:949
cardiac output during, awake state, 52:642
cardiac responses, sex differences, 50:112
cardiovascular function following myocardial infarction, 47:482
cardiovascular responses, untrained, 50:1206
cardiovascular responses, static, running, and weight lifting, 49:676
catecholamines, coronary sinus, 43:801
central hemodynamics, adults, 45:709
cholesterol, skeletal muscle, 43:709
conditioning and deconditioning, cardiac, 44:171
connective tissues, 44:50
contractile function, heart, 43:977
coronary blood flow and myocardial oxygen consumption, 49:759
coronary blood flow and myocardial performance, 49:444
coronary collaterals, normal development, 45:797
coronary disease, 43:801
cyclic nucleotide phosphodiesterase, adipose tissue, 50:255
decompression sickness, 47:412
diaphragm adaptability (hamster), 53:1263
endurance, echocardiographic left ventricular masses, 48:154
enzyme activities, muscle, 46:96
fatty acid profile, skeletal muscle, 43:709
force-velocity relations, muscle, 51:750
glucagon, plasma, responses, 43:302
glucose/lipid metabolism, diabetes, 52:1514
glucose metabolism, 46:235
glycogen and glycogen synthase, heart, 44:183
growth and heredity, 40:211
heat acclimation, responses of sedentary females, 47:978
heat tolerance, 43:678
hormonal adaptation, time course, 46:766
hormonal response, 43:953
hypertrophied heart function, female, 50:1140

hypervolemia, induced, 48:665
hypophysectomy and, metabolic and cardiovascular adaptations, 53:448
hypotension, 51:298
^{125}I-insulin binding, 46:235
immobilization and, neuromuscular adaptations, thenar muscles, 53:419
insulin and diabetes effects, diaphragm, 52:1471
interval, stroke volume, 48:833
lactic acid production, 47:761
lead body mass, 45:176
left ventricular performance, 48:130
limb muscle electromyogram synchronous to respiration, 46:1093
lipolysis, fat cell ghosts, 42:884
metabolism, myopathic muscle, 43:936
moderate, cardiac response, 42:262
motorized minitrack (miniature swine), 45:140
muscle size, fiber number and, skeletal, 50:936
myocardial necrosis, 44:104
orthostatic responses, fainting, 51:1404
oxygen consumption, maximum, changes, 47:1278
oxygen deficit and oxygen debt, 48:218
oxygen uptake, adjustment to energy requirement, 44:877
oxygen uptake, on-response, 47:761
oxygen uptake and, 50:444
plasma norepinephrine response, 51:812
plasma volume, trained boys and fit young men, 43:1085
rate pressure product, 43:801
reactive hyperemia, coronary, 45:604
skeletal muscle enzymes, 40:868
skeletal muscle enzymes and fiber composition, 40:149
static, echocardiographic left ventricular masses, 48:154
strength, skeletal muscle adaptations, 46:96
strength, skeletal muscle biochemical adaptation, 43:700
submaximal, adjustment and recovery, 48:218
sweating, 43:133, 822
sweating and, women, 51:1526
vascular sensitivity to norepinephrine, 51:282
ventricular performance, 46:854
trampoline, oxygen uptake, 49:881
treadmill
aging and, 43:280
cardiorespiratory responses (horse), 50:864
cardiovascular responses, 46:302, 50:1206
carousel-type, 46:1205
decompression sickness, 47:412
dichloroacetate effect on plasma lactic acid, 48:427
energy metabolism and heart rate (stork), 49:491
glycogen, lactate and alanine changes, muscle fiber types, 43:288
heart and metabolic rate, 45:1009
myocardial blood flow, 53:203
norepinephrine effects, hypothalamus, 49:937
oxygen consumption, maximum, 47:1278
oxygen uptake, 49:881
performance in heat, hypothermia and, 47:813
performance time, induced erythrocythemia effects, 53:490
plasma changes, 49:59
plasma electrolytes and, 53:1529
respiratory and cardiovascular responses, 47:827
small-animal ergometer, 48:394
testosterone, plasma, 49:249
training duration effects, 53:225
ventricular volume overload, cardiac output and, 49:482
wind assistance and resistance, 48:702
treadmill running
adenosine triphosphatase activity, heart, 43:977
aortic constriction and, methoxamine effects, 52:967
cardiac function, 51:941
colonic temperature, 44:571
coronary collateral stimulation, 52:664
endogenous opiates and, 52:1245
energy expenditure and oxygen uptake, 49:571
exercise studies, 52:505
kidney responses, 51:1618
lipoprotein lipase and, muscle, 52:1059
myocardial mechanics, 51:934
refrigerated apparatus, 52:495
respiratory mask, 52:500
trotting, muscle fiber activity, 44:358
ultrastructural changes and, skeletal muscle (horse), 52:910
underwater, ergometry, 50:679
unsteady-state
blood gas tensions, arterial, 44:93
responses, comparisons, 46:510
upright, cutaneous vasodilation and sweating, 50:814
urinary excretion and, vasopressin concentration, 49:930
ventilation
acid-base balance and, 40:864
breathing resistance and, 42:444
kinetics, transition from rest, 43:700
plasma carbonic anhydrase effects, 49:708
study, circulatory occlusion, 50:718
ventilation-perfusion inhomogeneity, 45:512
ventilatory and gas exchange dynamics, 52:1506, 53:1594
ventilatory change, cerebellum and muscle-receptor effects, 47:1062
ventilatory control, increased external dead space, 48:225
ventilatory mechanics, increased ambient pressures, 44:231
ventilatory response, 44:28, 51:194
acid-base balance and, 52:1013
morphine, 47:112
ventricular volume overload, cardiac output and, 49:482
walking
energetics, 43:431
energy expenditure, 43:577
gradient, heart rate and energy metabolism (stork), 49:491
laryngeal stimulation, 45:681
waltzing Japanese mice, lung morphology, 44:446
warm-down, stroke volume, 48:833
water, thermoregulation, 46:1086
weight lifting, 40:630
echocardiographic left ventricular masses, 48:154
increased skeletal muscle fiber number, 48:421
wheel chair
arm crank and ergometry, comparison, 48:1060
asynchronous and synchronous arm exercise, 48:41
caloric energy cost, 48:41
capacity, design, and propulsion, 1060
cardiopulmonary responses and drive ratios, 48:41
cardiopulmonary responses, 46:1066
design, applied physiology, 48:41
metabolic and circulatory responses, 49:784
young, middle-aged and elderly, 50:824
without sweating, hemoconcentration, 42:744
work, muscle weakness following, 53:236
work rate, oxygen uptake and, 50:444
yoga, breathing pattern and ventilatory response, 51:1625

Exertion: *see* Exercise
Exhalation
carbon monoxide, diffusing capacity, 46:992
diffusing capacity, single-breath, 43:617
flow rate: *see* Flow
Exhaustion: *see also* Exercise; Fatigue
heat, alcohol consumption effects, 50:1006
muscular glycogenolysis, adrenal medullary hormones, 50:21
Exocrine secretion, adrenergic and cholinergic nerves (ferret), 49:1027
Exocytosis
calcium effects, trachea, 52:198
sulfated mucous glycoprotein secretion, trachea, 50:383
Expiration: *see* Respiration; *see also* Flow, expiratory,
Expiratory flow: *see* Flow
Expiratory flow-volume curves: *see* Flow-volume relations
Expiratory gas: *see* Gas; Respiration
Expiratory maneuvers, forced, chest wall shape, 50:84
Expiratory pressure: *see* Pressure
Expiratory reflexes: *see* Reflexes
Expiratory resistance: *see* Resistance
Expiratory time
hypoxia and hypercapnia effects, 51:732
inspiratory muscle activity, chronic airway obstruction, 51:1388
respiratory equipment effects, 42:28
Expiratory volume: *see* Volume
Explants, lung biochemical development, 45:355
Exponential analysis: *see* specific subject and site; *see also* Models
Extra-airway pressure: *see* Pressure
Extra-auditory response, noise stimulation, 49:985
Extracellular fluid: *see* Fluid
Extracellular space, mucosal, nonelectrolyte permeability, tracheal epithelium, 51:363
Extracellular space markers, pH, airway smooth muscle, 42:408
Extracellular volume: *see* Volume
Extracorporeal circulation: *see* Circulation
Extrapericardial pressure: *see* Pressure
Extrapulmonary airway: *see* Airways
Extrasystoles, ventricular, 40:132
Extrathoracic airway: *see* Airway
Extravascular fluid, accumulation, pulmonary artery occlusion and reperfusion effects, 50:102
Eye, anterior compartment, isobaric gas counterdiffusion, 47:220
Eye level, acceleration forces, rotation on horizontal bar, 46:1119

F

Face
immersion: *see* Immersion; Diving response to cold, 40:127
Factor VIII, exercise, 40:287
Fahraeus effect, inversion, capillary hematocrit and, 42:578
Fahraeus-Lindqvist effect, capillary hematocrit, 42:578
Fainting, fluid-electrolyte-endocrine changes, orthostasis, 51:1404
Fallopian tubes, motility of, 40:114
Familial aspects, hypoxic drive, endurance athletes, 44:464
Fascia, biomechanics, muscle tension and pressure, hindlimb, 51:317
Fasciotomy, tension and pressure, muscle, hindlimb, 51:317
Fastigial nucleus
cerebellar pressor response, 41:574
skinfold, 40:300
Fasting
chylomicron triglyceride uptake, skeletal muscle, 49:851

Fasting (continued)
2-deoxy-D-glucose uptake, lung, 44:380
enzyme-induced emphysema, 48:284
exercise and, catecholamine-fuel relations, 48:109
fat-free body mass, 42:731
fiber number and, soleus muscle, 53:1234
glucose and insulin response, exercise, 50:766
hypoxia and, resting metabolism, 53:117
ketone bodies, turnover, during exercise, 44:5
long-term, resting and locomotion metabolic rate (penguin), 49:888
lung responses, 42:88
muscle-glycogen levels, protein catabolism and, exercise, 48:624
protein metabolism, lung, 43:463
thermogenesis, 49:975
wheel cage running and, body composition (kangaroo rat), 44:17
Fast-twitch muscle: *see* Muscle
Fat
body
exercise and bed rest effects, 43:126
humid and dry heat, 49:1
hydrostatic weighing, 49:157
loss, estimation, 43:331
brown: *see* Brown fat
metabolism
endurance-trained muscle, 47:787
high-altitude exposure effects, muscle, 52:857
muscle, exercise, 43:695
wheel cage running (kangaroo rat), 44:17
perfusion, rest and exercise, cold water, 52:1557
skinfold, 40:300
Fat cell ghosts, lipolysis, physical training effects, 42:884
Fat cells: *see* Adipocytes
Fatigue: *see also* Exercise
cardiogenic shock, respiratory muscle, 51:499
conduction velocity and electromyographic power spectrum, sustained maximal efforts, 51:1300
development
cardiovascular factors, 45:64
lifting tasks, 60, 64
diaphragm, 53:440, 1190, 1196
adaptability, exercise and emphysema (hamster), 53:1263
detection by phrenic stimulation, 50:538
electromyogram pattern, 46:1
inspiratory muscles, newborn, 51:547
newborn, 46:688
electromyographic tests, endurance, 53:779
exercise stress responses, species differences (dog and miniswine), 52:1077
glycogen content, muscle and liver, 47:425
glycogen repletion, 49:722
inspiratory muscles, synergic behavior, 46:897
isometric contractions and, 51:399
isometric, posture effects, 45:270
muscle, adaptations after strength training, 46:96
muscle respiratory capacity and, isokinetic contractions, 53:470
muscle weakness, dynamic exercise, 53:236
muscular, recovery and, contractile responses (frog), 45:899
neuromuscular, oxygen uptake and developed tension, 45:751
oxygen uptake, skeletal muscle, 45:234
pH effects, cycling exercise, electromyography, 52:1181
skeletal muscle, hyperoxia and blood flow, interaction, 47:1018
ventilatory muscle, respiratory load, 44:905
Fatty acids
blood free, high-altitude exposure, muscle, 52:857
exercise, 42:525
free
altitude effects, exercise, 50:229
carbohydrate ingestion and, before exercise, 51:783
cold adaptation, 46:662
endurance-trained skeletal muscle, 47:787
exercise, 43:425, 695
exercise, altitude, and food effects, 45:350
hypothermia, 42:694, 47:342
hypoxic exercise, 42:587
metabolism, arm-leg work, 46:249
metabolism, cardiorespiratory, pH and exercise effects, 43:959
mobilization, β-adrenergic receptors, 44:869
mobilization, during exercise, 46:766
muscle glycogen usage, exercise, 43:695
respiratory acidosis effects, exercise, 53:63
turnover rate, nonshivering thermogenesis, 42:159
glycerol feeding effects, exhaustive exercise, 50:94
hydrocarbon chain length, skeletal muscle, 43:709
metabolism
exercise, feeding, 52:815
exercise after training, 43:953
oxidation, increased respiratory load, 44:905
plasma, endurance and, 43:829
β-receptor blockade, 40:855
serum free, training and adipose tissue lipolysis, 50:250
uptake, diffusion barriers, tracheal epithelium, 52:1223
Feedback
blood flow control, lung lobes, 53:1650
control, oxygen uptake, neonates, 46:1200
inhibition, adrenal, microwaves and, 47:1284
neural, respiratory after discharge, vagal afferent input, 45:339
phasic volume, inspiratory inhibition, 45:80
volume, inspiratory inhibition, 46:669, 48:302
Feeding
cold exposure and, energy density, 51:327
2-deoxy-D-glucose uptake, lung, 44:380
diet
exercise effects and, thermogenesis, 52:556
fat-free body mass, 42:731
dietary-induced component, hypoxia and, resting metabolism, 53:117
exercise, chylomicron triglyceride metabolism, 52:815
food intake
altered acceleration fields, 45:51
continuous light and (hen), 51:1145
estrous cycle variations, heat effects, 42:874
glycerol effects, exhaustive exercise, 50:94
low-potassium diet, hyperthermia and heatstroke, exercise, 51:8
nutrition, aerobic work capacity, undernourished adult male, 44:209
schedules, environmental synchronizers (monkey), 43:795
specific dynamic action, thermogenesis, 49:975
thermogenesis, at altitude, 45:345
undernutrition, oxygen toxicity, newborn, 53:1248
Female athletes: *see* Exercise
Females: *see* Girls; Women; Adolescents; Sex differences
Femoral artery, intravascular temperature, submaximal exercise, men, 51:1092
Femoral vein, intravascular temperature, submaximal exercise, men, 51:1092
Fentanyl, respiratory control, 44:596
Ferricyanide, hypoxic pulmonary vasoconstriction and, 51:288
Fertility, reduction, high environmental exposure and, 53:1207
Fetus: *see also* Placenta; Pregnancy
airway expansion, photography, 42:976
biochemical development, organ culture model, lung, 45:355
breathing
generation and regulation (lamb), 47:527
pilocarpine-induced (lamb), 50:1348
carbon dioxide sensitivity development, gestational age effects, 50:956
cerebrospinal fluid, ventriculocisternal perfusion (lamb), 50:880
development
hypoxia and maternal exercise, 46:828
pulmonary surfactant and, 53:1
diffusing capacity, carbon monoxide and oxygen (sheep), 43:885
diving, cardiovascular and metabolic responses (seal), 49:424
first breath, chemoreceptors (lamb), 42:630
fluid balance, lung (lamb), 53:992
heat production
brain (sheep), 43:747
lung development (rhesus monkey), 43:92
liquid clearance, lung, 49:171
lung, supra-additive hormone interactions, 52:1420
lung development
culture, hormones, 48:872
(monkey), 53:230
lung maturation
cortisol effects, diabetic mother, 49:971
delay in, diabetes, 48:643
metabolic studies, acute small animal preparation, 49:42
metabolism, oxygenation and (sheep), 43:1080
no-decompression dives, response (sheep), 48:776
oxygen affinity, red cells (sheep), 45:7
oxygen changes, hypoxic stress, mathematical model, 42:179
oxygen equilibrium properties, blood and hemoglobin (seal), 50:999
phrenic nerve section effects, respiratory system (lamb), 51:293
prepartum maturation, cortisol relations, lung, fetal (sheep), 51:384
pressure-volume relations, betamethasone effects, lung (monkey), 47:377
respiratory activity, hypercapnia, in utero (sheep), 50:701
respiratory movements, 42:661
respiratory pattern development, in utero (sheep), 50:693
surface tension, lungs, autonomic control, 43:1039
tracheal fluid, decrease (lamb), 47:985
ventilatory response, chemodenervation (lamb), 42:630
Feulgen technique, DNA levels, myocardial, 42:501
Fever: *see also* Pyrogenicity
cold acclimation, 40:29
prostaglandin E_1 (monkey), 44:751
Fibers: *see* Muscle fibers; Phrenic fibers
Fibrin
aggregates, pulmonary embolization, lung fluid balance (sheep), 52:1565
pulmonary edema (sheep), 47:213
Fibrin fragment E, exercise, high altitude, 53:40
Fibrinogen
Aα-chain degeneration, exercise and,

47:1157
Aα-chain degradation/heterogeneities, long-distance racing (horse), 50:245
degradation, alveoli, 45:516
depletion, lung fluid balance after emboli (sheep), 47:213
exercise, high altitude and, 53:40
pulmonary microembolization and (sheep), 53:895
sepsis, pulmonary edema and, lung (dog, baboon), 50:1198
turnover, exercise, 42:865
Fibrinogen-fibrin
degradation products, exercise and, 47:1157
lung water accumulation, pulmonary microembolism, 49:841
Fibrinogenolysis
exercise, 42:865
fibrinolysis without, distance racing (horse), 50:245
strenuous exercise, 47:1157
Fibrinolysis
distance racing, without fibrinogenolysis (horse), 50:245
exercise, 40:287, 42:865
high altitude, pulmonary edema, 46:41
oral contraceptives and, exercise effects, female, 53:330
pulmonary embolization effects (sheep), 52:1565
strenuous exercise, 47:1157
Fibrinopeptide A, strenuous exercise, high altitude, 53:40
Fibroblasts, pulmonary, prostaglandin A_1 and $F_{2\alpha}$, metabolism (pig), 46:211
Fibronectin
opsonic, deficiency, lung fluid, during sepsis (sheep), 49:693
plasma, bacterial sepsis (sheep), 49:693
Fibrosis
cystic: *see* Cystic fibrosis
pulmonary, regional and diffuse, lung elasticity (baboon), 47:138
Fick measurement, cardiac output, 40:849
Fick principle, cardiac output, stroke volume and, exercise (duck, pigeon), 53:207
Filtering, digital, smoothing of maximum expiratory flow-volume curves, 48:202
Filter: *see* Band-pass filter; Comb filter analysis
Filtration
capillary
fluid pressure, lung, 52:1444
visceral pleural fluid movement, 51:671
fluid
alveoli, anesthesia (sheep), 53:96
hypercapnic effects, awake state, newborn, lung (lamb), 51:423
hypoxic vasoconstriction and, lung (pig), 51:1065
transvascular, alveolar pressure and lung volume, 42:476
glomerular
hibernation, hypothermia, 42:420
kangaroo, 42:636
lung capillaries, during high permeability (sheep), 46:146
pulmonary, catecholamine effects (sheep), 50:1353
Filtration coefficient
capillaries, lung, 42:13
visceral pleural fluid movement, 51:671
Finger
blood flow: *see* Blood flow
Fistula, lung lymph, thoracic duct (goat), 51:226
Fixators, inspiratory pressure swings, partitioning, 44:200
Flail chest, oxygen exchange, pulmonary, 47:729
Fleisch pneumotachograph, gas viscosity measurement, 53:290
Flow
air
bulk, asthma, exercise-induced, 42:22
chronic obstruction, exercise, 49:511
expiratory, reflex control, 42:80
forced oscillation, specific conductance, 51:715
mucus-lined tube resistance, 52:1172
nasal, swallowing coordination, infants, 50:851
nasal flowmeter, preterm infant, 48:569
phrenic neural activity, lung, 50:149
resistance and, eupnea, 52:773
thoracic resistance, 48:957
turbulent, meter for long-term monitoring, 42:456
upper airway, newborn, 53:805
aortic
peak, anoxia effects, 53:726
positive-pressure inflation, 49:124
body
force-velocity relations, expiratory muscle, 52:930
linearity, 50:658
dependence
muscle fatigue, 47:1018
pulmonary resistance, 47:621
distribution, bronchial, vascular communications, 50:1045
diversion, hypoxic pulmonary vasoconstriction and, 51:1543
expiratory
bronchodilatation, lung recoil and density dependence of, 52:874
choke point, 47:490
computational model, 52:44
cough dynamics, *d*-tubocurarine, 51:494
density dependence and determinants, 49:897
density dependence of, 53:392, 397
dynamic bronchial collapsibility and, 42:699
exercise, 49:506, 511
forced, newborn, 53:1220
helium-oxygen breathing, flowmeter calibration, 51:1038
high altitude, 42:245
histamine, inhaled effects, 42:508
increased ambient pressure, 44:231
large lungs, divers, 46:639
limitation, single-breath washout test, lung, 52:34
limitations, 43:516, 44:156, 231, 46:565
limitations, asynchronous, 46:1011
limitations, lung surface tension and, 47:692
limitations, model, 48:991
lung growth, children, 44:521
maximal, bronchoconstriction, 50:575
maximal viscosity and density dependence, 48:319
maximum, altitude acclimatization, 52:1407
maximum, intrapulmonary bronchi, excised, lung, 52:295
maximum, lung recoil and, children, 42:817
maximum, thoracic restriction and, 51:1115
maximum, time dependence as index of nonuniform emptying, 47:1043
negative-pressure breathing, 50:552
peak, exercise and temperature-humidity stress, 53:1015
peak, pulmonary mechanics, 50:747
posture effects, 53:1175
rib cage and abdominal restriction, 49:946
sex and age differences, intrachoracic airway, 46:556
single-breath nitrogen test, 50:1156
small airway and, 52:346
smoking effects, 42:508
steady, lung, 51:1331
frequency spectra of, forced vital capacity, 53:977
gas, skin resistance, 49:438
helium-oxygen, maximal, 42:899
impedance, airway, occlusive sleep apnea and, 53:1158
inspiratory
aerosolized isoproterenol, 40:525
equation, neural-mechanical relations, 51:963, 979
exercise and carbon dioxide effects, 47:192
helium-oxygen breathing, flowmeter calibration, 51:1038
limitation, 48:202
negative-pressure breathing, 50:552
peak, pulmonary mechanics, 50:747
posture effects, 53:761
resistive load detection, 49:958
respiratory apparatus, 48:577
limitations
airway compliance and, forced expiration, 52:357
asthma, exercise-induced, 42:746
regional, lungs, 43:983
viscosity and density effects, 48:313
lung, functional diagram, 52:1035
mainstream, capillary hematocrit and, 42:578
midexpiratory, forced, measurement, 42:607
modulation, thermodilution technique, cardiac output (pig), 51:584
oscillatory
bronchial tree, 53:1023
central airway, 50:1293
oscillatory and unidirectional, straight tubes and airway cast, 52:1097
partitioning, symmetric cascades, branches, lung, 51:598
pattern
inspiratory, gas exchange, lungs, 46:1103
negative airway pressure, 50:552
plasma
renal (kangaroo), 42:636
serotonin uptake and, lung, 53:677
pulmonary, occlusive sleep apnea, 48:432
pulsatile, hypoxic pulmonary vasoconstriction, lung, 53:1583
rate: *see* Flow rate
redistribution, pulmonary edema, intact lung, 49:834
reference technique, bronchial arterial blood flow, 53:1044
regime, airway resistance, 41:234
resistance: *see* Resistance
respiratory, drift compensation, 44:619
steady, central airway, model, 49:417
transducers: *see* Transducers
transients, time dependence, airway, 47:1043
ultrasonic measurement, isolated perfused lung lobe, 48:444
velocity, carbon dioxide and oxygen effects, arterial and cerebral preterm infant, 48:468
volume: *see* Flow volume
Flow-control mechanism, bronchial, cascade flows, 51:598
Flow-dependent catheters: *see* Catheters
Flowmeter
calibration, helium-oxygen breathing, 51:1038
electrocapillary, sweat detection, 49:342
electrodynamic, technique for dynamic calibration, 53:294
electromagnetic, 40:256, 849, 883
expiratory
aging, 43:1054
choke point, 43:498
limitations, elastic tubes, 43:516
longitudinal tension-induced, tracheal, 43:537
maximal, 43:516, 807
Starling resistor, 43:516
hot-wire, oxygen and carbon dioxide, 52:79

Flowmeter (continued)
nasal, self-retaining, preterm infant, 48:569
pneumotachometer calibration, computerized, 53:280
respiratory, hot-wire, clinical applicability, 47:1131
turbulent airflow, 42:456
ventilation measurement, neonate, 53:1307
volume-displacement body plethysmography, 47:1127
Flow probes: *see* Probes
Flow rate
cornea, 40:447
exhaled, voluntarily controlled, carbon monoxide diffusing capacity, 46:1149
expiratory
closing volume measurements, 46:1011
measurement, 41:153
gas sampling, measurement, 46:1196
inspiratory, inhibition, graded, 46:669
Flow-resistive loading: *see* Loading
Flow-static recoil relations
intrathoracic airway, sex and age differences, 46:556
maximum, airway compliance, forced expiration, 52:357
normal (bonnet and rhesus monkey), 46:176
Flow-through respirometry: *see* Respirometry
Flow-through system, oxygen consumption, 43:916
Flow volume
expiratory
methacholine inhalation (baboon), 50:754
plethysmography (mouse, rat, guinea pig, hamster), 50:1104
Flow-volume relations
aging, 43:1054
air, bronchospasm, exercise-induced, atropine effects, 45:238
airway compliance, forced expiration, 52:357
assessment of pulmonary mechanics, 41:20
atropinelike agent, inhaled, airway, 46:256
breathing dynamics, infant, 52:1209
computational model, expiratory flow, 52:44
computerized measurement, 44:611
density dependence, maximum expiratory flow, 53:397
dependence, gas distribution, inspiratory muscle contraction and, 45:733
diving, 40:320
emphysema, lung, model, 51:321
excised, right and left lung, 46:463
expiratory
axial bronchial tension, mathematical model, 45:659
bronchodilator dose-response curves, 50:1193
chest restriction and, 51:26
chest wall shape, 50:84
configuration, variability, 46:565
density dependence and, 49:897
forced, measures, 42:607
hypocapnia, 47:8
low-resistance plethysmography, 47:1127
maximum, analysis, 44:167
maximum, forced expiration indices, 50:15
maximum, smoothing by digital filtering, 48:202
maximum, transpulmonary pressure, 45:840
nonuniform emptying, 47:1043
normal, 43:942
partial, respiratory heat loss, 49:875
static recoil pressure, relationship, 45:840
Fourier analysis, spirometric curves, 53:977
helium-oxygen, 42:899
breathing, flowmeter calibration, 51:1038
histamine, inhaled, 42:508
inspiratory, elevated, 45:495
lung
determination from multiple pressure-volume curves, 43:730
mechanics, 50:650
negative effort-dependent, 45:840
normal (bonnet and rhesus monkey), 46:176
partial, volume-referencing, 48:731
partial curarization, respiratory muscles, 52:57
pneumotachograph, 41:120
posture effects, 53:1175
rapid measurement, lung (small animals), 46:394
respiratory
positive pressure breathing, 45:495
small carnivore (ferret), 52:832
smoking, 42:508
viscosity, density-dependence and, 48:731
wave-speed limitation, 43:498
Fluid
acid-base, arterial and cerebrospinal, 41:878
balance
altitude, simulated, 44:652
chair rest and water immersion, 48:79
emboli, heparin or fibrinogen depletion effects, lung (sheep), 47:213
body
adjustments in heat acclimatization, 40:786
alteration effects, circulatory performance, exercise, 50:292
changes, simulated high altitude (toad), 51:794
distribution, effect of lower body negative pressure, 41:719
heat acclimation (monkey), 49:431
hematologic adjustments and, cold acclimation (monkey), 52:1024
sweat rate effects, exercise, 51:1594
cerebrospinal: *see* Cerebrospinal fluid
clearance
alveoli, anesthesia (sheep), 53:96
extravascular, capsaicin and, lung, 47:961
lungs, newborn, 49:171
compartments
edematous lungs, 51:1268
isolated perfused lung, 46:74
plasma water and protein shifts, dehydration, 47:738
dynamic factors, pressure measurement, tracheal, 51:218
dynamics, respiratory resistance measurement, 52:549
exchange
exercise and bed rest, 43:126
lung, 43:902
extracellular
acidity, cerebral blood flow, 47:818
dehydration and, 40:6
volume expansion, lung water and, 42:624
extravascular
accumulation, pulmonary artery occlusion and reperfusion effects, 50:102
lung, alveolar flooding and, 53:267
filtration: *see also* Filtration
sympathetic nerve stimulation, lung (sheep), 47:1025
transvascular, alveolar pressure and lung volume, 42:476
hyposmotic, water immersion and, 51:686
interstitial
accumulation, collateral ventilation and, lung, 53:70
cerebral, pH, 53:1551
extra-alveolar vessels, 44:759
extravascular lung water and, 42:624
lung (sheep), 46:932
pressure, airway pressure and, 42:476
pressure-volume relations and, lung, 52:260
protein flux, pulmonary transvascular measurement (sheep), 45:225
protein permeability, alveolar, 42:144
pulmonary edema, 49:815
intra-alveolar, pressure, estimation of interstitial forces, 44:267
intracellular, dehydration, 40:6
lavage, phospholipid release, lung, 47:285
leaks, extra-alveolar vessels, lung, 44:759
lung
accumulation, atelectasis and hyperinflation, 45:284
balance, catecholamines and (sheep), 50:1353
balance, embolization, thrombin and fibrin effects (sheep), 52:1565
balance, endotoxin effects (sheep), 53:967
balance, fetal and newborn (lamb), 53:992
balance, intracranial hypertension and (sheep), 52:1324
balance, measurement, micropipettes, 53:737
balance, micropipette measurement, 52:9
balance, surgery (sheep), 50:1358
capsular and intra-alveolar comparison, 52:1444
defibrinogenation effects, microembolization (sheep), 53:895
exchange, cannulation, 43:899
leaks, extra-alveolar vessels, 44:759
prostaglandins and, fetal (lamb), 51:1562
protein exchange and, adrenoceptor control (sheep), 51:88
protein exchange and, efferent duct (sheep), 50:1372
protein exchange and, microemboli effects (sheep), 51:461
surfactant release and, 51:905
transport, after shock (sheep), 46:498
mechanics
central airway, model, 49:417
pressure-flow relations, airway, 51:1338
pressure-flow relations, alveolar, 51:1033
microvascular, pore-membrane models, 51:1574
nonlinear systems, random noise input, 53:1643
opsonic fibronectin deficiency effects, lung, during bacterial sepsis (sheep), 49:693
percussion device, concussive brain trauma, 49:856
pericardial, cardiogenic gas mixing, lung, 42:5
pressure: *see* Pressure
protein exchange and, pulmonary arterial occlusion effects (sheep), 53:543
pulmonary, airway expansion photography, 42:976
secretion
adrenergic and cholinergic nerve mediation, tracheal glands (ferret), 49:1027
gastric, reflex stimulation of, 52:1153
shifts
bed rest with isometric and isotonic exercise, 42:59
dehydration, 42:252
G_z acceleration, 42:67
immersion diuresis, 46:703
transvascular, zone I lungs, 48:256
tracheal
production, phrenic nerve section effects, fetal (lamb), 51:293
prostaglandins and, fetal (lamb),

51:1562
tracheobronchial, temperature, humidity and breathing mode effects, 46:205
training and heat acclimation, sedentary females, 47:978
transport
after shock, lung (sheep), 46:498
lung, 50:1
tracheal epithelium, 49:905
transvascular, flux, oleic acid dose-related edema, perfused lung, 50:1115
visceral pleural, movement, 51:671
volume: *see* Volume
weight gain and, lung lobes, 52:173
Fluid-electrolyte distribution, drinking, 48:838
Fluid-electrolyte responses, orthostatic, fainting, 51:1404
Fluid-electrolyte shifts, altitude, simulated, 44:652
Fluid-endocrine shifts, graded activity, 50:123
Fluid-protein exchange
lung, intracranial hypertension, sympathetic mechanisms (sheep), 48:273
lung endothelium, sympathetic nerve stimulation (sheep), 47:1025
Fluorescein isothiocyanate, dextran transport, lung lymph (sheep), 52:585
Fluorescence studies, oxygen tension, cerebral cortex, hyperbaric conditions, 46:53
Fluorescent indicator, indicator-dilution technique, 52:1368
Fluorocarbon
FC 80 liquid, gas embolism due to, 40:745
liquids, ventilation, cardiovascular adjustments, 47:1051
trace levels, quadrupole mass spectrometry, 44:634
Fluorodilution, indicator-dilution technique, 52:1368
Flurothyl, high-pressure neurological syndrome, 46:128
Foam, gas trapping and, 43:414
Follicle-stimulating hormone
exercise, 44:109
menstrual cycle, teenage athletes, 50:545
Food deprivation: *see* Fasting
Food intake: *see* Feeding
Force
acceleration: *see* Acceleration; Gravity
axial, bronchial tree, 42:773
exertion, during one- and two-leg cycling, 42:514
transmission
cardiac, nonsynchronous and synchronous vibration, 46:549
vibration effects, 42:682
Force-balance analysis, diaphragm action, rib cage, 53:756
Forced expiratory vital capacity: *see* Capacity
Forced random noise analysis, respiratory impedance, young children, 47:169
Force environment: *see also* Gravitational-interstitial force; Gravity; Acceleration; Pressure
pulmonary blood flow, spatial distribution, 44:384
regional pulmonary, displacements and volumes, 44:216
Force fatigue, power spectrum, electromyography, 53:1094
Force-frequency relations
diaphragmatic fatigue detection, 50:538
electromyography and, 53:1094
hypoxia and sinoaortic denervation, 43:1012
Force-length relations
diaphragm, during voluntary contraction, 44:829, 840
neural-mechanical, respiratory, 51:963
normal diaphragm, 53:405
Force-velocity relations
airway smooth muscle, asthmatic model, 46:681
diaphragm, during voluntary contraction, 44:829, 840
expiratory muscles, 52:930
neural-mechanical, respiratory, 51:963, 51:979
short-term dynamic exercise, 51:1175
skeletal muscle overload, 52:473
temperature effects, 42:471
training-induced alterations, muscle, 51:750
Forearm
blood flow: *see* Blood flow
inactive, lactate uptake and progressive leg exercise, 45:835
resistance, 41:96
venous volume, control during exercise and body heating, 48:114
Formaldehyde solution, lung fixation, intratracheal, lung inflation and, 48:389
Fossorial animals, metabolic performance, hypoxia (gopher), 43:965
Fourier analysis, 40:250
diaphragm, 40:729
frequency dependence, dynamic compliance, 48:45
pulsatile blood flow, pulmonary, awake state, 50:805
spirometric curves, 53:977
spontaneous breathing, lung and chest wall, 49:408
Fourier transform: *see also* Computer studies
dynamic calibration, electromagnetic flowmeters, 53:294
fast, normal breath sounds, 50:307
Fragility, osmotic, erythrocytes (mouse deer), 42:673
Frank-Starling mechanism
exercise conditioning, aortic constriction and, methoxamine effects, 52:967
ventricular function and volume, coronary artery disease, exercise, 50:636
Free radicals, oxygen release, *N*-formyl peptides, lung macrophages (guinea pig), 50:736
Freeze substitution, lung shrinkage, 48:382
Freezing
lung, electron microscopy, 45:325
rapid
electron microscopy, lung, 53:516
lung shrinkage, 48:382
Frequency
breathing: *see* Respiration
respiratory: *see* Respiratory frequency
resonant, spontaneous breathing, 49:408
transducer response, gas density effects, 47:631
Frequency analysis
cardiorespiratory and gas exchange dynamics, sinusoidal and impulse work loads, 48:289
electromyogram, diaphragm fatigue, 53:1196
normal breath sounds, 50:307
Frequency dependence
compliance, pulmonary, 43:942
dynamic compliance
body position effects, 42:706
one cycle of breathing, 48:45
forced random noise resistance parameters, 51:33
oscillatory impedance data, 43:322
pulmonary resistance, gas physical properties and, 47:161
respiratory impedence partitioning and, lung, 51:621
respiratory resistance, 47:1325
smooth muscle, airway, 47:1251
ventilatory, regional transpulmonary pressure, 51:678
Frequency domain, normal breath sounds, 50:307
Frequency response
dynamic calibration, electromagnetic flowmeters, 53:294
head-out exercise body plethysmography, 47:1336
plethysmography, (mouse, rat, guinea pig, hamster), 50:1104
pressure, volume, and flow transducers, measurement, 47:462
Frequency spectrum
diaphragmatic fatigue, electromyogram pattern, 46:1
muscle fatigue, inspiratory, newborn, 51:547
Frequency-tension relations, skeletal muscle overload, 52:473
Frostbite, experimental, 41:551
Fructose
ingestion, before exercise, 51:783
serotonin uptake, lung, 46:447
Fuels, catecholamines and, interrelationships during exercise and fasting, 48:109
Fumarase, training, 40:868
Functional capacity: *see* Exercise
Functional residual capacity: *see* Capacity
Furosemide
acid aspiration and, 51:335
sodium-chloride ionic transport, tracheal epithelium, 47:598
sodium-potassium-ATPase, characterization, tracheal epithelium, 48:1008

G

Gain
central and peripheral chemoreflex loop, carotid-body resection, 46:843
open-loop: *see* Open-loop gain
Gait, human, mechanical work, 46:79
Galloping: *see* Exercise
Galvanic oxygen cell, blood oxygen content determination, 50:456
Gamma ray attenuation, transthoracic, pulmonary edema measurement, 47:1228
Ganglia, trachea, vagal motor pathway, barbiturate effects (ferret), 53:253
Gas: *see also* specific gas
abdominal, Boyle's law determination of thoracic gas volume, 44:469
air sac, ventilatory control and (bird), 53:1397
alveolar
compression, panting frequency effects, 52:739
forcing, time courses, model, 52:1353
hypoxic pulmonary vasoconstriction and, 51:871, 53:134
mean, pulmonary patients, 46:534
analysis, 40:827
anesthetic, atrial conduction and excitability, 45:24
arterial blood, control system, 50:1362
blood
age and physical activity effects, 45:709
altitude, aging and, 48:6
analysis, pulmonary arterioles, 48:848
arterial, 41:462
arterial, aortic and carotid chemoreceptor afferents, 48:362
arterial, aquatic and treadmill exercise, 46:302
arterial, carbon dioxide effects (sheep), 51:1398
arterial, central vascular shunts and, 53:1360
arterial, exercise, 40:191
arterial, oxygen tolerance, 50:1036
arterial, respiratory rhythmicity, 50:45
arterial, resting and exercise, 46:806
automatic control, 50:1362
carotid, cardiopulmonary bypass, 47:1176

Gas (continued)
carotid chemoreceptor resection, 46:908
changes during panting (antelope, dik-dik), 44:534
content, Van Slyke apparatus, 50:1093
equilibrium, hypercapnia, 47:1074, 52:1177
exchange, computer subroutines, 51:1080
exercise, 40:864
exercise and acceleration, 40:491
exercise effects (duck), 47:827
exercise following reinfusion, 53:1213
exercise hyperpnea, 49:239
exercising leg, 42:385
fetal, diving (seal), 49:424
high-frequency oscillatory ventilation, 51:1484
hypercapnic exercise, 48:1065
hypoxia effects (sea bass), 53:1336
measurement, electrodes, 44:818
noninvasive monitoring, electrodes, 51:1027
oxygen depletion analysis, 51:232
partition coefficients, 46:1169
partition coefficients, hematocrit and temperature effects, 51:1357
respiratory pattern, heat stress (sheep), 50:315
sensor, dead space measurement, 51:154
transport, vertebrates, 53:1321
venesection and reinfusion, 40:379
bubbles
detection, lung, 47:537
diving, fetal (sheep), 48:776
formation, high gas supersaturation, 47:1270
formation, isobaric gas, eye, 47:220
homogeneous nucleation of, 53:940
supersaturation effects, 42:758
trapping and, 43:414
cardiogenic, mixing in lung, pericardial fluid effects, 42:5
chromatography: *see* Chromatography
collateral low, propranolol-vagal-alveolar oxygen interactions, lung, 52:1426
collection, respiratory, 40:108
compression
airway, noninvasive measurement, 46:399
lung recoil, 49:142
thoracic, maximal expiration, 48:695
concentration, alveolar, stratification, 48:147
density
effects, hyperbaric bradycardia, 50:731
expiratory flow, 47:490
interrupter technique, 52:549
physical performance, 46:984
respiratory control, 48:528
transducer frequency response, 47:631
diffusion: *see* Diffusion
dispersion, Taylor (pig), 43:391
distribution
flow dependence, inspiratory muscle contraction and, 45:733
inspired, rib cage and abdominal restriction, 49:946
intrapulmonary, anesthesia-paralysis, 42:391
intrapulmonary, awake and anesthetized-paralyzed prone man, 45:528
end-tidal to arterial, ratio, 50:1362
equilibration, alveolar and pulmonary end-capillary, 42:323
exchange
alveolar, altered gas diffusivity and, 48:147
alveolar, breath-to-breath measurement, 51:1662
alveolar, hypercapnia, 47:1074, 52:1177
alveolar, predicted values, 43:357
alveolar and pulmonary end-capillary carbon dioxide, 42:323
anaerobic threshold, 53:1184
analog measurement, on-line, 43:563
analysis, mass spectrometry, 51:1417
apnea, 53:483
arterial carbon dioxide pressure and end-tidal pressure, exercise, 47:954
asthma, arm and leg work-induced, 42:565
awake and anesthetized paralyzed men, 47:745
carbonic anhydrase activity, 49:211, 589
cerebral, hypercapnia and hypocapnia, 46:1164
closed lung system, 47:240
computation, analyzer response time, 47:1118
computerized exercise testing, 49:456
contusion, pulmonary, 47:718
cycling with sinusoidally varying pedal rate, 44:97
diffusing capacity to work, lung, 52:1124
diffusive, cardiac function and, embryo (chick), 51:1017
during $+G_z$ acceleration and exercise, 40:491
dynamics, cardiorespiratory dynamics and, 48:289
dynamics, exercise, 52:1506
dynamics, in sinusoidal work, 42:300
exercise, 45:512
exercise, phasic, hindlimb, 46:878
extracorporeal, ventilatory control, 44:311
extreme altitude, man, 52:1393
eye, 47:220
hematocrit maldistribution, intrapulmonary, 46:240
high-frequency oscillation, 48:710
high-frequency ventilation and (chicken), 53:1418
hyperbaric environments, lung, 51:243
hypoxia, unilateral, 43:778
identification by graded vascular embolization, 49:132
increase, exercise, 52:236
inert, exercise, altitude, 50:1129
inert gas washout, 43:903
inspiratory flow patterns, lungs, 46:1103
kinetics, transitions from rest or exercise, 43:704
kinetics during exercise, determinants, 46:1054
kinetics, exercise, airway obstruction and, 53:1594
krypton-81m measurement, 44:115
liquid breathing, 49:262
lobar acid injury, 49:150
lung and closing volume, 52:1453
lung lavage, 43:778
measurement, artificial respiration, 51:1451
measurement, tracer-bolus method, 50:898
measurements, pulmonary, 51:1306
membrane, during hemodialysis, 50:259
membrane, hypopnea, 46:1171
middle ear, isobaric counterdiffusion, 47:1239
oleic acid lung disease, 50:1056
organs, vertebrates, 53:1321
oxygen-induced alterations, pulmonary, 47:1112
partition coefficient, liquid breathing, 49:262
phase III slope, single-breath nitrogen test, 50:1156
pH changes, blood, postcapillary, 44:770
positive end-expiratory pressure effects, pulmonary, 50:517
postcapillary, carbonic anhydrase inhibition, 43:582
postcapillary changes, blood pH, 45:565, 674
postcapillary pH disequilibrium, liver, 47:1079
pulmonary, 40:216
pulmonary, altered density gas breathing, 52:221
pulmonary, augmented diffusion, airway, 49:232
pulmonary, cardiogenic oscillations and, 51:922
pulmonary, hemorrhage and shock, 42:279
pulmonary, high-frequency ventilation, 52:1278
pulmonary, lobar atelectasis, 50:341
pulmonary, mass spectrometry, 53:770
pulmonary, nonperfused lungs, 51:1261
pulmonary, pH and exercise effects, 43:959
pulmonary blood flow and, 53:1100
pulmonary edema, 53:1273
pulmonary, exercise, high-altitude effects, 53:1487
pulmonary hypoxemia and, hemodialysis, 50:250
pulmonary injury model, 52:543
pulmonary mechanics and, chest restriction, 51:26
pulmonary perfusion and, pneumococcal lobar pneumonia, 50:524
respiratory, delayed kinetics, exercise, 52:921
respiratory oscillations, 48:545
respiratory, varying fractional inspiratory oxygen, errors, 50:210
sepsis, pulmonary edema and (dog, baboon), 50:1198
single-breath carbon monoxide diffusing capacity, 46:1149
single-breath nitrogen tests, 53:789
single exhalation, 43:617
slow pH equilibration, 45:666
soluble, rebreathing, 53:930
steady-state, Bohr-Haldane effect, lung, 52:1330
sulfur hexafluoride breathing, 45:512
surface area, intrapulmonary blood flow and, 52:1575
ventilation-perfusion inequality, 46:372
xenon distribution rates, 50:1325
exhaled, diffusion capacity, lung model, 48:648
expired
collection, nonrebreathing valve (small animals), 44:974
measurement, dryer, 46:1196
flow
integrator, pulmonary, improved stability, 44:619
skin resistance, 49:438
flow-dependent catheters, calibration, 44:124
foreign, bolus test, closing capacity, 44:238
hyperbaric
electrolyte transport, erythrocytes, 49:204
elemental, electrolyte transport, erythrocytes, 49:204
inert
absorption, closed lung system, 47:240
acid-base balance changes, embryo (chick), 50:819
arterial-alveolar difference, distribution, 44:258
arterial-alveolar difference, ventilation-perfusion, 44:277
blood phase measurements, mass spectrometry, 53:770
cardiac function and, embryo (chick), 51:101
common dead space, lung, model, 47:896
diffusion, 43:414
effects, hyperbaric bradycardia, 50:731

elimination, pulmonary, 52:1278
elimination, venous bubbles and (goat), 51:1238
elimination, ventilation-perfusion ratio distribution, 42:889
exponential series analysis, 47:1263
high-frequency ventilation, 52:683
homogenous nucleation of, 53:940
identification by graded vascular embolization, 49:132
isobaric, supersaturation model (piglet), 44:914
isobaric counterdiffusion, subcutaneous tissue, 47:224
isobaric supersaturation, 51:852
isobaric supersaturation risk, 46:1157
narcosis, 49:204
penetration into alveolar space, low tidal volume, 43:403
physical performance and, 46:984
quadrupole mass spectrometry, 44:634
rates, decompression, 45:916
retention, 43:1106
solubilities, hematocrit maldistribution, 46:240
solubility, lung tissue homogenates, 46:1207
solubility and partition coefficients, brain and blood, 46:1169
technique, oxygen-induced alterations of ventilation-perfusion relations, 47:1112
tracer, longitudinal mixing in pulmonary airways, 44:297
tracer, longitudinal mixing, pulmonary airway, 46:799
transport, microcirculation, 46:1157
uptake, middle ear, 47:1239
ventilation-perfusion distribution, 49:684
ventilation-perfusion inequality, 46:372
washout, dead space volume measurement, 47:319
washout, from tissues, diffusion and, 45:903
washout, partition coefficients, cerebral, 46:1164
washout, recovery of continuous ventilation distribution, 44:416
washout from tissues, diffusion and, 45:903
xenon exchange rates, 50:1325
inspired
chest wall motion, anesthesia, 49:279
chest wall restriction, 49:655
irritant: *see* Irritants; Pollution
kinetics, xenon, 50:1325
manometric analysis, Van Slyke apparatus, 50:1093
medical, programmable gas mixer, 49:160
metabolic, single-breath nitrogen tests and, 53:789
metabolic effects, inert gas pattern, 50:487
metabolism, measurement, newborn, 50:1098
mixing
augmented diffusion, 49:232
branching and gravity effects, 52:1476
cardiogenic oscillations, 51:1287
diffusive, hyperbaric environments, lung, 51:243
heart rate and stroke volume effects, lung, 53:1603
high pressure, optimization of, 41:960
intrapulmonary, low tidal volume, 43:403
intrapulmonary, multiple-breath nitrogen washout curve, :48:265
pulmonary airway, 44:297
uneven, rebreathing, 53:930
mixing system, breath-to-breath respiratory control studies, 52:1358
mixtures
lung recoil, static, 42:899
water-breathing animal studies, 51:229
moments of distribution, xenon exchange rates, 50:1325
oxygen-enriched, hyperoxia, 51:725
partial pressure, intracerebral tissue, continuous measurement, 44:528
partition coefficients, brain and blood, 46:1169
pattern, inert, metabolic gas effects, 50:487
perfusion, isobaric supersaturation, risk, 46:1157
phase, calibration, quadrupole mass spectrometer, 44:634
physical properties
pulmonary pressure-flow curves, 48:878
pulmonary resistance, frequency dependence, 47:161
properties, maximal flow, 48:313
pulmonary, electrical impedance and, thoracic, 53:1608
respiratory
analysis, matched reagents for, 43:164
high-frequency ventilation, 52:683
simple ventilator, 44:640
sampling, flow rate, measurement, 46:1196
separation, decompression, 45:916
soluble, tissue volume measurement, pulmonary, 51:1375
tension
arterial, during unsteady-state exercise, 44:93
transcutaneous, 49:438
thoracic, volume, infant, 43:144, 155
trace levels, cracking patterns, 44:634
transfer
diver's lungs, 46:639
pulmonary, on-line digital integration, 43:375
transport
cardiac size and, 49:994
isobaric supersaturation, 51:852
pulmonary, 53:496
pulmonary, high-frequency oscillation, 51:1507
pulmonary interdependence, 47:296
spinal cord, embryo (chicken), 53:1455
trapped
during oxygen breathing at low lung volume, 43:138
lung degassing, 48:370
nitrous oxide-induced, 43:414
pulmonary, immersion, 44:679
residual volume, lung, 51:313
volume, lungs, 51:168
valve, respiratory, 41:939
ventilation-perfusion inequality, susceptibility, 46:372
viscous mixture, forced expiration indices, 50:15
volume: *see* Volume
washout, partition coefficients, cerebral, 46:1164
Gas analyzers
acoustic helium
for closing volume measurement, 43:911
lung volume measurement, 50:203
infrared, 47:1118
measurements at trace levels, quadrupole mass spectrometer, 44:640
Scholander, 40:976
matched reagents for, 43:160
ventilator, simple, 44:640
Gas-liquid chromatography: *see* Chromatography
Gas mixer, programmable, control of concentration as a function of time, 49:160
Gasping
asphyxia, neonatal respiratory patterns, 43:468
automatic ventilatory patterns, brain stem genesis of, 51:204
eupnea and, phrenic motoneuron comparison, 50:994
respiratory pattern characterization, 50:984
Gas space, pressure, subcutaneous tissue, isobaric counterdiffusion, 47:224
Gas-steam heater, skin temperature control, 44:981
Gastric acid, exercise effects, 53:851
Gastric emptying, postprandial, exercise effects, 53:851
Gastric-esophageal probe: *see* Probes
Gastric pressure: *see* Pressure
Gastrin, exercise effects, 53:851
Gastrocnemius muscle
ankle plantarflexion, joint position and, 52:1636
atrophy, in hypokinesia, 48:479
electromyography, 52:451
oxygen uptake, developed tension, 45:751
protein synthesis rates, limb immobilization, 51:73
receptor stimulation, ventilatory response, cerebellum and, 47:1062
surface pH, measurement techniques, 52:85
tenotomy, work-induced hypertrophy, 46:654
Gastrointestinal motility, extraluminal measurement, telemetric system for, 41:425
Gastrointestinal tract, leucine oxidation, rest and exercise, 53:947
Gauer-Henry reflex: *see* Reflexes
Geman-Miller respiratory oscillator, transient response, 46:1191
Genetics
breathing control, young twins, 52:537
high-pressure neurological syndrome, 46:128
Genioglossus muscle
activation, chemical stimulation and loading effects, 53:1133
airway occlusion, sleep, 44:931
electromyogram responses, carbon dioxide rebreathing, 50:1052
extrathoracic airway patency, 46:772
inspiratory activity, control, 49:801
respiratory activity, upper airway pressure changes and, 52:438, 445
Geniohyoid muscle, extrathoracic airway patency, 46:772
Genotype-training interaction, 40:211
Gestational age: *see* Age
Gills
gas exchange, vertebrates, 53:1321
neuroepithelial cells in (fish), 53:1342
Girls: *see* Children
Glass beads
embolization
lung, 49:841
pulmonary (sheep), 51:461
unilateral microembolization, pulmonary edema site, 47:556
Globulin, plasma, hypervolemia, exercise training-induced, 48:665
Glomectomy: *see* Carotid body
Glomerular filtration: *see* Filtration
Glottis
airway area, acoustic inferences, 48:749
narrowing, reflex bronchoconstriction, 49:403
opening
postpanting impedance, 48:1024
respiratory flow, 43:603
upper airway resistance, 43:603
Glucagon
activity, heat acclimation effects, liver (hamster) , 53:716
adrenergic blockade and, exercise (sheep), 52:315
blood, pulmonary circulation effects, 46:593
endogenous, glucose kinetics and, shivering, 52:1458
exercise-induced glycogenolysis, adrenal medullary hormones, 50:21
glucose-induced decrease, exercise, 42:525

Glucagon (continued)
glycerol feeding effects, exhaustive exercise, 50:94
plasma, training effects, 43:302
prolonged exercise and, 41:683
β-receptor blockade, 40:855
training-induced response, submaximal exercise, 46:766
turnover, plasma somatostatin effects, exercise (sheep), 47:273
Glucocorticoids, aging, exercise training and, 43:839
Gluconeogenesis, 40:683
from lactate, 40:312
heat acclimation, carbohydrate metabolism and, 41:871
high altitude, 43:204
inactive muscle, 45:835
plasma citrate and, exercise, 46:120
postoperative, exercise effects, 46:141
recovery, exhaustive exercise, 49:1057
rest and exercise, liver metabolites, 51:1326
Glucopenia, central nervous system, hypothermia modification, 41:559
Glucose
adrenergic blockade and, exercise (sheep), 52:315
altitude effects
exercise, 50:229
food, exercise effects and, 45:350
bed rest, isotonic and isometric exercises, 43:1033
blood
diurnal variation and endurance effects, 47:425
endurance and, 43:829
exercise and, 40:159, 43:695
exhaustive exercise, 50:94
^{13}C-labeled
evaluation of glucose oxidation, exercise, 43:258
tracer priming, bicarbonate pool, 45:137
clearance, somatostatin effects during exercise (sheep), 47:273
consumption, lung slices, 43:902
exercise, 50:766
exercise-induced glycogenolysis, adrenal medullary hormones, 50:21
exogenous, exercise effects, 53:1620
fetal, acute small animal preparation, 49:42
hypothermia, 47:342
hypoxic exercise effects, 42:587
infusion, glycogen depletion during exercise, 45:425
ingestion
before exercise, 51:783
influences during exercise, 41:683
kinetics
analysis, 41:565
cold and epinephrine effects, 43:230
endogenous glucagon effects, shivering, 52:1458
loading, dehydration and (camel), 42:690
metabolism, 425, 953
exercise, 43:258
exhaustive exercise, 49:1057
hyperbaric oxygen pressure, lung, 46:943
pulmonary macrophages, 47:79
muscle, after exercise, 42:129
output, splanchnic, highlanders, 43:204
oxidation
prolonged exercise, 43:258
tracer priming, 45:137
plasma
cold adaptation, 46:662
in hypothermia, 42:694
production
cold exposure, 43:230
somatostatin effects during exercise (sheep), 47:273
protein
degradation and, lung, 47:1058
metabolism, lung, 43:463
β-receptor blockade, 40:855
tolerance
diabetes, physical training, 52:1514
physical exercise, trained and untrained, 50:71
physical training and lead body mass, 45:176
uptake
insulin and, exercise, 51:1500
lung perfusion, 47:325
muscle glycogen effects, exercise, 52:434
plasma citrate and, exercise, 46:120
D-Glucose, alveolar epithelium permeability, 52:3
L-Glucose, alveolar epithelium permeability, 52:3
Glucose-alanine cycle, muscle glycogen levels, exercise and, 48:624
Glucose-6-phosphate, glycogen repletion, cardiac, 42:240
Glucose-6-phosphate dehydrogenase
low-level hyperoxia, 51:577
pulmonary, preexposure to hypoxia (rat, mouse, hamster), 53:475
Glucose tolerance test, bed rest, isotonic and isometric exercise, 43:1033
Glucosuria, dehydration (camel), 42:690
Glutamic oxaloacetic transaminase, serum, heatstroke, 46:334
Glutaraldehyde
lung fixation
intratracheal, lung inflation, 48:389
shrinkage and, for analysis of structure-function relations, 48:382
Glutathione, pulmonary, preexposure to hypoxia (rat, mouse, hamster), 53:475
Glutathione peroxidase
low-level hyperoxia, 51:577
oxygen toxicity, neonatal and adult, 45:699
prenatal isoxsuprine effects, newborn, 48:505
Glutathione transferase, prostaglandin A_1 and $F_{2\alpha}$ metabolism, pulmonary (pig), 46:211
Glycerol
blood, high-altitude exposure, muscle, 52:857
feeding effects, exhaustive exercise, 50:94
metabolism, arm-leg work, 46:249
prolonged exercise and, 41:683
serotonin uptake, lung, 46:447
somatostatin effects, exercise (sheep), 47:273
Glycogen
β-adrenergic receptor blockade effects, exercise, 53:549
cold adaptation and, 51:1428
content, muscle and liver, diurnal variation and endurance, 47:425
depletion
anaerobic threshold and, 52:1598
blood lactate and postexercise, 47:514
glucose infusion during exercise, 45:425
muscle fiber running (lion), 43:672
thyroid deficient muscle, respiration, 49:102
exercise, 42:525, 50:766
exercised heart, 44:183
glycerol feeding effects, exhaustive exercise, 50:94
hormonal response to exercise, training effects, 43:953
levels, muscle, protein catabolism and, exercise, 48:624
locomotory muscle fiber activity, 44:358
loss, arterial occlusion, muscle fibers, 51:552
lung
biochemical development, 45:355
development, fetal, 48:872
muscle
glucose uptake and, exercise, 52:434
metabolism, arm-leg, 46:249
sparing, 43:795
usage during exercise, 43:695
muscle, skeletal
immobilization, recovery, 47:435
training and immobilization effects, 43:700
β-receptor blockade, 40:855
repletion
cardiac, exercise effects, 42:240
following exhaustive exercise, 49:722
muscle, exercise effects, 42:129
supercompensation, after exercise, 42:240
synthesis, exhaustive exercise, 49:722, 1057
tissue, exercise endurance and, 47:425
utilization
fatty acids and, 43:829
high-altitude exposure effects, muscle, 52:857
Glycogenolysis
adenosine monophosphate, cyclic and, exhaustive exercise, heart, 51:1539
β-adrenergic receptor blockade effects, exercise, 53:549
exercise induced muscular, adrenal medullary hormones, 50:21
hypoxic myocardium, 45:791
phosphorylase *a*, skeletal muscle, exercise and electrical stimulation, 45:852
regulation of, rest and exercise, muscle, 53:708
Glycogenolytic enzymes, metabolism, fast-twitch skeletal muscle, 52:467
Glycogen phosphorylase
muscle, skeletal, exercise and electrical stimulation, 45:852
regulation, rest and exercise, muscle, 53:708
Glycogen synthase
exercised heart, 44:183
muscle, after exercise, 42:129
regulation, rest and exercise, muscle, 53:708
Glycolysis
adaptations, diabetes and training effects, 52:1471
cardiac hypertrophic stress, 40:923
erythrocytes, oxygen affinity and, 47:478
hypoxic myocardium, 45:791
plasma citrate and, exercise, 46:120
red cell, oxygen affinity reduction, 43:102
Glycolytic intermediates, blood oxygen affinity reduction, 43:102
Glycolytic metabolism, arm exercise, 47:754
Glycolytic pathway, cerebral energy, 45:312
Glycoprotein
mucous, tracheobronchial, composition, 45:182
sulfated mucous secretion
calcium effects, trachea, 52:198
trachea, 50:383
Glycosaminoglycan, lung, penicillamine and bleomycin effects, 49:1083
Gonadal function, centrifugation stress, 48:1
Gonadotropins, centrifugation stress, 48:1
Grafting, autografting, limb muscle, 44:431
Granulocytes
depletion, oxygen toxicity and, 52:1237
pulmonary edema and, after glass bead microembolization (sheep), 52:155
Granulocytopenia, pulmonary edema and, glass bead microembolization (sheep), 52:155
Gravitational deformation, lung, 48:487
Gravitational fields, body mass, composition, food intake and, 45:51

Gravitational forces, collateral ventilation mechanics, 50:358
Gravitational-inertial forces, regional pulmonary displacements and volumes, 44:216
Gravity
acceleration stress, blood flow, coronary (miniature swine), 49:462
anti-G suit, blood flow, renal (miniature swine), 49:471
branching and, gas mixing, model, 52:1476
cardiopulmonary readjustments in passive tilt, 47:503
deposition, aerosols and, lung model, 51:465
$+G_z$, regional blood flow, measurement (miniature swine), 47:1148
head-up tilt, pulmonary circulation, 45:249
hyper, thermoregulation, 46:1049
normal and zero, lung shape, 47:851
profiles, thermoregulatory response to cold, 49:663
ventilation-perfusion ratio, measurement with krypton-81m, 44:115
zero
early cardiovascular adaptation, 46:541
pulmonary ventilation and perfusion, 45:987
Gravity-free environment, evaporative water loss, 45:430
Gray and white matter, 40:191
Ground substance, physical training effects, 44:50
Growth: *see also* Development; Maturation
adaptive changes, temperature exposure, long-term, 52:1008
biochemical changes, fast-twitch muscle, 49:583
body, aerobic power, boys, 44:666
compensatory, lung after pneumonectomy, 46:326
dysanaptic
expiratory flow and density dependence, 49:897
lung (bonnet and rhesus monkey), 46:176
heat acclimation, submaxillary gland, 44:21
heredity, 40:211
hygroscopic aerosols, bronchial airways, 47:544
lung
cold acclimation and, 48:886
intrathoracic airway mechanics, 44:521
pneumonectomy effects, 53:859
postnatal, lung, 53:140
ventilation changes, 51:699
oxygen capacity, blood (harbor seal), 42:852
physical training and, 44:50
pulmonary circulation (pig), 45:806, 52:811
retardation, fetal, maternal arterial oxygenation and, 52:695
transit time, lung, spirometry, 46:263
Growth hormone
arm-leg work, 46:249
carbohydrate ingestion and, before exercise, 51:783
hypoxic exercise, 42:587
microwave effect, 48:927
pubertal stage differences, exercise and, 46:823
stimuli in exercise, 41:523
G stress, age effects, healthy men, 45:626
G tolerance, fluid and electrolyte shifts, 42:67
Guanosine monophosphate, cyclic
anaphylaxis and, lung, 46:919
dibutyryl, phospholipid release, lung, 47:285
ventilation and anesthesia, lung tissue, 45:487
Gymnastics: *see* Exercise
G_z stress
acceleration
coronary blood flow (miniature swine), 49:462
fluid and electrolyte shifts, 42:67
blood flow and (miniature swine), 49:471
cardiovascular dynamic changes, anti-G suit effects, 43:765
regional blood flow, measurement (miniature swine), 47:1148
G_z tolerance, age effects, healthy men, 45:626

H

Hadacidin, skeletal muscle fibers, exercise, 49:1037
Hail and farewell, 50:917
Haldane
effect, 41:302
alveolar gas exchange, 43:357
transformation, oxygen uptake, analog measurement on-line, 43:563
Haloperidol
chemoreceptor responses to, aortic body, 53:596
interaction, oxygen and carbon dioxide chemoreception, carotid body, 49:45
neural response, carotid chemoreceptors, 50:172
respiratory discharge, 50:239
Halothane
anesthesia
mucociliary clearance, measurement, 42:451
respiratory control, 51:19
inhalation, lung reflex, 45:212
oxygen uptake, during sodium bicarbonate infusion, 45:399
respiratory control, 43:596
respiratory mechanics, 46:646
supine, 49:300
Halothane-oxygen anesthesia, cardiopulmonary function, 43:778
Hamming window, smoothing of maximum expiratory flow-volume curves, 48:202
Hand, Parkinsonian tremor, 40:990
H_1 antihistamine: *see* Antihistamine
Head
extension, ventilation and, running, 52:879
injury, hyperventilation, hyperoxia and, 49:52
Head-down tilt: *see* Posture
Head-out exercise: *see* Exercise
Head-up tilt: *see* Posture
Heart
contractility: *see* Muscle, heart
acceleration, exercise, coronary disease, 52:71
actomyosin ATPase activity, conditioned and deconditioned, 44:171
adaptation, endurance training, 42:753
β-adrenergic receptor blockade effects, exercise, 53:549
β-adrenergic receptors, exercise training effects, 52:1133
β-adrenergic stimulation, hypoxia, attenuated response, 44:647
atria: *see* Heart atria
bradycardia: *see* Bradycardia
buffer value, nonbicarbonate, 47:651
conduction: *see also* Conduction, excitability and, hydrostatic pressure effects, 45:24
contraction: *see* Muscle, heart
denervation
exercise, heart rate adaptation to, 52:1586
exercise and, 42:878
disease, ischemic, exercise, 40:611
diving, metabolic activity (seal), 48:596
dynamic conditioning, female athletes, 44:949
edema: *see* Edema
electrical interaction, proximal bundle branches and subadjacent muscle, 42:235
enlargement, drug-induced, exercise capacity and function, 52:591
exercised
adjustments during, 46:588
autonomic blockade, 42:878
biochemical systems, 42:426
catecholamines, 43:949
function, noninvasive methods for measuring, 44:50
glycogen and glycogen synthase, 44:183
mild, myocardial function and hypertrophy, 46:354
exercise-trained
contractile function, myofibrillar ATPase activity, 43:977
myopathy, 43:936
exhaustive exercise effects, adenosine monophosphate, cyclic, 51:1539
failure
congestive, pulmonary edema, 50:1337
congestive, reflexes, 49:620
exercise, 49:482
myopathy, 43:936
function
age-related changes, 53:799
carbon monoxide exposure (goat), 47:429
conditioned and deconditioned, 44:171
dynamics, step work load, 52:1198
endurance training effects, 51:941
exercise capacity and, thyroid deficiency, 49:1022
exercise training, 42:824
heart size and, 49:994
hypertrophy, chronic exercise, female, 50:1140
microwave radiation effects, 50:931
submersion, 48:977
synchronized oscillating acceleration, 47:612
gas mixing, cardiogenic, in lung, pericardial fluid effects, 42:5
glycogen repletion, after exercise, 42:240
growth, training duration effects, 53:225
hypertrophy: *see* Hypertrophy
hypoxia: *see* Hypoxia
impedance, 40:250
intrapulmonary mixing, lung washout and, 45:161
ischemia, 40:1004
isolated perfused, hypertrophy, exercise, female, 50:1140
LDH, 40:923
lung interaction, oleic acid injury effects, ventricular filling, 52:1519
lung volume and, effects, 47:257
mass, oxygen storage (beaver), 42:545
mitochondria: *see* Mitochondria
muscle: *see* Muscle, heart
oscillation, pericardial fluid effects, 42:5
parasympathetic neurochemical changes, hypoxia-induced, 50:1017
performance
exercise training, sex differences, 50:112
partial sympathectomy, 53:242
respiration effects, 44:703
pressure: *see* Pressure
pulmonary microvascular clearance, radiotracers, pulmonary edema, 50:1337
pulsation, gas mixing and, lung, 53:1603
receptors: *see* Receptors
rehabilitation, after myocardial infarction, 42:782
responses, exercise training, sex differences, 50:112
right-bypassed, positive end-expiratory pressure effects, left ventricular function, 51:541
sarcoplasmic reticulum: *see* Sarcoplasmic

Heart (continued)
reticulum
sinoaortic denervation, dynamics, 43:1012
size
exercise training, sex differences, 50:112
gas transport and, 49:994
slowing
chemoreflex, bronchial C-fiber stimulation, 51:485
high-pressure neurological syndrome, 46:756
stretch receptors: *see* Receptors
structure, endurance training and, 51:934, 941
syncytium, electrical interactions, 42:235
tissue, testosterone propionate effects, 52:1643
transmural pressure, ventilation with positive end-expiratory pressure, 53:385
vagal afferents: *see* Vagal afferents
ventricular pressure, anoxia effects, 53:726
vibration, nonsynchronous/synchronous, 46:549
volume: *see* Volume
water, extravascular, after myocardial ischemia, 45:102
weight
effect of moderate training, 42:262
exercise-trained, 45:604
normal (hamster), 43:721
working, blood-perfused, 41:603
work rate, optimal, mountaineers, 44:952
Heart atria
altitude-acclimated, response to drugs, 51:1607
conduction and excitability, hydrostatic pressure effects, 45:24
filling pressure: *see* Pressure
impulse, premature, 40:74
left
hypertension, lung fluid balance and (sheep), 52:1324
pressure, lymph flow and seizures (sheep), 53:432
transmural pressure, during positive end-expiratory pressure, 53:385
Heart-lung interaction, positive end-expiratory pressure effects, 51:541, 1367
Heart rate
acclimation, hypotension and, exercise effects, 51:298
adaptation, exercise, cardiac denervation and, 52:1586
afterload: *see* Afterload
age-related changes, 53:799
ambient gas effects, embryo (chick), 51:1017
antihistamines and, 40:549
autonomic mechanisms, initial response to standing, 49:809
autonomic origin of dynamics, 40:679
baroreflex control, body position effects (monkey), 52:1552
bed rest, exercise and, changes, 41:905
bed-rest deconditioning, exercise and, 52:1343
body acceleration, exercise, 49:881
cardiodynamic
gas mixing, lung, 53:1603
stroke volume and (duck, pigeon), 53:207
changes, 40:434
with heat stress, 41:323
chronic cold exposure, 49:923
computer-based analysis, 42:968
control
athletes, 52:1652
carotid body chemoreceptors, diving (duck), 53:1405
muscle ischemia, 45:574, 762
system analysis for, 41:790
cough effects, 53:1039
desert walks, 40:236
dietary potassium depletion, 45:728
diving, 45:783
dry heat acclimation, summer and winter, 50:792
dynamics, sinusoidal and impulse work loads, 48:289
ergometer, small-animal, 48:394
exercise, 41:191, 49:482
apparatus (monkey), 44:129
bicycle, 42:959
children, 45:1005
(duck, pigeon), 53:207
exhaustive, 51:1098
heat tolerance and, 43:678, 684
precooling effects, 50:772
severe, 44:559
stork, 49:491
treadmill, 45:1009, 50:1206
facial cooling, 40:127
helium-oxygen environment, 50:478
high-pressure convulsions, 47:834
hormones and, training and hypophysectomy effects, 53:448
humid and dry heat, 49:1
humid heat, 40:779
hyperbaric exposure, 42:614
hyperoxia, sinusoidal work and, 48:1083
hypoxia, heat and humidity, 40:206
interaction, inspiration, normal and loaded, 47:582
intravascular tonicity, body temperature regulation, 44:69
isometric contractions and, 51:399
isometric exercise, aerobic training effects, 52:1257
isoproterenol, exercise and, sodium intake level effects, 45:870
maximum, 40:611
diabetes and insulin effects, exercise, 50:482
exercise, 40:287
exercise, wheelchair, 50:824
exercise reduction, 40:741
measurement, exercise, microspheres, 52:1629
measurement protocols, autonomic function tests, 51:516
muscle reflexes and, exercise, 50:784
nervous control of, cardiac vagus activity (dogfish), 53:1330
noise effects, 49:985
noninvasive determination, running, 52:869
norepinephrine, postexercise, 47:1311
recovery from exercise, autonomic contribution to, 53:1572
regulation, exercise, one-leg training, 52:976
respiratory acidosis effects, exercise, 53:63
respiratory equipment effects, 42:28
responses
hypoxia and hypercapnia, sleep, 53:307
to breath holding, 41:336
resting and exercise, apnea and facial immersion, female swimmers, 45:875
sinus node function, systemic hypoxia, 52:570
sinusoidal work, 42:300
stroke volume assessment, exercise, 50:1173
submaximal exercise, trained state, 48:218
sweating and, exercise, women, 51:1526
sympathoadrenal adaptation, training, 45:370
training
arm, 45:75
duration effects, 53:225
moderate, 42:262
vagal afferents, 47:312
venesection and reinfusion, 40:379
ventilatory work, exercise after, 52:1581
vibration effects, 42:682
Heart rate-pressure product
catecholamines, coronary sinus, 43:801
exercise, training and, 43:801
Heart ventricles
δ-aminolevulinic acid synthetase activity, after exercise, 44:507
body temperature and, maximal exercise, 46:885
diastolic compliance, respiratory system compliance and, 53:57
dimensions, positive-pressure inflation, 49:124
endocardial biopsy, 40:832
filling, heart-lung interaction during, oleic acid injury and, 52:1519
function, 40:1004
autonomic blockade in exercise, 42:878
exercise training, 42:824
lung volume and pleural pressure effects, 50:630
partial sympathectomy, 53:242
thyroid deficiency, 49:1022
function curves, positive end-expiratory pressure effects, 51:1367
high-pressure neurological syndrome, 46:756
interdependence, positive end-expiratory pressure effects, 51:541, 52:254
loading: *see* Loading; Preload; Afterload
noninvasive measurement, echocardiography, 41:953
performance
exercise and, female, 50:1140
impedance cardiography, 52:274
physical training, 46:854
ventilation with positive end-expiratory pressure, 53:385
physical training, 46:854
pressure: *see* Pressure
transmural pressure, positive end-expiratory pressure and, 51:798
volume overload, cardiac output and, exercise, 49:482
weight, pulmonary circulatory growth and (pig), 45:806
Heart ventricles, left
afterload: *see* Afterload
blood pressure response, exercise, treadmill (horse), 50:864
contractility, ischemia, exercise, 52:340
diastolic pressure-area curve shifts, positive end-expiratory pressure and, 48:670
dimensions, endurance training, 47:207
echocardiographic masses, distance runners and weight lifters, 48:154
ejection time
bicycle exercise, 46:588
postexercise transthoracic impedance, 45:1002
function, 40:105, 41:52, 328
exercise, noninvasive measurement, 44:55
oxygen uptake relations, exercise, 44:44
positive end-expiratory pressure effects, 51:541
running, echocardiographic assessment, 51:881
stenotic coronary arteries, exercise, 52:664
function and volume, coronary artery disease, exercise, 50:636
habitual exercise and, 52:1648
hemodynamics, during respiration, 47:1295
hypertrophy: *see* Hypertrophy
impedance, 40:250
performance
factors, 40:196
physical conditioning, 42:262
respiration effects, 46:411
trained and sedentary dogs, 48:130
preload: *see* Preload
pressure: *see* Pressure
respiration and, interdependence, 46:411

response, warm-up effects, sudden exercise, 53:380
stroke volume
intrapleural pressure effects, 50:1027
pneumocardiogram relations, 52:1672
vagal afferents, 47:312
work, negative-pressure breathing, 48:977
Heart ventricles, right
carbon monoxide effects, 40:324
head-up tilt and, 45:249
hypertrophy: *see* Hypertrophy
load, cardiac output and ventilatory control, 53:218
positive-pressure ventilation, effects, 47:453
pressure response, stress acceleration (miniature swine), 53:908
vagal afferents, 47:312
Heat: *see also* Temperature
acclimation
blood flow, skin, 43:133
blood plasma contents during training, 43:591
body fluid changes (monkey), 49:431
brown adipose tissue, lipolysis, 43:1007
cellular dynamics, submaxillary gland, 44:21
conditioning and, sweating responses, 46:675
enzymatic response, 43:308
exercise effects, 43:678
liver size, 43:445
orthostatic responses, fainting, 51:1404
oxygen consumption, 43:678
plasma water shifts, 47:738
protein kinase activity and, liver (hamster), 53:716
skin wettedness and sweating efficiency, 47:1194
sweating changes, 43:133
sweating sensitivity in endurance conditioning, 43:822
training and response of sedentary females, 47:978
acclimatization, 40:768, 779, 786
aldosterone, 42:554
ascorbic acid effects, 41:202
ascorbic acid levels, 42:711
blood volume responses, 50:597
body fluid adjustments, 40:786
cardiovascular adjustments, 40:779
energy exchange, body temperature and sweating, 40:768
renin response, 42:554
saline loading effects, adrenocortical hormone levels, 50:605
sweating, exercise, 50:741
swimmers and runners, 46:1086
acid-base balance during (lizard), 50:779
adaptation, distance runners, 40:404
adiabatic, rapid vital capacity expiration, 49:142
alcohol consumption effects, work capacity, 50:1006
avoidance, spontaneous activity and, 43:573
balance
during rest and running (monkey), 49:789
steady-temperature environment (steer), 52:324
body, during exercise, forearm venous volume, 48:114
body fluids and, intolerance, 40:55
chlorpromazine administration, exercise, 50:509
circulatory regulation, exercise, 46:430
conductance, skin, bed rest after exercise, 48:72
dehydration
aldosterone and antidiuretic hormone response (cattle), 48:249
body water distribution (desert rodent), 44:585
exercise and, erythrocyte and plasma volume changes, 50:1255
dry
acclimation, sex differences, 50:65
acclimation, summer and winter, 50:792
acclimatization, activity, sex differences, 52:825
conditioning versus exercise, acclimatization methods, in boys, 50:406
physiological responses, sex differences, 49:1
responses, sex differences, 50:65
environmental
intestinal circulation, α-adrenergic control (baboon), 48:759
sweating control, 47:591
evaporative
loss, microwave exposure and, 53:316
transfer coefficient, skin, 46:522
transfer coefficient, thermoregulatory limits, 44:918
exchange
airways, exercising asthmatic and nonasthmatic subjects, 46:484
barometric measurement of tidal volume, 49:319
respiratory, barometric measurement, 49:319
respiratory, exercise-induced asthma, 46:467, 476, 484
surface-inhalate, hypothermia, 47:228
exercise and
blood flow, carotid artery, 52:1138
hypervolemia, 48:657
exhaustion, serum enzymes, 46:334
exposure
adenosine monophosphate, cyclic- and ADH-regulating centers, 42:257
age and sex differences, 44:1
aldosterone, 42:554
ascorbic acid and, 42:711
blood volume, 42:252
calcium ions, brain, exercise (monkey), 43:689
conditioning or, dry heat acclimatization methods, in boys, 50:406
dehydration, body water distribution (desert rodent), 44:585
dry, sex difference responses, 50:65
exercise and, thermoregulation, 52:734
hexose transport, intestinal, 47:87
hypothalamic sensitivity to norepinephrine, 49:942
metabolism and thermoregulation, sleep stages, 51:948
plasma contents, during training, 43:591
plasma response, working men, 44:166
pulse rate, prolonged work, 44:450
recurrent, enzymatic responses in rest and exercise, 43:308
vasodilation, cutaneous, 43:770
wind speed limits to work, 46:340
extreme, thermoregulation during, strain differences, 52:410
flow
body regional, measurement, 49:533
energy density and, 51:327
flux, hyperpnea and, exercise-induced asthma, 46:476
food and water intake, estrous cycle variations, 42:874
humid
acclimation, men and women, 49:254
physiological responses, men and women, 49:1
plasma volume changes, 47:798
humidity and, thermoregulation, postural exercise, 48:999
hydration state, 49:715
injury
chlorpromazine effects, exercise, 50:509
pathochemical indices, 45:1
intravascular responses, heat stress, 41:708
load, rest and exercise (monkey), 49:789
loss
convective, helium-oxygen environment, 50:478
endotoxic fever, hypoxia, 49:294
estrogen treatment, 47:59
evaporative (marsupial and rabbit), 42:537
hypoxia (monkey), 42:273
radiative, 40:768
regional measurement, 49:533
respiratory, airway effects, 49:875
respiratory, cold hyperbaric helium-oxygen exposure, 49:1099
respiratory, metabolic response, 50:829
respiratory, sympathomimetics and, 52:1119
respiratory asthma, 48:619
respiratory evaporative, thermal control, exercise, 49:979
respiratory evaporative control, exercise (goat), 46:978
maximum production, aminophylline effects, 53:16
neck vs. chest cooling, responses to work, 40:668
parotid gland, 44:21
physical performance, 40:206
plasma volume shifts, 49:119
production, 40:694
cold-induced, feeding effects, 49:975
core temperature, 42:377
fetal, brain (sheep), 43:747
hypoxia, physical restraint effects, 51:1601
metabolic, microwave exposure (monkey), 52:1049
metabolic, variable open-loop gain, 48:495
prediction equation, 42:377
resistance, variations, 43:59
storage
extensive healed burns, 53:1019
hyperthermia, running (sled dog), 51:135
rest and exercise (monkey), 49:789
stress
angiotensin II, aldosterone, and plasma renin activity, 41:323
arterial carbon dioxide tension effects, respiratory pattern (sheep), 50:315
blood flow, skin, exercise, 43:790
blood flow, skin, reflex control, 47:1188
cutaneous vascular responses and, exercise, 53:744
dehydration, acceleration response, 47:197
intestinal circulation, α-adrenergic control (baboon), 48:759
intravascular responses, 41:708
lung function and, 53:1015
plasma water shifts, 47:738
prescriptive zone, industrial workers, 43:347
pulmonary blood flow distribution and (ostrich), 53:1411
pulmonary function, exercise effects, 43:409
quail, 40:521
renin-angiotensin action, kidney (baboon), 43:739
thermal resistance variations, 43:59
thermoregulation and, 41:57, 53:1171
thermoregulatory response, woman and prepubertal girls, 43:1046
treadmill performance, hypothermia effects, 47:813
vascular response, kidney (baboon), 43:739
sweat composition and, 53:1540
thermoregulatory strain, indices, 44
tolerance, 40:683
exercise and, 43:678
men and women, 49:254
physical training effects, water and

Heat (continued)
land, 53:1291
prediction, from heart rate and rectal temperature, 43:684
transfer
convective, coefficient, water, 42:93
homeotherm, newborn, 42:571
water exchange, atropine effects, 45:238
whole-body, cardiovascular effects, spontaneous hypertension, 45:521
work and, prostaglanidin E_1 hyperthermia effects, 51:62
Heater, gas-stream, sweat capsule, temperature control, skin, 44:981
Heat exchanger, 543
Heather index, bicycle exercise, 46:588
Heating, central and peripheral, sweating responses, spinal, 40:701
Heating pad, temperature control apparatus, 43:160
Heating patterns, colonic, thermal resistance variations, 43:59
Heat-stress, splanchnic vasoconstriction and, renin-angiotensin system effects, 52:1438
Heatstroke
cooling rate, 42:809
critical thermal maximum, 43:292
exertion-induced, injury and mortality, 45:463
low-potassium diet effects, exercise, 51:8
serum enzymes, diagnostic significance, 46:334
Heliox: *see* Helium-oxygen
Helium
analyzer: *see* Gas analyzers
cardiac function and, embryo (chick), 51:1017
diffusion, hyperbaric environments, lung, 51:243
diving, 40:605
end-tidal concentration, isoflow volume, 43:807
gas exchange, increased density effects, 52:221
hemorrhage and shock, small airways, 46:792
high pressure, convulsions and, 53:192
hyperbaric, metabolic response, 50:829
inhaled, penetration into alveolar space, 43:403
isobaric counterdiffusion
eye, 47:220
subcutaneous tissue, 47:224
longitudinal mixing, pulmonary airways, 43:297, 46:799
mixing, airway model, 52:1476
oxygen and, hypothermia, 47:228
pulmonary resistance, frequency dependence, 47:161
pulmonary response, aerosol histamine, 42:946
respiratory control, 47:528
response, small airway dimensions, 52:346
sulfur hexafluoride and, acid-base balance, embryo (chick), 50:819
supersaturation (piglet), 43:914
transport, pulmonary interdependencce, 47:296
washout, and nitrogen single-breath washout, lung model, 43:499
washout experiments, lung models, 51:1122
Helium-bolus technique
closing volume measurement, 42:859
gas exchange, measurement, 50:898
Helium-cold hypothermia: *see* Hypothermia
Helium-oxygen
breathing
expiratory flow, 47:490
flowmeter calibration, 51:1038
flow rate response, normal, 43:942
lung recoil, static, 42:899
cold hyperbaric, thermal responses, 49:1099
compression
somatosensory studies, 47:804
tremor, 47:804
convulsions, 47:834
environment
infertility and, 53:1207
temperature regulation, 50:478
heart rate and, 47:834
hyperbaric exposure, hemodynamics, 47:281
hypothermia, plasma changes, 42:694
mixture, feeding effects, 49:975
pressure-flow curves, alveolar, 51:1033
Hematocrit
acid-base regulation, embryo (chicken), 53:1449
alveolar-capillary gradients, uneven, 40:673
bed-rest deconditioning, exercise and, 52:1343
blood-gas partition coefficients and, 51:1357
capillary, mainstream flow effect, 42:578
carbon dioxide transfer and, pulmonary, 53:413
changes
during exercise, heat, 47:798
simulated high altitude (toad), 51:794
dry-heat acclimation, summer and winter, 50:792
erythrocyte alterations, endurance exercise (horse), 51:131
exercise
heat dehydration and, 50:1255
treadmill (horse), 50:864
exercise stress and, species differences (dog and miniswine), 52:1077
exercise type, 49:119
extravascular water and, lung, 46:937
graded activity, 50:123
heat
acclimatization, 50:597
exposure, working men, 44:166
high, performance, 40:658
hypoxia, pulmonary vascular reactivity (hamster), 52:1571
lung, regional, 49:547
maldistribution, intrapulmonary, gas exchange, 46:240
nonuniformity, Fahraeus effect, 42:578
polycythemia, high altitude, 45:1019
ratio, carbon monoxide and altitude effects, 43:365
submaximal and maximal work, 45:459
xenon partition coefficient, tissue-blood, 49:178
Hematological responses
body fluid adjustments and, cold (monkey), 52:1024
carbon monoxide and altitude, comparative study, 43:365
changes, high altitude, simulated (toad), 51:794
dry heat acclimation, summer and winter, 50:792
heat acclimation (monkey), 49:431
puberty and exercise, males, 46:823
Hematology
changes after two exposures to 6.7 ATA air, 42:838
thermal dehydration, 50:38
whole blood (mouse deer), 42:673
Hematopoiesis, ineffective, splenic, polycythemia and high-altitude exposure, 48:857
Heme, biosynthesis, ventricular δ-aminolevulinic acid synthetase activity and exercise, 44:507
Hemoconcentration
exercise, 42:739
isotonic handgrip, 42:744
protein, serum as a parameter, 42:739
solute concentration, 42:739
Hemodialysis
hypoxemia, lung, 50:259
respiratory alkalosis and, 41:216
Hemodilution
acid-base regulation, embryo (chicken), 53:1449
cardiac performance and aerobic power, exercise, 52:1186
diving, 42:838
dry-heat acclimation, summer and winter, 50:792
edema effects, pulmonary, 51:911
extravascular lung water, 42:624
heat acclimatization, 50:597
heat exposure, working men, 44:166
immersion diuresis, 42:915, 46:703
isovolemic
acute anemia, 52:16
anemia, norepinephrine and propranolol, hindlimb, 51:565
hindlimb and total, anemic hypoxemia, 45:966
oxygen delivery, hypoxia, 42:228
oxygen transport, anemia and hemorrhagic shock, 47:882
training, heat acclimation and, 43:591
Hemodynamics
atelectasis, lung (pig), 52:647
central, age, 45:709
cerebral, exercise, 40:191
comparison, static and dynamic exercise, 53:1589
dichloroacetate effects, exercise, 48:427
dietary potassium depletion, 45:728
exercise, 40:927, 44:44
angiotensin antagonism during, 43:440
asthmatic children, 46:293
graded, 42:133
myocardial, 46:571
extracellular fluid volume expansion, lung, 42:624
hyperbaric helium-oxygen exposure, 48:281
left ventricular, during respiration, 47:1295
lung, permeability-surface area and water (sheep), 52:1591
lung lobe, in lobar venous occlusion, 47:145
model, 40:425
mouse deer, 42:673, 679
positive-pressure inflation, 49:124
pulmonary
allergic bronchospasm (sheep), 49:22
cardiac performance and, 44:703
cerebrospinal fluid pressure-induced hypertension, adrenal component, 47:153
cerebrospinal fluid pressure effects, 46:84
graded hypoxia (sheep), 45:949
left lower lobe, adrenal component, 49:66
sepsis, pulmonary edema and (dog, baboon), 50:1198
pulmonary vascular, venous air emboli and (sheep), 51:887
sickling, 40:60
systemic, angiotensin antagonism, sodium depletion, exercise, 45:403
systolic time intervals, 41:52
Hemoglobin
carbon monoxide, altitude effects and, 43:365
changes, simulated high altitude (toad), 51:794
circulating, heat exposure, 42:252
components, fetal and adult (seal), 50:999
concentrated solutions, visible spectrum, fully oxygenated hemoglobin and, 52:124
concentration
corpuscular, during exercise in heat, 47:798
high-altitude pregnancy, 52:690
infant birth weight and, high altitude, 52:695

corpuscular, G_z acceleration and bed rest, 42:67
cytochrome *aa*, 43:858
equilibrium properties, fetal and adult (seal), 50:999
exercise, heat dehydration and, 50:1255
exercise type, 49:119
fully oxygenated, hemoglobin concentrations and, 52:124
functional properties of, embryo (chicken), 53:1439
graded activity, 50:123
half-saturation, oxygen transport in anemia, 44:36
heat acclimatization, 50:597
ligand, interaction, whole blood, temperature effects, 43:545
mean corpuscular
dry-heat acclimation, summer and winter, 50:792
endurance exercise (horse), 51:131
oxygen
half-saturation, high altitude, 51:1411
half-saturation pressure, hemorrhagic shock, 47:889
saturation, exhaustive exercise, 48:236
solubility, blood, 40:815
storage and (beaver), 42:545
uptake and, red blood cell membrane, 49:306
polycythemia, high altitude, 45:1019
pressure effects, 50:320
red cell membrane and CO_2 transfer, 50:265
red cells, fetal switch over to adult (sheep), 45:7
respiratory properties of, embryo (geese), 53:1432
saturation with oxygen, theoretical analysis, 52:1043
trained boys and fit young men, 43:1085
undernourished adult males, 44:209
Hemoglobinemia, splenic, polycythemia and high-altitude exposure, 48:857
Hemoglobinometry, pulmonary, reflection spectrophotometry, 48:848
Hemoglobin-oxygen affinity: *see also* Oxygen
automated measurement, 45:289
chronic changes, 46:816
exercise tolerance and, high altitude, 53:1487
influence of carbon monoxide, 41:893
mixing techniques, 45:818
oxygen consumption and, skeletal muscle, 51:864
regulation, components (cow, sheep, human adult), 43:632
short term exhaustive exercise, 48:236
sodium *o*-iodobenzoate effects, 41:900
temperature effects, 43:545
Hemolysis, slow postcapillary pH changes, 45:674
Hemorheology, sickling, 40:60
Hemorrhage
endotoxin and, pulmonary microvascular permeability following, 52:403
inner ear, rapid decompression (monkey), 49:1070
positive end-expiratory pressure ventilation and, 47:938
preretinal, acceleration forces with rotation on horizontal bar, 46:1119
pulmonary perfusion, gas exchange and, 42:279
pulmonary shunt flow, 42:196
small airways, impairment, 46:792
Hemorrhagic shock: *see* Shock
Hemostasis, altitude, 49:1047
Heparin
depletion, lung fluid balance, after emboli (sheep), 47:213
pulmonary edema, microembolization and, 47:556
pulmonary vascular response, microembolization, time course, 43:51
Hepatic artery
hypocapnia, 47:290
intermittent positive-pressure breathing, 47:290
Hepatosplanchnic bed, 40:472
Heredity, growth and training, 40:211
Hering-Breuer reflex: *see* Reflexes
Heterogeneity
cerebral blood flow-arterial carbon dioxide pressure sensitivity, neonatal, 49:113
perfusion , hypoxia and, 47:532
phagocytic, 42:432
Heterophony, amplitude, vesicular lung sound mapping, 53:603
Hexamethonium, pulmonary response after, asthma (Basenji-Greyhound), 51:1423
Hexokinase, myofibril, running time course changes, 42:267
Hexose, intestinal transport, heat exposure, 47:87
Hexose monophosphate, shunt, hypertrophic skeletal muscle, 46:835
Hey plot, exercise and carbon dioxide effects, breathing pattern, 47:192
Hibernation
arousal frequency (squirrel), 42:191
glomerular filtration, renal function, 42:420
temperature effects, arousal response (ground squirrel), 52:216
High-mountain disease, pulmonary hypertension, pregnancy-induced (cow), 46:184
High-pressure chamber, electrophysiological measurements, 48:562
High-pressure neurological syndrome
central nervous system-barbiturate interaction, 43:221
central nervous system responses, maturation, newborn, 49:390
components, various susceptibility, 50:272
compression rate effects, comparative physiology, 46:128
developmental stages, 46:756
factors, 43:173
heart rate, 47:834
personnel selection, 50:272
Hill's equation, 40:393
hemoglobin-oxygen affinity, 46:816
Hindbrain, respiratory depression, γ-aminobutyric acid and, 51:1278
Hindlimb
biogenic amines, extraction, 52:1545
blood flow, anemia, norepinephrine and propranolol, 51:565
carbonic anhydrase activity, 47:1090
vascular, 49:211
circulation: *see* Circulation
immobilization
contractile function recovery, skeletal muscle, 52:677
muscles, neuromuscular stimulation, 53:960
recovery, 47:435
skeletal muscle, 53:335
testosterone propionate effects, 52:1643
norepinephrine and α-block effects, oxygen uptake and blood flow, 51:1245
oxygen extraction
α-adrenergic blockade and hypoxic hypoxia, 48:630
hypoxic hypoxia, 46:1023
perfusion, muscle glycogen effects, glucose uptake, exercise, 52:434
His bundle, electrogram, 40:74
Hiss's equation, force-velocity relations, expiratory muscle, 52:930
Histamine
β-adrenergic mechanisms, pulmonary circulation, 43:612
aerosol
bronchomotor response, ozone effects, 43:626
occlusion pressure and ventilation, 53:690
pulmonary response, direct versus vagal, 42:946
pulmonary responsiveness, 44:738
vagal interaction on airway responses, 45:40
vagal stimulation and, hysteresis, lung recoil, 51:477
airway
changes, volume history, 47:657
diameter, 53:1005
reactions, H_1- and H_2-receptors and (sheep), 49:826
resistance, noninvasive measurement, 46:399
tissue responses, lung inflation, 51:806
anaphylaxis and, lung, 46:919
and β-blockade, lung mechanics, 44:690
Ascaris suum allergy, airway responses to (monkey), 45:846, 47:645
asthma, inspiratory muscle activity, 49:869
bronchi, reactivity (monkey), 49:729
bronchoconstriction
adrenergic influences, 44:340
serial distribution, 50:1286
calcium effects, tracheal epithelium, 44:900
carbon dioxide elimination, high-frequency oscillations, 53:1256
cerebral circulation, 40:797
collateral channels and, vagal effects, 51:1314
contractions, sympathetic inhibition of, trachealis, 53:21
dose-response curves, newborn (lamb), 49:380
effect on trachea and bronchus, 41:62
electrical transport properties, tracheal epithelium, 42:735
endotoxin effects, vascular permeability, lung (sheep), 49:516
exposure, pulmonary impedance measurement, 52:725
fluid-protein exchange, lung (sheep), 47:1025
frequency dependence, respiratory impedance partitioning and, lung, 51:621
hemodynamic responses, lobar venous occlusion, 47:145
horseradish peroxidase permeability, tracheal, 45:939
H_2-receptor antagonism, airway, 48:613
indicator curves, multiple, lung (sheep), 44:245
infusion
bronchoconstriction, 42:221
lung lymph fistula (goat), 48:399
pulmonary resistance, frequency dependence, 47:161
inhaled
airway response, variability, normal subjects, 47:51
airway responses, 42:508
bronchial activity, 43:643
bronchoconstriction, direct and reflex, 50:869
ion transport properties, tracheal epithelium, 42:735
lung strip reactivity (monkey), 49:729
mast cells, airway, 43:271
partitioning, pulmonary vascular resistance, 52:710
pulmonary artery, response to hypoxia, 42:438
pulmonary edema, permeability indicators (sheep), 43:99
pulmonary resistance, 40:110
pulmonary vascular responses, newborn (lamb), 48:188
pulmonary vascular tone and, 51:1320
pulmonary vasoconstriction, 49:73
pulmonary vasomotion and distribution

Histamine (continued)
of vascular resistance, lung lobe, 45:545
receptors: *see* Receptors
release and distribution, lung, 44:455
responses, cigarette smoke, lung periphery, 53:582
responsiveness, vagal effects, 47:13
serotonin-vagus interaction, lung, 44:144
single-breath nitrogen washouts and, 52:141
surfactant release and, lung, 51:90
trachea, reactivity (monkey), 49:729
vascular resistance and compliance, lung lobe, 53:158
Histamine agonists, receptor function and, circulation (sheep), 53:175
Histamine antagonists, hypoxic, pulmonary vasoconstriction, 40:496
Histochemistry
autografted limb muscle, 44:431
carbonic anhydrase, pulmonary, species differences (human, monkey, rat), 52:352
muscle, adaptations after strength training, 46:96
skeletal muscle, 49:627
Histogram, time-constant, forced expired volume signal, 51:1581
Histology
lung, frozen, 45:325
submaxillary gland, heat acclimation, 44:21
Histopathology, age and altitude tolerance, 50:367
Homeostasis
cerebrospinal fluid, hydrogen ion, 40:559
volume, 40:293
immersion and, renal response (monkey), 48:243
immersion effects, 49:184
water immersion and, 41:230
Homeotherm, altricial, critical size, 42:571
Horizontal axis, stimuli, motion sickness, 50:469
Hormonal adaptation, physical training, time course, 46:766
Hormonal response
puberty and exercise, males, 46:823
training-induced, submaximal exercise, 46:766
Hormones: *see also* specific Hormone
blood levels, effects of exercise, altitude and food, 45:350
exercise, 43:953
after training, 43:953
(sheep), 47:273
hypoxic exercise effects, 42:587
lung development, fetal, in culture, 48:872
plasma, treadmill exercise, 49:249
protein metabolism, lung, 43:463
pulmonary macrophages, 47:79
menstrual cycle, teenage athletes, 50:545
plasma growth, time course, exercise, altitude, 50:229
responses, continuous cold, 53:610
supra-additive, lung, fetal, 52:1420
training effects, hypophysectomy and, 53:448
Horseradish peroxidase
asthma, 40:889
microvascular injury, shock and reinfusion, pulmonary, 50:1227
permeability, pulmonary capillaries, 42:13
tracheal permeability, 45:939
Hot-wire flowmeter: *see* Flowmeter
H_1 receptors: *see* Receptors
H_2 receptors: *see* Receptors
Human engineering, wheelchair design, 48:41
Humidity: *see also* Environment; Temperature, environmental
acclimation, men and women, 49:254
airway secretions, 46:205
physical performance and, 40:206
physiological responses, men and women, 49:1
plasma volume changes, 47:798
pulmonary function, exercise effects, 43:409
skin, measurement of, 41:256
sweat evaporation, 42:767
thermoregulatory strain, indices, 44:889
Humoral agents
vascular permeability, lung (sheep), 45:590
vasoconstrictor responses, β-receptor mechanisms, 43:612
ventilatory response, muscular exercise, 47:126
Hyaline membrane disease, cardiac output shunt components, quantitation (lamb), 43:352
Hydration: *see also* Dehydration; Rehydration
circulatory regulations, 49:715
exercise, 49:930
plasma volume shifts, 49:119
thermal regulations, 49:715
Hydrochloric acid
acidosis: *see* Acidosis
alveolar-capillary membrane permeability, aerosolization, 51:955
injury, lobar, 49:150
respiratory responses, 43:1075
Hydrocortisone
lipid metabolism, lung, 42:202
phosphatidylcholine, saturated, lungs, 42:202
Hydrodynamics, pulmonary air embolism, model, 51:1002
Hydrogen
chemoreception, metabolic alkalosis and, 53:75
clearance, carotid chemoreceptor control, blood flow and oxygen tension, brain and muscle, 45:419
exchange, running effects, 45:999
Hydrogen ions
aortic and carotid body chemoreception, 51:55
central receptors: *see* Receptors
central nervous system transport, hypercapnia, 42:667
cerebral extracellular fluid, blood flow and, 47:818
cerebrospinal-plasma gradients, hypocapnia, 44:175
concentration: *see also* pH
cerebral interstitial fluid, 53:1551
disequilibrium, postcapillary, during carbonic anhydrase inhibition, 43:582
flux, intracellular, myocardial, 43:925, 931
homeostasis
metabolic acidosis, 49:778
ventilatory drive and, 46:913
intravascular monitoring, 40:644
measurement, arterial pH servo-controlled ventilator, 51:154
muscle, exercise effects, 43:852
pH, carbon dioxide pressure and, sensor, 40:625
regulation
endurance running, 52:615
hypoxia, 44:763
Hydron membrane, oxygen sensor, 44:969
Hydrostatic pressure: *see* Pressure
Hydrostatic weighing, residual volume, functional residual capacity and, 49:157
Hydroxide
flux, intracellular, myocardial, 43:925, 931
polarographic anode, transcutaneous monitoring, electrode, 51:1027
β-Hydroxybutyrate
nonshivering thermogenesis, 42:159
utilization, endurance and, 43:829
6-Hydroxydopamine
hypoxia, physical restraint effects, 51:1601
pulmonary hypoxic vasoconstriction, 46:529
Hydroxyl radical, formation, phagocytic cells, 46:136
15-Hydroxyprostaglandin dehydrogenase, prostaglandins A_1 and $F_{2\alpha}$ metabolism, pulmonary (pig), 46:211
5-Hydroxytryptamine: *see also* Serotonin
bronchoconstriction, 49:521
clearance
lung, indicator-dilution measurement, 46:1178
lungs, after hyperbaric oxygen exposure, 43:254
extraction, lung and hindlimb, 52:1545
infusion, microvascular pressure during, lung, 52:634
neuroeffector junction and, pulmonary artery, 51:693
pulmonary removal, biogenic amines, 52:421
surfactant release and, lung, 51:90
vascular hypertrophy, hypoxic pulmonary hypertension (cattle), 46:517
ventilation, pulmonary amine removal and, 44:553
Hydroxyurea, granulocytopenia and, pulmonary edema (sheep), 52:155
Hygrometry
dew-point, evaporative water loss, measurement (pigeon), 43:382
resistance, sweat testing and, 41:777
skin temperature, sweating, 47:591
Hygroscopic aerosols: *see* Aerosols
Hyoid musculature transection, 40:521
Hyperbaria
action potentials, single axons (crayfish), 47:561
decompression sickness, 47:412
repetitive axon activity (crustacean), 45:742
synaptic modifications (mollusk), 47:568
ventilation and inspiratory activity, 45:756
Hyperbaric bradycardia: *see* Bradycardia
Hyperbaric chamber
electrophysiological measurements, 48:562
liver metabolites, rest and exercise, 51:1326
Hyperbaric environment: *see* Environment
Hyperbaric exposure, electrocardiographic changes, 42:614
Hyperbaric gas: *see* Gas
Hyperbaric helium-oxygen exposure: *see* Helium-oxygen
Hyperbaric helium: *see* Helium
Hyperbaric nitrogen: *see* Nitrogen
Hyperbaric oxygenation: *see* Oxygenation
Hyperbaric oxygen: *see* Oxygen
Hyperbaric pressure: *see* Pressure
Hypercapnia
acute and chronic, ventilation, 41:839
adaptation, 41:168
oxygen and, 50:1036
β-adrenergic mechanisms, pulmonary circulation, 43:612
airway, 40:720
ambient gas effects, cardiac function, embryo (chick), 51:1017
amino acids and ammonium, brain, 44:333
aspirin and, 43:971
bicarbonate formation, cerebrospinal fluid, 47:471
bicarbonate regulation, cerebrospinal fluid, 42:667

blood flow, chemoreceptor control, brain and muscle, 45:419
blood gas carbon dioxide equilibration, lung, 52:1177
bone carbon dioxide fractions
  calcium and phosphorus, phasic changes, 48:802
  titration technique, 48:197
breathing patterns, breathing apparatus and, 53:1281
breathing regulation, newborn, 44:673
carbon dioxide, end-tidal, 48:1077
carbon dioxide inspiration and, 52:287
carbon dioxide pressure
  arterial-expired differences, 47:1074
  gas-to-blood differences, 47:67
carbon dioxide response, arterial, awake state, 52:672
cardiorespiratory changes during (sheep), 53:110
carotid body denervation, 40:184
central chemosensitivity (duck), 50:1121
central control of (turtle), 53:1365
cerebral blood flow-arterial carbon dioxide pressure sensitivity, neonatal, 49:113
cerebrospinal fluid regulation, newborn, 50:566
chemoreceptor responses, aortic and carotid body, 51:55
chemoreceptor stimuli and, 41:612
chemoreflex loop gain, 46:843
circulation and, uterine and umbilical, 41:727
collateral ventilation, carbon dioxide as determinant, 45:69
core temperature changes (monkey), 42:273
discharge patterns, pulmonary stretch receptors, 53:346
dopamine
  aortic body chemoreception, 53:596
  blockade, 50:172
  chemoreflexes, breathing, 50:892
doxapram effects, carotid chemoreceptors and ventilation, 52:1261
encephalopathy, 44:333
endurance athletes, familial aspects, 44:464
exercise and, menstrual cycle, women, 50:1300
expiratory elastic, resistive loading, 46:730
expiratory loading, 49:601
fluid filtration, awake state, newborn, lung (lamb), 51:423
gas exchange, cerebral, 46:1164
helium or sulfur hexafluoride exposure, embryo (chick), 50:819
hydrogen ion transport, central nervous system, 42:667
hypoxic ventilatory drive, 45:971
kainic acid effects, ventilation, 52:131
lactate levels, 42:44
marathon running, 52:388
medullary respiratory neurons, 43:812
microcirculatory response to, pulmonary (bullfrog), 53:1556
mouth pressure, during airway occlusion, 40:338
muscle activation, upper airway and diaphragm, 53:1133
naloxone effects, chemoreception and ventilation, 51:1533
nerve activities, upper airway muscles, 52:530
neural response during, carotid and aortic bodies, 52:596
oxygen and carbon dioxide chemoreception, carotid body, 49:45
oxygen tension, cerebral cortex, 46:53
oxygen tolerance and, 50:1036
pH, intracellular, regulation, 45:115
phrenic, pressure and volume output, lung, 51:109
phrenic and hypoglossal responses, carbon dioxide, 53:1504
phrenic motoneuron responses, 46:1096
phrenic nerve activity and, 51:99, 51:732
pial arteriole responses, 46:89
prolonged, mechanical properties of lung, 52:1156
respiratory activity, fetus, in utero (sheep), 50:701
respiratory movements during, vocal cords, 52:780
respiratory pattern, after carotid body denervation, 46:1127
responses to, young twins, 52:537
reversible paralysis, diaphragm, 51:1150
tachypneic response, ozone-induced, 48:163
temperature, ventilation and, 46:491
threshold changes, inspiratory-augmented reflex, 53:1152
threshold shivering temperatures, 41:67
tracheal pressure, during airway occlusion, 40:345
vagotomy, phrenic activity and, 47:91
ventilation during, 51:78
ventilation (mole-rat), 47:1011
ventilatory control
  exercise and, 48:1065
  sleep, 53:307
ventilatory pattern, anesthesia and, 45:171
ventilatory responses, 43:971, 1019
  brain (goat), 47:104
vocal cord movements during, 53:81
Hypercapnic hyperpnea: *see* Hyperpnea
Hypercarbia, respiratory failure and (sheep), 52:1230
Hyperemia
  blood flow, skin, 40:597
  exercise, blood flow and metabolism, leg, 42:385
  postexercise
    contraction, calf muscle, 49:649
    static contraction effects, calf muscle, 51:929
  reactive
    coronary, exercise training, 45:604
    myocardial oxygen consumption and exercise, 49:759
Hyperglycemia, helium-oxygen-induced hypothermia, 42:694
Hypergravity
  thermoregulation
    response to cold, 49:663
    unrestrained (rat), 46:1049
Hyperinflation
  chronic, exercise and emphysema (hamster), 53:1263
  fluid accumulation, lung, 45:284
  inspiratory function of diaphragm, 40:67
  inspiratory muscle fatigue, 46:898
  tonic inspiratory muscle activity
    asthma, 50:279
    histamine-induced asthma, 49:869
Hyperkalemia
  acid-base balance regulation, cerebrospinal fluid, 51:369
  heat injury, 45:1
Hyperlactinemia
  cardiac output, 45:195
  hypoxemia, arterial, 45:195
  liquid ventilation, cardiovascular adjustments, 47:1051
Hypermetabolism
  drug-induced, 41:639
    ventilatory response, 43:72
  peripheral tissue receptors and, 47:1066
  tissue, dinitrophenol-stimulated ventilation, 43:72
Hypernatremia, cerebrospinal fluid ions in, newborn, 51:1086
Hyperoxemia, inhalate thermal conductivity, 47:228
Hyperoxia
  ambient gas effects, cardiac function, embryo (chick), 51:1017
  angiotensin I conversion, vascular reactivity, 48:308
arterial, circulatory response, 46:973
blood flow
  interaction during muscle fatigue, 47:1018
  leg, during exercise, 42:385
blood lactate, one-legged exercise, 45:244
breathing regulation, newborn, 44:673
carbon dioxide, breathing, awake state (pony), 47:445
cardiorespiratory changes during (sheep), 53:110
carotid body and, exercise (goat), 52:1216
carotid body chemoreceptors and, diving (duck), 53:1405
catecholamines and, exercise, 51:176
chemoreceptor stimuli and, 41:612
degassing effects, lung, 51:391
effects, hyperbaric bradycardia, 50:731
energy status, lung, 45:56
gas exchange kinetics, exercise, 46:1054
hyperventilation, head injury, 49:52
iron-deficient erythrocytes, 44:710
low level, endotoxin protection, 51:577
metabolic effects, exercise (pony), 46:1115
normocapnic, blood flow, cerebral (pony), 48:10
oxygen tolerance, pulmonary, 42:593
oxygen transport, critical value for, 53:660
physical performance, 46:984, 49:863
pneumocytes, type II, bioenergetics, 47:98
preexposure, oxygen toxicity protection (rat, mouse, hamster), 53:475
respiratory control, Sherpas, 49:374
respiratory neuronal response, medullary, 43:812
respiratory pattern, carotid body denervation, 46:1127
serotonin depression, lung, 42:33
serotonin uptake and, endothelial cells (calf), 50:1212
solute permeability, alveolar epithelium, 50:859
spermatozoan motility, mitochondrial respiration (ram), 50:531
superoxide release and, alveolar macrophages, 53:685
surfactant phospholipid metabolism, lungs, 51:1198
synergism with helium pressure, 53:192
transtracheal chloramphenicol influx, 50:234
ventilatory control and, running (bird), 53:1397
ventilatory dynamics, sinusoidal work, 48:1083
work tolerance, 42:444
Hyperoxygenation, brain, 46:53
Hyperplasia
  compensatory growth, lung, 46:326
  lung cell, compensatory lung growth, 43:27
  lung mast cell, pulmonary hypertension, 42:174
  muscular, skeletal muscle enlargement, 50:936
Hyperpnea
  asthma, exercise-induced, 42:22
  cardiodynamic, 40:592, 41:886
    exercise effects, 53:1594
    pacemakers, 51:1103
    right ventricular load and ventilation, 53:218
  cardiovascular effects, diving (duck), 52:206
  carotid body and, exercise (goat), 52:1216
  central chemosensitivity (duck), 50:1121
  exercise, 40:138, 43:704
    acid-base balance and, ventilatory control, 52:1013
    arterial carbon dioxide pressure re-

Hyperpnea (continued)
sponse, intravenous carbon dioxide, 47:1099
carbon dioxide, 48:1065
carbon dioxide set point effects, 51:185
carotid chemoreceptor resection, 46:908
delayed kinetics of, 52:921
glycogen depletion, 47:514
lactate and ventilation effects, 52:1598
middle-aged men, 46:1039
neural afferents, limbs, 49:239
respiratory responses, 45:109
sinusoidally varying pedal rate, 44:97
ventilatory and gas exchange dynamics, 42:300
ventilatory control, 44:311
ventilatory dynamics, 48:1083
ventilatory response, 51:194
heat flux, in exercise-induced asthma, 46:476
hypercapnic, ventilatory response to elastic loading, 47:778
inspiratory muscle activation, upper airway, 49:638
isocapnic
carbon dioxide inspiration and, 52:287
carbon dioxide inspiration, awake state (pony), 47:445
exercise, ventilation and gas exchange, hindlimb, 46:878
neural afferents, limbs, 49:239
ventilatory control, 44:311
neurogenic, 40:592
oxygen cost, ventilatory muscle training, 45:885
prolonged, exercise after, 52:1581
quiet breathing and, abdominal muscle use, 52:700
regulation in exercise, 41:89
respiratory movements during, vocal cords, 52:780
thermal, blood gas changes (antelope, dik-dik), 44:534
ventilatory change, cerebellum and muscle-receptor effects, 47:1062
Hypersensitivity
Ascaris suum (sheep), 47:917
pulmonary, hypoxic (sheep), 49:22
Hypertension
attentuation, salt sensitivity and, exercise, 52:1608
coarctation, 41:36
computer analysis, 40:171
exercise, 49:634
exercise effects, prostaglandins, renin and catecholamines, 53:891
intracranial, lung fluid balance and (sheep), 52:1324
left atrial, pulmonary hypoperfusion effects, 50:102
obliterative, ventilation-perfusion relations in, lung, 51:607
pregnancy-induced, high mountain disease (cow), 46:184
pulmonary
adrenal component, response to nicotine, 49:66
arterial, 41:449
arterial, hypoxic compartment size and, 53:626
cerebrospinal fluid pressure-induced, adrenal component, 47:153
cold-induced (cattle), 45:469
copper sulfate effects (ewe), 51:1204
ethanol-induced, 44:76
ethchlorvynol-induced, indomethacin effects (sheep), 53:563
growth of circulation (pig), 45:806
high-altitude, collateral ventilation effects, species differences (cattle, swine, dogs, sheep), 51:1251
hypoxic, vascular hypertrophy and (cattle), 46:517
hypoxic vasoconstriction, 49:189
inflammation-induced, 51:755
mast cell hyperplasia, 42:174
platelet depletion effects, lung vascular permeability (sheep), 48:414
pneumonectomy and, 53:859
respiratory failure and (sheep), 52:1230
venous response, 48:957
salt intake, 40:601
spontaneous
oxygen consumption, maximum, 47:1278
whole-body heating, cardiovascular response, 45:521
systemic venous, lung water and, 51:592
Hyperthermia
adrenal response, microwaves, 47:1284
alcohol consumption effects, work capacity, 50:1006
chlorpromazine administration, exercise, 50:509
dehydration, intravascular volume and tonicity, 44:69
exercise
breathing work, 50:1087
respiratory patterns, 47:1039
exercise and, cutaneous vascular responses, 53:744
exertion-induced heatstroke, 45:463
exhaustion, treadmill, 47:813
extreme heat, thermoregulation during, strain differences, 52:410
facial immersion, bradycardia, 46:905
heatstroke, 42:809
in quail, 40:521
low-potassium diet effects, exercise, 51:8
prostaglandin E_1
monkey, 44:751
work and, heat, 51:62
running (sled dog), 51:135
splanchnic vasoconstriction and, renin-angiotensin system effects, 52:1438
uteroplacental blood flow, changes, 41:197
whole-body gradients, at 42°C (pig), 47:712
with cerebral protection, 40:543
Hypertrophy
cardiac
δ-aminolevulinic acid synthetase activity, 44:507
dynamic conditioning, female athletes, 44:949
enlargement, exercise capacity and, 52:591
exercised, capillary proliferative activity, 43:306
exercise training, 45:604
function, chronic exercise, female, 50:1140
compensatory, skeletal muscle, 52:473
enzyme levels, skeletal muscle, 42:267, 312
exercise-induced, skeletal muscle, 53:1144
lung, compensatory growth, 46:326
lung cells, compensatory lung growth, 43:27
muscle, 40:630
metabolic character, 46:738
myocardial
capillary vascularization, hypoxia, 42:501
intracellular pH, regulation, 47:651
mild exercise program, 46:354
skeletal muscle
enlargement, 50:936
exercise-increased muscle fiber number, 48:421
synergist removal, 46:835
substrate oxidation capacity, skeletal muscle, 50:1272
vascular, hypoxic pulmonary hypertension (cattle), 46:517
ventricular
cardiac output, exercise, 49:482
endurance training, 47:207
left, myocardial hemodynamics after exercise training, 46:571
lung mast cell hyperplasia, 42:174
propranolol treatment, high altitude, 48:473
right, propranolol treatment at high altitude, 48:473
work-induced, skeletal muscle preservation, 46:654
Hyperventilation
alveolar, upper airway occlusion during sleep, 44:931
alveolar surface activity, sympathetic influence, 44:327
asthma, exercise-induced, 42:22
cerebrospinal fluid acid-base balance, progesterone effects, pregnancy, 51:1433
diving, 40:903
eucapnic, bronchial clearance, 43:46
exercise
body carbon dioxide storage capacity, 46:811
duck, 47:827
McArdle's disease, 52:991
extreme altitude and, man, 52:1393
hypoxic, at 3,850 m, 43:114
inhalation rewarming, from hypothermia, 46:1061
maternal, arterial oxygenation, high-altitude pregnancy, 52:690
muscle action, 41:739
phospholipid release, lung, 47:285
pregnancy-induced, high mountain disease and (cow), 46:184
pulmonary blood flow, recirculation and, 52:1161
respiratory heat loss, 49:875
surfactant release and, lung, 51:90
transient, head injury, hyperoxia and, 49:52
Hyperviscosity, hypervolemic polycythemia effects, newborn, 53:865
Hypervolemia
cardiac performance, aerobic power and, exercise, 52:1186
circulatory performance, exercise, 50:292
exercise factors, 48:657
exercise training-induced, 48:665
sweat rate and body fluids and, exercise, 51:1594
thermal factors, 48:657
Hypobaric chamber, changes in cerebrospinal fluid, 41:93
Hypobaric decompression: *see* Decompression
Hypobaric environment: *see* Environment
Hypocapnia
airways and, collateral ventilation effects, 46:966
carbon dioxide pressure gradients, cerebrospinal fluid and cerebral capillary blood, 43:480
cardiovascular function, 40:333
cerebral blood flow-arterial carbon dioxide pressure sensitivity, neonatal, 49:113
collateral ventilation, carbon dioxide and, 45:69
diminished vasoreactivity, 41:466
gas exchange, cerebral, 46:1164
helium or sulfur hexafluoride exposure, embryo (chick), 50:819
hypoxic, bicarbonate, cerebrospinal fluid, regulation, 44:175
Krough model, 43:480
lactate levels, 42:44
Hypocapnic polypnea: *see* Polypnea
Hypocarbia, asthma, exercise-induced, 42:22
Hypodermic needle electrode: *see* Electrodes
Hypoglossal nerve, chemical stimuli effects, upper airway muscles, 52:530

Hypoglycemia
and insulin, 41:523
endurance, 43:829
β-receptor blockade, 40:855
sweat detection, flowmeter, 49:342
Hypohydration
temperature regulation and, singular view, 47:1
voluntary, boys, 48:104
Hypokalemia, 41:457
Hypokinesia
antiorthostatic, water and salt excretion, 49:576
muscle atrophy and, 48:479
Hyponatremia
acute, cerebrospinal fluid, brain ions, acid-base balance, ventilation, 49:95
cerebrospinal fluid ions in, newborn, 51:1086
Hypoperfusion
hyperlactinemia and, 45:195
pulmonary edema, 50:102
Hypopharynx, airway area, acoustic inferences, 48:749
Hypophysectomy
adrenal response to microwaves, 47:1284
aerobic capacity, ligaments and tendons, 44:542
Hypopnea
cardiodynamic, 41:886
pulmonary blood flow, reduced, 46:1171
eupneic, cardiopulmonary bypass, 47:1176
Hyposmolality, immerson diuresis, 46:703
Hypotension
carotid sinus, baroreceptor reflex stimulation effects, lung, 52:1128
chemoreceptors, aortic and carotid relative responses, 48:781
exercise training and, 51:298
vagal afferents, cardiac, 47:312
Hypothalamus
anterior, sensitivity to norepinephrine, heat exposure, 49:942
heat loss, control, during exercise (goat), 46:978
norepinephrine effects, rest and exercise, 49:937
phrenic activity, hypercapnia and vagotomy, 47:91
preoptic, vasomotor thresholds, temperature effects (squirrel monkey), 48:89
set point, 41:77
temperature, running (quail), 50:1277
thermoregulatory pathways, preopticanterior, 43:770
thermosensitive sites in, 40:514
Hypothermia
age and, temperature, plasma enzyme and corticosterone, 50:367
aminophylline and, 53:16
chlorpromazine-induced, treadmill performance in the heat, 47:813
cold hyperbaric helium-oxygen exposure, 49:1099
core cooling, respiratory heat loss-induced, 50:829
corticosterone, 42:694
deep, cardiac output, 40:876
facial immersion, bradycardia, 46:905
feeding effects, 49:975
glomerular filtration, renal function, 42:420
helium-cold, norepinephrine turnover, myocardial (hamster), 50:962
helium-oxygen-induced, 42:694, 47:228
hypoxic pulmonary vasoconstriction, 42:56
inhalate thermal conductivity, 47:228
inhalation rewarming, 46:1061
insulin, cardiogenic effect, 47:342
L-triptophan-induced, treadmill performance in heat, 47:813
lung recoil and, 51:823
rewarming and, norepinephrine turnover, myocardial (hamster), 50:962
sensitivity to norepinephrine, hypothalamic, 49:942
sensitization with endotoxin-induced serum factor, 46:14
Sindbis virus infection, 47:923
thermoregulatory heat production, prediction equation, 42:377
thermoregulatory response to, 53:1228
Hypoventilation
after carotid body denervation, 40:184
bronchoconstriction
anesthesia effects (sheep), 53:272
bronchoconstrictor responses, 53:126
canopy ventilation monitor, 48:724
hypertension, pulmonary, cold-induced (cattle), 45:469
hypoxic, at 3,850 m, 43:114
Hypovolemia
circulatory performance, exercise, 50:292
hydration state, 49:715
sweat rate and body fluids and, exercise, 51:1594
Hypovolemic stress, plasma angiotensin II and, 41:462
Hypoxemia
accentuated, high altitude pulmonary edema susceptibility, 46:41
active sleep, newborn, 46:1081
arterial
hyperlactintemia, 45:195
hypoxic pulmonary vasoconstriction and, 53:134
oxygen pressure and, 51:871
chronic, 41:356
hemoglobin-oxygen affinity, 46:816
occlusion pressure during, newborn (monkey), 51:1169
precapillary, pulmonary vasoconstrictor responses to, 51:1009
pulmonary gas exchange and, hemodialysis, 50:259
pulmonary inflammation and, 51:755
pulmonary vascular response, 42:335
secretion and, tracheal submucosal glands, 52:1416
ventilatory control, 41:878
ventilatory response in sleep, newborn (calf), 48:892
Hypoxia: *see also* Altitude
acclimation to, 40:653
acclimatization, chemoreceptor denervation (goat), 50:392
acute
carotid body denervation, 40:184
exercise and, cutaneous blood flow, 53:920
prolonged, cardiovascular dynamics, 43:784
adaptation, 41:168
decompression sickness, 47:412
adrenocortical function, 47:1185
adrenocorticotropic hormone, cortisol responses and, 51:1257
airway
capillary recruitment, 47:383
dynamics, 42:245
small function, 47:251
altitude
acclimation, thyroid function and, 53:313
extreme, man and, 52:1393
alveolar
histamine response, newborn (lamb), 49:380
macrophage enzymes, 42:107
prostaglandin synthetase inhibitors and, 41:714
vasoconstriction, stability, 49:846
ambient gas effects, cardiac function, embryo (chick), 51:1017
anaerobic work, efficiency, 44:564
anemic
oxygen delivery and uptake, 42:228
oxygen extraction, hindlimb and total, 45:966
angiotensin I conversion, vascular reactivity, 48:308
apnea, respiratory patterns, neonatal, 43:468
arousal, carotid chemodenervation, sleep, 51:1294
arousal response to, carotid body denervation effects, sleep, 51:40
aspirin and, ventilatory responses, 43:971
atelectasis, 40:883
blood flow, chemoreceptor control, brain and muscle, 45:419
blood gas and (sea bass), 53:1336
blood volume, pulmonary arterial, 43:8
bradykinin, 46:227
brain
breathing control and, vagus nerve (goat), 53:212
breathing control and (goat), 49:497
carbon monoxide inhalation (goat), 43:455
species differences (turtle, rat), 53:1354
ventilatory responses (goat), 47:104
breathing patterns, breathing apparatus and, 53:1281
breathing regulation, newborn, 44:673
capillary vascularization, myocardial, 42:501
carbon dioxide breathing, awake state (pony), 47:445
carbon monoxide and, cytochrome P-450-mediated reaction, lung (sheep), 51:1635
carbon monoxide exposure and, 41:689
cardiac dynamics, sinoaortic denervation, 43:1012
cardiac output, 42:722
cardiac response, attenuated, to β-adrenergic stimulation, 44:647
carotid body and, exercise (goat), 52:1216
carotid body chemoreceptors and, diving (duck), 53:1405
catecholamine excretion, 42:728
urine, 52:304
central depression, respiratory pattern, 46:1127
central nervous system, neonatal (lamb), 47:927
cerebrospinal pH, oxygen and carbon dioxide responses, metabolic acidosis and alkalosis, 48:355
cerebrovascular responses (goat), 43:455
chemoreceptor involvement, cortisol, 52:1092
chemoreceptor responses, aortic and carotid body, 51:55
chemoreceptors, aortic and carotid, in hypotension, 48:781
chemoreceptor stimuli and, 41:612
chemoreflex loop gain, 46:843
chemosensitivity, asthmatics, 46:632
chronic
β-adrenergic receptors, 50:363
bicarbonate, cerebrospinal fluid regulation, 44:175
forearm circulation, 40:96
norepinephrine turnover and, lung, 51:614
circulation and, pulmonary (pig), 52:811
collateral ventilation, 40:819
converting-enzyme inhibition, 46:237
core temperature changes (monkey), 42:273
coronary circulation, 41:832
coronary dynamics, sinoaortic denervation, 43:1012
decompression: *see* Decompression
depression, at 3,850 m, 43:114
diffusing capacity
lung, 50:165
placenta, 46:828
placental, for carbon monoxide and oxygen (sheep), 43:885
discharge patterns, pulmonary stretch

Hypoxia (continued)
receptors, 53:346
dopamine
aortic body chemoreception, 53:596
blockade, 50:172
chemoreflexes, breathing, 50:892
doxapram effects, carotid chemoreceptors and ventilation, 52:1261
effects, β-adrenergic receptors, 50:363
elasticity, lung, 42:245
electrical activity, respiratory muscle, 42:287
endotoxic fever, reduction, 49:294
endurance athletes, familial aspects, 44:464
energy state, cerebral, 45:312
epinephrine effects, myocardial, 45:791
erythropoiesis, splenic, 48:857
eucapnic and hypocapnic, antidiuretic hormone responses to, 53:815
exercise
menstrual cycle, women, 50:1300
steady-state ventilatory response, 46:438
factors inducing, model, 53:644
fasting and, resting metabolism, 53:117
fatigue, diaphragmatic, 43:189
Feulgen-DNA levels, myocardial, 42:501
graded, vascular response to, species differences (cat, dog, rabbit, ferret, pig), 51:1214
heart rate, nervous control of (dogfish), 53:1330
heat production, physical restraint effects, 51:1601
hemodynamic responses, lobar venous occlusion, 47:145
hemoglobin, saturation with oxygen, 52:1043
high-altitude, 41:631
catecholamine excretion, 44:725
platelet count, 49:1047
histamine antagonists and pulmonary vasoconstriction, 40:496
histamine effects, pulmonary vascular tone, 51:1320
hormonal response, exercise, 42:587
hyperpnea and, diving (duck), 52:206
hypertension, pulmonary, cold-induced (cattle), 45:469
hypobaric, 41:702
atrial response to drugs and, 51:1607
cardiac response, attenuated, to β-adrenergic stimulation, 44:647
glycogen utilization and, muscle, 52:857
hypoxic
alveolar (sheep), 45:949
oxygen extraction, α-adrenergic blockade, hindlimb, 48:630
oxygen extraction, effects of time and vasoconstrictor tone, 45:219
oxygen extraction, hindlimb, 46:1023
oxygen tension, mixed venous, 42:228
inspiratory muscles, airway occlusion and, 40:372
intrapulmonary blood flow during, gas exchange surface area and, 52:1575
isocapnic
lung mechanics, 42:413
medullary respiratory neurons, 43:812
phrenic motoneuron responses, 46:1096
vocal cord movements during, 53:81
isocapnic and hypocapnic, extracellular fluid pH and blood flow, brain, 53:247
J receptors and reflex, 46:1143
kallikrein-kinin system, 46:227
lactate levels, 42:44
LDH, 40:923
lung inflation
longitudinal distribution of vascular resistance, 47:532
sheep, 45:949
lung mast cells, 42:174
lung volume, chemical drive interaction and, 42:287
marathon running, 52:388
metabolic performance (gopher), 43:965
metabolic temperature changes (monkey), 42:273
mild exercise and, myocardial function and hypertrophy, 46:354
muscle activation, upper airway and diaphragm, 53:1133
myocardial metabolism, 45:791
naloxone effects, chemoreception and ventilation, 51:1533
nerve activities, upper airway muscles, 52:530
neural response during, carotid and aortic bodies, 52:596
normocapnic, circulation in, 40:96
oxygen
and carbon dioxide chemoreception, carotid body, 49:45
consumption and blood flow, skeletal muscle (avian), 50:450
fetal, mathematical model, 42:179
tension, chemoreceptor control, brain and muscle, 45:419
transport, critical value for, 53:660
parasympathetic neurochemical changes, heart, 50:1017
peripheral chemoreceptor function, denervation (pony), 49:964
peritoneal macrophage enzymes, 42:107
pH, 42:44
cerebrospinal fluid, 45:275
phrenic, pressure and volume output, lung, 51:109
phrenic nerve activity and, 51:99, 732
physical performance and, 40:206, 49:863
pial arteriole responses, 46:89
plasma volume shifts and, exercise, supine posture, 51:148
preexposure, oxygen toxicity protection (rat, mouse, hamster), 53:475
pregnancy-induced pulmonary hypertension (cow), 46:184
prolonged, circulatory effects, 40:549
prolonged work, women, 49:367
prostaglandin synthesis inhibition, pulmonary vasoconstriction response, 42:903
pulmonary artery, 40:533, 42:438
pulmonary hypertension, vascular hypertrophy and (cattle), 46:517
pulmonary shunt flow, 42:196
pulmonary vascular permeability, bradykinin-induced (sheep), 52:370
pulmonary vascular reactivity (hamster), 52:1571
pulmonary vascular resistance, longitudinal distribution, 44:493
pulmonary vascular responses (pig), 49:820
pulmonary vasoconstriction, 41:211, 46:658
after chemical sympathectomy, 46:529
antigen challenge (sheep), 49:22
arterial oxygen pressure and, 51:871
blood flow reduction, 46:1047
hypoxic compartment size and, 53:626
lung segment size and oxygen tension effects, 51:1543
potentiation by ethyl alcohol, 44:76
temperature dependency, 42:56
renin-aldosterone axis, exercise, 52:320
respiratory control, Sherpas, 49:374
respiratory control during, endorphins and, newborn, 51:122
respiratory failure and (sheep), 52:1230
respiratory regulation, high altitude, neonates, 48:587
respiratory timing, 42:287
responses to, young twins, 52:537
reversible paralysis, diaphragm, 51:1150
right ventricular hypertrophy, propranolol treatment, 48:473
sinusoidal
cerebral blood flow, dynamics (goat), 46:721
ventilatory response (goat), 46:721
sodium nitroprusside effects, pulmonary vasoconstriction, 51:288
steplike, ventilatory drive, 45:971
stress, plasma angiotensin II and, 41:462
stroke volume, 42:722
superoxide dismutase activity, 42:107
systemic, modulation of sinus node, 52:570
tachypnea
brain monoamine metabolism, 49:769
ozone-induced, 48:163
threshold changes, inspiratory-augmented reflex, 53:1152
tolerance, induced erythrocythemia effects, exercise, 53:490
unilateral, cardiopulmonary function, 43:778
vascular response
plasma and platelets and, isolated lung, 51:875
pulmonary, 43:65
vasoconstriction
arachidonic acid, 49:107
calcium effects, lung, 49:450
fluid filtration and, lung (pig), 51:1065
pulmonary, continuity of response, 49:189
pulmonary, β-receptor mechanisms, 43:612
pulmonary (sheep), 45:949
vasoconstrictor agents, pulmonary vascular response (pig), 50:561
vasoconstrictor responses, pulmonary, 43:612, 662
vasomotion and distribution of vascular resistance, lung lobe, 45:545
ventilation
interlobar collateral, 46:658
mole-rat, 47:1011
ventilatory, pulmonary vasoconstrictor responses to, 51:1009
ventilatory acclimatization, 45:275
ventilatory adaptation, human-like, rat model, 44:763
ventilatory and waking responses, sleeping dogs, 44:512
ventilatory control
climbers, 53:886
running (bird), 53:1397
sleep, 53:307
ventilatory depression, naloxone effects, 52:1030
ventilatory drive, carotid body resection, 45:971
ventilatory response
body temperature effects, 42:492
goat, 43:455
neonatal maturation (lamb), 47:927
prochlorperazine effects, 53:637
sleep (puppy), 52:309
sleep state, newborn (calf), 48:892
sudden infant death syndrome, near-miss, 50:1313
variability, 43:1019
volume characteristics, pulmonary artery segments, 42:519
work capacity, women, 47:1223
Hypoxia test, progressive, chemosensitivity in asthmatics, 46:632
Hypoxic drive, breathing, 49:2
Hysteresis
airway, 41:581
atropinelike agent, inhaled, 46:256
bronchomotor tone regulation, asthma, lung, 50:1079
dynamics, 42:245
lung mechanics, 50:650
mechanics, 47:1251
vagal blockade, 46:217
airway-parenchymal interdependence theory, 47:1251
contracted smooth muscle, airway, 47:1251
diffusing capacity-lung volume relations, 49:566
frequency dependence, 49:142

lung parenchyma, 45:261
neuromotor blockade, lung, 47:1162
parenchymal, airway, 41:153
postnatal development, lung, 53:140
stiff lung, 47:360
surface tension-surface area relations, pressure-volume loops, 53:1512
temperature effects, lung mechanics, 53:567
tissue, pulmonary, bronchomotor tone, 49:270
transpulmonary, pressure-volume, 51:353

I

Images, computer analysis, 51:84
Imidazole, body temperature effects, ventilatory control (alligator), 52:114
Imidazole alphastat hypothesis, intracellular pH, body temperature and (iguana), 53:1466
Imipramine, serotonin uptake, endothelial cells (calf), 50:1212
Immersion: *see also* Diving; Submersion
body density, 44:276
cold adaptation, catecholamines, 46:662
cold water
alcohol, respiration, and skin and body temperature, 44:211
core temperature, 44:216
convective heat transfer coefficient, 42:93
diaphragmatic function, 44:297
diuresis, 43:915
fluid shifts, 46:703
facial
bradycardia, autonomic pathways, 47:1218
cooling, bradycardia, 46:905
heart rate, resting and exercise, apnea, female swimmers, 45:875
lung volume, 45:783
inspiratory volume, 44:297
lung mechanics, 49:946
lung volume
dilution and plethysmographic techniques, 44:679
implications for body composition analysis, 44:276
peripheral, vascular pooling, renal responses, 45:786
prolonged, renal response, 49:184
tepid water, alcohol consumption, 44:683
volume expansion and, renal responses (monkey), 48:243
water, fluid shifts and endocrine responses, 48:79
water exercise, bicycle ergometry, 50:679
Immobilization
atrophy
skeletal muscle, 44:225
time course, skeletal muscle, 44:656
biochemical adaptation, skeletal muscle, 44:700
mitochondria populations, skeletal muscle, 48:23
Immunization, antigen exposure, pulmonary effects, 46:346
Immunoelectrophoresis, tracheobronchial secretions, 45:182
Immunoreactivity, pulmonary circulation, glucagon and insulin, 46:593
Immunosympathectomy, training responses, 43:935
Impedance
active
respiratory system, 53:149
acoustic, stapedius reflex and, 52:416
airway, acoustic pulse response, 44:523
cardiography: *see* Cardiography
cheeks, spontaneous breathing, 49:408
effective, hypoxemia, newborn (monkey), 51:1169
electrical: *see* Electrical impedance
heart and, 40:250
pulmonary
forced random noise, retrograde catheter, 52:725
low-frequency periodic flow, airway, 47:347
pulmonary input, blood flow, awake state, 50:805
respiratory
augmented diffusion, airway, 49:232
children, 47:551
forced oscillation technique, 43:322 , 44:322
forced random noise analysis, young children, 47:169
measurement, direct-display oscillation, 46:956
partitioning frequency dependence and, lung, 51:621
postpanting, 48:1024
transthoracic
postexercise ejection time, 45:1002
summated circulatory response, 52:184
Impulse generation
repetitive
anesthetic inhibition, axon (crayfish), 45:747
pressure and temperature, axons (crustacean), 45:742
Impulse response, bronchoconstriction, 50:1286
Impulse stimulation, gastrocnemius muscle, 45:751
Impulse work loads: *see* Work loads
Impusle analysis, 40:458
Incubation, shell diffusion area (chick egg), 45:551
Indentation test, lung parenchyma, elastic constants, 44:853
Indicator-dilution studies: *see also* Dye-dilution
biogenic amine extraction, lung and hindlimb, 52:1545
cardiopulmonary bypass, pulmonary removal of prostaglandin E_1 after, 52:887
double, pulmonary edema quantitation with extravascular lung thermal volume, 48:120
embolization, pulmonary amine removal and, 52:421
fluorescent indicator and, 52:1368
histamine pulmonary edema (sheep), 43:99
5-hydroxytryptamine clearance, lung, 46:1178
multiple curves, lung (sheep), 44:245
platelet sequestration, hemorrhagic shock, lung, 50:1306
propranolol uptake, lung, 52:393
prostaglandin metabolism, lung, 47:404
serotonin uptake
flow rate effects, lung, 53:677
lung, 51:405
vascular and extravascular, compartments, isolated perfused lung, 46:74
water tracer, lung lobes, 52:1535
Indocyanine green
deuterium oxide and, detection, blood flow, 50:1367
extravascular thermal volume, lung, 53:1614
properties, 40:575
propranolol uptake, lung, 52:393
splanchnic activity, highlanders, 43:204
Indomethacin
asthma, 40:889
ethchlorvynol-induced pulmonary hypertension, pulmonary edema and (sheep), 53:563
hypoxic vasoconstriction, alveolar, 45:33
lung lymph, albumin clearance and, 50:1151
prostaglandin synthesis and, tracheal fluid and surfactant, fetal (lamb), 51:1562
pulmonary vasoconstriction, hypoxic, 42:903
vascular effects, lung (sheep), 48:581
Industrial workers, prescriptive zone, determinants, 43:347
Inertance
airway
low-frequency periodic flow, 47:347
resistance, computer-assisted determination, 50:672
respiratory
forced random noise analysis, young children, 47:169
measurement using forced oscillatory impedance data, 43:322
papain exposure, 46:61
Inert gas: *see* Gas
Inertia
dynamic compliance and, computer measurement, 48:903
muscle, cantilever beam design, 42:786
respiratory tract, oscillation method for measurement, 46:956
Inertial force, regional pulmonary displacements and volumes, 44:216
Infant: *see also* Neonate, Newborn
airway
conductance, specific, 43:144
resistance, measurement, 43:155
upper, patency, pressure and posture effects, 48:500
automated nitrogen-washout method, 52:1378
birth weight, maternal arterial oxygenation and, high altitude, 52:695
breathing and swallowing coordination, 50:851
breathing dynamics, 52:1209
carbon dioxide, alveolar, measurement, 45:648
cesarean section delivery, onset of respiration, 52:716
gas volume, thoracic, measurement of, 52:995
inspiratory duration, maturation of reflexes, 45:202
lung mechanics, 43:144
lung volume, plethysmography, 53:698
oscillatory breathing, apnea and, 52:1288
premature
airway conductance, specific, 43:144
effective elastance, 40:539
respiratory response to carbon dioxide, 41:41
pressure: *see* Blood pressure; Pressure
sleeping, carbon dioxide-induced ventilatory changes, 48:684
sudden death syndrome: *see* Sudden infant death syndrome
thoracic gas volume, 43:144, 155
ventilatory pattern, REM sleep, 53:52
Infarction
myocardial
cage size and exercise effects, 47:393
cardiovascular function, physical training effects, 47:482
exercise after, 40:611
exercise capacity, infarct size, 42:782
Inflammation
pulmonary, alveolar neutrophils and, 47:440
synergists, skeletal muscle, 46:835
Inflation-augmentation reflex: *see* Reflexes
Inflation: *see* Lung
Inflection point
pressure-volume curve
lung, 43:983
three-balloon catheter system, 47:931
Infrared gas analyzer: *see* Gas analyzer
Infusion: *see* specific subject and site
Ingestion: *see* Drinking; Feeding; and the specific dietary constituent
Inhalation: *see also* specific gas or substance
carbon dioxide
response differences, computer simulation, 50:835
ventilatory response, 49:1000
histamine aerosol, bronchoconstriction,

Inhalation (continued)
direct and reflex, 50:869
methacholine, cigarette smoking, bronchial reactivity (baboon), 50:754
particles, airway generations, calculated deposition, 47:867
patterns, bronchoconstriction and, 50:575
residual volume, 41:400
rewarming, from hypothermia, 46:1061
toxicology
airway reactivity, 46:189
lung, 53:824
ozone, 43:82
Inhibitory nervous system, 41:764
Inhibitory reflexes: *see* Reflexes
Inhomogeneity
parallel, gas transport, 47:296
ventilation, multiple-breath nitrogen washout curves, 48:265
Innervation
airway
noradrenergic inhibitory, 48:16
smooth muscle (baboon), 48:947
autonomic, coronary arteries, 41:30
cholinergic, 40:40
neuroepithelial cells, gill (fish), 53:1342
pulmonary, 41:764
purinergic, nonadrenergic bronchodilation, 52:562
trachealis muscle (guinea pig), 50:374
Innovar, respiratory control, 44:596
Inorganic phosphate, glycogenolysis and, rest and exercise, muscle, 53:708
Inosine 5′ monophosphate, exercise, skeletal muscle fibers, 49:1037
Inotropy: *see* Muscle; Muscle, heart
Inspiration: *see* Respiration; *see also* Flow, inspiratory
Inspiratory activity
phrenic, integrated, 43:449
temperature, carbon dioxide interactions and, 43:449
terminal inhibition of, active impedance of respiratory system, 53:149
Inspiratory capacity: *see* Capacity
Inspiratory drive
carbon dioxide, yoga, 51:1625
central, γ-aminobutyric acid effects, hindbrain, 51:1278
hypoxia, endorphin effects, newborn, 51:122
Inspiratory duration, anesthesia and, 51:19
Inspiratory duty cycle, hypoxemia, newborn (monkey), 51:1169
Inspiratory flow: *see* Flow
Inspiratory load, detection thresholds, 50:162
Inspiratory muscles: *see* Muscle
Inspiratory occlusion pressure: *see* Pressure
Inspiratory occlusion valves: *see* Valves
Inspiratory off-switch threshold, stimulus, vagus nerve, 50:1183
Inspiratory onset, relation of, carotid chemoreceptors and, 52:863
Inspiratory pressure: *see* Pressure
Inspiratory reflex: *see* Reflexes
Inspiratory time
chest wall afferents, neonatal, 42:362
hypoxia and hypercapnia effects, 51:732
respiratory equipment effects, 42:28
Inspiratory-to-expiratory duration relations, stimulus, vagus nerve, 50:1183
Inspiratory volume: *see* Volume
Inspired oxygen concentration: *see* Oxygen
Instrumentation: *see* Apparatus and techniques; Models; or the specific instrument
Insulation
adaptive changes, temperature exposure, long-term, 52:1008
homeotherm , newborn, 42:571
superficial shell, rest and exercise, cold water, 52:1557
Insulin
adrenergic blockade, exercise (sheep), 52:315
amino acid uptake, lung, 42:216
bed rest, with isotonic and isometric exercise, 43:1033
binding, ^{125}I-labeled, physical training and adiposity, 46:235
blood levels, pulmonary circulation, 46:593
calorigenic effects, hypothermia, 47:342
carbohydrate ingestion and, before exercise, 51:783
cold exposure effects, amino acids, muscle, 52:1250
dehydration (camel), 42:690
diabetes and, exercise performance, 50:482
during exercise, trained and untrained, 50:71
exercise, 40:525, 43:302, 425, 50:766
altitude, food effects and, 45:350
exercise-induced glycogenolysis, adrenal medullary hormones, 50:21
fat cell adaptation, exercise, 51:1500
hypoxic exercise, 40:587
lead body mass, physical training and, 45:176
metabolism
arm-leg work, 46:249
pulmonary macrophages, 47:79
plasma, muscle glycogen usage during exercise, 43:695
protein metabolism, lung, 43:463
pubertal stage differences, exercise and, 46:823
β-receptor blockade, 40:855
response, prolonged exercise, 41:683
responsiveness, limb immobilization, skeletal muscle and, 52:1113
secretion, cold exposure and, 43:230
training and diabetes effects, diabetes, diaphragm, 52:1471
training-induced responses, submaximal exercise, 46:766
turnover, plasma, somatostatin effects during exercise (sheep), 47:273
uptake, muscle glycogen effects, exercise, 52:434
Insulin-glucose ratio, cold exposure and, 43:230
Interalveolar wall, computer-derived image compositing, 51:78
Intercostal/accessory muscles, inspiratory pressure swings, partitioning, 44:200
Intercostal electromyography: *see* Electromyography
Intercostal muscles
adaptation to increased respiratory load, 44:905
afferents, respiratory pattern, 43:20
developmental pattern, 44:909
reflexes, sleep breathing patterns and, infant, 48:139
sleep state mechanics, 43:600
thoracic volume-airway occlusion pressure relations, 43:312
Intercostal-phrenic reflex: *see* Reflexes
Intermittent positive-pressure breathing: *see* Respiration
Interrupter technique, respiratory resistance measurement, 52:549
Interstitial compliance: *see* Compliance
Interstitial edema: *see* Edema
Interstitial fluid pressure: *see* Pressure
Interstitial fluid: *see* Fluid
Interstitial space
compliance, isolated perfused lung, 48:677
exercise, in heat, 40:55
fluid shifts, zone I lungs, 48:246
reimplanted lungs, 40:962
Interstitial volume: *see* Volume
Interstitium, pulmonary, osmotic constituents, 53:324
Intestines
adaptation, heat exposure, 47:87
blood flow: *see* Blood flow
chronic activity, transducer, 41:942
transport, heat exposure, 47:87
vascular resistance: *see* Resistance
Intracellular fluid: *see* Fluid
Intracellular water: *see* Water
Intracranial hypertension: *see* Hypertension
Intracranial pressure: *see* Pressure
Intraesophageal pressure: *see* Pressure
Intrapleural pressure: *see* Pressure
Intrapulmonary artery, balloon inflation, alveolar ventilation-perfusion, 52:245
Intrapulmonary chemoreceptors: *see* Receptors
Intrapulmonary shunt: *see* Shunt
Intrathoracic pressure: *see* Pressure
Intrauterine pressure: *see* Pressure
Intubation, tracheal: *see* Trachea
Inulin
absorption, pulmonary edema, 44:576
^{14}C-labeled, pulmonary circulation effects on insulin and glucagon levels, 46:593
o-Iodosodium benzoate, hemoglobin-oxygen affinity, 46:816
Ionic strength, hemoglobin-oxygen affinity regulation, 43:632
Ions
brain
acute hyponatremia, 49:95
hypercapnia, newborn, 50:566
cerebrospinal fluid, hypercapnia, newborn, 50:566
composition, cerebrospinal fluid, fetal (lamb), 50:880
concentration, hypohydration, 47:1
content, alveolar type II cells, 53:258
flow, regional differences, airway, 51:706
fluxes
cerebrospinal fluid-brain, high altitude, 47:508
open-circuit, tracheal epithelium, 49:905
tracheal epithelium, 48:1008
metabolism, hydrostatic pressure effects, erythrocytes, 49:224
permeability: *see* Permeability
transport
autonomic agent effects, excised airways, 52:893
bladder, 40:483
catecholamine effects, tracheal epithelium, 47:397
histamine effects, 42:735
hydrostatic pressure effects, erythrocytes, 49:224
hyperbaric gas effects, erythrocytes, 49:204
tracheal epithelium, calcium effects, 44:900
Iproniazid, serotonin uptake, endothelial cells (calf), 50:1212
Iron, deficiency, erythrocytes, in hyperoxia, 44:710
Irradiation: *see also* Radiation
degassing effects, lung, 51:391
Irritants: *see also* Pollution
air pollutants
airway reactivity, 46:189
work performance and oxygen consumption, 46:309
pulmonary, work performance, maximum, 42:531
pulmonary receptors, 43:107
receptor, pulmonary response to aerosol histamine, 42:946
respiratory, ozone exposure, 43:82
Ischemia
cerebral
breathing control (goat), 49:497

chemical control of breathing (goat), 47:1289
energy state, 45:312
ventilatory responses (goat), 47:104
heart, 40:1004
injury, myocardial, exercise capacity and, 42:782
muscle
cardiovascular responses, dependency on muscle mass, 45:762
exercise, 51:552
pressor responses, cardiac output and, 45:574
ventilation, exercise, 50:718
myocardial, 41:925
extravascular water, heart and lung, 45:102
microwave radiation effects, 50:931
oxygen uptake, developed tension and, 45:751
physical training effects, coronary collateral circulation, 52:376
pressure loads, exercise, heart contractility, 52:340
skeletal muscle, 41:693
subendocardial, isovolumic anemia and exercise, 53:203
Isobaric counterdiffusion: *see* Counterdiffusion
Isobaric supersaturation, inert gas transport, risk, 46:1157
Isocapnic hyperpnea: *see* Hyperpnea
Isocapnic hypoxia: *see* Hypoxia
Isoelectric focusing, oxygen and hemoglobin, equilibrium properties, fetal and adult (seal), 50:999
Isoflow volume: *see* Volume
Isogravimetric pressure: *see* Pressure
Isokinetic training: *see* Exercise
Isometric contraction: *see* Muscle
Isometric fatigue: *see* Fatigue
Isometric tension: *see* Muscle
Isoproterenol
adrenocortical function, exercise training, 44:104
aerosolized, effect on myogenic tone, 40:525
airway, smooth muscle, response, 47:330
anaphylaxis, lung, 46:919
capillary filtration, lung, reduction during high permeability (sheep), 46:146
cardiac enlargement, exercise capacity and, 52:591
cardiorespiratory responses, 47:352
chronic cold exposure, 49:923
circulation, cerebral, 40:797
cold-induced responses, 42:349
deiodination, cold exposure, 51:1157
exercise and, effects at different levels of sodium intake, 45:870
histamine and, occlusion pressure and ventilation, 53:690
inhibitory effects, bronchial smooth muscle, 46:787
mechanical activities, trachealis muscle, 48:320
respiratory, ciliary activity, 48:868
respiratory alkalosis, 44:581
responses to, exercise training and, 53:665
training bradycardia effects, β-adrenergic receptors and, 51:1232
ventilation-distribution, frequency dependence, 42:548
volume-referencing, flow-volume curves, 48:731
Isotonic training: *see* Exercise
Isotopes
stable
acute cold exposure and, 53:367
exercise effects, 53:1620
leucine and urea metabolism, exercise, 52:458
pulmonary diffusing capacity for, 51:1643
studies: *see* Radionuclide studies
Isotropy, bronchi, normal exercised lung, 45:45
Isovolume preparation, steady expiratory flow, lung, 51:1331
Isovolume pressure-flow relations: *see* Pressure-flow relations
Isoxsuprine
prenatal, pulmonary oxygen toxicity, newborn, 48:505
surface tension, autonomic control, lung, fetal, 43:1039

J

Jacket, respiratory, ventilatory measurements in children, 45:630
Joint, position, ankle plantarflexion and, 51:160, 52:1636
J receptors: *see* Receptors
J reflexes: *see* Reflexes
Jumping: *see* Exercise
J valves: *see* Valves

K

Kainic acid, ventilatory effects of, ventrolateral solitary nucleus, 52:131
Kallikrein-kinin system
hypoxia, 46:227
pulmonary microembolization, converting enzyme inhibition effects, 53:1546
Kayaking: *see* Exercise
Kerosene, pressure-volume relations and, lung, 52:260
Ketamine, respiratory control, 43:596
Ketogenesis, plasma citrate and, during exercise, 46:120
α-Ketoisocaproic acid, leucine metabolism and, exercise, 52:458
Ketone bodies
cold acclimatization, nonshivering thermogenesis, 42:159
oxidation, exercise and fasting, 44:5
Ketone enzymes, oxidation capacity, functional overload, skeletal muscle, 50:1272
6-Keto-prostaglandin $F_{1\alpha}$
hypoxic, vasoconstriction, arachidonic acid, 49:107
vasodilator effects, pulmonary and systemic, 45:408
Ketosis
cold exposure, 46:872
postexercise, 46:766
Kidney
blood flow: *see* Blood flow
clearances, exercise effects, 51:1618
dysfunction, positive end-expiratory pressure ventilation, 50:643
function, 40:601
cold exposure and (prairie dog), 42:295
dehydration (camel), 42:690
dehydration (prairie dog), 42:295
distance running, 50:709
exercise, 49:930
glucose loading (camel), 42:690
hibernation, 42:420
immersion and, 45:786
heat stress, vascular response (baboon), 43:739
hemodynamics, 41:230
immersion, 49:184
intravascular volume expansion and (monkey), 48:243
mechanics, renal capsule, 40:164
plasma flow (kangaroo), 42:636
renin: *see* Renin
sodium handling, 41:230
thyroid hormone metabolism, cold exposure, 51:1157
volume: *see* Volume
Kidney medulla, concentration gradient, cold exposure and dehydration (prairie dog), 42:295
Kidney tubules
excretion, 41:457
glucose, maximum (camel), 42:690
membrane oxygenator, 40:476
proximal, chloride, 40:1009
Kinetics: *see* specific subject and site
Knee, force-velocity relations, fiber composition and, extensor muscles, 40:12
Kohn's pores, collateral resistance at alveolar level, excised lung, 48:982
Krough model, hypocapnia, 43:489
Krough tissue cylinder, inert gas transport, microcirculation, 46:1157
Krypton-81m, ventilation-perfusion ratio, measurement, 44:115

L

Labor, contractions, 41:316
Labrynthitis, fibroosseous, rapid decompression, inner ear (monkey), 49:1070
Lactacidemia
exercise and, dichloroacetate effects, 48:427
heat injury, 45:1
Lactate
accumulation, isometric exercise, 41:136
activity, recovery from maximal exercises, 47:677
alcohol effects, exercise, heat, 50:1006
altitude effects, exercise, 50:229
arterial
during apnea or breathing nitrogen, 42:39
exercise, 40:864
ateriovenous differences, inactive muscle, 45:835
blood
arm exercise, 47:754
constant-load exercise, 45:381
disappearance, maximal work, 51:840
exercise and, 40:159, 41:191
exercise hyperventilation, McArdle's disease, 52:991
high-altitude exposure, muscle, 52:857
hypoxia effects (sea bass), 53:1336
menstrual cycle effects, exercise, 51:1493
pedaling rate effects, competitive cyclists, 51:447
postexercise, 47:1311
postexercise, glycogen depletion effects, 47:514
severe exercise, 44:559
specific muscle training, 47:761
training duration effects, 53:225
treadmill and cycle exercise, 49:59
ventilatory control and (bird), 53:1397
work intensity and duration, effects, 48:540
carbohydrate ingestion, before exercise, 51:783
cerebral blood flow, exercise, 40:191
cerebrospinal fluid, during muscular exercise (pony), 45:94
chlorpromazine effects, exercise, heat, 50:509
concentration, body temperature and maximal exercise, 46:885
contents, muscle, after exercise, 43:852
elevated oxygen pressure, lung, 45:56
exercise, 41:683, 50:766
graded, 43:288
leg, 42:385
skeletal muscle and tissue, 44:350
supramaximal one-legged, 45:244
heat injury and, 45:1
hyper- and hypocapnia, 42:44
hypoxia, 45:195
exercise effects, 42:587
infusion, glycogen depletion during exer-

Lactate (continued)
cise, 45:425
levels, stairclimbing and cycling exercise, 46:510
metabolism
exercise, 40:312
exercise effects, cardiorespiratory, 43:959
exhaustive exercise, 49:1057
hyperbaric oxygen exposure, lung, 46:943
muscle, after exercise, 42:129, 45:474
oxygen consumption, 45:381
pH effects, cycling exercise, electromyography, 52:1181
physical performance and, 49:863
production
granular pneumocytes, primary culture, 49:743
lung slices, 43:902
pneumocytes, type II, in hyperoxia, 47:98
removal, splanchnic, in highlanders, 43:204
respiratory acidosis effects, exercise, 53:63
serotonin uptake, lung, 46:447
sympathoadrenal adaptation to training, 45:370
threshold, absolute and relative, muscle, 48:523
turnover, exercise, 40:312
uptake
inactive forearm during progressive leg exercise, 45:835
production and, hindlimb, 40:1
ventilation
circulatory occlusion, exercise, 50:718
exercise, 52:1598
Lactate dehydrogenase
granular pneumocytes, primary culture, 49:743
heat acclimatization and, liver, 43:445
hypertrophic stress, cardiac, 40:923
training, 40:149, 868
Lactate-pyruvate ratio
liquid ventilation, 47:1051
lung, 43:238
Lactic acid
β-adrenergic blockade effects, exercise, 51:788
anaerobic work, efficiency, 44:564
cold adaptation, 46:662
exercise, tidal volume, 46:322
exercise stress and, species differences (dog and miniswine), 52:1077
exhaustive exercise, 49:722
heat acclimatization, training and, 43:591
hypothermia, 47:342
maximal work capacity, hypoxic women, 47:1223
metabolism
dichloroacetate effects, exercise, 48:427
exhaustive activity (marine iguana), 48:689
muscle, needle-biopsy specimens, 53:1310
plasma, exercise, 43:695
production, specific muscle training, 47:761
prolonged work, hypoxic women, 49:367
repeated exercise effects, 53:436
venous blood levels, simulated rowing, 45:87
Lactic acidosis: *see* Acidosis
Lamellae, primary, neuroepithelial cells, gill (fish), 53:1342
Lamellar body
surfactant kinetics, lung, 51:248
surfactant, lung, newborn (lamb), 49:1091
volume density, pneumocytes, excised lungs, 53:555
Lanthanum ions, myocardial adaptation, endurance training, 44:85
Lapadella, bubble formation, intracellular, lack of, 47:1270
Laparoscopy, isobaric inert gas supersaturation (piglet), 44:914
Laplace law, pulsating bubble technique, evaluation of pulmonary surfactant, 43:198
Laplace transformation, oxygen and carbon dioxide, delay and response compensation, 52:79
Laryngeal nerve
chemical stimuli effects, upper airway muscles, 52:530
innervation, cervical trachealis muscle, 53:617
physiological and pharmacological properties, tracheal, 49:84
recurrent
brain stem genesis, 51:204
chemoreceptor function, 42:344
respiration and, 48:826
superior
apneic reflex, chemical specificity of (puppy), 53:455
central apnea recovery and, newborn (piglet), 53:105
hypoxemia effects, 52:1416
respiratory inhibition, apnea, newborn (pig), 50:874
upper airway pressure changes, genioglossus muscle and, 52:445
Laryngeal reflexes: *see* Reflexes
Laryngeal resistance: *see* Resistance
Laryngeal stimulation, waking and ventilatory responses, 45:681
Larynx
airflow
newborn, 53:805
resistance and, eupnea, 52:773
airway area, acoustic inferences, 48:749
apneic reflex, chemical specificity of (puppy), 53:455
isocapnic hypoxia and hypercapnia, vocal cord movements during, 53:81
movements, hyperpnea, 52:780
Laser-scattering, dynamic, respiratory ciliary activity, 48:868
Lavage, fluid, phospholipid release, lung, 47:285
Lavage cells, phagocytosis, lung, 42:432
Lecithin, monolayers, lung surfactant, 51:509
Lecithin/sphingomyelin ration, airway expansion, peripheral pulmonary, 42:976
Leg
asthma, work-induced, 42:565
blood flow, skin temperature effects (baboon), 50:974
blood flow and metabolism, during exercise, effects of hyperoxia, 42:385
citrate, arteriovenous differences, exercise, 46:120
ergometry: *see* Exercise
exercise: *see* Exercise
intravascular temperature, submaximal exercise, men, 51:1092
maximum force, short-term exercise, 51:1175
progressive exercise, lactate uptake by inactive forearm, 45:835
Length-diameter relations, bronchial (pig, dog, human), 50:1168
Length-tension relations: *see also* Muscle
continuous stretch, tracheal smooth muscle, 52:655
diaphragm adaptability, exercise and emphysema (hamster), 53:1263
disuse effects, skeletal muscle, 53:335
upper body posture effects, ventilation, 52:879
Leucine
metabolism
acute cold exposure and, 53:367
exercise and, 52:458
oxidation, rest and exercise, 53:947
Leukocytes, 40:287
adhering, decompression sickness, 50:944
eosinophilic, pulmonary defense mechanisms (snake), 50:979
fluid balance, pulmonary embolization effects (sheep), 52:1565
microvascular injury, shock and reinfusion, pulmonary, 50:1227
polymorphonuclear
alveolar, normal lung, 47:440
hydroxyl radical formation, 46:136
pulmonary, arterial occlusion effects (sheep), 53:543
pyrogen, ontogeny, 42:355
sepsis, pulmonary edema and, lung (dog, baboon), 50:1198
thermal dehydration, differentials, 50:38
venous air emboli, microvascular permeability, lung (sheep), 51:887
Leukopenia, lung lymph, albumin clearance and, 50:1151
Lidocaine
airway anesthesia, histamine effects, 53:690
topical, tracheal receptors and, 47:1123
Life-span, exercise, obesity and hypertension, 49:634
Lifting: *see* Exercise
Ligaments, aerobic capacity, physical activity and hypophysectomy, 44:542
Ligand
hemoglobin and, interaction, whole blood, temperature effects, 43:545
protein degradation, pulmonary macrophages, 47:79
Ligation
coronary: *see* Coronary ligation
physical training effects, coronary collateral circulation, 52:376
Light, continuous, cyclic activity and (hen), 51:1145
Limb: *see also* Hindlimb
immobilization
protein synthesis, 47:974
protein synthesis, gastrocnemius muscles, 51:73
skeletal muscle and, 52:1113
length, step-test exercise, 44:346
velocity, ventilatory response, endurance running, 52:615
working, exercise hyperpnea, neural afferents, 49:239
Linear elasticity analysis, lung deformation, minimal volume, 48:487
Linearity, cardiorespiratory and gas exchange dynamics, sinusoidal and impulse work loads, 48:289
Linear regression analysis, gas transport, cardiac size and, 49:994
Lipase
cardiac, endogenous triacylglycerols and, muscle, exercise, 52:1059
hormone sensitive
adipocytes, exercise, 50:143
adipose tissue, exercise, 50:250
Lipid-insoluble molecule, oxygen breathing effects, permeability, alveolar epithelium, 50:859
Lipids
catecholamines and, relations during exercise and fasting, 48:109
fluidity, surfactant, lung, 51:509
metabolism
endurance-trained skeletal muscle, 47:787
fasting effects, lung, 42:88
hydrocortisone effects, lung, 42:202
physical exercise, 45:45
pulmonary surfactant, 48:812, 53:1
mobilization
exercise after training, 43:953
exercise and adenosine monophosphate, cyclic, adipose tissue, 50:250
passive uptake, diffusion barriers to, tra-

cheal epithelium, 52:1223
peroxidation, exercise, 45:927
phase transition, temperature and, 51:1108
serum, diabetes, physical training, 52:1514
skeletal muscle, trained and untrained men, 43:709
Lipolysis
accumulation response, adipocytes, physical training, 50:143
adipose tissue, exercise and, 50:250
brown adipose tissue, heat and cold acclimation, 43:1007
exercise and, 41:683, 43:425
hypoxic myocardium, 45:791
physical training effects, fat cell ghosts, 42:884
β-Lipoprotein, plasma, immunoreactivity, treadmill exercise and, 52:1245
Lipoprotein lipase
endogenous triacylglycerols and, muscle, exercise, 52:1059
metabolism, exercise, feeding, 52:815
secretion, diabetes, physical training, 52:1514
Liquid: *see also* Fluid
airway surface, composition, 50:613
clearance, lung, newborn, 49:171
Liquid-breathing
gas exchange, ventilation-perfusion, 49:262
high-pressure neurological syndrome, 46:756
respiratory control, 48:528
Liquid diffusion layer, flow-dependent catheter, 44:124
Liquid ventilation: *see* Ventilation
Lissajous loop, noninvasive airway resistance, measurement, 46:399
Lithium chloride, sensors, skin humidity and, 41:256
Liver
β-adrenergic receptor blockade effects, exercise, 53:549
amino acid concentrations, exercise effects, 50:41
carbonic anhydrase activity, vascular, 49:211
congestion, positive end-expiratory pressure ventilation, 50:643
function
highlanders, 43:204
ventilation and, 43:714
glycerol feeding effects, exhaustive exercise, 50:94
glycogen
content, diurnal variation and endurance, 47:425
depletion, exercise, 45:425
depletion, respiratory capacity, 49:102
utilization, fatty acids increase and, 43:829
hormonal response to exercise, training, 43:953
leucine oxidation, rest and exercise, 53:947
L-thyroxine deiodination, cold acclimation, 49:386
metabolism, heat acclimation and, 41:871, 43:441
metabolites, resting and exercise, 51:1326
oxygen uptake, 40:269
perfused, ketone bodies in nonshivering thermogenesis, 42:159
postcapillary pH disequilibrium, after gas exchange, 47:1079
protein kinase activity, heat acclimation and (hamster), 53:716
respiration, cold acclimatization and ouabain sensitivity, 42:150
thyroid hormone metabolism, cold exposure, 51:1157
3,5,3′-triiodothyronine deiodination, cold acclimation, 49:386
venous blood sampling, 41:439
venous outflow, ventilation and, 43:714
Load, Loading: *see also* Afterload; Preload
breathing
respiratory pattern effects, 52:578
ventilatory drive effects, 53:901
carbon dioxide, ventilatory control, 44:311
carriage, energy expenditure during altitude, 51:14
compensating mechanisms, first-breath ventilatory responses, 46:743
correction during osmotic pressure, 44:474
detection thresholds, inspiratory load effects, 50:162
elastic: *see* Elastic load
expiratory, respiratory effects, 49:601
flow-resistive, 40:338, 372
brain hypoxia (goat), 49:497
breathing pattern variability, 50:299
carbon dioxide, raised oxygen pressure, 45:756
ventilatory and central respiratory responses to carbon dioxide, raised oxygen pressure and, 45:756
inspiratory
detection thresholds, 50:162
rib cage distortions, intercostal muscles and, 52:517
mechanical
breathing pattern variability, 50:299
detection, young twins, 52:537
ventilatory responses, cervical cord injury, 52:748
ventilatory responses in hyperpnea, 47:778
mixture, colloid osmotic pressure changes, 44:254
muscle response, upper airway and diaphragm, 53:1133
output cycling with sinusoidally varying pedal rates, 44:97
pH changes, postcapillary, 44:770
pressure
intracerebral, continuous measurement, 44:528
panting (antelope, dik-dik), 44:534
ventilation and pulmonary amine removal, 44:553
rebreathing method, cardiac output estimation, during swimming, 44:821
resistive
airway obstruction, 44:538
breathing changes, perception, 50:78
effect of timing, flow, lung volume and threshold pressure, 49:958
inspiratory load effects, 50:162
inspiratory, reflex response to anesthesia, 53:355
respiratory volume-time relations, 40:177
timing, flow, lung volume, and threshold pressure effects, 49:958
ventilatory adaptations, wakefulness and non-REM sleep, 52:607
respiratory
extrathoracic airway patency, maintenance, neuromuscular mechanisms, 46:772
increased, ventilatory muscle adaptation, 44:905
inspiratory duration, infants, 45:202
normal and cord-injured man, 43:339
pentobarbital effects, newborn, 42:845
resistive, in airway obstruction, 44:538
resistive load detection, 49:958
upper airway pressure changes and, genioglossus muscle, 52:438
ventilatory muscle adaptation, 44:905
retention, increased ambient temperature, 44:231
saline, adrenocortical hormone levels, heat acclimation, 50:605
transient thermal, sweating regulation during, 52:1147
ventilatory, control, 44:311
Load-compensating mechanism, deafferentation, thoracic, 52:757
Lobeline, aortic chemoreceptor function, 42:344
Locomotion: *see also* Exercise, respiratory frequency and, exercise, awake state, 51:835
Longevity, exercise, obesity and hypertension, 49:634
Longitudinal mixing, pulmonary airway, inspiration and expiration, 46:799
Loop
chemoreflex: *see* Chemoreflexes
closed, respiratory rhythmicity (chicken), 48:1029
Lissajous, noninvasive airway resistance, measurement, 46:399
open: *see* Open-loop gain
Lung
$AaDo_2$ and airway carbon dioxide pressure, 40:720
absorption, in edema, 44:576
active transport, liquid and protein, anesthesia (sheep), 53:96
β-adrenergic blockade effects, asthma (Basenji-Greyhound), 51:1423
aerosols: *see* Aerosols
air and liquid filled, temperature effects, 53:567
air- and saline-filled, volume surface area, alveolar, 47:990
air embolism: *see* Embolisms
air-space dimensions, aerosols and, models, 51:465
airway closure, during anesthesia, 50:55
airways, asymmetrical model, 52:21
albumin
extravascular (sheep), 46:932
sucrose transport, alveolar epithelium, 47:846
alloxan edema: *see* Edema
alveolar-capillary barrier, carbonic anhydrase distribution, 51:190
alveolar liquid pressure measurement, micropipettes, 53:737
alveolar monolayer, temperature dependence, 51:1108
amino acids
protein degradation and, 47:1058
uptake, insulin effects, 42:216
ammonia inhalation, reflex effects, 45:212
anaphylaxis, cyclooxygenase metabolites in, 53:589
anatomy, 42:624
alveolar volume-surface area, 47:990
detergent rinsing, 47:1002
angiotensin effects, vasoconstriction, 41:84
anion exchange, carbon dioxide transfer, erythrocytes, 50:265
antigen exposure, immunized (guinea pig), 46:346
antioxidant enzyme, preexposure to hypoxia (rat, mouse, hamster), 53:475
apoproteins, pulmonary surfactant, intracellular metabolism, 48:812
arachidonate, vascular effects, awake state (sheep), 48:581
ascorbate concentration, intracellular, 51:1477
asymmetric model, helium and sulfur hexafluoride washouts, 51:1122
asynchronous emptying, 40:305
atelectatic: *see also* Atelectasis
blood flow, baroreceptor reflex stimulation effects, 52:1128
hemodynamic mechanisms (pig), 52:647
ventilation-perfusion relations, 50:341
baroreflexes: *see* Baroreflexes
barrier, solute and solvent flow, 51:1574
bifurcation, model, 47:947
biochemical development

Lung (continued)
fetal, 48:872
organ culture model, 45:355
biochemistry, nitrogen dioxide-oxygen tolerance, 44:364
biogenic amines
extraction, 52:1545
newborn, 50:118
removal, ventilatory and pH effects, 44:553
bleomycin, pulmonary fibrosis (baboon), 47:138
blood flow: *see* Blood flow, pulmonary
blood gas carbon dioxide, hypercapnia and, 52:1177
blood volume: *see* Blood volume
branches, cascade flows, 51:598
branching vessels, air embolism and, 51:1002
breathing frequency, airway carbon dioxide and, 52:190
breathing pattern effects, aerosol deposition sites, 53:824
bronchial-arterial interdependence, 52:1000
bronchoconstriction, serotonin interaction, 52:964
bubble trap, 47:537
capacity: *see* Capacity
capillaries: *see* Capillaries
capsaicin, fluid clearance and, 47:961
carbon dioxide
bicarbonate exchange, perfusion and diffusion, 51:1136
pressure, alveolar vs. end-capillary, 42:323
receptors, respiratory patterns and (chicken), 52:162
transfer, hematocrit effects, 53:413
carbonic anhydrase
activity, 49:211, 589
carbon dioxide catalysis, 44:882
species differences (human, monkey, rat), 52:352
cardiogenic gas mixing, pericardial fluid effects, 42:5
cast, steady flow, central airway, 49:417
changes, oxygen exposure, awake state (sheep), 53:110
chemoreflexes: *see* Reflexes
chemosensitive nerves, 48:511
chemosensitivity, carbon dioxide, ventilation and, 52:1192
chest wall and, interaction (pig), 46:8
chronic obstructive disease, exercise effects, 53:1594
circulation: *see also* Blood flow; Circulation; Microcirculation
acute hypoxia and, growth (pig), 52:811
histamine receptor function (sheep), 53:175
clearance: *see* Clearance
closed system, inert gas absorption, 47:240
collagen
network, 42:206
pulmonary fibrosis (baboon), 47:138
collagenase, connective tissue, 42:206
collapsed, reexpansion pulmonary edema, 46:31
collapsibility, dynamic bronchial, 42:699
collateral flow resistance, time constants and (dog, horse), 44:63
competitive inhibition, carbon monoxide transport, 50:1061
complement, sepsis, lung water and (dog, baboon), 50:1198
compliance: *see* Compliance
computational model, expiratory flow, 52:44
conductance: *see* Conductance
configuration, normal gravity and weightlessness, radiographic comparison, 47:851
convective and diffusing gas mixing, 40:362
dead space: *see* Dead space
defense mechanisms
phagocytosis, 42:432
sequential analysis (sheep), 50:665
deflation
pressure-volume curves, exponential, 46:387
recoil, 41:7
deformation
at minimal volume, 48:487
at total capacity, 45:363
cardiopulmonary interdependence, 52:333
degassing
two methods, 48:370
density, hypobaric decompression, 46:752
density dependence, expiratory flow, maximal, 52:874
2-deoxy-D-glucose uptake, from fed and fasted rats, 44:380
dependent zone, three-balloon catheter system, 47:931
development, 42:817
cold acclimation, 48:886
comparative (pig), 45:806
fetal, organ culture, 45:355
fetal, steroids (monkey), 47:377
fetal (monkey), 53:230
rhesus monkey, 43:92
waltzing mice, 44:446
differential function, 40:305
diffusing capacity: *see also* Diffusing capacity
carbon monoxide, 52:109
during hypoxia, 50:165
slow exhalation, 52:1487
diffusion adjustment, work capacity and, 52:1124
diffusive gas mixing, hyperbaric environments, 51:243
disease: *see* Lung disease
distendibility, cortisol and, fetal (sheep), 51:384
distortion, recoil pressure and surface tension, 50:921
diver's, functional characteristics, 46:639
dynamic elastic characteristics, transpulmonary mechanics, parameter estimation, 52:955
dynamic regional strains, 40:118
edema: *see* Edema
edematous, lymph flow and fluid compartmentation, 51:1268
elastase effects, connective tissue, 42:206
elastic constants, 40:508
elastic fiber network, 42:206
elasticity, 40:953
at high altitude, 42:245
differences, 41:129
model, 51:254
pressure-volume curve fitting, 42:111
pressure-volume relations, 52:838
pulmonary fibrosis, regional and diffuse (baboon), 47:138
sex, age and emphysema, 49:558
elastin, effects of hyperbaric oxygen, 41:295
embolization, converting enzyme inhibition effects, 53:1546
embryology (sheep), 50:1372
emptying
asynchronous, diffusing capacity, exhaled, model, 48:648
regional, 46:1011
single-breath washout test, 52:34
emptying pattern
multiple-breath nitrogen washout studies, 44:424
time dependence of maximum flow, 47:1043
endothelium
injury, pulmonary edema after unilateral microembolization, 47:556
platelet sequestration, hemorrhagic shock, 50:1306
energy status, elevated oxygen exposure, 45:56
ether inhalation, reflex effects, 45:212
excised
airway dimensions and resistance, 49:270
bronchial static mechanical properties, 45:45
coliateral resistance at alveolar level, 48:982
collateral ventilation, 50:927
expiratory flow, maximal, prediction, 48:991
peribronchial pressure, 45:858
expansion
regional, at total lung capacity, 45:363
survival and, surfactant extract effects, neonate, 53:838
expiratory flow, steady, 51:1331
extra-alveolar vessels
fluid shifts, zone I, 48:256
sitting position, effects, 46:36
extravascular fluid compartments, alveolar flooding relations, 53:267
extravascular thermal volume, atelectasis and embolization effects, 53:1614
fasting effects, 42:88
fibrinogen clearance, interstitial, 45:516
fixation volumes, 48:389
flow resistance, collateral, vagal stimulation, 49:287
fluid: *see* Fluid
frozen, electron microscopy, 45:325
function: *see* Lung function
functional diagram, flow and volume, 52:1035
functional residual capacity: *see* Capacity
gas distribution, anesthesia-paralysis, 42:391
gas exchange
breath-to-breath measurement, 51:1662
high-frequency ventilation and, 52:1278
hypoxemia and, hemodialysis, 50:259
gas mixing, heart rate and stroke volume effects, 53:1603
gas transport, model, 41:115
glucose
metabolism, hyperbaric oxygen exposure, 46:943
protein degradation and, 47:1058
glutaraldehyde-fixed, shrinkage for analysis of pulmonary structure-function relations, 48:382
gravimetric water determination, 40:568
growth, 40:329
at high altitude, 42:245
compensatory, lung collapse, 43:27
intrathoracic airway mechanisms, 44:521
phrenic nerve section effects, fetal (lamb), 51:293
pneumonectomy (puppy), 50:1146
ventilation distribution changes, 51:699
halothane inhalation, reflex effects, 45:212
heart interaction, oleic acid injury effects, ventricular filling, 52:1519
helium and oxygen single-breath washout, simultaneous, model, 44:499
hematocrit
maldistribution, gas exchange, 46:240
regional, 49:547
hemodynamics: *see* Hemodynamics
hemorrhagic shock, 45:298
high-frequency oscillation effects, gas transport and perfusion, 51:1507
histamine aerosol effects, 42:946
horseradish peroxidase permeability, endothelial junction, 42:13
5-hydroxytryptamine clearance
hyperbaric oxygen exposure effects,

43:254
indicator-dilution measurement, 46:1178
hyperinflation
antigen-induced (sheep), 47:917
fluid accumulation, 45:284
inspiratory muscle fatigue, 46:897
rheology, 47:360
hyperoxic
granulocyte depletion and, 52:1237
surfactant phospholipid metabolism, 51:1198
hypertension: *see* Hypertension
hypertrophy: *see* Hypertrophy
hypoxia, vascular reactivity (hamster), 52:1571
hypoxic pulmonary vasoconstriction, attenuation by pulsatile flow, 53:1583
hypoxic vasoconstriction, 42:903
hysteresis, 41:581, 43:730
diffusing capacity-lung volume relations, 49:566
impairment in smokers, 40:464
inactivation, prostaglandin I_2, 45:408
indicator curves, multiple (sheep), 44:245
inertia, dynamic compliance and, computer measurement, 48:903
inflammation
alveolar neutrophils and, 47:440
pulmonary hypertension, 51:755
inflation
abdominal muscle activity, 41:310
airway and tissue effects, 51:806
alveolar epithelial solute permeability, 49:1032
alveolar epithelial transport and (bullfrog), 52:1498
anesthesia, species differences (human, cat), 51:1162
blood volume, pulmonary arterial, 43:8
bronchomotor tone regulation, asthma, 50:1079
central neural respiratory afterdischarge, 45:339
constant pressure, lung volume, 47:907
deflation and, respiratory pattern changes, 48:862
Hering-Breuer reflex, newborn, 44:304
hypoxia, 47:532
hypoxia (sheep), 45:949
interstitial capacity and, 48:939
intratracheally fixed lungs, factors determining, 48:389
phrenic neural activity, 50:149
positive-pressure, 49:119
positive-pressure breathing, 45:495
pressure-diameter behavior, vascular (pig), 47:666
pressure-volume curves, exponential, 46:387
pulmonary arterial pressure, edema, 45:442
pulmonary edema, zone I, 49:815
pulmonary vascular resistance and, 53:1110
reflex, brain hypoxia (goat), 49:497
reflex effects, 45:212
solute permeability and, alveolar edema, 53:121
surfactant release and, 51:905
vascular resistance, longitudinal distribution, 43:1089
ventilatory responses, REM sleep, 47:1304
influence, prostaglandin arterial levels, 50:1161
inhaled particles, calculated deposition in airway generations, 47:867
injury, continuous oxygen exposure, 51:1220
interdependence, fluid pressure and, edema effects, 51:911
interstitial and capillary pressure estimation, intra-alveolar fluid pressure, 44:267
interstitial capacity: *see* Capacity
interstitial edema, 40:962
interstitium, osmotic constituents of, compliance and, 53:324
intrapulmonary bronchi, pressure-flow relations, 52:295
intravenous copper sulfate effects, α-adrenergic system and (ewe), 51:1204
irradiation, pulmonary fibrosis, elasticity and (baboon), 47:138
isolated
interdependence, 43:8
tissue volume, in edema, 48:1038
vasoconstrictors, pulmonary vascular response (pig), 50:561
ventilated, perfused newborn, assessment, 43:557
isolated perfused
albumin effects, edema, 50:1065
pulmonary venous pressure and collateral resistance, 49:643
isotropy, 45:45
lactate-pyruvate ratio, 43:238
large, divers, 47:1136
lavage, cardiopulmonary function, 43:778
lavage cells, phagocytosis, 42:432
lipids
fasting effects, 42:88
metabolism, hydrocortisone effects, 42:202
liquid and protein clearance, alveoli, anesthesia (sheep), 53:96
liquid clearance, newborn, 49:171
lobes: *see* Lung lobes
low-level hyperoxia, endotoxin protection, 51:577
lubrication, surfactants, 53:463
lymph: *see also* Lymph; Lymph flow
albumin clearance and, ethchlorvynol, 50:1151
bradykinin-induced vascular permeability, 52:370
flow, status epilepticus (sheep), 52:91
microvascular injury, shock and reinfusion, 50:1227
lymph duct, right, cannulation, 43:899
lymph fistula, efferent duct and (sheep), 50:1372
macrophages: *see* Macrophages
mass, changing, wate and surface-area (sheep), 52:1591
mast cells: *see* Mast cells
maturation
cortisol effects, fetal, diabetic mother, 49:971
genetic influence on flow-volume curves, 41:874
gravitational pleural pressure gradient, 41:185
inspiratory thermal time constant, 41:659
interaction of concentration and ventilation, in ozone, 41:859
organ culture model, 45:355
partial expiratory flow-volume maneuvers, 41:153
relation between rate and depth of breathing, 41:277
respiratory control mechanism, 41:536
rib cage and abdominal V-P partitioning, 41:752
vascular resistance, 41:466
mechanical, automated nitrogen-washout method, infant, 52:1378
mechanical properties, 51:391
mechanics: *see* Lung mechanics
membrane
carbon dioxide effects (sheep), 51:1398
2-deoxy-D-glucose transport, 44:380
respiratory rhythmicity, carbon dioxide load, 50:45
mescaline removal, ventilatory and pH effects, 44:553
metabolism
cardiopulmonary bypass and, 52:887
fed and fasted rats, 44:280
microbubbles, filtration, 47:537
microcirculatory response, hypercapnia (bullfrog), 53:1556
microvascular injury, shock and reinfusion, 50:1227
microvascular pressure, 5-hydroxytryptamine infusion, 52:634
microvascular response
hemorrhagic shock, resuscitation and recovery (sheep), 46:498
prostacyclin infusion, awake state (sheep), 52:1338
mitochondria: *see* Mitochondria
mixing, cardiogenic oscillations and, 51:922
morphology
detergent rinsing, excised lung, 47:1002
nitrogen dioxide and oxygen tolerance and cross-tolerance, 44:370
waltzing mice, 44:446
morphometry
alveolar volume-surface area, 47:990
detergent rinsing, 47:1002
nonperfused, gas exchange in, 51:1261
norepinephrine turnover, cold and hypoxia effects, 51:614
obstruction
carbon monoxide diffusion and, 46:992
sublobar and lobar units, interaction (pig), 46:8
ventilation-distribution, 42:548
organ culture, fetal, 52:1420
oscillatory and unidirectional low, straight tubes and airway cast, model, 52:1097
oxygen: *see also* Oxygen
consumption, insulin effects, 42:216
exposure, 42:33
tolerance, 42:593
toxicity, newborn, 53:1248
uptake, arteriolar, reflection spectrophotometric measurement, 48:848
oxygen-induced injury, endotoxin protection, 47:577
perfused
albumin effects, edema, 50:1065
oleic acid dose-related edema, 50:1115
prostaglandin E_1 uptake, 50:428
perfusion: *see also* Perfusion; Ventilation-perfusion
cardiac output estimation, single breath, 50:200
determination, alveolar amplitude response technique, exercise, 50:1071
fixation, structure-function analysis, 53:528
periphery, responses, cigarette smoke, 53:582
perivascular interstitial fluid pressure: *see* Pressure, interstitial
permeability: *see* Permeability
pH, intracellular, regulation during hypercapnia, 45:115
phagocytosis, 42:432
physiology, fetal (monkey), 53:230
pinocytic vesicles, horseradish peroxidase permeability, 42:13
platelet sequestration, hemorrhagic shock and reinfusion, 50:1306
pleural membrane tension, measurement, 47:175
pneumocytes, fasting effects, 42:88
pore size, alveolar, 51:739
prepartum maturation, cortisol relations, fetal (sheep), 51:384
pressure-flow relations: *see* Pressure-flow relations
pressure: *see* Pressure
pressure-volume characteristics, interstitial fluid effects, 52:260
pressure-volume relations: *see* Pressure-volume relations
propranolol uptake, pulmonary artery occlusion and shock effects, 52:393
prostaglandins: *see* Prostaglandins

Lung (continued)
protein
compensatory lung growth, 43:27
degradation, macrophages, 47:79
flux, transvascular noninvasive measurement (sheep), 45:225
flux, transvascular (sheep), 47:1315
metabolism, 43:463, 47:72, 1058
permeability, alveolar, 42:144
transport, after shock (sheep), 46:498
transport, theoretical model, 50:1
proteolysis, 47:1058
rapid freezing, electron microscopy, 53:516
rebreathing: *see* Rebreathing
receptors: *see* Receptors
recoil: *see* Lung recoil
regional effects, permeability and hydrostatic pressure, 50:905
regional perfusion, pulmonary edema effects, 49:834
regional residual volume: *see* Volume
regional sampling, terminal nitrogen rise and, 41:517
regional washout, function measurement, 49:655
residual volume: *see* Volume
respiratory flow integrator, improved stability, 44:619
rupture
postnatal development and, 53:140
serotonin depression, positive-pressure ventilation, 42:368
secretion, autonomic control, fetal, 43:1039
segment size, hypoxic pulmonary vasoconstriction and, 51:1543
serotonin uptake, 51:405
blood and plasma flow rate effects, 53:677
2-deoxyglucose and, 46:477
serotonin-vagus nerve interaction, 44:144
shape, normal gravity and weightlessness, radiography, 47:851
shear modulus, measurements, 47:175
shock, endotoxin, 50:178
shrinkage, perfusion fixation, 53:528
shunt flow, hemorrhage, 42:196
single-breath oxygen tests, 40:305
small molecule transport, theoretical model, 50:1
somatic afferents and, tracheal contraction and relaxation, 52:984
sounds, vesicular mapping, 53:603
stability, fetal (monkey), 47:377
stability index, sympathetic influence, 44:327
static recoil, pneumonectomy (puppy), 50:1146
statics
bleomycin, 49:1083
in emphysema, 43:721
steady-state response, graded hypoxia, species differences (cat, dog, rabbit, ferret, pig), 51:1214
stereology, nitrogen dioxide and oxygen tolerance, 44:370
stiff, hysteresis area, 47:360
stress, parenchymal elasticity, 45:261
stretch, arterial carbon dioxide tension interaction, 53:185
strips, carbachol effects (monkey), 49:729
structural changes, pneumonectomy and, 53:859
structure and function, emphysema, model, 51:321
structure-function relations, analysis by shrinkage and chemical fixation, 48:382
substrates, protein metabolism and, 47:1058
sucrose space, extravascular (sheep), 46:932
surface area
changing lung mass effects (sheep), 52:1591
oxygen diffusing capacity, 46:100
surface film, stability and composition, 47:604
surface tension
alveolar, interstitial pressure-volume behavior, 48:939
autonomic control, fetal, 43:1039
bronchial collapsibility and, 47:692
multiple pressure-volume curves, 43:730
proteins and, 49:34
pulsating bubble technique, 43:198
reduced by pilocarpine, 41:7
surfactant, 53:1, *see also* Surfactant
aggregation, temperature and ventilation effects, 51:646
homeostasis, swimming exercise, 53:1521
kinetics, biochemical and morphometric correlation, 51:248
lipid fluidity and, 51:509
phospholipid release, 51:90
theoretical model, 41:623
tight junctions, protein permeability, 42:144
tolerance and cross-tolerance, using nitrogen dioxide and oxygen, 44:364, 370
total capacity, running, 52:1400
transients, exercise responses, stair-climbing and cycling, 46:510
transit-time analyses, spirogram, 46:263
trapped air, 40:915
trapped gas, 51:172
type II pneumocytes, lamellar body volume density of, 53:555
unilateral injury, positive end-expiratory pressure and position effects, 52:147
unit
functional, identification by graded vascular embolization, 49:132
gaseous interaction effects, alveolar slope, 53:496
vascular bed
diffusing capacity, single exhalation, 43:617
prostaglandin endoperoxides, 42:953
prostaglandin I_2 effects, 45:408
vascular engorgement, respiratory mechanics, 45:119
vascular filling, weight gain and, lobes, 52:173
vascular integrity, histamine edema (sheep), 43:99
vascular perfusion fixation, 48:382
vascular permeability: *see* Permeability
vascular reactivity, pregnancy effects, 53:703
vascular resistance: *see* Resistance
venous air emboli, microvascular permeability increase (sheep), 51:887
ventilation distribution, diffusing capacity and, normal and diseased, 51:1463
ventilation: *see* Ventilation
viscosity: *see* Viscosity
vital capacity: *see* Capacity
volume: *see* Volume
washout, cardiac intrapulmonary mixing, 45:161
water: *see* Water
weight
estimation, 43:902
normal (hamster), 43:721
zones
hemorrhagic shock, 45:298
volume and vascular resistance relations, 52:914
Lung cells
ascorbate uptake, 51:1477
hyperplasia and hypertrophy, compensatory lung growth, 43:27
viability, phagocytosis and, 47:79
Lung disease
alveolar gases and, 46:534
emptying patterns, 44:424
expiratory flow-volume curves, 44:156
obstructive
inert gas washout, 44:416
nitrogen washout curves, multiple-breath, 48:265
pulse-flow measurement, 50:1318
oleic acid, high-frequency oscillation and, 50:1056
ovalbumin-induced (pony), 53:719
Lung epithelium
alveolar
edema, inflation and permeability effects, 53:121
Lung function
abnormal, 44:156
age effects in active adults, 45:709
anaphylaxis, 46:919
anesthesia, 50:55
arachidonic acid, 44:397
chest wall restriction, 49:655
continuous oxygen exposure effects, 51:1220
continuous ventilatory distribution, inert gas washout, tests, 44:416
exercise, 45:927
heat during ozone exposure, 43:409
temperature-humidity stress effects, 53:1015
expiratory flow-volume curves, variability, 46:565
exponential, aging and, 47:683
Fourier analysis, spirometric curves, 53:977
frequency dependence, respiratory resistance, children, 47:268
gas density effects, transducer frequency response, 47:631
growth and (pig), 45:806
hyperoxia, intermittent exposure, 42:593
impairment, continuous exercise, 51:415
lobar, model (sheep), 45:320
measurement, small animals, 43:755
methacholine (sheep), 44:479
multiple-breathing nitrogen washout tests, 44:424
nonhomogeneous, analysis, 44:156
nonlinear, diffusing capacity, 51:1463
normal, 44:156
ozone inhalation, 46:309
exercise, performance decrement, 43:75
polynomial, aging and, 47:683
prostaglandins, 44:397
rapid measurement (small animals), 46:394
regional
awake state, 53:1050
krypton-81m measurement, 44:115
small mammals, 48:1052
static, pneumonectomy (puppy), 50:1146
systemic venous hypertension and, 51:592
testing, acoustic helium analyzer, 43:911
trapped gas volume, 51:172
weightlessness, 45:987
Lung lobes
acid injury, pulmonary perfusion and gas exchange, 49:150
atelectasis: *see* Atelectasis
blood flow: *see* Blood flow
bronchial flow, vascular communications, 50:1045
collateral ventilation, 46:658
continuum mechanics, 47:182
contusion, pathophysiology, 47:718, 729
dynamic recoil, 49:142
edema formation, lung volume history and, 45:880
elasticity, linear, 47:182
excised
deformations at minimal volume, 48:487
pulmonary interstitial pressure, 48:450
regional volume and ventilation, 47:182
immersed, shape and regional volume, 51:1457
injury, selected, after infusion of oleic

acid (sheep), 47:706
isolated
breathing frequency response to pulmonary carbon dioxide, 47:1201
volume shifts, partial submersion, 47:1143
isolated perfused, blood flow in edema, 48:444
large, deformation analysis, 46:419
left lower
hemodynamic responses to cerebrospinal fluid pressure, 46:84
hypertension, cerebrospinal fluid pressure-induced, 47:153
isolated, serotonin, pulmonary inactivation, 48:606
linear elasticity analysis, 48:487
mechanics, static (monkey), 44:547
pressure measurements, perivascular wick-catheter technique, 46:950
rib cage restrictions, 49:946
shrinkage, air drying, 49:536
spontaneous breathing, 49:408
sublobar and lobar units, interaction (pig), 46:8
vascular interdependence
continuum mechanics analysis, 46:419
wick-catheter technique, 46:950
vascular resistance and compliance, 53:158
vasomotion, vascular resistance and, 45:545
venous occlusion, hemodynamic responses, 47:145
ventilation, nonuniform, 47:182
volume: *see* Volume
water tracer, inhaled and injected, 52:1535
weight, contusion and, 47:718
weight gain, interstitial fluid pressure and, 52:173
Lung-lymph fistula, chronic, model (sheep), 52:1664
Lung mechanics
abdominal restriction, 49:946
age and sex differences, 41:20, 129
exponential analysis, 47:683
aging, normal adult, 43:1054
airway
obstruction, 52:949
resistance measurement, interrupter method, 48:1092
altitude acclimatization, 52:1407
alveolar nitrogen plateau and posture, 41:474
alveolar plateau, 41:517
alveolar volume-surface area, 47:990
anesthesia, 45:255
Ascaris suum antigen challenge, 41:668
asthma, 44:150
arm and leg-work induced, 42:565
exercise-induced, 46:467, 476, 484
balloon technique, infants, 49:735
body position and, 42:706
bronchial asthma, 52:939
carbon dioxide reflexes, 47:1201
children, 44:521
children and adolescents, 40:953
collagenase and elastase effects, 42:206
collateral and airway resistance, 46:67
collateral ventilation, carbon dioxide as determinant, 45:69
comparison, 50:650
continuum, 43:648
data-averaging circuit, 47:621
detergent rinsing, excised lung, 47:1002
diving, 40:320
dynamic compliance, computer measurement, 48:903
dynamic pleural pressure, 41:489
edema effects, 51:911
effect of gas and flow on resistance, 41:234
effect of inspired volume on closing volume, 41:623
elasticity, parenchymal, 45:261
endotoxin effects (sheep), 53:967
excised lung lobe, 48:450
exercise, 49:506, 511
expiratory flow-volume curves
maximum, analysis, 44:156, 52:874
variability, 46:565
fasting effects, 42:88
forced expiration, single-breath nitrogen washouts, 52:141
forced oscillation technique, 42:650
frequency dependence, respiratory resistance, children, 47:268
gas exchange and, chest restriction, 51:26
histamine effects, 42:221
hypercapnia, 52:1156
hyperpnea and heat flux, exercise-induced asthma, 46:476
hypocapnia, 46:966
hypoxia, small airways, 47:251
hypoxia-induced changes, 42:413
infancy, 43:144, 53:1220
interdependence, fluid accumulation, 45:284
intrapleural pressure changes, infant, 52:1667
jacket plethysmography, 52:267
maximum expiratory flow, 45:840
methysergide effects, endotoxin, 50:185
normal, 43:942
normal (bonnet and rhesus monkey), 46:176
oleic acid-induced pulmonary edema, 48:1045
papain exposure, 46:61
panting frequency effects, 52:739
phasic changes, noise parameters and, 52:1530
pneumonia effects, 50:283
postnatal development, 53:140
pressure-flow relations: *see* Pressure-flow relations
rapid measurement (small animal), 46:394
regional, 45:363
regional extravascular water (sheep), 46:932
respiratory heat exchange, 46:467, 476, 484
respiratory resistance, 47:1325
central and peripheral, 45:375
sepsis, pulmonary edema and (dog, baboon), 50:1198
shear modulus, pleural membrane tension and, measurement, 47:175
static, intact and excised (monkey), 44:547
stress-free equilibrium volume, 43:3
thoracic cage restriction effects, 51:1115
transdiaphragmatic pressure and, 47:628
vagal blockade, 46:217
volume-displacement body plethysmography, 47:1127
wave-speed theory, flow limitation, 43:516
Lung parenchyma
airway and, interactions, 45:858
airway collapsibility and, 42:699
anaphylaxis, cyclooxygenase metabolites in, 53:589
behavior of artifically produced holes, 43:648
bronchoconstriction, 49:521
bronchomotor responses, electrical field stimulation (sheep), 53:1088
distortion, elasticity and, 45:261
failure, bronchial-arterial interdependence, 52:1000
force environment, regional displacements and volumes, 44:216
indentation test, 44:853
length, vascular, pressure-diameter behavior and (pig), 47:666
material properties, continuum mechanics, 46:419
phospholipid synthesis, 47:285
shear modulus, bronchial pressure-diameter behavior, 44:859
stability, pressure-volume loops, 53:1512
stress, strain, and distortion, 44:216
strips, bronchoactive agents (monkey), 50:513
Lung recoil
aerodynamics, 43:498
aging
effects, normal adult, 43:1054
morphometry, 43:86
normal human adult, 43:1054
sex differences and, exponential analysis, 47:683
air space dimensions
distal, aging, morphometry, 43:86
from multiple pressure-volume curves, 43:730
airway resistance, 44:728
antigen infusion in vivo and vagal section, 45:957
atropinelike agents, inhaled, 46:256
carbon monoxide, transfer, steady-state saturation kinetics, 43:880
closing volume: *see* Volume
collapse, compensatory lung growth, 43:27
computerized measurements, 44:611
congestion: *see* Congestion
curves, 41:20
diffusion; diffusing capacity: *see* Diffusion; Diffusing capacity
drug metabolism, 43:238
dynamic
histamine and, 51:806
lobar, 49:142
elastic
chest restriction and, 51:26
partial curarization and, 52:57
pressure, 41:153
pressure, atropine effects, 53:392
emptying body position and, 43:983
expiratory flow, maximal, 42:817, 52:874
exponential function, 46:387
flow-static, normal (monkey), 46:176
flow-static pressure, normal, 43:942
helium-oxygen breathing, 42:899
hysteresis, bronchoconstriction, 51:477
lung volume and, 42:817
neuromuscular blockade, 47:1162
oxygen breathing at low lung volumes, 43:138
peribronchial pressure, 45:858
pressure: *see* Pressure
pulmonary fibrosis, regional and diffuse (baboon), 47:138
rib cage, abdominal restriction and, 49:946
single-breath nitrogen test, 51:1568
static pressure, sex and age differences, 46:556
temperature effects, 51:823
vital capacity expiration, rapid, 49:142
Lung tissue
changes, hypertonic sodium chloride effects, 51:1443
elasticity, starvation and emphysema, 48:284
guanosine monophosphate, cyclic, ventilation and anesthesia effects, 45:487
resistance: *see* Resistance
structure, 53:879
thermal equilibrium, edema and, 48:120
viscosity, vagal stimulation and aerosol histamine effects, 51:477
volume: *see* Volume
Luteinizing hormone
centrifugation stress, 48:1
exercise and, 44:109
menstrual cycle, teenage athletes, 50:545
Lymph
capillary filtration, lung lymph fistula (goat), 48:399
cardiac, ethchlorvynol effects, 50:1151
lung
anatomy, efferent duct and (sheep), 50:1372
arachidonate effects (sheep), 48:581
dextran transport in (sheep), 52:585

Lymph (continued)
diphenhydramine, endotoxin effects (sheep), 49:516
drainage patterns, 43:894
emboli and (sheep), 47:213
embolization (sheep), 45:590
fistula (goat), 48:399
granulocytopenia effects (sheep), 52:155
hemorrhagic shock and (sheep), 46:498
intracranial hypertension and (sheep), 52:1324
microemboli and (sheep), 48:414
prostacyclin infusion effects (sheep), 52:1338
protein, fluid and small molecule transport, 50:1
pulmonary embolization effects (sheep), 52:1565
technical factors, 43:902
transport, without heart failure after coronary ligation (sheep), 47:792
maturation
delay, fetal, in diabetes, 48:643
isoxsuprine and, prenatal, 48:505
metabolic activities, diving (seal), 48:596
microsomes, *p*-nitroanisole *O*-demethylation, 43:238
microvascular filtration: *see* Filtration
models: *see* Models
morphometry, 43:86, 965
cold acclimation during growth, 48:886
emphysema, 48:284
mucus clearance, peripheral β-adrenergic and, 48:965
p-nitroanisole *O*-demethylation, cytochrome P_{450}-linked, 43:238
Lymphatic duct
efferent, lung lymph fistula (goat), 51:226
fibrinogen clearance, alveoli, 45:516
right, ethchlorvynol and, lung, 50:1151
Lymphatics, pulmonary, 40:962
Lymph fistula, lung, efferent duct and (sheep), 50:1372
Lymph flow
lung
acid aspiration and, 51:335
alveoli, anesthesia (sheep), 53:96
bradykinin-induced vascular permeability, 52:370
catecholamine effects (sheep), 50:1353
edematous lungs, 51:1268
fetal and newborn (lamb), 53:992
fistula, thoracic duct (goat), 51:226
fluid-protein exchange and (sheep), 48:273
hypercapnia and, awake state, newborn (lamb), 51:423
seizures and, left atrial pressure elevation (sheep), 53:432
surgery (sheep), 50:1358
venous air emboli and (sheep), 51:887
pore-membrane models, 51:1574
pulmonary
defibrinogenation effects, glass bead embolization (sheep), 53:895
embolization (sheep), 51:461
status epilepticus (sheep), 52:91
Lymph node
caudal mediastinal
efferent duct and (sheep), 50:1372
fistula (goat), 48:399
fistula, thoracic duct (goat), 51:226
Lymphocytes
binding, antigen-independent, by alveolar macrophages, 45:933
training bradycardia effects, β-adrenergic receptors and, 51:1232
Lymph-to-plasma protein ratio
catecholamine effects (sheep), 50:1353
intracranial hypertension (sheep), 48:273
lung lymph fistula
goat, 48:399
model (sheep), 52:1664
prostacyclin infusion effects, lung (sheep), 52:1338
solute and solvent flow, lung barrier to, 51:1574
surgery (sheep), 50:1358
Lymph-to-plasma ratio, embolization, pulmonary (sheep), 51:461
Lysosomes, enzymology, skeletal muscle, 47:43

M

Macromolecules, transport, air-blood barrier, 50:334
Macrophages
alveolar
enzymes, hypoxia, 42:107
heterogeneity, 42:432
hydroxyl radical formation, 46:136
interaction with lymphocytes, assessment methods, 45:933
metabolism, primary culture, 49:743
sequential analysis (sheep), 50:665
superoxide release by, hyperoxia effects, 53:685
peritoneal
enzymes, hypoxia, 42:107
hydroxyl radical formation, 46:136
protein degradation, pulmonary, 47:79
pulmonary
colchicine or cytochalasin B effects, endocytosis (hamster), 50:621
defense mechanisms (snake), 50:979
oxygen release, *N*-formyl peptides (guinea pig), 50:736
Magnesium, mitochondrial, cardiac, physical conditioning effects, 45:978
Magnesium-ATPase, ion metabolism, erythrocytes, 49:224
Magnetometer
abdominal muscle use, quiet breathing and hyperpnea, 52:700
computer-aided measurement, breath volume and time components, 44:623
forced expiratory maneuvers, chest wall shape, 50:84
inspired gas distribution, chest wall motion, 49:279
ventilation measuring, 49:355
volume-referencing, flow-volume curves, 48:731
Mammary gland, reproductive hormones, thermal effects of (sheep), 43:668
Mannitol, absorption, pulmonary edema, 44:576
Manometry
membrane, colloid osmotic pressure changes with different carbon dioxide and air mixtures, 44:254
microcomputer-assisted Warburg, oxygen consumption measurement, 53:1634
Marathon running: *see* Exercise
Mass
adipose, exercise and, 43:425
body
acceleration, chronic, 45:51
exercise and bed rest, 43:126
fat-free composition, factors, 42:731
lean, 40:300
lean, distance runners and weight lifters, 48:154
lean, estimation by ethanol dilution, 42:803
lean, physical training and, plasma amino acids, 45:176
long-term fasting (penguin), 49:888
oxygen consumption, maximum, 47:1278
oxygen storage and (beaver), 42:545
plasma creatinine and, 51:762
red cell, marathon running effects, 52:168
Mass spectrometry: *see* Spectrometry
Mass-surface area ratio, humid and dry heat, men and women, 49:1
Mass transfer coefficient, sweat evaporation, 42:767
Mast cells
airway: *see* Airway mast cells
bronchial, histamine, 44:455
lung, density and distribution, hypoxia, 42:174
Maternal-fetal relations: *see* Fetus; Placenta
Mathematical model: *see* Models
Maturation: *see also* Development; Growth
body temperature, measurement, 43:1102
carbon dioxide-induced ventilatory changes, sleeping infant, 48:684
diabetes, lung, fetal, 48:643
effective elastance, newborn, 53:766
enkephalin effects, respiratory control, newborn, 53:1063
eucapnic ventilation, carbon dioxide sensitivity and, premature infant (monkey), 48:347
high pressure, central nervous system, newborn, 49:390
high-pressure atmosphere, 47:834
hypoxic ventilatory response, neonatal (lamb), 47:927
inhaled carbon dioxide effects, airway, 53:1461
isoxsuprine and, lung, prenatal, 48:505
lung
organ culture model, 45:355
oxygen toxicity, undernutrition, 53:1248
prostaglandin synthesis and, fetal (lamb), 51:1562
postnatal, oxygen drive, breathing, newborn (lamb), 52:428
prepartum, cortisol relations, lung, fetal (sheep), 51:384
reflexes: *see* Reflexes
respiratory control
hypoxia, newborn, 51:122
newborn, 44:304
respiratory pattern, fetus in utero (sheep), 50:693
ventilation and ventilatory pattern, sleeping infant, 46:998
ventilatory response, hypoxia, sleep (puppy), 52:309
maximum, leucine, rest and exercise, 53:947
uptake
repeated exercise effects, 53:436
respiratory acidosis effects, exercise, 53:63
Maximum voluntary contractile strength, blood flow responses to, calf muscles, 51:929
McArdle's disease, exercise hyperventilation in, 52:991
Mechanical loading: *see* Loading
Mechanical stress: *see* Stress
Mechanical work: *see* Work
Mechanoreceptors: *see* Receptors
Meclofenamate
hypoxic pulmonary vasoconstriction, 44:76
inhibition, pulmonary pressor response after, awake state, 52:705
prostaglandin synthesis and, tracheal fluid and surfactant, fetal (lamb), 51:1562
pulmonary vascular effects, arachidonic acid, 49:107
Mediastinal lymph node: *see* Lymph nodes
Mediastinal structure, airway collapsibility, 50:325
Medical gases: *see* Gas
Medroxyprogesterone acetate, ventilatory response, time course and mechanism, 44:939
Medulla, gasping, respiratory pattern characterization, 50:984
Medullary respiratory nuclei, 40:612
Megathrombocyte index, diving, 42:838
Membrane: *see also* specific subject and site

catheter, mass spectrometry, ventilation-perfusion, 53:770
erythrocytes: *see* Erythrocytes
fatty acids and cholesterol, 43:709
gas exchange, 46:1171
homoporous, microvascular fluid and solute transudation, 51:1574
manometer: *see* Manometer
oxygen diffusing capacity, dithionite method, 46:100
permeability: *see* Permeability
plasma, carbonic anhydrase localization, pulmonary endothelium (calf), 53:914
pleural, tension, measurement, 47:175
pores, pulmonary edema, 44:576
potential: *see* Potentials
transport, 2-deoxy-D-glucose, lung, 44:380
Menstrual cycle
exercise, 44:109, 51:1493
hormones during, teenage athletes, 50:545
respiratory drives, exercise, women, 50:1300
Mental activity, cardiovascular responses, plasma catecholamines, 47:1207
Mescaline, pulmonary removal, ventilatory and pH effects, 44:553
Metabolic acidosis: *see* Acidosis
Metabolic activity, lung, nonperfused, 51:1261
Metabolic adaptation
thermoregulation and, 41:67
training, hypophysectomy and, 53:448
Metabolic agents, carotid chemoreceptor stimulation, 50:884
Metabolic alkalosis: *see* Alkalosis
Metabolic assessment, automated, 40:619
Metabolic function, dynamics of, step work load, 52:1198
Metabolic gas: *see* Gas
Metabolic monitoring
gas exchange, varying fractional inspiratory oxygen, errors, 50:210
neonates, 46:1200
Metabolic rate
aspirin ingestion, hypercapnia and hypoxia, 43:971
basal
age-related, muscle mass decrease and, 43:1001
longitudinal changes, 45:536
thyroid, seasonal and dehydration effects (camel), 45:540
brain, fetal (sheep), 43:747
clearance, sex hormones, physical exercise, 48:765
cold adaptation, catecholamines and, 46:662
cold water immersion, 43:216
dehydration effects, high ambient temperature, 51:46
effect of local cooling, 41:292
exercise, treadmill, 45:1009
inspired carbon dioxide partial pressure effects, species differences (human, pony), 52:1623
measurement, hyperoxia, 51:725
respiratory rhythmicity, 50:45
rest and exercise (monkey), 49:789
resting, long-term fasting and (penguin), 49:888
salicylate and 2,4-dinitrophenol effects, 53:925
thermogenesis, at altitude, 45:345
ventilatory response, hypoxia, sleep, 52:309
Metabolic receptors: *see* Receptors
Metabolic recovery, exhaustive activity (marine iguana), 48:689
Metabolic regulation, temperature effects, arousal response, hibernation (ground squirrel), 52:216
Metabolic response
β-adrenergic blockade effects, exercise, 51:788
aerobic and anaerobic, during simulated rowing, 45:87
arm training, 45:75
bicycling, 45:60
core cooling, respiratory heat loss-induced, 50:829
diving, fetal (seal), 49:424
exercise, repeated, 53:436
exercise, treadmill (horse), 50:864
fatigue, 45:60, 64
lifting tasks, 45:60, 64
physical exercise, 45:128
Metabolic studies, microcomputer-assisted Warburg manometry, 53:1634
Metabolic temperature: *see* Temperature, body
Metabolic transients, sedentary subjects and athletes, 47:761
Metabolism: *see also* specific subject and site
adrenergic changes, exercise and recovery, 47:701
aerobic and glycolytic, arm exercise, 47:754
anaerobic work, 44:564
basal, aging, 45:536
blood flow and, isometric contractions, skeletal muscle, 50:493
carbon dioxide excretion, oxygen uptake and, measurement of, 52:786
cardiorespiratory, exercise and pH, effects, 43:959
cold exposure (small animals), 43:121
cold-induced, adaptive changes, 52:1008
exercise
adjustments, 42:403
oxygen uptake and, 50:444
fetal and maternal, acute small animal preparation, 49:42
glucose, kinetics analysis, 41:565
grade running, changes, 41:532
hormonal response, exercise, after training, 43:953
hypoxia (gopher), 43:965
leg, exercise, hyperoxia, 42:385
measurement
computer-based system, 42:968
continuous, 43:370, 375
norepinephrine effects, exercise training, 42:166
oxidative: *see* Oxidative metabolism
oxygen consumption, chamber for measurement, 52:488
regulation
arousal from hibernation (squirrel), 42:191
hypothermia, 42:694
respiration and
hypoxia, newborn, 51:122
salicylate and 2,4-dinitrophenol effects, 53:925
respiratory acidosis effects, exercise and, 53:63
resting, fasting and hypoxia, 53:117
sleep stages, heat and cold exposure, 51:948
thermoregulatory heat production, prediction equation, 42:377
vascular smooth muscle, adenosine and, 51:179
Metabolites
adrenergic, changes, submaximal exercise and recovery, 47:701
blood levels, effects of exercise, altitude, and food, 45:350
cyclooxygenase, anaphylaxis, lung, 53:589
excretion, hypoxia, 52:304
hepatic, resting and exercise, 51:1326
Methacholine
airway
collateral ventilation and, 46:966
mast cells, histamine changes and, antigen aerosol, 43:271
provocation (sheep), 44:479
responses, *Ascaris suum* allergy (monkey), 45:846, 47:645
response, measurement techniques, 52:1363
asthma, 49:953
bronchial responsiveness to, asymptomatic smokers, 52:1464
bronchoconstriction, prolonged, 47:418
bronchomotor tone, asthma, 50:1079
challenge, airway resistance and, 51:33
cigarette-smoking, bronchial reactivity (baboon), 50:754
cold-induced bronchoconstriction and, 53:169
collateral ventilation, 49:9
eccrine sweating and (monkey), 53:425
horseradish peroxidase permeability, tracheal, 45:939
inhaled, bronchial reactivity and, nicotine effects (baboon), 52:1071
lung volume, 49:9
pulmonary response after, asthma (Basenji-Greyhound), 51:1423
tracheobronchial secretion, 45:190
Methacholine chloride, tracheal mucus, rheology and transport, 47:26
Methane
solubility and partition coefficients and, brain and blood, 46:1169
supersaturation (piglet), 44:914
Methazolamide, bicarbonate formation, cerebrospinal fluid, 47:471
Methods and instrumentation: *see* specific subject and site
Methoxamine, hemodynamic responses, exercise and aortic constriction, 52:967
Methoxyflurane, occlusion pressure, carbon dioxide and, 40:805
3-Methylhistidine
cold exposure effects, amino acids, muscle, 52:1250
muscle atrophy, hypokinesia, 48:479
***N*-Methylhistidine,** increased excretion, exercise (rat, human), 52:27
Methylprednisolone, lung lymph, albumin clearance and, 50:1151
α-Methyltyrosine, respiratory afterdischarge, 50:239
Methylxanthines, lung development, fetal, in culture, 48:872
Methysergide
lung mechanics, response to endotoxin, 50:185
respiratory afterdischarge, 50:239
Metiamide, 40:496
airway reactivity (monkey), 49:729
histamine receptor function and, circulation (sheep), 53:175
histamine response
airway, 48:613
airway (sheep), 49:826
pulmonary, newborn (lamb), 49:380
Michaelis-Menten kinetics
prostaglandin E_1 uptake, perfused lung, 50:428
prostaglandin metabolism, lung, 47:404
serotonin uptake, lung, 51:405
Microanalysis, 40:260
Microbubbles: *see also* Bubbles
calibrated, air embolism studies, 51:524
filtration, lung, 47:537
Microcannulation, 40:984
Microcirculation: *see also* Blood flow; Circulation
extravascular lung water, after extracellular fluid volume expansion, 41:624
Fahraeus effect, 41:578
inert gas transport, isobaric supersaturation risk, 46:1157
norepinephrine, exercise, 51:282
pial, hypercapnia and hypoxia, 46:89
pulmonary
diffusing capacity during hypoxia,

Microcirculation (continued)
lung, 50:165
emboli and (sheep), 47:213
hypercapnia (bullfrog), 53:1556
lung lobe, 53:158
oxygen uptake, reflection spectrophotometric measurement, 48:848
recruitment, during airway hypoxia, 47:383
tubular, 53:510
pulmonary edema, measurement by transthoracic γ-ray attenuation, 47:1228
skeletal muscle, norepinephrine and cold acclimation, 44:190
supersaturation, isobaric, 51:852
tendon capillary bundles (guinea pig, bullfrog), 46:696
Microcomputer: *see* Computers; Models
Microelectrodes
electrical interaction, proximal bundle branches and subadjacent muscle, 41:235
high-pressure chamber, electrophysiological measurements, 48:562
oxygen
current-to-voltage converter, 44:977
pressure, position of tip, 49:916
tonometer, 46:1016
oxygen pressure, position of tip, 49:916
vibrating, excursion in tissue, 48:737
Microemboli
pulmonary edema (sheep), 47:213
vascular permeability, lung, platelet depletion and (sheep), 48:414
Microembolism
air, calibrated microbubbles, 51:524
lung fluid, protein exchange and (sheep), 51:461
lung water accumulation, defibrinogenation effects, 49:841
oleic acid, perfused lung, 50:1115
pulmonary, lung water accumulation, defibrinogenation effects, 49:841
Microembolization
bronchovascular adjustments, 49:476
glass bead
defibrinogenation effects, lung (sheep), 53:895
pulmonary edema after (sheep), 52:155
pulmonary edema after, converting enzyme inhibition effects, 53:1546
pulmonary removal, biogenic amines, 52:421
pulmonary vascular permeability (sheep), 45:590
pulmonary vascular response, time course, 42:51
unilateral, site of pulmonary edema, 47:556
Microfilament system, pulmonary, colchicine or cytochalasin B effects, endocytosis (hamster), 50:621
Microfluorometry, compensated, 41:593
Microinjection, hypothalamic sensitivity to norepinephrine, heat exposure, 49:942
Microorganisms, bubble formation, lack of, high gas supersaturation, 47:1270
Microphotometric apparatus, 40:393
Micropipettes, 40:260
oxygen pressure, position of tip, 49:916
perivascular interstitial fluid pressure, lung, 52:9
precision, 40:260
Micropressor, oxygen affinity, measurement, 45:289
Micropuncture, microvascular pressure, 5-hydroxytryptamine infusion, lung, 52:634
Microscopy
electron: *see* Electron microscopy
fluorescence, 41:764
Microsomes, *p*-nitroanisole *O*-demethylation, 42:238
Microspheres: *see also* Radionuclide studies
blood flow, cerebral, during exercise, 48:213
bronchial arterial blood flow, resistance and, 53:1044
coronary collateral circulation, exercise, 52:376
coronary collaterals, development, exercise effects, 45:797
diving, fetal (seal), 49:424
isovolemic anemia and exercise, myocardial blood flow during, 53:203
pulmonary blood flow, increased force environment, 44:384
radiolabeled
blood distribution (seal), 47:968
blood flow, pulmonary, positive end-expiratory pressure ventilation, 47:938
blood flow, regional, during $+G_2$ stress (miniature swine), 47:1148
blood flow, renal, G_x stress (miniature swine), 49:471
blood flow measurement, exercise, muscle, 52:1629
bronchial perfusion, pulmonary embolism, 49:476
cardiovascular response, aquatic and treadmill exercise, 46:302
cerebral blood flow, 40:191, 501
cerebral blood flow, normocapnic hyperoxia (pony), 48:10
cerebral extracellular fluid acidity, blood flow, 47:818
coronary, G_x acceleration stress (miniature swine), 49:462
coronary collaterals, exercise, 52:664
diving, fetal (sheep), 48:776
gas exchange surface area, intrapulmonary blood flow and, 52:1575
hypothermia, 40:876
pH and blood flow, brain, hypoxia, 53:247
positive end-expiratory pressure, pneumonia, 50:517
positive end-expiratory pressure, renal dysfunction, 50:643
regional blood flow, 40:472
regional pulmonary perfusion, edema and, 49:834
renal blood flow, 40:932
static exercise, cardiac output during, 52:642
visceral blood flow, 40:927
Microspirometer, oxygen consumption, bronchiolar, protein inhibition, 44:659
Microtubules, pulmonary, colchicine or cytochalasin B effects, endocytosis (hamster), 50:621
Microvascular filtration: *see* Filtration
Microvascular injury, distal, temporary unilateral pulmonary artery occlusion, 51:845
Microvascular permeability: *see* Permeability
Microvascular pressure: *see* Pressure
Microvascular responses
norepinephrine, skeletal muscle, cold-acclimated, 44:190
pulmonary, hemorrhagic shock, resuscitation and recovery (sheep), 46:498
Microwaves
adrenal response, hypophysectomy and dexamethasone effects, 47:1284
bioeffects, 50:399
cerebrovascular permeability, sucrose, 49:218
exposure
heat dissipation and, 53:316
temperature and adrenocortical responses (monkey), 53:1565
temperature-corticosterone relations, 44:438
metabolic heat production, adjustments in (monkey), 52:1049
neuroendocrine response, 48:927
radiation, cardiac function, myocardial ischemia, 50:931
temperature, corticosterone and thyrotropin relations, 50:399
Mineral ions, sweat, exercise and heat effects, 53:1540
Minute volume: *see* Volume
Mitochondria
cytochrome aa_3: *see* Cytochrome aa_3
function, myoglobin effects, 53:1116
heart
exercise and, 41:426
function, physical conditioning and, 45:978
intermyofibrillar populations, after exercise and immobilization, 48:23
lung, glucose metabolism, hyperbaric oxygen exposure, 46:943
oxidative phosphorylation, carotid body oxygen chemoreception and, 51:438
redox activity, species differences (turtle, rat), 53:1354
respiration, hyperbaric oxygenation effects, spermatozoa (ram), 50:531
training frequency adaptation, skeletal muscle, female, 51:746
ultrastructural changes, skeletal muscle, exercise (horse), 52:910
Mitotic activity, heat acclimation, submaxillary gland, 44:21
Mitral valve, regurgitation, 40:132, 256
Mixing techniques, oxygen-hemoglobin equilibrium, 45:818
Models
acclimation and deacclimation, human-like adaptation, 44:763
acetylene solubility, blood, 48:1035
adrenal component, pulmonary response, nicotine, 49:66
aerosols, air-space dimensions and, lung model, 51:465
airway
area, acoustic reflections measured at the mouth, 48:749
casts, central, acoustical area measurements, 48:896
closure, maximal expiration, 48:695
deposition of particles, 47:947
dimensions and resistance, bronchomotor tone effects, excised lung, 49:270
disease, 44:479
impedance, 47:347
occlusion device, 51:520
replicas, mucociliary transport, 51:1057
airway resistance
computer-assisted determination, 50:672
measurement, interrupter method, 48:1092
noninvasive measurement, 46:399
alveolar carbon dioxide measurement, infant, 45:648
alveolar duct, 52:1064
ammonia, continuous measurement, respiratory airways, 46:603
anaerobic threshold, endurance training, middle-aged men, 46:1039
anesthesia, topical, of tracheal receptors, 47:1123
ankle dorsiflexion, joint position and, 51:160
antiorthostatic hypokinesia, 49:576
asthma
airway smooth muscle mechanics, 46:681
Basenji-Greyhound, 50:761
Basenji-Greyhound, pulmonary responses after β-adrenergic blockade, 51:1423
Basenji-Greyhound, reactivity to *As-*

caris suum, 49:953
lung volumes after antigen infusion, 45:957
(sheep), 47:917
asymmetrical
airway, lung, 52:21
gas mixing, pulmonary acinus, 52:624
automatic sigh feature, animal ventilators, 48:567
axons, action potentials (crayfish), 47:561
barometric measurement, tidal volume, 49:319
barometric method, maturation of ventilation, sleeping infant, 46:998
blood flow, brain, graded reduction (goat), 47:104
blood gas catheter, fast-responding flow-independent, for oxygen measurement, 48:376
Bohr-Haldane effect, steady-state gas exchange and, lung, 52:1330
bone carbon dioxide titration, hypercapnia, 48:197
breath-by-breath variations, functional residual capacity, oxygen and carbon dioxide effects, 46:1122
breathing frequency, airway carbon dioxide and, 52:190
bronchial-tree, oscillatory flow through, 53:1023
bronchopulmonary stimulation, sleep, 47:17
calibrated microbubbles, air embolism studies, 51:524
canopy monitor, measurement of ventilation during sleep, 48:724
carbonic anhydrase activity, hind leg, 47:1090
carbon monoxide diffusing capacity, single-breath, measurements, 51:1306
carbon monoxide uptake, inspired concentration effects, 52:109
cardiac control, athletes, 52:1652
cardiorespiratory dynamics, systems analysis, 48:289
central and peripheral respiratory resistance, estimation, 47:1325
cerebrospinal fluid pressure, positive end-expiratory pressure effects, 52:231
charged membrane hypothesis, carbon dioxide pressure differences, hypercapnia, 47:67
chest wall motion, gas distribution and, 49:279
closed-loop respiratory system, carbon dioxide threshold mechanism (chicken), 48:1029
closed lung system, inert as absorption, 47:240
collateral ventilation
interlobar, 46:658
pulmonary hypertension and, species differences (cattle, swine, dogs, sheep), 51:1251
common dead space, inert gas exchange and, lung, 47:896
compartments, vascular and extravascular, isolated perfused lung, 46:74
computation techniques, rebreathing lung tissue volume, 52:1375
computer-derived image compositing, 51:78
computer determination: *see also* Computers
analysis, myocardial blood flow after exercise, 46:571
anaerobic threshold, 52:1349
plethysmographic thoracic gas volume, 52:798
elastic recoil measurement, 44:611
magnetometer measurement of breath volume and time components, 44:623
pneumotachometer characteristics, calibrated syringe, 53:280
sleep, exercise effects, 44:945
concussive brain trauma effects, 49:856
contractile force, tracheal smooth muscle, continuous stretch, 52:655
contraction in vivo, trachealis muscle, 48:329
convulsive disease, 53:192
cyclist, equation of motion, 47:201
dead space volume, measurement, 47:319
detectors, alveolar albumin clearance, 43:487
diaphragmatic muscle tone, electromyography, 47:279
differential equation, airway resistance, 50:672
diffusing capacity, exhaled, computer-simulated lung, 48:648
digital filtering, smoothing of maximum expiratory flow-volume curves, 48:202
directional statistics, respiratory response slopes, 45:823
dispersion, vascular resistance, lung, 43:1093
dryer, rapid response on-line expired gas measurement, 46:1196
dynamic compliance
computer measurement, 48:903
frequency dependence of, electrical, 48:45
dynamic respiratory mechanics, anesthesia, 49:197
elasticity, lung, 51:254
elastic recoil
aging males and females, exponential analysis, 47:683
exponential function, 46:387
electrocapillary flowmeter, sweat detector, 49:342
electromagnetic valve, rebreathing exercise studies, 53:286
electromyographic tests, endurance, 53:779
enzyme transport, measurements, tracheal epithelium, 48:1008
ergometer, small animal, 48:394
esophageal temperature probe position, electrocardiograhic verification, 47:638
exercise
during pregnancy, 48:34
(pony), 45:94
testing, computerized, 49:456
expiratory flow
helium-oxygen breathing, 47:490
maximal, prediction, excised lung, 48:991
expiratory time, control of, 52:1296
Fahraeus effect, 42:578
first-breath ventilatory responses, mechanical loading, 46:743
flow dependence, gas distribution and inspiratory muscle contraction, 45:733
flowmeter, respiratory, hot-wire, clinical applicability, 47:1131
fluid dynamic factors, tracheal pressure measuremet, 51:218
fluid transport, tracheal epithelium, 49:905
forced noise mechanical parameters, inspiration and expiration, 52:1530
forced oscillation method, excised lung, 49:270
frequency dependence, respiratory impedance partitioning and, 51:621
frequency response, transducers, 47:462
functional diagram, lung volume and flow, 52:1035
gas analyzer response time, gas exchange computations, 47:1118
gas density effects, transducer frequency response, 47:631
gas diffusivity, alveolar gas exchange and, computational lung, 48:147
gas exchange
measurement, tracer-bolus method, 50:898
organs, vertebrates, 53:1321
gas mixer, microcomputer, 49:160
gas transport, pulmonary interdependence, 47:296
gaseous interaction, alveolar slope and, 53:496
Geman-Miller respiratory oscillator, transient response, 46:1191
gravity and branching effects, gas mixing, 52:1476
head-out exercise, body plethysmography, 47:1336
heart, synchronized oscillating acceleration, 47:612
heat stress, thermoregulation, 53:1171
heatstroke
anesthesized dog, 43:292
mortality, 42:809
serum enzymes, 46:334
helium and nitrogen single-breath washout, lung, 44:499
helium and sulfur hexafluoride, washout experiments, 51:1122
hematocrit effects, pulmonary carbon dioxide transfer, 53:413
hemoglobin-oxygen affinity, exercise tolerance and, altitude effects, 53:1487
high-frequency oscillation, oleic acid lung disease, 50:1056
high-pressure chamber, electrophysiological measurements, 48:562
hydrodynamic features, air embolism, pulmonary, 51:1002
hydrostatic weighing, residual volume and functional residual capacity, 49:157
5-hydroxytryptamine effects, pulmonary artery, 51:693
hypertrophy, muscles, 46:738
hypodermic needle, oxygen tension electrode, 48:186
hypokinesia, muscle atrophy and, 48:479
hypoxic pulmonary vasoconstriction, equations, 49:189
hypoxic vasoconstriction, fluid filtration and, lung (pig), 51:1065
inert gas exchange
exponential series analysis, 47:1263
oxygen-induced alteration of ventilation-perfusion relations, 47:1112
inert gas supersaturation, isobaric (piglet), 44:914
inert gas transport, microcirculatory isobaric supersaturation, 46:1157
inflection points, lung pressure-volume curves, three-balloon catheter system, 47:931
infrared analysis, carbon dioxide, 47:954
inhaled particles, calculated deposition in airway generations, 47:867
inspiration, initiation by carbon dioxide threshold mechanism (avian), 47:233
inspiratory muscle fatigue, 46:897
interconversion, oxygen tension and saturation, blood, 51:1080
ion transport, measurement, tracheal epithelium, 48:1008
isobaric counterdiffusion
eye, 47:220
subcutaneous tissue, 47:224
isovolume pressure-flow relations, intrapulmonary bronchi, excised lung, 52:295
jacket plethysmography, 52:267
Krogh, hypocapnia, 43:489
left ventricular performance
respiration effects, 46:411
trained and sedentary dogs, computer analysis, 48:130
limb immobilization, skeletal muscle

Models (continued)
and, 52:1113
longitudinal and cross-sectional, endurance training, middle-aged men, 46:1039
lung
bifurcation, 47:947
degassing, two methods, 48:370
determinants of maximal expiratory flow and density dependence, 49:897
edema, temporary unilateral pulmonary artery occlusion, 51:845
emptying patterns, 44:424
function, regional (sheep), 45:320
hematocrit maldistribution, gas exchange and, 46:240
inflation, airway and tissue effects, 51:806
lymph fistula (goat), 48:399
microbubbles, filtration, 47:537
oxygen diffusing capacity, dithionite method, 46:100
perfusion at hyperbaric pressure, 46:943
shrinkage, analysis of pulmonary structure-function relations, 48:382
structure and function in emphysema, 51:321
ventilation and diffusing capacity, 51:1463
volume, absolute, estimation of inflation pressure, 47:907
volume and pleural pressure, measurement, 46:927
lung function
rapid measurement (small animal), 46:394
regional, awake state, 53:1050
lung lobes
perimicrovascular fluid pressure, 46:1003
pulmonary vascular independence, 46:419
regional volumes and ventilation distribution, 47:182
wick-catheter technique, 46:950
lung-lymph fistula, chronic (sheep), 52:1664
lung recoil, rapid vital capacity expirations, linear systems analysis, 49:142
lung surface tension, air space dimensions and, multiple pressure-volume curves, 43:730
magnetometers, volume-referencing of flow-volume curves, 48:731
mathematical
Adair equation, blood oxygen affinity, altitude, 51:1411
axial bronchial tension, effect on expiratory flow, 45:659
behavior of holes, lung parenchyma, 43:648
blood oxygen dissociation relations, equation, 50:971
carbon dioxide responses, intravenous and inhaled, 50:835
dead space measurement, 51:154
dextran transport, lung lymph (sheep), 52:585
diffusion isobaric supersaturation, 51:852
flow rate effects, serotonin uptake, lung, 53:677
gas mixing by cardiogenic oscillations, 51:1287
inert gas arterial-alveolar differences, ventilation-perfusion distribution, 44:277
multiple indicator, lung transport, 50:1
oxygen changes, fetal, hypoxic stress, 42:179
recoil pressure, surface tension and, lung, 50:921
red cell membrane and CO_2 transfer, 50:265
serotonin uptake, lung, 51:405
ventilation-perfusion ratio distribution, 43:1106
mechanical parameters, respiratory, 52:725
metabolic rate measurement, hyperoxia, 51:725
metabolic response, core cooling, 50:829
metabolic studies, fetal, acute preparation, small animals, 49:42
microelectrodes, vibrating, excursion in tissue, 48:737
microwaves, cardiac function and, 50:931
monocrotaline, noncardiogenic pulmonary edema, 45:962
monolayer stability, temperature and, 51:1108
motorized minitrack, exercising large animals, 45:140
multibreath nitrogen washout, information content, 46:579
nasal flowmeter, self-retaining, preterm infant, 48:569
neural afferents, exercise hyperpnea, 49:239
neural-mechanical relations, respiratory, 51:963, 979, 990
neuromuscular mechanism, extrathoracic airway patency, 46:772
nitrogen washout, pulmonary, real-time moment analysis, 46:1184
nitrogen washout curves, multiple breath, analysis, 48:265
nitrous oxide, oxygen electrode and, 45:637
on-line computing, airway resistance, 50:672
on-line respiratory computer analysis, alveolar gas exchange, lung, 51:1662
organ culture, lung biochemical development, 45:355
oscillatory and unidirectional flow, straight tubules and airway cast, 52:1097
oscillatory flow, quasi-steady behavior, central airway, 50:1293
oxygen, blood, content determination, 50:456
oxygen affinity, automated measurement, 45:289
oxygen-carbon dioxide
delay and response compensation, 52:79
mixing system, 51:229
oxygen consumption chamber, 52:488
oxygen dissociation computations, equations, 46:593
oxygen uptake
energy expenditure and, treadmill running, regression equations, 49:571
maximal, during free tethered, and flume swimming, 48:232
measurement, neonates, 46:1200
pulmonary arterioles, reflection spectrophotometric measurement, 48:848
oxyhemoglobin saturation, 51:1080
parameter estimation, transpulmonary mechanics, 52:955
partitioning, inspiratory pressure swings, 44:200
peribronchial electrical admittance measurements, lung edema and congestion, 49:337
periodic breathing, factors inducing, 53:644
perivascular interstitial fluid pressure, micropipettes, lung, 52:9
pH equilibrium, isolated perfused liver, 47:1079
piston pump, respiration simulation device, 50:663
plethysmography, long-term measurement, ventilation, unrestrained animals, 45:644
pore-membrane, microvascular fluid and solute transudation, 51:1574
positive-pressure ventilation, cardiovascular effects, 47:453
pressure-flow relations
bronchial tree, 51:1072
lung, 51:353
unsteady airway, 51:1338
prostaglandin E_1 uptake, perfused lung, 50:428
prostaglandins, metabolism, lung, 47:404
protein, fluid and small molecule transport, lung, 50:1
protein degradation, isolated perfused lung, 47:72
pulmonary injury, high-frequency oscillation compared with standard ventilation, 52:543
pulmonary interstitial and capillary pressures, estimation from intraalveolar fluid pressure, 47:643
pulmonary interstitial forces, estimation, 44:267
pulmonary mechanics (ferret), 50:799
pulmonary pressure-flow curves, data-averaging circuit, 47:621
rebreathing measurements, pulmonary tissue volume in edema, 48:66
refrigerated treadmill, exercise, 52:495
regional diffusing capacity, slow exhalation, lung, 52:1487
regression analysis: *see* Regression analysis
respiratory
forced random noise resistance parameters, 51:33
forcing alveolar gases, 52:1353
gas-mixing system, 52:1358
respiratory impedance
forced random noise analysis, young children, 47:169
measurement, direct-display oscillation, method, 46:956
respiratory jacket, children, 45:630
respiratory mask, rest and exercise, 52:500
respiratory mechanical, time-constant histograms, 51:1581
respiratory neuron activity, sleep, correlation analysis, 48:54
respiratory resistance, central and peripheral, estimation, 45:375
retrograde catheter technique, peripheral resistance measurement, 46:615
shear modulus and pleural membrane tension, lung, 47:175
single-breath carbon monoxide diffusing capacity, continuous analysis, 46:1149
single-breath measurement, pulmonary blood flow, 52:104
single-breath nitrogen washouts, elastase or histamine effects, 52:141
sodium-potassium-ATPase, tracheal epithelium, 48:1008
sound speed, upper airway, 49:326
spectral analysis, human inspiratory diaphragmatic electromyogram, 46:152
Starling's resistor, intrathoracic airway mechanics, sex and age differences, 46:556
steady expiratory flow, lung, 51:1331
steady flow, central airway, 49:417
switching valve, rebreathing studies, 48:386
thoracic gas volume, digital computer determination, 48:911
thyroid hormone metabolism, cold exposure, 49:386
time dependence, maximum flow index, nonuniform emptying, 47:1043
tissue-blood partition coefficient, xenon, 49:178
tonometer, calibration and evaluation of oxygen microelectrodes, 46:1016
trachealis muscle, properties, 49:84
transducers, air-filled differential pressure, 46:608
treadmill, carousel-type, 46:1205

upper airway patency, infant, 48:500
upper airway receptors, stimulus, 51:1189
vagal afferents, cardiac, 47:312
Van Slyke apparatus, modified, 50:1093
vascular communications, bronchial-pulmonary, 50:1045
vascular resistance and compliance, lung lobe, 53:158
ventilation
gaseous metabolism and, measurement, infants, 50:1098
high-frequency oscillation, 48:710
hypoxic and hypercapnic conditions (mole-rat), 47:1011
ventilation-distribution, specific central moments, estimation, 46:47
ventilator, simple, for respiratory gas studies, 44:640
ventilatory adaptation, hypercapnia, 51:78
ventilatory and gas-exchange dynamics, exercise, 52:1506
ventilatory muscle function, running, 52:1400
ventilatory responses, elastic loading, 47:778
vibration, nonsynchronous and synchronous, cardiac responses, 46:549
viscosity and density dependence, maximal flow, 48:313
volume-displacement body plethysmography, 47:1127
weight gain, interstitial fluid pressure, lung lobes, 52:173
Modulus: *see* Shear modulus; Young's modulus
Molecule, small, transport, lung, 50:1
Moncrotaline, edema, noncardiogenic pulmonary, model, 45:962
Monitoring: *see also* specific subject and site
blood pressure, utilizing an electronic sphygmomanometer, 43:379
metabolic and respiratory, neonates, 46:1200
respiratory jacket, children, 45:630
turbulent airflow meter, 42:456
Monoamine
metabolism, hypoxia-induced tachypnea, brain, 49:769
turnover, brain, elevated temperature effects (quail), 45:705
Monoamine oxidase, biogenic amine effects, lung, newborn, 50:118
Monosynaptic reflex: *see* Reflexes
Mood: *see* Behavior
Morphine, ventilatory response, exercise, 47:112
Morphology
lung
excised, detergent rinsing, effects, 47:1002
frozen, 45:325
nitrogen dioxide-oxygen tolerance, 44:370
waltzing mice, 44:446
surface, intimal, 41:910
Morphometry
continuous oxygen exposure effects, lung, 51:1220
lung
alveolar volume-surface areas, 47:990
cold acclimation during growth, 48:886
detergent rinsing, 47:1002
distal air space, 43:86
emphysema, 48:284
gopher, 43:965
nitrogen dioxide-oxygen tolerance, 44:370
waltzing mice, 44:446
motility, 40:40
pressure: *see* Pressure
probe: *see* Probe
temperature: *see* Temperature, body
Motility: *see* specific subject and site
Motion equation, cyclist, 47:201
Motion sickness, mismatch theory, rotation studies, 50:469
Motoneurons
phrenic
facilitation during pressure breathing, diaphragm, 50:348
hypercapnic and isocapnic hypoxia, 46:1096
hypercapnic and hypoxic effects, 51:732
phrenic and hypoglossal, central and peripheral chemoreceptor inputs, 53:1504
Motor control, skeletal, 40:44, 990
Motor output, inspiratory, vagal influence, 49:609
Motor unit
activation, exercise effects, 51:1131
diaphragmatic, pressure breathing, diaphragm, 50:348
recruitment: *see* Recruitment
Mountaineers: *see* Altitude, high
Mountain sickness
acute
antidiuretic hormone response to, 53:815
renin-aldosterone axis, exercise, 52:320
renin, aldosterone, electrolyte, cortisol responses and, 43:421
Mouth, volume in pressure communication, maximal expiration and, 48:695
Mouth breathing: *see* Respiration
Mouth-chest volume, phase shift, noninvasive measurement, 46:399
Movement
efficiency, mechanical work, 46:79
restriction, breathing effects, rib cage and abdomen, 50:412
Mucin
tracheobronchial
cholinomimetic stimulation, 45:190
composition, 45:182
Mucociliary clearance, 41:146
eucapnic hyperventilation, exercise and, 43:46
glycoprotein secretion, trachea, 50:383
histamine effects, 42:735
measurement, 42:451
nasal, roentgenographic measurement, 44:964
palate studies (bullfrog), 42:761
sodium and chloride ionic transport, tracheal, 47:598
tracheal epithelium, calcium effects, 44:900
Mucociliary dysfunction, allergic, ciliary motility and (sheep), 52:1018
Mucociliary function, β-adrenergics, 48:965
Mucociliary transport, 40:920
coordination, pulmonary airways, 51:1057
methacholine chloride effects, tracheal, 47:26
pentobarbital effects, tracheal, 46:504
Mucosa: *see* specific subject and site
Mucus
bronchial
exercise and hyperventilation effects, 43:46
velocity, lung clearance and, 48:965
clearance, palate studies (bullfrog), 42:761
nasal
velocity, exercise effects, 46:369
velocity, roentgenographic measurement, 44:964
secretion, calcium effects, 52:198
tracheal, 40:247
pH, 50:1224
rheology and transport, methacholine chloride effects, 47:26
rheology and transport, pentobarbital effects, 46:504
secretion (ferret), 49:1027
transport, species differences (guinea pig, rabbit, dog), 51:1612
velocity, in detection of airway responses to ozone (sheep), 48:789
tracheobronchial
calcium effects, 44:900
cholinomimetic stimulation, 45:190
ion transport, 42:735
protein and glycoprotein composition, 45:182
rheology, 42:797
sodium and chloride ions, transport, 47:598
tubes, flow resistance, 52:1172
Mucus gland, tracheal, gastric irritation, reflex stimulation and, 52:1153
Mueller maneuver
breath holding time, 42:717
cardiac responses, 47:257
Multi-breath washout: *see* Nitrogen washout
Muscarinic agonist, cold-induced bronchoconstriction, atropine effects, 53:169
Muscarinic receptors: *see* Receptors
Muscimol, respiratory depression and, hindbrain, 51:1278
Muscle
abdominal
expiratory activity, elastic and resistive loading, 46:730
quiet breathing and hyperpnea, 52:700
regional differences in activity, 51:1471
activation
before inspiration, upper airway, 49:638
upper airway and diaphragm, 53:1133
amino acid concentrations, exercise effects, 50:41
amino acids, cold effects, 52:1250
atrophy: *see* Atrophy
bicarbonate concentration, intracellular, during recovery from exercise, 45:474
blood flow: *see* Blood flow
cantilever beams, research, 42:786
catabolism, hypokinesia, 48:479
chemoreceptors: *see* Receptors
chylomicron triglyceride metabolism, exercise, feeding, 52:815
composition, mechanical efficiency, 47:263
concentric and eccentric, ergometer, exercise, 53:784
contractile properties
fatigue and recovery effects (frog), 45:899
immobilization, hindlimb, 53:960
contractility, dietary potassium depletion, 45:728
contraction
blood flow response (calf), 51:929
diaphragmatic, alveolar expansion gradient in lateral posture, 43:32
diaphragm fatigue and, 53:1190
electrically stimulated, weakness following, 53:236
endurance, electromyography and, 51:1
ergometer for exercise, 53:784
exercise effects, 51:1131
isokinetic, 40:12
isometric, oxygen uptake and, gastrocnemius muscle, 45:751
joint position and, 51:160, 52:1636
maximum, conduction velocity and, 51:1300
maximum voluntary, human calf, 49:649
temperature effects, 42:471
temperature regulation and hypohydration, 47:1
development, body fat and, 41:223
diaphragm, weight and muscularity effects, 52:64
diaphragmatic force, airway occlusion,

Muscle (continued)
51:99
efficiency
steady rate exercise, 43:431
validity of base-line subtractions, 48:518
endogenous triacylglycerols, lipoprotein lipase and, exercise, 52:1059
enlargement, skeletal, 50:936
enzyme
activities, after strength training, 46:96
hypertrophy, 46:738
myopathy, 43:936
exercise
exogenous glucose and, 53:1620
metabolic responses, 45:1009
exercise-induced glycogenolysis, adrenal medullary hormones, 50:21
exertion, steady rate exercise, 43:431
expiratory, 40:67, 372
force-velocity relations, 52:930
weakness, cough dynamics, *d*-tubocurarine, 51:494
fast and slow, electromyography, 52:451
fast-twitch, graded exercise, 43:288
fatigue
action potential conduction velocity, 43:750
diaphragmatic, 43:189
recovery and, contractile responses, 45:899
force
exerted during one- and two-leg cycling, 42:514
maximum, temperature effects, 42:471
force transducer, cantilever beam design, 42:786
force-velocity relations
temperature effects, 42:471
training-induced alterations, 51:750
forelimb, hypertrophy, 40:630
glycogen
content, diurnal variation and endurance, 47:425
content, glucose uptake and, exercise, 52:434
levels, protein catabolism and, exercise, 48:624
metabolism, arm-leg work, 46:249
repletion, after exercise, 42:129
usage, during exercise, 43:695
utilization, fatty acid increase and, 43:829
utilization, high-altitude exposure effects, 52:857
glycogenolysis regulation, rest and exercise, 53:708
hemodynamic response, exercise, 53:1589
hormonal response, exercise after training, 43:953
hypertrophy, exercise-induced, 40:630
immobilized, neuromuscular stimulation effects, hindlimb, 53:960
inhibition, J reflex in oxygen deprivation, 46:1143
inspiratory
contraction, flow dependence of gas distribution and, 45:733
decay of activity, chronic airway obstruction and, 51:1388
diaphragmatic fatigue, newborn, 51:547
histamine-induced asthma, 49:869
hypoxia effects, 40:372
tone, functional residual capacity and, newborn, 51:830
tonic activity, hyperinflation, asthma, 50:279
intercostal
airway occlusion, anesthesia, 51:143
diaphragm action, rib cage, 53:756
neuromuscular blockade, respiratory mechanics and, 47:1162
parasternal, breathing efforts and, 52:524
rib cage distortions, inspiratory loads and, 52:517
ischemia: *see* Ischemia
isokinetic contractions, respiratory capacity and fatigue relations, 53:470
isometric contractions
blood flow and metabolism, 50:493
endurance, electromyography and, 51:1
fatiguing and nonfatiguing, 51:399
time, overload and, 52:473
isometric tension
parasympathetic innervation, trachea, 53:617
postexercise training effects, 46:1093
knee extensor, force-velocity relations and fiber composition, 40:12
lactate
contents, after exercise, 43:852
threshold, fiber type, 48:523
length, ankle dorsiflexion, 51:160
length-tension characteristics, trachealis, 49:84
lever, systematic design, 42:786
mass
basal metabolic rate, age-related, 43:1001
plasma creatinine and, 51:762
metabolism
exercise, microspheres, 52:1629
exercise training and, 53:665
glycogen, arterial occlusion, exercise, 51:552
myopathy following training, 43:936
metabolites, exercise, 50:493
overloaded, contractile properties of, 52:473
oxidative capacity, 44:905
oxygen consumption, oxygen affinity and, 52:1678
paralysis
gas distribution, intrapulmonary, 42:391
gas distribution, regional intrapulmonary, 45:528
inspired gas distribution, 49:279
pulmonary perfusion, regional and ventilation-perfusion, 43:993
pH
intracellular, during recovery from exercise, 45:474
needle-biopsy specimens, 53:1310
phosphagen contents, after exercise, 43:852
physiological and pharmacological properties, trachealis, 49:84
potentials, anaerobic and aerobic, in hypertrophy, 46:738
power, specificity of isokinetic training, 51:1437
pressure: *see* Pressure
quick release, cantilever beams, 42:786
receptor: *see* Receptors
red and white, blood flow and metabolism, exercise, 50:493
reflexes, cardiovascular and respiratory, limbs, exercise, 50:784
regulation, abdominal, 41:310
relaxant, stapedius reflex, 52:416
respiratory
activity, posture effects, 51:1552
adaptability, exercise and emphysema (hamster), 53:1263
alveolar pressure swings and, 52:638
capacity, isokinetic contractions, 53:470
chest wall, awake state, 50:134
diaphragm, costal and crural parts, 53:30
electromyography power spectrum, 53:1094
endurance measurement, 52:757
fatigue, 53:1196
fatigue, cardiogenic shock, 51:499
fatigue detection, phrenic stimulation, 50:538
fatigue, marathon running, 52:821
fatigue, newborn, 51:547
fatigue of diaphragm (mammal), 53:440
forced expiratory vital capacity and, 51:515
mechanics, acute diaphragm paralysis, 53:373
mechanics, partial curarization, 52:57
output, breath holding, 50:435
parasternal intercostal activation, breathing efforts, 52:524
quadriplegic men, 51:654
single-breath method for measurement, anesthesia, 52:1266
sleep changes, adolescents, 51:557
strength, stapedius reflex, 52:416
upper airway, chemical stimuli effect on nerves, 52:530
restriction of movement, breathing effects, 50:412
sleep state mechanics, intercostal muscle, 43:600
slow-twitch, graded exercise, 43:288
slow-twitch and fast-twitch fibers, variability of type, 53:1473
static fatigue, isometric contractions and, 51:399
strength, adolescent males, 43:834
surface pH, measurement, 52:85
tension
developed, oxygen uptake and gastrocnemius muscle, 45:751
fascia effects, hindlimb, 51:317
longitudinal tracheal, expiratory flow changes, 43:537
thenar, neuromuscular adaptation, training and immobilization, 53:419
thoracic volume-airway occlusion pressure relations, intercostal muscle, 43:312
thyroid-deficient, respiratory capacity, 49:102
torque-velocity properties, female athletes, 47:388
training: *see* Exercise
uterine, contraction, oxygen changes, model, 42:179
vascular smooth, hypoxia, 40:533
ventilatory
endurance measurement, 52:757
endurance training, 41:508
function, running and, 52:1400
performance after ventilatory work, 52:1581
vibrations, ventilatory response to, 51:262
viscoelastic properties, trachea, 44:137
water and electrolytes, after dehydration, 40:6
weakness, dynamic exercise, 53:236
weight, testosterone propionate effects, immobilization and, 52:1643
Muscle, heart
chronotropic and inotropic effects, drugs, hypobaric hypoxia, 51:1607
chronotropic response to β-adrenergic stimulation, hypoxia, 44:647
circumferential fiber shortening, marathon running, 51:881
contractile proteins, running-trained, 48:409
contractility
conditioned and deconditioned, 44:171
exercise, sex differences, 50:1140
hypertrophy, exercise, female, 50:1140
left ventricular diastolic pressure-area curves, shifts, 48:670
myocardial, carbon monoxide exposure, 47:429
myocardial, physical training effects, after infarction, 47:482
physical training, 46:854
pressure load and, exercise, 52:340
running-trained, 48:409
contraction
exercise training, 42:824, 43:977

hypoxia, 43:1012
moderate training, 42:262
time, endurance training, 44:85
electrical interactions, proximal bundle branches, 42:235
force-frequency relations, hypoxia and sinoaortic denervation, 43:1012
inotropy, methoxamine effects, 52:967
thyroid deficiency, exercise effects, 49:1022
time course adaptation, running, 42:267
Muscle, respiratory, 40:729
action, 41:739
airway obstruction, 44:538
contraction
flow dependence of gas distribution and, 45:733
mechanics during, diaphragmatic, statics and dynamics, 44:829, 840
coordination, fatigue and, 46:897
curarization, 44:589
diaphragmatic fatigue, electromyographic pattern, 46:1
efficiency and endurance, diaphragm, 43:189
elastance, effective, 43:312
elastic loading, 49:669
electrical activity, lung volume and chemical drive interaction, 42:287
electromyography, 47:279, 49:869
function during partial curarization, 49:1049
inspiratory pressure swings, partitioning, 44:200
neuromuscular blockade, respiratory mechanics, 47:1162
partial curarization, diaphragm, 48:921
partitioning of inspiratory work, 41:752
rib cage deformation, during static inspiratory efforts, 46:1071
thoracic volume, airway occlusion pressure and, 43:312
thoracoabdominal, body position change, 45:581
training, oxygen cost of hyperpnea, 45:885
Muscle, skeletal
acid hydrolase activity, endurance training, 47:43
β-adrenergic receptor blockade effects, exercise, 53:549
atrophy, regrowth after immobilization, 44:225
autografting, limb, histochemistry and biochemistry, 44:431
blood flow, during acute anemia, 46:1035
capillarity, 49:627
carbonic anhydrase activity, hind leg, 47:1090
citrate, arteriovenous differences during exercise, 46:120
cold exposure effects, amino acids and protein, 52:1250
contraction
chylomicron triglyceride uptake, 49:851
fatigue and recovery effects (frog, 45:899
potassium ions and, 45:234
rhythmic tetanic, hyperoxia-blood flow interaction, 47:1018
twitch, 45:234
creatine metabolism, cold acclimation, 44:12
cytochrome *c* and myoglobin, training frequency adaptation, female, 51:746
enzymes
after training, 40:868
changes, functional overload, 42:267, 312
endurance training, 47:787
fiber composition and, 40:149
exercised, capillary proliferative activity, myocardial, 43:306
exercise intensity and duration effects, 53:844
exhaustion, acid hydrolase activity, 47:43
fast and slow
blood flow and metabolism, exercise, 50:493
contractile function, hindlimb immobilization, 52:677
fast-twitch
overload during developing, 49:583
overloaded, 52:467
oxidation capacity, functional overload, 50:1272
fatigue, hyperoxia and blood flow, interaction, 47:1018
free fatty acids, endurance training, 47:787
glycerol feeding effects, exhaustive exercise, 50:94
glycogen content, glucose uptake and, exercise, 52:434
glycogen depletion, exercise, 45:425
hindlimb immobilization, contractile properties and, 53:335
homogenate, lactate threshold, 48:523
hypertrophy: *see* Hypertrophy
immobilization
limb effects, 52:1113
biochemical adaptation, 43:700
protein synthesis, limb, 47:974
recovery, hindlimb, 47:435
time course of atrophy, 43:656
inactive, lactate uptake, 45:835
isokinetics, age and muscle morphology, 46:451
lactate release, during exercise, 44:350
leucine oxidation, rest and exercise, 53:947
limb immobilization effects, 52:1113
lipase, endogenous triacylglycerols and, exercise, 52:1059
metabolism, during exercise, 46:120
microvascular response, norepinephrine and cold acclimation, 44:190
morphological and biochemical changes, exercise-induced, 53:1144
myoglobin, mitochondrial function and, 53:1116
norepinephrine and α-block effects, oxygen uptake and blood flow, 51:1245
norepinephrine effects, exercise, 51:282
overloaded, contractile properties, 52:473
oxygen consumption
blood flow, hypoxia (avian), 50:450
hemoglobin-oxygen affinity and, 51:864
oxygen uptake
acute anemia, 46:1035
fatigue, 45:234
phosphorylase *a*, 45:852
regrowing, protein synthesis rates, 51:73
respiratory load, increased, 44:905
size, number of fibers and, 50:936
slow twitch, oxidation capacity, functional overload, 50:1272
strength training, adaptations, 46:96
substrate oxidation capacity, overload effects, 50:1272
thyroid deficiency
exercise effects, 49:1022
glycogen depletion, 49:102
time course adaptations, running, 42:267
twitch tension, fatigue and recovery (frog), 45:899
ultrastructural changes, exercise (horse), 52:910
xenon partition coefficient, 49:178
Muscle, smooth
α-adrenergic receptors, tracheal and bronchial, 45:307
airway
acetylcholine sensitivity, 45:690
adrenergic neurotransmission, acetylcholine and, 51:376
barbiturate effects (ferret), 53:253
bronchoconstriction, serotonin interaction, 52:964
catecholamines, inhibitory effects, 46:787
control of, 53:1080
general anesthesia effects, 53:126
inhibitory innervation (guinea pig), 50:374
innervation of (sheep), 53:1088
mechanical properties, bronchial, 50:1236
mechanics, asthmatic model, 46:681
muscarinic receptors, 52:1084
nonadrenergic bronchodilation, 52:562
ozone-induced hyperirritability, 43:626
reactivity to bronchoactive agents (monkey), 50:513
sodium electrogenic pump and (guinea pig, bovine), 51:346
bronchial, reactivity to bronchoactive agents (monkey), 50:513
bronchopulmonary response, during sleep, tracheal, 47:17
contracted, hysteresis, airway, 47:1251
contraction
airway, α-adrenergic receptors, 48:329
respiratory acidosis, airway, 42:408
histamine receptors, airway (monkey), 49:729
innervation, α-adrenergic, thoracic duct, 49:1010
isoproterenol effects, airway, 47:330
length-tension relations, airway, 45:690
mechanical activities, airway, 48:320
noradrenergic inhibitory innervation, airway, 48:16
prostaglandins, metabolism, pulmonary (pig), 46:211
pulmonary vascular, 5-hydroxytryptamine infusion, 52:634
receptors, airway (baboon), 48:947
tone, peribronchial pressure and, 45:858
tracheal
bronchopulmonary response during sleep, 47:17
contractile force during continuous stretch, 52:655
vascular
acid-base state, adenosine and (hog), 51:179
acute hypoxia and (pig), 52:811
contractility, vasoactive agents, 49:1016
mechanical response in hypoxia, 42:438
venous, endoperoxide analog effects, 42:953
Muscle, ventilatory
cellular adaptations, increased respiratory load, 44:905
developmental pattern, endurance, newborn, 44:909
training, oxygen cost of hyperpnea, 45:885
Muscle cells, injury, acid hydrolase activity, 47:43
Muscle fibers
activity, speed and gait effects (lion), 43:672
blood flow, exercise, microspheres, 52:1629
changes, graded exercise, 43:288
composition
endurance training and, 47:787
female athletes, 47:388
diaphragm, diabetes and training effects, 52:1471
dry weights, skeletal, 50:936
exercise-induced changes, skeletal muscle, 53:1144
exercise intensity and duration effects, 53:844
fast- and slow-twitch, mechanical efficiency, cycling, 47:263
glycogen loss, arterial occlusion, exercise, 51:552
immobilized, neuromuscular stimulation effects, 53:960
length, skeletal, 50:936

Muscle fibers (continued)
locomotory, activity in trotting and galloping, 44:358
number
fasting effects, 53:1234
size and, skeletal, 50:936
recruitment
exercise, 49:1037
isometric exercise, 50:32
skeletal
ammonia, exercise, 49:1037
exercise-increased number, 48:421
slow-twitch
exercise effects, 51:1131
immobilization, hindlimb, 47:435
types, 43:829
chylomicron triglyceride uptake, 49:851
distribution, 40:12
distribution, human, 53:1473
electromyography, 52:451
glycogen, diurnal variation and endurance, 47:425
lactate threshold, 48:523
metabolic character, hypertrophy, 46:738
relation to age and muscle morphology, 46:451
respiratory capacity, 49:102, 53:470
respiratory load and, 44:905
ventilatory, development pattern, 44:909
Muscle mass
ischemic, cardiovascular dependency, 45:762
longitudinal changes, 45:526
undernourished adult males, 44:209
Muscle spindles
neuromuscular blockade, respiratory mechanics and, 47:1162
vibrations, ventilatory response and, 51:262
Muscularity, body, diaphragm and, 52:64
Musculature, upper airway, infant, 48:500
Myelin, tubular, temperature and ventilation effects, lung, 51:646
Myocardial cells: *see also* Cardiac cells
carbon dioxide buffering, 43:925, 931
pH regulation in, chloride depletion, 51:1630
Myocardium: *see also* Muscle; heart
actomyosin ATPase activity, conditioned and deconditioned, 44:171
adaptation, endurance training, 44:85
adenylate cyclase, exercise training effects, 52:1133
afterload, exercise conditioning, methoxamine effects, 52:967
bicarbonate flux, transmembrane and intracellular acid-base regulation, 43:925, 931
blood flow: *see* Blood flow
capillary
density and perimeter, physical conditioning and deconditioning, 45:619
proliferative activity, exercise, 43:306
vascularization, hypoxia, 42:501
contractility, 40:196
endurance training and, 51:934
efficiency
nonsynchronous/synchronous vibration, 46:549
synchronized oscillation and, 47:612
function
after infarction, 42:782
alkalosis, 40:333
conditioned and deconditioned, 44:171
high altitude, 41:356
mild exercise program, 46:354
hemodynamics: *see* Hemodynamics
hypertrophy: *see* Hypertrophy
hypoxia: *see* Hypoxia
infarction: *see* Infarction
interaction, ventricular, 41:362
ischemia: *see* Ischemia
mechanics
hypertrophy, exercise, female, 50:1140
physical conditioning, 42:262
physical training, 46:854
metabolism, 40:1004
hypoxia, acute prolonged, 43:784
microstructure, pregnancy, 48:34
necrosis: *see* Necrosis
norepinephrine turnover, hypothermia (hamster), 50:962
oxygen balance, β-adrenergic blockade, 49:28
oxygen supply, high-altitude, 41:832
performance
exercise effects, 49:444
exhaustive exercise effects, 51:1098
static exercise, 49:676
pH, intracellular, regulation, 47:651
pH regulation, chloride depletion, 51:1630
skeletal muscle fibers
exercise-trained heart, 43:977
functional overload, 42:267, 312
running time course changes, 42:267
Myoelectric power spectrum, muscular endurance, electromyography and, 51:1
Myofibrillar ATPase: *see* Adenosine triphosphatase
Myofibrils
ATPase levels, functional overload, 42:267, 312
cardiac enlargement, exercise capacity and, 52:591
Myogenic response, 41:865
Myoglobin
hypoxia (gopher), 43:965
mitochondrial function and, 53:1116
oxygen storage and (beaver), 42:545
training frequency adaptation, skeletal muscle, female, 51:746
Myopathy, muscle metabolism and cardiac function, training effects, 43:936
Myosin
ATPase: *see* Adenosine triphosphatase
running-trained heart, 48:409

N

NADH oxidation-reduction state, hyperbaric toxicity, brain, 49:700
Naloxone
breathing, fetal (lamb), 47:527
carotid body chemoreception, ventilation and, 51:1533
β-endorphin effects, central cardiorespiratory depression, 50:1011
respiratory discharge, 50:239
respiratory output, enhancement, 47:1105
ventilation, newborn, 50:713
ventilatory depression, hypoxia-induced, 52:1030
α-Naphthylthiourea
epithelial permeability, lung, in edema, 44:576
pulmonary edema, noncardiogenic, 45:962
pulmonary microvascular permeability and, 52:1316
Narcosis
inert gas, 49:204
nitrogen (crayfish), 47:561
respiratory control, 48:528
temperature and pressure reversal (fish), 41:329
Narcotic analgesics, ventilatory response, exercise, 47:112
Nasal airflow resistance: *see* Resistance
Nasal airflow: *see* Flow
Nasal flowmeter, self-retaining, preterm infant, 48:569
Nasal temperature: *see* Temperature, body
Natriuresis
antiorthostatic hypokinesia, 49:576
diving, 40:293
immersion, prolonged, 49:184
immersion and volume expansion, renal response (monkey), 48:243
Necrosis, myocardial, adrenocortical function in exercise training, 44:104
Needle biopsy: *see* Biopsy
Negative-pressure breathing: *see* Respiration
Neon
lung recoil, 49:142
respiratory control, 48:528
solubility and partition coefficients, brain and blood, 46:1169
supersaturation (piglet), 44:914
Neonate: *see also* Infant; Newborn
apnea, chemical specificity of, laryngeal (puppy), 53:455
lung expansion and survival, surfactant extract effects, 53:838
pleural pressure, measurement of, 52:491
ventilation measurement, pneumotachometer, 53:1307
Nerve block, bronchus, alveolar surface activity in hyperventilation, 44:327
Nerves: *see also* specific nerve and site
excitability, axon (crustacean), 45:742, 747
signal recording, implantable electrode, 41:111
Neural activity
phrenic, lung inflation, 50:149
thoracic volume-airway occlusion pressure relations, 43:312
Neural afferents, exercise hyperpnea, limbs, 49:239
Neural control
breathing, 48:302
inspiratory inhibition, 46:669
expiratory airflow and duration, 42:80
respiration, 40:23
respiratory afterdischarge, 45:339
respiratory output, naloxone and, 47:1105
sympathetic and parasympathetic, athletes, 52:1652
ventilation, histamine effects, 53:690
Neural feedback: *see* Feedback
Neural oscillator: *see* Oscillator
Neural population, average behavior, Geman-Miller respiratory oscillator model, 46:1191
Neural respiratory drive: *see* Respiratory drive
Neural response
carotid chemoreceptors, dopamine blockade, 50:172
hypercapnia and hypoxia, carotid and aortic bodies, 52:596
Neural signals, spinal cord, cold exposure, 42:154
Neurochemical adaptations, endurance training, 46:19
Neuroeffector junction, 5-hydroxytryptamine effects, pulmonary artery, 51:693
Neuroeffectors, cholinergic, interaction, bronchial, 46:787
Neuroendocrine responses, microwave exposure, 48:927
Neuroepithelial cells, primary lamellae, gill (fish), 53:1342
Neurogenesis
exercise hyperpnea, 49:239
gas exchange, phasic, hindlimb, 46:878
spinal cord, embryo (chicken), 53:1455
ventilatory
brain stem, 51:204
eupnea and gasping comparison, 50:994
gasping, 50:984
Neurogenic pulmonary edema: *see* Edema
Neurohumoral theory, cycling with sinusoidally varying pedal rate, 44:97
Neurohumors, ion transport and, excised airways, 52:893

Neurological syndrome, high-pressure, convulsions and, 53:192
Neuromechanical control, brain hypoxia, breathing control and (goat), 49:497
Neuromuscular adaptation, training and immobilization, thenar muscles, 53:419
Neuromuscular blockade: *see* Blockade
Neuromuscular disease, curarization, respiratory system, 44:589
Neuromuscular fatigue: *see* Fatigue
Neuromuscular inhibition, force-velocity relations, training-induced alterations, 51:750
Neuromuscular mechanism, extrathoracic airway patency, 46:772
Neuromuscular relaxants, cough dynamics, progressive expiratory muscle weakness, 51:494
Neuromuscular stimulation, immobilized muscles, hindlimb, 53:960
Neuromuscular weakness
partial curarization
diaphragm, 48:921
respiratory mechanics in, 52:57
stapedius reflex and, 52:416
Neuronal responses, hypercapnia and hypoxia, 43:812
Neurons
average firing frequencies, 41:98
firing frequency, digital display of, 41:99
medullary respiratory
activity, tonic and phasic REM sleep, 48:54
activity during sleep, 48:54
hypercapnia, 43:812
hypoxic, isocapnic, 43:812
motor: *see* Motor neurons
pressure: *see* Pressure
respiratory, hypercapnia and carotid chemoreceptor stimulation, 51:816
Neurotomy, carotid sinus, tidal volume, 45:502
Neurotransmitter
central, respiratory afterdischarge, 50:239
5-hydroxytryptamine, pulmonary artery, 51:69?
modulation of release, acetylcholine and, airway, 51:376
Neutrophils, alveolar, pool size, normal lung, 47:440
Newborn: *see also* Infant; Neonate
airflow, upper airway, 53:805
airway resistance, 51:641
airway stretch receptors, inhaled carbon dioxide effects, 53:1461
blood flow
cerebral, arterial carbon dioxide pressure sensitivity, 49:113
cerebral, carbon dioxide and oxygen effects, preterm infant, 48:468
body temperature, measurement, 43:1102
carbon dioxide, alveolar, measurement, 45:648
carbon dioxide sensitivity
maturation, premature (primate), 48:347
postnatal age effects, 50:956
central apnea recovery, stimulus duration and carbon dioxide partial pressure effects (piglet), 53:105
central chemical (lamb), 47:1212
high altitude, 48:587
pentobarbital effects, 42:845
central nervous system, high pressure and maturation, 49:390
chest wall afferents, 42:362
development, high-pressure atmosphere, 47:834
diaphragmatic fatigue, inspiratory muscles, 51:547
effective elastance, 40:539
enkephalin maturational effects, respiratory control, 53:1063
esophageal balloon technique, 49:735
exercise, maternal, during pregnancy, 48:34
expiratory time, lung volume and, 45:18
forced expiratory flow determinants, 53:1220
functional residual capacity, inspiratory muscle tone effects, 51:830
growth, cold acclimation and, lung morphometry, 48:886
heart rate, high-pressure convulsions, 47:834
homeotherms, critical size, 42:571
hypercapnia
cerebrospinal fluid regulation, 50:566
fluid filtration, lung, awake state (lamb), 51:423
hypervolemic polycythemia effects, 53:865
hypoxia, respiratory control, endorphin effects, 51:122
hypoxic ventilatory response, maturation (lamb), 47:927
inspiratory duration, 45:202
intercostal-phrenic inhibitory reflex, 40:352
lung
biogenic amines, 50:118
fluid balance (lamb), 53:992
isolated, ventilated, perfused, assessment, 43:557
liquid clearance, 49:171
maturation, diabetic mother, 49:971
surfactant metabolism (lamb), 49:1091
volume, reduced, during behavioral active sleep, 46:1081
metabolic monitoring, 46:1200
maturational changes, effective elastance, 53:766
minute ventilation, gaseous metabolism and, 50:1098
muscle fatigue, diaphragmatic, 46:688
nasal flowmeter, self-retaining, for preterm infant, 48:569
occlusion pressure, hypoxemia (monkey), 51:1169
oxygen drive, respiratory response (lamb), 52:428
oxygen toxicity, 45:699, 53:1248
premature, natural surfactant treatment (lamb), 51:306
pulmonary function, measurement, 45:648
pulmonary vascular histamine receptors (lamb), 49:380
pyrogenesis, endotoxin-induced, 40:35
pyrogenicity, endotoxin, 42:355
reflex changes, maturational, inspiratory timing, 50:1282
respiration
carotid chemoreceptor function, 51:630
maturation of reflexes, 45:202
rate and depth, ether effects, 40:281
regulation, 42:362
regulation, high altitudes, 44:673
respiratory failure, 44:909
respiratory inhibition, reflex-induced apnea (pig), 50:874
respiratory patterns, asphyxia, progressive, 43:468
sleep breathing patterns, intercostal muscle reflexes and, 48:139
sudden death syndrome: *see* Sudden infant death syndrome
thermoregulation, 42:355
ventilation, naloxone effects, 50:713
ventilation and ventilatory pattern, maturation, during sleep, 46:998
ventilatory response, hypoxia, in sleep (calf), 48:892
Nicotine
aerosol, exposure, bronchial reactivity to methacholine and (baboon), 52:1071
pulmonary hypertension, adrenal component, 49:66
Nicotinic acid, β-receptor blockade, 40:855
Nitrates, airway reactivity, normal and asthmatic, 46:189
***p*-Nitroanisole,** cytochrome P450-linked *O*-demethylation, lung, 43:238
Nitroblue tetrazolium, coronary collateral circulation, exercise, 52:376
Nitrogen: *see also* Single-breath nitrogen test
balance, postoperative, exercise effects, 46:141
blood flow and, lung lobes, 50:1022
breathing, lactate response, arterial, 42:39
cardiac function and, embryo (chick), 51:1017
elimination, decompression effects, 41:348, 45:916
exchange, hyperoxia, 51:725
expired concentration, gaseous interaction between lung units and, 53:496
hyperbaric, ventilation and central inspiratory responses, 45:756
narcosis (crayfish), 47:561
one-step dilution technique, open-circuit oxygen measurement, 51:772
pressure, raised, dissociated ventilatory and central respiratory responses to carbon dioxide, 45:756
single-breath test: *see also* Single breath tests
closing volume measurement, 42:859
excised lung, 51:1568
solubility and partition coefficients, brain and blood, 46:1169
transfer, skin, 49:438
urinary, postoperative, 46:141
venous, following decompression (goat), 51:1238
Nitrogen dioxide, oxygen and, tolerance and cross-tolerance, pulmonary, 44:364, 370
Nitrogen gradients, gas exchange and, 50:1156
Nitrogen ions, rise, after oxygen breathing, 40:517
Nitrogen oxides, hot-wire respiratory flowmeter, evaluation, 47:1131
Nitrogen-oxygen
breathing, electrocardiographic changes, 42:614
rebreathing method, cardiac output, 41:433
Nitrogen washout: *see also* Single-breath washout
automated methods, infant, 52:1378
continuous ventilatory distribution, recovery of, 44:416
five-breath test, 40:464
gaseous interaction, lung units, 53:496
helium and, single-breath, simultaneous, lung model, 44:499
isobaric counterdiffusion
eye, 47:220
middle ear, 47:1239
subcutaneous tissue, 47:224
multiple-breath
analysis, 48:265
information content, 46:579
lung emptying patterns, 44:424
real-time moment analysis, pulmonary, 46:1184
phase IV, 40:715
single-breath
elastase or histamine effects, 52:141
hypobaric decompression, 46:752
isoflow volume, 43:807
posture and (horse), 48:97
three-balloon catheter system, 47:931
trapped gas, lungs, 51:172
ventilation, distribution, central moments, 46:47
weightlessness, 45:987
Nitroglycerin, diffusing capacity and, pulmonary, exercise, 52:851
***p*-Nitrophenol,** production, lung, 43:238

Nitrous oxide
cardiac output calculation, 41:251
gas trapping, 43:414
pressure, blood and gas analysis, electrode for, 45:637
supersaturation (piglet), 44:914
Noise, adaptation, 49:985
Noise parameters, forced mechanical, inspiration and expiration, 52:1530
Nomogram, acid-base, for blood (chimpanzee and human), 46:381
Nonadrenergic inhibition, bronchodilation, airway smooth muscle, 52:562
Nonadrenergic inhibitory nervous system, 41:764
Nonadrenergic nerves
inhibitory
histamine-induced contractions, trachealis, 53:21
smooth muscle, airway, control of, 53:1080
trachealis muscle (guinea pig), 50:374
Nonbreathing valve: *see* Valve
Nonelectrolytes, small, alveolar epithelium permeability, 52:3
Noninvasive methods
acetylene solubility, blood, 48:1035
anaerobic threshold, endurance training, middle-aged men, 46:1039
hemodynamics, exercise, teenagers and asthmatic children, 46:293
inert gas absorption measurement, closed lung system, 47:240
measurement, barometric method, tidal volume, 49:1107
postexercise ejection time, 45:1002
protein flux, pulmonary, measurement (sheep), 45:225
rebreathing measurement
pulmonary tissue volume, pulmonary edema, 48:66
switching valve, 48:386
specific airway resistance, measurement, 46:399
stroke volume and systolic time interval adjustments, bicycle exercise, 46:588
Nonlinearity, oxygen depletion, blood gas, 51:232
Noradrenergic inhibitory system, airway (baboon), 48:947
Noradrenergic innervation, inhibitory, airway, 48:16
Norepinephrine
adrenal, seasonal acclimation (vole), 44:59
airway response, measurement techniques, 52:1363
altitude acclimation and, heart atria, 51:1607
breathing control, prolonged exercise, 50:27
cardiovascular response to cold, mental activity and, 47:1207
cold adaptation, 46:662
cold-induced responses, 42:349
contraction, trachealis muscle, 48:329
demonstration of, 41:30
disappearance from circulation, exercise, 47:1311
dynamic exercise response, oxygen breathing, 51:176
endurance training, brain levels, 46:19
excretion, hypoxia, 52:304
exercise, 42:525
extraction, lung and hindlimb, 52:1545
hemodynamic responses, lobar venous occlusion, 47:145
^{3}H-labeled
5-hydroxytryptamine and, pulmonary artery, 51:693
inhibitory effects, bronchial smooth muscle, 46:787
hormonal responses, exercise after training, 43:953
hypertension, exercise effects, 53:891
hypothalamic sensitivity, heat exposure, 49:942
infusion, lung fluid balance and (sheep), 50:1353
inhibitory innervation, trachealis muscle (guinea pig), 50:374
metabolic responses, exercise testing, 42:166
microvascular response, skeletal muscle, cold acclimation, 44:190
muscular glycogenolysis control, 50:21
nonshivering thermogenesis, 42:159
oxygen uptake and blood flow, hindlimb, 51:1245
plasma
exercise effects, renal, 51:1618
exercise training and, 51:812
postexercise, 47:1311
responses to cold water, 43:216
propranolol and anemia, blood flow, hindlimb, 51:565
pulmonary artery
pressure, lung inflation and edema, 45:442
response, hypoxia, 42:438
pulmonary removal, biogenic amines, 52:421
pulmonary vascular responses, newborn (lamb), 48:188
pulmonary vasoconstriction, 49:73
pulmonary vasomotion and distribution of vascular resistance, lung lobe, 45:545
β-receptor blockade, 40:855
respiratory afterdischarge, 50:239
splanchnic vasoconstriction, heat-stress and, 52:1438
sympathoadrenal adaptation, training, 45:370
thermal effects, hypothalamus, rest and exercise, 49:937
thermogenesis
diet and exercise effects, 52:556
hypoxia and, physical restraint effects, 51:1601
titrated, hypothermia, myocardial (hamster), 50:962
training and, responses, 53:665
turnover
cold and hypoxia effects, lung, 51:614
hypothermia, myocardial (hamster), 50:962
vascular sensitivity, exercise, 51:282
ventilation, pulmonary amine removal and, 44:553
norepinephrine and, 53:665
treadmill
myocardial blood flow during, 53:203
performance time, induced erythrocythemia effects, 53:490
plasma electrolytes and, 53:1529
training duration effects, 53:225
Normocapnia, cerebrospinal fluid bicarbonate, 47:369
Normocapnic hyperoxia: *see* Hyperoxia
Normoxia, cardiac response, attenuated, to β-adrenergic stimulation, 44:647
Nostril adapter, alveolar carbon dioxide measurement, infant, 45:648
Nucleation, bubbles, microorganisms, 47:1270
Nucleic acid
exercise-trained heart, 42:426
physical training effects, 44:50
Nucleotides
adenine: *see* Adenine nucleotides
cyclic
anaphylaxis, lung, 46:919
surfactant release, lung, 51:90
exercise and adenosine monophosphate, cyclic, adipose tissue, 50:255
Nucleus, medullary respiratory, dorsal and ventral, hypercapnia and hypoxia, 43:812
Nutrition: *see* Feeding

O

Obesity
amino acids, 45:176
estimation of body fat and, 41:223
exercise and, 49:634
fat loss, cold exposure and, 46:872
indices, 41:77
serotonin and, response to endurance training, 46:19
supraglottic airway resistance and, sleep apnea, 53:1158
upper airway occlusion, during sleep, 44:931
weight loss, composition, estimation, 43:331
Obstruction: *see* specific subject and site
Obstructive disease: *see* Lung disease; Airway obstruction
Occlusion
airway: *see* Airway
arterial, exercise, glycogen loss, muscle fibers, 51:552
arterial and venous, pulmonary vascular resistance partitioning in, 52:710
device, airway, breath-to-breath monitoring, 51:520
pressure: *see* Pressure
pulmonary arterial
fluid and protein exchange, lung (sheep), 53:543
type II pneumocytes, lamellar body volume density, 53:555
unilateral, 41:449
tracheal, respiratory control, newborn, 44:304
valve: *see* Valve
venous: *see* Venous occlusion, and the specific subject and site
Oleic acid
alveolar-capillary membrane permeability, aerosolization, 51:955
dose-related edema, perfused lung, 50:1115
infusion, lobar injury (sheep), 47:706
injury, lung-heart interaction and, ventricular filling, 52:1519
inspiratory flow pattern, gas exchange and, lungs, 46:1103
lung disease, high-frequency oscillation and, 50:1056
lung mechanics, 48:1045
pulmonary arterial pressure, lung inflation and edema, 45:442
pulmonary edema, 53:1273
high-frequency oscillation in, 52:543
positive end-expiratory pressure effects, water content, 53:9
Oncotic pressure: *see* Pressure
On-line processing, pulmonary conductance, elastic recoil and, 44:611
Ontogenesis, high-pressure atmosphere, 47:834
Ontogeny, leukocytic pyrogen, 42:355
Open-loop gain
heat dissipation, microwave exposure and, 53:316
variable, thermoregulation in cold exposure, 48:495
Opiates
chemoreception, ventilation and, 51:1533
endogenous, treadmill running and, 52:1245
receptors: *see* Receptors
ventilation, newborn, 50:713
Opsonic fibronectin, deficiency, lung fluid, during sepsis (sheep), 49:693
Oral contraceptives, fibrinolysis and, ex-

ercise effects, female, 53:330
Organ culture, fetal lung, hormones and, 48:872
Organ differences, carbonic anhydrase activity, vascular, 49:211
Oropharynx, airway area, acoustic inferences, 48:749
Orthostasis
fluid-electrolyte and endocrine responses, fainting, 51:1404
water and salt excretion, 49:576
Oscillation: *see also* Respiratory oscillation
apnea and, vagotomy effects, 51:1484
augmented diffusion, airways, 49:232
breathing patterns, apnea and, infant, 52:1288
cardiogenic
gas mixing, 51:1287
pericardial fluid effects, 42:5
postinspiratory mixing and, lung, 51:922
single-breath nitrogen test, 49:232
weightlessness, 45:987
comb filter analysis, time-varying biological rhythms, 48:557
forced
method, excised lung, 49:270
respiratory impedance, children, 47:169
respiratory resistance, 45:375, 47:1325
forced technique, nonlinear fluid systems, 53:1643
high-frequency
blood sampling via an external cannula, 46:197
gas exchange during (chicken), 53:1418
gas transport and perfusion during, intrapulmonary, 51:1507
new system for ventilating, 53:1638
oleic acid lung disease, 50:1056
standard ventilation and, pulmonary injury model, 52:543
high-frequency ventilation, 48:710
mechanics
airway, 48:749
respiratory, after papain exposure, 46:61
synchronized, cardiac function and, 47:612
technique
direct-display, respiratory impedance measurement, 46:956
frequency dependence of respiratory resistance, children, 47:268
respiratory parameter estimation with forced impedance data, 43:322
respiratory resistance measurement, 42:650
Oscillators
Geman-Miller respiratory model, transient response, 46:1191
neural, 40:592
Oscillatory flow resistance: *see* Resistance
Oscillatory flow: *see* Flow
Osmolality
airway secretions, 46:205
airway surface liquid, 50:613
heat and dehydration effects (cattle), 48:249
measurement, carbon dioxide correction, 44:474
plasma
distance running, 50:709
exercise, heat dehydration and, 50:1255
exercise in heat, 47:798
exercise type, 49:119
fluid-electrolyte distribution, sodium ion and calcium ion ingestion, 48:838
graded activity, 50:123
hypovolemia, 48:657
marathon running effects, 52:168
stress, 47:1031
red blood cell viscosity, 42:941
urine (kangaroo), 42:636
Osmolarity
exercise
in heat, 40:55
plasma, humid heat, 40:786
fixative, lung, 53:528
hypohydration, 47:1
plasma
acute heat stress and, 41:708
heat exposure, working men, 44:166
intravascular volume and tonicity, 44:69
training and heat acclimatization, 43:591
Osmomometer, vapor pressure, carbon dioxide correction, 44:474
Osmoregulation
acute hyponatremia, 49:95
water immersion and, 51:686
Osmosis
carbon dioxide, air mixtures and, 44:254
gases, inert, 43:414
Osmotic coefficient, carbon dioxide correction, 44:474
Osmotic disequilibrium, consequence of dialysis, 41:216
Osmotic fragility: *see* Fragility
Osmotic pressure: *see* Pressure
Osmotic reflection coefficients, pulmonary interstitial force, 44:267
Ostwald's solubility coefficient, xenon, 49:178
Otis-McKerrow valves, dead space, tidal volume relations, 49:528
Ouabain
altitude acclimation and, heart atria, 51:1607
bicarbonate, cerebrospinal fluid, hypercapnia, 42:667
serotonin uptake, endothelial cells (calf), 50:1212
sodium and chloride transport, tracheal mucosa, 46:111
sodium-potassium-ATPase, characterization, tracheal epithelium, 48:1008
sodium pump and, airway smooth muscle (guinea pig, bovine), 51:346
tissue respiration, cold acclimatization, 42:150
Ovalbumin, lung disease, vagal mechanisms and (pony), 53:719
Ovarian hormones, exercise, 44:109
Overload
chronic, skeletal muscle, 52:473
developing fast-twitch muscle, 49:583
functional
enzyme changes, skeletal muscle, 42:267, 312
substrate oxidation capacity, skeletal muscle, 50:1272
Oviduct, lumen diameter, motility studies, 40:999
Oviposition, cyclic activity, continuous light (hen), 51:1145
Oxidant air pollution: *see* Pollution
Oxidants
ozone-induced tachypnea, mechanism, 46:1108
tachypneic response to hypoxia and hypercapnia, 48:163
Oxidant smog
detection, exercise, 51:415
work performance, maximum, 42:531
Oxidation
capacity, substrate, skeletal muscle, 50:1272
fatty acids, respiratory load, 44:905
glucose, tracer priming, 45:137
insulin effects, exercise, 51:1500
ketone bodies, exercise and fasting, 44:5
leucine, rest and exercise, 53:947
mixed function, lung, 43:238
palmitate, respiratory capacity, muscle, 49:102
skeletal muscles, 49:627
substrate, cardiac enlargement, 52:591
β-Oxidation, adaptations, diabetes and training effects, 52:1471
Oxidative capacity, ventilatory muscle, 44:905
Oxidative demethylation, *p*-nitroanisole, lung, 43:238
Oxidative metabolism, cytochrome aa_3, cerebral, 43:858, 873
Oxidative phosphorylation
carotid chemoreceptor responses, 50:884
mitochondrial, carotid body oxygen chemoreception and, 51:438
Oximeter, calibration, calculator/computer-assisted, 51:1042
Oximetry
carbon monoxide, 44:307
ear
calibration during centrifugation, 44:483
gas exchange and, lung, 52:1453
ventilatory and waking responses to hypoxia, 44:512
Oxprenolol, catecholamines, coronary, during exercise, 43:949
Oxygen
absorption, atelectasis, lung degassing, 48:370
affinity, 40:393
Adair equation, 45:289
adaptations with altitude, 41:168
arterial oxygen tension, central vascular shunts, 53:1360
blood, 53:87
blood, altitude, Sherpas, 47:337
blood, carbon monoxide and, 40:487
blood, reduction, 47:478
blood, embryo (geese), 53:1432
carbon monoxide, 40:487
fetal and adult (seal), 50:999
hemorrhagic shock, 47:889
high altitude (goose, guanaco), 42:139
increased, cardiac output and, 53:1299
red cell, fetal (sheep), 45:7
reduction by infusion of glycolytic intermediates, 43:102
alveolar-arterial difference
increased density, 52:221
liquid breathing, 49:262
alveolar-arterial gradient, exercise, altitude, 50:1129
arteriovenous content, computation, 46:599
arteriovenous difference
arm training, 45:75
physical training effects, myocardial infarction, 47:482
availability, lung perfusion in situ, 47:325
balance, myocardial, β-adrenergic blockade, 49:28
blood
acceleration, 44:483
affinity, high altitude, 51:1411
dissociation relations, equation, 50:971
equilibrium properties (seal), 50:999
brain, species differences (turtle, rat), 53:1354
breathing
blood flow, leg, during exercise, 42:385
inspired carbon dioxide partial pressure effects, species differences (human, pony), 52:1623
lung recoil and gas trapping, low lung volume, 43:138
norepinephrine response, exercise, 51:176

Oxygen (continued)
rhythm, respiratory afferents and, 45:11
breathing effects, solute permeability, alveolar epithelium, 50:859
capacity, blood, altitude effects (harbor seal), 42:852
carbon dioxide and
blood concentrations, 44:818
interaction, chemoreflex loop gain, 46:843
carbon monoxide transfer, placenta (sheep), 52:479
cardiac function and, embryo (chick), 51:1017
cerebral blood flow and, preterm infant, 48:468
chemoreception
carotid body, 49:45
carotid body, energy metabolism and, 51:438
metabolic alkalosis and, 53:75
pneumothorax effects, 51:665
concentration
arterial, polycythemia at high altitude, 49:311
inspired, awake and anesthetized-paralyzed men, 47:745
consumption
age-related, muscle mass decrease and, 43:1001
age-related changes, 53:799
anemia, 44:36
anemia and hemorrhagic shock, 47:882, 889
apomorphine and pimizode effects, exercise, 49:363
artificial respiration, 51:1451
at altitude, 40:658
basal, longitudinal changes, 45:536
brain, carbon monoxide inhalation and (goat), 43:455
brain blood flow, graded reduction (goat), 47:104
breath-by-breath variations, end-expiratory lung volume, 46:1122
bronchiolar, protein inhibition, 44:659
canopy ventilation monitor, 48:724
carotid body, 41:180, 50:129
cerebral, at different levels of oxygenation (sheep), 43:1080
cold exposure, estrogen effects, 47:59
cold exposure (small mammals), 43:121
constant-load exercise, 45:381
delay and response compensation, 52:79
determination, from respiratory functions alone, 42:117
dietary potassium depletion, 45:728
diving, 40:605
ergometer, small-animal, 48:394
exercise, 40:864
exercise, air and water, 40:85
exercise, during pregnancy, 48:34
exercise, heat, 40:55
exercise, passive and active, 42:923
exercise, treadmill, 45:1009
exercise (duck, pigeon), 53:207
exhaustive activity (marine inguana), 48:689
fetal, in hypoxia, 42:179
flow-through respirometry, 42:120
flow-through system, 43:916
heat acclimation, physical fitness and exercise, 43:678
hemoglobin-oxygen affinity and, skeletal muscle, 51:864
hepatic, 40:269
hormones and, training and hypophysectomy effects, 53:448
hyperoxia, exercise (pony), 46:1115
hypervolemic polycythemia effects, newborn, 53:865
hypothermia, 40:876
hypoxia, skeletal muscle (avian), 50:450
inspired carbon dioxide effects, species differences (human, pony), 52:1623
inspired fractions, gas exchange, errors, 50:210
insulin effects, lung, 42:216
isometric exercise and, 41:136
kinetics, exercise onset, 44:90
ligaments and tendons, 44:542
liver, hypocapnia, 47:290
lung slices, 43:902
maximum, changes with various experimental procedures, 47:1278
maximum, diabetes and insulin effects, exercise, 50:482
measurement, 40:976, 53:1634
measurement, assessment of accuracy of a method, 43:916
measurement, during hemodialysis, 50:259
measurement, mask, 51:772
measurement, tracer-bolus method, 50:898
mechanical or shaking stress, embryo (chick), 46:298
miniaturized chamber for measurement, 52:488
morphine, during exercise, 47:112
muscle, oxygen affinity and, 52:0007
muscular exercise, humoral pathway, 47:126
myocardial, exercise, sex differences, 50:112
neonates, 46:1200, 50:1098
on- and off-responses, specific muscle training, 47:761
open circuit, 43:916
ozone inhalation, 46:309
partial sympathectomy, 53:242
pedaling rate effects, competitive cyclists, 51:447
pneumocytes, hyperoxia, 47:98
postexercise, glycogen depletion effects, 47:514
prolonged hypercapnia, 51:78
recovery, active vs. passive, one-legged exercise, 45:244
resting and exercise, apnea and facial immersion, female swimmers, 45:875
rowing, simulated, 45:87
single-breath nitrogen test, 50:1156
sinusoidal work, 42:300
sleep stages, heat and cold exposure, 51:948
splanchnic, highlanders, 43:204
steady-state, mitochondrial function and, 53:1116
stepping exercise, 44:346
swimming, front crawl, 43:475
temperature change effects (iguana), 51:452
testosterone propionate effects, immobilization, 52:1643
training, heat acclimatization and, 43:591
treadmill exercise, 50:1206
undernourished adult males, 44:209
urinary cortisol, 40:155
waltzing mice, 44:446
work load and, cerebral palsy, 40:873
content
blood, content determination, 50:456
exercise (duck, pigeon), 53:207
continuous exposure, lung injury following, 51:1220
cost, hyperpnea and ventilatory muscle training, 45:885
debt
exhaustive activity (marine iguana), 48:689
exhaustive exercise, 49:1057
isometric exercise and, 41:136
postexercise, 47:514
rowing, 45:87
submaximal exercise in trained state, 48:218
deficiency, tissue, arterial lactate responses, 42:39
deficient, exercise, 52:1598
deficit
energy expenditure, exercise, 49:16
lactate levels, hypoxia, 42:44
deficit period
submaximal exercise, energy expenditure, 48:770
submaximal exercise, trained state, 48:218
delivery
anemic and hypoxic hypoxia, 42:228
diving, fetal and adult (seal), 50:999
hypoxic hypoxia, 45:219
menstrual cycle effects, exercise, 51:1493
depletion, boundary layer, blood gas analysis, 51:232
deprivation, viscerosomatic reflex, abolition, 46:1143
diffusing capacity
lung, dithionite method, 46:100
placenta (sheep), 43:885
diffusion, pulmonary arterioles, reflection spectrophotometric measurement, 48:848
diffusivity, proteins and, 44:659
dissociation
automated method of measurement, 45:289
carbon monoxide, 40:487
mixing technique, 45:818
dissociation curve
blood, 53:87
Bohr effect and, physical training, 52:1524
equation for, 50:971
high-altitude pregnancy, 52:690
interconversion, blood, 51:1080
electrodes: *see* Electrodes; Microelectrodes
energy expenditure, doubly labeled water method of measurement, 53:955
equilibrium curve, blood, 53:87
equilibrium properties, blood and hemoglobin, fetal and adult (seal), 50:999
excess, postexercise, 49:1057
exchange
hematocrit maldistribution effects, intrapulmonary, 46:240
inert gas pattern, single-breath tests, 50:487
liquid breathing, 49:262
exercise
chemoresponsiveness, 45:557
computerized testing, 49:456
stork, 49:491
tidal volume and, 46:322
exposure
cardiorespiratory changes during, awake state (sheep), 53:110
serotonin depression, lung, 42:33
extraction
α-adrenergic blockade, 45:219, 48:630
anemic hypoxia, hindlimb and total, 45:966
coronary blood flow, 49:759
hypoxia, skeletal muscle (avian), 50:450
hypoxic hypoxia, hindlimb, 46:1023
treadmill exercise, 50:1206
fetal, in hypoxic stress, mathematical model, 42:179
flow, chemoreceptors, aortic and carotid, hypotension, 48:781
flow-dependent catheter, 44:124
gradient, alveolar-arterial, hemorrhage and shock, 42:279
hemoglobin affinity, short-term exhaustive exercise, 48:236
hyperbaric
effects on collagen and elastin, 41:295

glucose metabolism, lung, 46:943
5-hydroxytryptamine clearance, pulmonary, 43:254
oxygen tolerance, pulmonary, 42:593
studies, urinary bladder, 40:483
inspired fractions
acid-base status, 49:863
gas exchange, respiratory, 50:210
intake
aging, 43:280
exercise, coronary disease and, 52:71
exercise, factors limiting, 52:976
maximal, 40:611
ozone exposure, 42:531
wind resistance and assistance, running, 48:702
iron-deficient erythrocytes, 44:710
local regulation, collateral ventilation, 40:819
low, breathing apparatus and, 53:1281
low level, endotoxin protection, 51:577
maximal, exercise capacity and, thyroid deficiency, 49:1022
maximum, nitrogen-dilution measuring technique, 51:772
measurement, 40:443
current-to-voltage convertor, 44:970
fast-responding flow-independent blood gas catheter, 48:376
metabolic acidosis and alkalosis, 48:355
metabolic rate, measurement, 43:916
metabolism
N-formyl peptides, lung macrophage (guinea pig), 50:736
tissue, continuous measurement, 43:370
monitoring, continuous, arterial, 44:969
myocardial
β-adrenergic blockade, 49:28
coronary blood flow, exercise and, 49:759
nitrogen dioxide and, pulmonary, 44:364, 370
partial pressure (tension)
chemoreceptors, 50:580
tissue, 50:580
polycythemia, high altitude, 49:311
postcapillary changes, blood pH, 45:565
pressure
alveolar, hypoxic pulmonary vasoconstriction and, 51:871
alveolar-arterial difference, exercise, 45:512
arterial, control of, 50:1362
arterial, hypoxic pulmonary vasoconstriction and, 51:871
arterial, inspired carbon dioxide and, 52:287
arterial, panting (antelope, dik-dik), 44:534
blood and gas analysis, electrode for, 45:637
computations, equations for, 46:599
electrode, noninvasive monitoring, 51:1027
elevated, energy status, lung, 45:56
half-saturation, mixing techniques, 45:818
intracerebral, continuous measurement, 44:528
measurements, carotid body, 41:180
microelectrodes or micropipettes, position of tip, 49:916
P_{50} determination, carboxyhemoglobin, 44:317
precapillary blood, pulmonary vasoconstrictor responses to, 51:1009
tissue, circulatory response, 46:973
venous, hyperlactatemia and, 45:195
product, release, *N*-formyl peptides, lung macrophages (guinea pig), 50:736
propranolol-vagal-alveolar interactions, collateral gas flow, lung, 52:1426
pulmonary diffusing capacity, rebreathing technique, 51:1643
pulse, work rate, optimal, mountaineers, 44:952
rebreathing techniques, 49:910, 52:1493
recovery
anaerobic work, 44:564
uptake kinetics, 48:540
regulation, 43:632
requirements, myocardial, static exercise, 49:676
respiratory response to, postnatal maturation of, newborn (lamb), 52:428
resting, locomotion and fasting (penguin), 49:888
saturation
arterial, stairclimbing and cycling exercise, 46:510
computations, equations for, 46:599
exhaustive exercise, 48:236
prediction of oxygen tension, 42:985
sleep, adolescents, 51:557
temperature effects, 43:545
sensors, monopolar intravascular, 44:969
single-breath test
airway closure during anesthesia, 47:874
individual lungs, 40:305
lung lobe volumes and ventilation, 47:182
lung emptying, 43:983
skeletal muscle, 49:627
solubility, blood, 40:815
storage (beaver), 42:545
stores
active sleep, newborn, 46:1081
lactate responses, arterial, 42:39
supply limitation, hindlimb and total, anemic hypoxia, 45:966
techniques, shunting quantitation, 41:409
tension
alveolar, hypoxic pulmonary vasoconstriction and, 53:134
arterial, central vascular shunts, 53:1360
carotid chemoreceptor stimulation, 50:884
cerebral cortex, hyperbaric conditions, 46:53
hypoxia (gopher), 43:965
hypoxic pulmonary vasoconstriction and, 51:1543
inspiratory-augmenting reflex, 53:1152
measuring, 40:441
mixed venous, hypoxia, 42:228
mixed venous, lactate responses, arterial, 42:38
prediction from oxygen saturation, 42:985
relative, carotid chemoreceptor control, brain and muscle, 45:419
saturation and, interconversion, blood, 51:1080
serotonin uptake and, endothelial cells (calf), 50:1212
spinal cord, embryo (chicken), 53:1455
tissue, carotid body, 50:129
tissue, galvanic electrode measurement, 41:245
venous, hypoxic pulmonary vasoconstriction and, 53:134
tissue, fluorescent probe, 41:598
tolerance
hypercapnia effects, 50:1036
intermittent oxygen exposure, 42:593
lungs, hyperoxia, 42:593
toxicity
alveolar macrophages, 53:685
cardiorespiratory changes (sheep), 53:110
convulsions and, 53:192
exposure, intermittent, 42:593
granulocytes and, 52:1237
hyperbaric, brain, 49:700
hypercapnia effects, 50:1036
neonatal and adult, 45:699
protection by preexposure to hypoxia (rat, mouse, hamster), 53:475
pulmonary, 44:364
pulmonary, prenatal isoxsuprine effect, newborn, 48:505
serotonin depression, lungs, 42:33
serotonin uptake, endothelial cells (calf), 50:1212
solute permeability, alveolar epithelium, 50:859
spermatozoan motility, mitochondrial respiration (ram), 50:531
superoxide dismutase activity, 42:107
surfactant phospholipid metabolism, lungs, 51:1198
undernutrition, newborn, 53:1248
transfer
hematocrit effects, pulmonary, 53:413
skin, 49:438
transpleural diffusion, nonperfused lung, 51:1261
transport
anemia, 44:36
chemoreceptors, 50:580
cold acclimation and, developing lung, 48:886
critical value for, 53:660
exercise, following blood reinfusion, 53:1213
exercise and, 40:982
hypoxia (gopher), 43:965
hypoxia-induced metabolic and core temperature changes (monkey), 42:273
limitations at altitude, 40:658
polycythemia at high altitude, 49:311
skeletal muscle, during acute anemia, 46:1035
theoretical analysis, 52:1043
treadmill and cycle exercise, 49:59
unloading, Bohr-Haldane effect, steady-state gas exchange, lung, 52:1330
uptake
acceleration and exercise, 40:491
altitude, simulated, 44:652
anaerobic threshold and, computer determination, 52:1349
anaerobic work, 44:564
anemia, norepinephrine and propranolol, hindlimb, 51:565
anemic and hypoxic hypoxia, 42:228
arm training, 45:75
bed-rest deconditioning and exercise, 52:1343
bed rest with exercise, 42:59
bicycle ergometry, underwater, 50:679
body acceleration during running and jumping, 49:881
body temperature and maximal exercise, 46:885
breath-to-breath measurement, 51:1662
carbon dioxide pressure differences, 45:666
cardiorespiratory deconditioning, 41:905
constant-load exercise, 45:381
critical value for, 53:660
curare block, 45:751
cycling, sinusoidally varying pedal rate, 44:97
determination during sodium bicarbonate infusion, 45:399
developed tension and, 45:234, 751
endurance exercise, 44:559
endurance training, middle-aged men, 46:1039
exercise, 40:836, 41:191, 46:1054, 52:921
exercise, 1- and 3-minute responses, 46:1132
exercise, bicycle, 42:959
exercise, kinetics and adjustment to energy requirement, 44:877
exercise, precooling effects, 50:772

Oxygen (continued)
exercise, treadmill (horse), 50:864
exercise and, 50:444
exercise and rest, 43:704
exercising leg, 42:385
exercising muscles, 44:350
graded activity, 50:123
granular pneumocytes, primary culture, 49:743
Haldane transformation, 43:563
hepatic, 40:269
hindlimb, 40:1
humid and dry heat, men and women, 49:1
hyperbaric environment, 46:984
hyperoxia, 51:725
hyperoxia, sinusoidal work and, 48:1083
hypoxia, heat, and humidity, 40:20
hypoxic hypoxia, 45:219, 46:1023
inspired oxygen fractions, 49:863
ischemia, 45:751
lactate responses, arterial, 42:39
load carriage, altitude, 51:14
maximal, cardiac size and, 49:994
maximal, during free, tethered, and flume swimming, 48:232
maximal, endurance exercise, 42:372
maximal, left ventricular function, exercise, 44:44
maximal, trained athletes, 42:833
maximal training, 40:149
maximum, aging comparison, exercise, 51:634
maximum, exercise after ventilatory work, 52:1581
maximum, noninvasive determination, running, 52:869
maximum, ramp exercise, 50:217
maximum, short-term dynamic exercise, 51:1175
maximum, growth, training effects, 53:225
maximum, hypoxia tolerance, exercise, 53:490
measurement, 43:916
measurement, neonates, 46:1200
measurement, titration methods, 52:786
measurement, tracer-bolus method, 50:898
noninvasive measurement, 40:91
norepinephrine and α-block effects, hindlimb, 51:1245
peak, exercise, wheelchair, 50:824
prolonged exercise, 50:27
pulmonary arterioles, 48:848
recovery anaerobic work, 44:564
red blood cell membrane resistance, 49:306
regional, anemic hypoxia, 45:966
sinusoidal and impulse work loads, 48:289
skeletal muscle, acute anemia, 46:1035
stairclimbing and cycling, 46:510
step work load effects, 52:1198
submaximal exercise, trained state, 48:218
tissue, continuous measurement, 43:370
transient, exercise onset, 44:90
treadmill running, 49:571, 52:505
zero gravity, 46:541
utilization
brain, 40:638
maximum, erythrocythemia, 48:636
ventilatory equivalent, endurance training, middle-aged men, 46:1039
Oxygenation
arterial
acceleration, 44:483
maternal hyperventilation effects, high altitude, 52:690
maternal infant birth weight and, high altitude, 52:695
blood, equations for, 50:971
cerebral
fetal (sheep), 43:1080
mitochondrial redox activity and, species differences (turtle, rat), 53:1354
chorioallantoic capillary blood, 40:399
hyperbaric, spermatozoan, mitochondrial respiration (ram), 50:531
substrate, exercise capacity and, thyroid deficiency, 49:1022
unilateral pneumonitis, 52:147
Oxygenator
membrane
intrapulmonary carbon dioxide receptors (duck), 52:1272
tubular, 40:476
Oxygen-carbon dioxide interaction, aortic body chemoreceptor responses, 47:858
Oxygen-carbon dioxide mixing system, water-breathing animal study, 51:229
Oxygen dissociation curve
chorioallantoic capillary blood, embryo, 40:393
computations for, 46:593
exchange, contusion, pulmonary, 47:729
exercise tolerance and, high altitude, 53:1487
exposure, bioenergetics in type II pneumocytes, 47:98
helium and, hypothermia, 47:228
hemorrhagic shock, 47:889
high, inhalate thermal conductivity, hypothermia, 47:228
lung injury, endotoxin protection, 47:577
pressure, half-saturation of hemoglobin, hemorrhagic shock, 47:889
temperature effects, 43:545
tension
changes, aortic body chemoreceptor response, 47:858
lung perfusion in situ, 47:325
toxicity
endotoxin protection, lung, 47:577
pneumocytes, type II, bioenergetics, 47:98
transport
altitude, 47:337
anemia, 47:882, 889
uptake
gas analyzer response time, 47:1118
maximum, arm exercise, 47:754
ventilation-perfusion relations, alterations, 47:1112
Oxygen-hemoglobin
affinity, theoretical analysis, 52:1043
blood, in altitude Sherpas, 47:337
half-saturation pressure, 47:478
oxygen depletion and, blood gas analysis, 51:232
reflection spectrophotometric measurement, pulmonary arterioles, 48:848
saturation, interconversion, model, 51:1080
Oxygen-hemoglobin dissociation curve
analyzer, 41:259
determination, 44:317
oxygen electrode syringe, 40:441
Oxygen-hemoglobin equilibrium curve, oxygen tension prediction, 42:985
Oxyhemoglobin: *see* Oxygen-hemoglobin
Oxylabile carbamate, oxygen affinity, blood, 53:87
Ozone
airway responses, detection (sheep), 48:789
bronchial hyperirritability, 43:626
dosage augmentation, 46:309
exposure
erythrocyte response, 45:893
lipid peroxidation, 45:927
pulmonary function, exercise effects, 43:409
repeated, adaptation to short-term respiratory effects, 43:82
tachypnea, mechanism, 46:1108
work performance, maximum, 42:531
inhalation
exercise, pulmonary function and blood chemistry responses, 43:75
oxygen consumption, 46:309
tachypneic response to hypoxia and hypercapnia, 48:163
toxicity, continuous exercise, 51:415

P

Pacemaker
cardiac, 40:987
cardiac output changes with, ventilatory response to, 51:1103
Pacing
atrial, 40:741
oxygen consumption and exercise, 49:759
Palmitate
nonshivering thermogenesis, 42:159
oxidation, respiratory capacity, muscle, 49:102
oxidation capacity, functional overload, skeletal muscle, 50:1212
serotonin uptake, lung, 46:447
Palmitic acid, surfactant, lung, newborn (lamb), 49:1091
Pancreas, microcannulation, 40:984
Panting
arterial carbon dioxide tension, heat stress (sheep), 50:315
blood flow distribution and, pulmonary (ostrich), 53:1411
blood gas changes (antelope, dik-dik), 44:534
efficiency, small mammals (marsupial and rabbit), 42:537
frequency effects, plethysmographic measurement, thoracic gas volume, 52:739
gas exchange during (chicken), 53:1418
metabolic cost, dehydration, 51:46
respiratory impedance, postpanting, 48:1024
Papain
emphysema, 48:284
enzyme-induced, 41:332
structure and function, lung, model, 51:321
forced oscillatory respiratory parameters, 46:61
inhibitory capacity, serum, 41:174
red blood cell membrane, oxygen uptake, 49:306
Parabronchial lung, carbon dioxide exchange, 41:302
Parachlorophenylalanine, respiratory afterdischarge, 50:239
Paralysis
anesthesia-induced
closing capacity, 44:238
ventilation-perfusion, 47:745
gas distribution
inspired, muscle, 49:279
muscle, intrapulmonary, 42:391, 45:528
pulmonary perfusion, regional, muscle, 43:993
reversible, diaphragm, 51:1150
servo-control, end-tidal carbon dioxide, 45:133
Paramecium, bubble formation, intracellular, lack of, 47:1270
Paraplegia, sweating, set-point, 45:451
Parasternal intercostals, mechanics, acute diaphragm paralysis, 53:373
Parasympathetic ganglia, bronchoconstriction, serotonin effects, 52:964
Parasympathetic innervation
hypoxia, heart, 50:1017
trachealis muscle, 49:84, 53:617
Parasympathetic nerve
barbiturate effects
trachea at ganglia (ferret), 53:253

Parasympathetic nervous system, bronchoconstrictor pathway, general anesthesia effects, 53:126
Parasympathetic neurochemical markers, hypoxia-induced changes, heart, 50:1017
Parasympathetic system, allergy, 42:600
Parathyroid hormone, capillary extraction, 40:17
Parenchyma: *see* Lung parenchyma
Pargyline, chemoreceptor responses to, aortic body, 53:596
Parotid gland, cellular dynamics, heat acclimation, 44:21
Particles
deposition, model airways, 47:947
inhalation, airway reactivity, 46:189
inhaled, calculated deposition in airway generations, 47:867
Partition coefficients: *see* Gas
Partitioning
inspiratory pressure swings, 44:200
pulmonary resistance, 44:728
pulmonary vascular resistance, arterial and venous occlusion, 52:710
Parturition, tracheal fluid decrease, fetal (lamb), 47:985
Pathochemical indices, heat injury, 45:1
Pathophysiological states, vascular reactivity, angiotensin I conversion, 48:308
Paynter filter, electromyographic analysis, 43:551
Pedaling: *see* Exercise
PEEP: *see* Pressure, positive end-expiratory
Peltier cooler, temperature control, 43:160
Penicillamine, connective tissues, lung statics, 49:1083
Pentane production, measurement, methods, 45:927
Pentobarbital anesthesia
airway occlusion, functional residual capacity, 51:143
altitude acclimation and, heart atria, 51:1607
collateral channel response, vagal effects, 51:1314
high-pressure neurological syndrome, 43:221
hyperbaric oxygen toxicity, brain, 49:700
mucociliary clearance, measurement, 42:451
respiratory effects, newborn, 42:845
temperature, pressure reversal and (fish), 42:329
tracheal mucosa, rheology, 46:504
Pentose cycle, hyperbaric oxygen exposure, lung, 46:943
Pentylenetetrazole, high-pressure neurological syndrome, 46:128
Peptides
N-formyl, oxygen release, lung macrophages (guinea pig), 50:736
opioid, hypoxia-induced ventilatory depression and, 52:1030
plasma C-, exercise, trained and untrained, 50:71
Perceptions, illusory, motion sickness, 50:469
Perfusion: *see also* specific subject and site
carbon dioxide and bicarbonate exchange, lung, 51:1136
distribution, head-up tilt, 45:249
edema, lung, 53:1273
extracorporeal, metabolic carbon dioxide load, 50:45
gas: *see* Gas, and the specific gas
heart, bicarbonate flux and intracellular acid-base regulation, 43:925, 931
heterogeneity, prostaglandin E_1 uptake, lung, 50:428
isobaric inert gas supersaturation (piglet), 44:914
limitations, cerebral gas exchange, 46:1164
lung
alveolar amplitude response technique, exercise, 50:1071
alveolar volume-surface area, 47:990
blood flow and ventilation, 46:278
compensatory growth after pneumonectomy, 46:326
contusion, lobar, 47:718, 729
flail chest, 47:729
glucose metabolism, 46:943
heterogeneity, hypoxia, 47:532
hyperbaric pressure, model, 46:943
oxygen tension effects, 47:325
vascular and extravascular compartments, 46:74
multicatheter, antirotary device, 42:449
pressure: *see* Pressure
pulmonary
air embolism and, 51:211
artery occlusion (sheep), 53:543
gas exchange, liquid breathing, 49:262
hemorrhage and shock, 42:279
high-frequency oscillation, 51:1507
lobar acid injury, 49:150
regional, and ventilation-perfusion, in anesthesia-paralysis, 43:993
regional, pulmonary edema effects, 49:834
transvascular fluid filtration, determination, 42:476
vascular response to intracranial pressure increase, 42:335
regulation, atelectatic lung (pig), 52:647
single-breath nitrogen test, 49:552
vascular, fixation, lung shrinkage and, 48:382
ventriculocisternal
cerebral fluid composition, high altitude (goat), 47:508
cerebrospinal fluid, fetal (lamb), 50:880
Perfusion fixation
hypertonic sodium chloride effects, pulmonary, 51:1443
lung, structure-function analysis, 53:528
Peribronchial electrical admittance, lung congestion, 49:337
Peribronchial pressure: *see* Pressure
Pericardial fluid: *see* Fluid
Pericardial pressure: *see* Pressure
Perinatal physiology: *see* Fetus; Newborn, Placenta
Peripheral chemoreceptors: *see* Receptors
Peripheral chemoreflexes: *see* Reflexes
Peripheral circulation: *see* Circulation
Peripheral nerves, stimulation, gas exchange kinetics during exercise, 46:1054
Peripheral pooling, vascular, renal response to immersion, 45:786
Peripheral resistance: *see* Resistance
Peripheral temperature: *see* Temperature, body
Peripheral tissue: *see* Tissue
Peristalsis, cholinergic effect on, 40:40
Perivascular cholinergic plexus, 40:30
Perivascular pressure: *see* Pressure
Permeability
alveolar-capillary, aerosolization, 51:955
alveolar epithelium
water and solutes (bullfrog), 52:902
water and solute transport (bullfrog), 50:1263
alveolocapillary, albumin flux (sheep), 47:1315
capillary
hypoxic effects, exercise, supine posture, 51:148
lung lymph (sheep), 52:585
capillary bed
acute dehydration (desert rodent), 44:585
thermal dehydration, 47:738
cerebrovascular, sucrose, microwave exposure, 49:218
endothelial
pulmonary artery occlusion and reperfusion effects, 50:102
pulmonary embolization (sheep), 51:461
pulmonary microembolization, 53:1546
erythrocytes, aliphatic acids, 53:1138
fluid-protein exchange, sympathetic nerve stimulation (sheep), 47:1025
horseradish peroxidase, pulmonary capillaries, 42:13
hydrostatic pressure and, lung water, 50:905
increased, lung water, 50:905
indicators, histamine pulmonary edema (sheep), 43:99
ion, airway, 51:706
lung
endotoxin and hemorrhage, 52:403
fluid and protein exchange (sheep), 53:543
fluid, sympathetic control (sheep), 51:88
microvascular injury, shock and reinfusion, 50:1227
multiple indicator curves (sheep), 44:245
positive end-expiratory pressure effects, water content, 53:9
protein, fluid and small molecule, 50:1
lung epithelium, in edema, 44:576
membrane, diffusion barriers, tracheal epithelium, 52:1223
microvascular
pulmonary, emboli (sheep), 47:213
venous air emboli and (sheep), 51:887
microvascular pulmonary, α-naphthylthiourea, 52:1316
nonelectrolyte, tracheal epithelium, 51:363
protein
alveolar capillary, 42:144
alveolar edema and, 53:121
alveolar epithelial, lung inflation effects, 49:1032
pulmonary, vasodilator effects (sheep), 46:146
pulmonary capillary, hemorrhagic shock, 45:298
pulmonary edema, indomethacin effects (sheep), 53:563
pulmonary microvascular, fetal and newborn (lamb), 53:992
pulmonary vascular
acid aspiration, 51:335
bradykinin-induced, hypoxia (sheep), 52:370
progressive pulmonary embolization (sheep), 45:590
red cell membrane and CO_2 transfer, lung, 50:265
skin, gas flow, 49:438
small solutes, alveolar epithelium, 52:3
solutes
alveolar epithelium, in alloxan edema, 44:353
oxygen breathing effects, alveolar epithelium, 50:859
tracheobronchial mucosa, horseradish peroxidase, 45:939
vascular
arachidonate effects, lung (sheep), 48:581
endotoxin, diphenhydramine, lung (sheep), 49:516
ethchlorvynol and, 50:1151
fibronectin deficiency, lung (sheep), 49:693
granulocytopenia effects, lung (sheep), 52:155
heart and lung, myocardial ischemia, 45:102
lung, platelet depletion after microemboli (sheep), 48:414

Permeability (continued)
microembolization (sheep), 53:895
obsonic fibronectin deficiency, lung (sheep), 49:693
pulmonary, lymph transport (sheep), 47:792
pulmonary embolization effects (sheep), 52:1565
vasodilator and constrictor responses, hypoxia (pig), 49:820
Permeability-surface area product, pore-membrane models, 51:1574
Peroxidase, pulmonary, preexposure to hypoxia (rat, mouse, hamster), 53:475
Personality: *see* Behavior
Perspiration: *see* Sweating
pH
acute hyponatremia, 49:95
arterial, 41:462
carotid body sensitivity, 45:768
prolonged exercise, 50:27
ramp-step forcing, 45:502
ventilatory response, carotid body denervation (pony), 52:1614
arterial blood gases, normal, rest and exercise, 46:806
Astrup, 40:123
biogenic amines, pulmonary removal, 44:553
blood
carbon dioxide pressure and, relations (chimpanzee), 46:381
exercise, heat dehydration and, 50:1255
hypoxia effects (sea bass), 53:1336
postcapillary changes, acetazolamide titration, 45:565
sensors for intravascular monitoring, 40:644
brain extracellular fluid, isocapnic and hypocapnic hypoxia, 53:247
carbon dioxide and, measurement, 40:625
carbon dioxide and bicarbonate exchange, lung, 51:1136
cerebral extracellular fluid, blood flow and, 47:818
cerebrospinal fluid
measurement, 43:566
metabolic acidosis and alkalosis, 48:355
pial response, after hypercapnia and hypoxia, 46:89
ventilatory acclimatization to altitude, 45:275
changes
during panting (antelope, dik-dik), 44:534
gas exposure, embryo (chick), 50:819
with pressure, blood plasma, 50:320
disequilibrium
carbonic anhydrase activity, vascular, 49:211
postcapillary, after gas exchange, liver, 47:1079
exercise hyperventilation, McArdle's disease, 52:991
flux, intracellular, myocardial, 43:925, 931
hydrogen ion concentration, hindlimb, 40:1
hypoxia, 42:44
intracellular
airway smooth muscle, 42:408
bicarbonate concentration, muscle, 45:474
body temperature and (iguana), 53:1466
regulation, normal and hypertrophic myocardium, 47:651
regulation in lungs and other tissues, hypercapnia, 45:115
vascular smooth muscle, adenosine and (hog), 51:179
isocapnic, tidal volume dynamics, 45:502
lactate, excess, 42:44
mescaline, pulmonary removal, 44:553
metabolic responses, cardiorespiratory, to exercise, 43:959
mucus, trachea, 50:1224
muscle, needle-biopsy specimens, 53:1310
muscle surface, measurement, 52:85
myocardial cell, chloride depletion, 51:1630
oxygen pressure calculation, 46:599
physical performance, 49:863
plasma, changes in vitro and vivo, 42:928
postcapillary changes
after gas exchange, 44:770
blood, anesthetized animals, 45:674
during carbonic anhydrase inhibition, 43:582
plasma carbonic anhydrase effects, 49:708
red cell, fetal (sheep), 45:7
regulation, carbon dioxide set point effects, exercise, 51:185
repeated exercise effects, 53:436
sensation and vastus lateralis, electromyography, cycling exercise, 52:1181
sensors, indwelling, tidal volume dynamics, 45:502
slow equilibration, carbon dioxide pressure differences, 45:666
spermatozoan motility, hyperbaric oxygen effects (ram), 50:531
surface, metabolic acidosis and alkalosis, brain, 51:276
temperature-induced changes, 40:752
ventilatory responses, hypoxia and hypercania, 43:1019
Phagocytic cells, free radical, 46:136
Phagocytosis
colchicine or cytochalasin B effects (hamster), 50:621
hydroxyl radical formation, 46:136
intercellular heterogeneity, 42:432
pulmonary, 47:79
Pharmacological properties: *see* specific subject and site
Pharmacologic studies: *see* specific subject and site
Pharyngeal pressure: *see* Pressure
Pharynx
extrathoracic airway patency, 46:772
genioglossus muscle and, 49:801
upper airway occlusion, sleep pathogenesis, 44:931
Phase shift
dynamic calibration, electromagnetic flowmeters, 53:294
inspiratory, vagus nerve, 50:1183
tidal volume during carbon dioxide breathing, rib cage and abdominal diaphragm in, 46:709
Phenobarbital
high-pressure convulsions, 47:834
high-pressure neurological syndrome, 43:221
Phenobarbital sodium, high-pressure neurological syndrome, 46:756
Phenoxybenzamine
hypothermia, 40:876
hypoxic pulmonary vasoconstriction, 44:76
microvascular response, skeletal muscle, cold acclimation, 44:190
pulmonary vascular response, intracranial pressure increase, 42:335
sympathetic influence, alveolar surface activity in hyperventilation, 44:327
Phentolamine
adrenergic blockade and, exercise (sheep), 52:315
contraction, trachealis muscle, 48:329
coronary vascular resistance, exercise effects, 53:631
fluid secretion, tracheal gland (ferret), 49:1027
histamine bronchoconstriction, adrenergic influences, 44:340
pulmonary hypertension, ethchlorvynol-induced (sheep), 53:563
sympathetic control, lung fluid filtration (sheep), 51:88
thermal effects, hypothalamus, rest and exercise, 49:937
Phenylalanine
metabolism, lung, 47:72
protein degradation, lung, 47:1058
Phenyl diguanide
J receptor stimulation, 41:1
J reflex, hypoxia, 46:1143
Phenylephrine, ion transport, tracheal epithelium, 47:397
Phenylethanolamine-*N*-methyltransferase, adrenal, seasonal acclimation (vole), 44:59
Phenylethylamine, uptake and metabolism, lung, newborn, 50:118
Phenytoin
high-pressure convulsions, 47:834
high-pressure neurological syndrome, 46:756
Phonopneumography, automated flow-gated, vesicular lung sound mapping, 53:603
Phosphagen, muscle contents, after exercise, 43:852
Phosphate
high energy, myopathy, 43:936
inorganic: *see* Inorganic phosphate
organic, red cell, exercise training and, 52:1524
oxygen affinity, blood, reduction, 47:478
Phosphate pool, labile, cerebral, 45:312
Phosphatidylcholine
desaturated
lung maturation, in diabetes, fetal, 48:643
temperature and ventilation effects, lung, 51:646
hydrocortisone effects, lungs, 42:202
lung
biochemical development, 45:355
development, fetal (rhesus monkey), 43:92
maturation, fetal, diabetic mother, 49:971
metabolism, surfactant, 42:483
natural surfactant treatment, premature newborn (lamb), 51:306
saturated, prostaglandin synthesis and, lung, fetal (lamb), 51:1562
surfactant, lung, newborn (lamb), 49:1091
surfactant release and, lung, 51:90
Phosphatidylglycerol
pulmonary surfactant, 53:1
surfactant, lung, newborn (lamb), 49:1091
Phosphodiesterase
activity, fat cell ghosts, physical training effects, 42:884
exercise and, adipose tissue, 50:255
Phosphoenolpyruvate carboxykinase
induction, cold sensitization and, 46:14
Sindbis virus infection, survival in cold, 47:923
Phosphofructokinase
functional overload, skeletal muscle, 42:267, 312
myofibril, running time course changes, 42:267
Phosphoglucoisomerase, training, 40:868
Phosphoglucomutase, training, 40:868
Phospholipase C, red blood cell membrane, oxygen uptake, 49:306
Phospholipids
alveolar, swimming exercise effects, 53:1521
lung
development, fetal, 48:872
expansion and survival, neonate, 53:838
release

air inflation and, excised lung, 51:905
lung, dibutyryl cyclic guanosine monophosphate and hyperventilation, 47:285
surfactant
control of release, lung, 51:90
metabolism, hyperoxia, lungs, 51:1198
pulmonary, 43:39, 49:34, 51:248
synthesis, lung, fetal, 52:1420
Phosphorus
bone, phasic changes during hypercapnia, 48:802
inorganic, plasma content, treadmill exercise effects, 53:1529
Phosphorylase
adenosine monophosphate, cyclic and, exhaustive exercise, heart, 51:1539
training, 40:149
Phosphorylase *a*, skeletal muscle activation, 45:852
Phosphorylation, oxidative, spermatozoan motility, mitochondrial respiration (ram), 50:531
Phosphorylcreatine, muscle, exercise effects, 43:852
Photography, peripheral pulmonary airway expansion, 42:976
Photomicrography, image compositing, 51:84
Phrenic activity
central neurotransmitter effects, 50:239
lung stretch, arterial carbon dioxide tension and, 53:185
neural, lung inflation, 50:149
Phrenic efferents, respiratory inhibition (dog, monkey), 44:718
Phrenic fibers, hypercania and hypoxia, 46:1096
Phrenic inhibitory reflex: *see* Reflexes
Phrenic motoneurons
activity comparison, eupnea and gasping, 50:994
hypercapnia and isocapnic hypoxia, 46:1096
Phrenic nerve
activity, 41:536
airway occlusion, anesthesia, 51:143
central neural respiratory afterdischarge, 45:339
diaphragm paralysis, 51:1150
hypercapnia after vagotomy, 47:91
hypoxia and hypercapnia effects, 51:732
salicylate and 2,4-dinitriphenol effects, 53:925
automatic ventilatory patterns, brain stem genesis of, 51:204
central apnea recovery and, newborn (piglet), 53:105
diaphragm, costal and crural parts, 53:30
discharge, respiratory pattern changes, costovertebral joint movement, 48:852
hypercapnia and hypoxia, 46:1096
pulmonary arterial distension, 46:625
respiration and, 48:826
respiratory inhibition, apnea, newborn (pig), 50:874
respiratory pressure
airway occlusion, 51:99
volume changes and, 51:109
salicylate-stimulated, 46:1029
section, respiratory system and, fetal (lamb), 51:293
single-fiber activity, gasping, 50:994
stimulation, 40:971
diaphragmatic fatigue, 50:538
thoracic volume-airway occlusion pressure relations, 43:312
Phrenic output, motoneuron, lung inflation, 50:149
Phrenic reflex: *see* Reflex
Phylogenetic relations, high-pressure neurological syndrome, 46:128
Physical fitness: *see also* Exercise
acclimation to humid heat, men and women, 49:254
test, 42:833
Physical strength: *see* Strength
Physical training: *see* Exercise
Physiological dead space: *see* Dead space
Physiological limits, work in heat, clothed men and women, 44:918
Physiological properties: *see* specific subject and site
Physiological response
dry heat, activity, sex differences, 52:825
slopes, respiratory, directional analysis, 45:823
Physiology
applied, wheelchair design, 48:41
comparative: *see* Species differences
environmental, 40:206
labor, 41:316
Pial arterioles, hypercapnia and hypoxia, effects, 46:89
Pilocarpine
breathing, fetal (lamb), 50:1348
reduced surface tension and, 41:7
surface tension, fetal lung, autonomic control, 43:1039
Pimozide, temperature regulation, exercise, 49:363
Pinocytosis
alveolar epithelium permeability, 52:3
vesicles
air-blood barrier, 50:334
pulmonary, horseradish peroxidase permeability, 42:13
Placebo, sweet, ingestion before exercise, 51:783
Placenta: *see also* Fetus; Pregnancy
blood flow, exercise and, 40:725
diffusing capacity
carbon monoxide, 45:155
carbon monoxide and oxygen (sheep), 43:885
exercise, hypoxia, 46:828
oxygen, carbon monoxide transfer (sheep), 52:479
oxygen changes, in hypoxia, mathematical model, 42:179
Plantarflexion, ankle, joint position and, 52:1636
Plantaris, overload, 52:473
Plasma
ascorbate concentration, lung, 51:1477
coagulation factors, 41:702
constituents: *see* specific constituent
contents, training and heat acclimatization, 43:591
cortisol: *see* Cortisol
dilution, 40:55
electrolytes: *see* Electrolytes
flow: *see* Flow
hypoxic vascular response and, isolated lung, 51:875
indices, exercise, heat and, 51:62
osmolality: *see* Osmolality
osmolarity: *see* Osmolarity
pH: *see* pH
progressive treadmill and cycle exercise, 49:59
protein: *see* Protein
skimming, chemoreceptor response to carboxyhemoglobinemia, 50:580
volume: *see* Volume
water-binding capacity, trained boys and fit young men, 43:1085
water: *see* Water
Plasma clot lysis, long-distance racing (horse), 50:245
Plasma creatinine, muscle mass and, 51:762
Plasma-lymph equilibration, ^{51}Cr-EDTA, regional lung water, 49:547
Plasmin, activity, exercise and, 48:821
Plasminogen
fibrinolysis and, exercise effects, female, 53:330
turnover, exercise, 42:865
Platelet antiserum
lung vascular permeability, after microemboli (sheep), 48:414
pulmonary vascular response and, 41:211
Platelets
activation, pulmonary response to endotoxin, 50:178
aggregation, pulmonary microembolization, 43:51
depletion, lung vascular permeability after microemboli (sheep), 48:414
exercise, 40:287
function, hypobaric hypoxia and, 41:702
high altitude, 49:1047
hypoxic vascular response and, isolated lung, 51:875
release action, exercise and, 48:821
sepsis, pulmonary edema and, lung (dog, baboon), 50:1198
sequestration, hemorrhagic shock and reinfusion, lung, 50:1306
serotonin, pulmonary response to endotoxin, 50:178
Plethysmography, 41:581, 659
admittance, transthoracic, cardiac output, 40:451
airway
closure, maximal expiration, 48:695
resistance measurement, infant, 43:155
body
airway resistance measurement, noninvasive, 46:399
failure, airway obstruction, 52:949
failure, bronchial asthma, 52:939
head-out exercise, 47:1336
pulmonary mechanics (ferret), 50:799
volume-displacement, with large flowmeter without pressure compensation, 47:1127
capacitance, pulmonary capillary blood flow measurement, atraumatic, 42:980
computer determination, thoracic gas volume, 52:798
electrical impedance, altitude effects, 42:722
electrocapacitance, skin blood flow during exercise, 46:780
fast integrated flow, species differences (mouse, rat, guinea pig, hamster), 50:1104
forearm, summated circulatory response, 52:184
functional residual capacity, 46:867
gas, abdominal, in Boyle's law determination of thoracic gas volume, 44:679
hypoxia and exercise effects, blood flow, cutaneous, 53:920
impedance, step work load, 52:1198
jacket
critical assessment of, 52:267
for children, 45:630
linearity, body flow, 50:658
lung volume
infants and young children, 53:698
pleural pressure and, measurement, 46:927
nonhomogenous alveolar pressure, airway closure, 49:398
noninvasive techniques, 45:644
panting frequency effects, thoracic gas volume, 52:739
pulmonary mechanics, exercise, 49:506, 511
respiratory inductive, ventilatory monitoring, awake state (sheep), 51:1657
respiratory mechanics, anesthesia, 45:255, 49:197
servo control, hydrostatic pressure, 41:107
specific airway conductance, infant, 43:144
thoracic gas volume, computer determination, 48:911

Plethysmography (continued)
tidal volume, measurement, 49:1107
venous occlusion, cerebral blood flow, preterm infants, 48:468
whole-body
barometric measurement of tidal volume, 49:319
gas volume measurement, thoracic, infant, 52:995
Pleurae, boundary lubrication of, surfactants, 53:463
Pleural effusion, lobar atelectasis, 48:29
Pleural membrane, tension, measurement, 47:175
Pleural pressure: *see* Pressure
Pneumocardiogram, stroke volume relations, 52:1672
Pneumocytes
ascorbate uptake, lung, 51:1477
granular
fasting effects, 42:88
metabolism, primary culture, 49:743
lamellar body volume density, excised lungs, 53:555
purification of, alveolar type II cells, 53:258
type II, bioenergetics, high oxygen exposure, 47:98
Pneumonectomy
compensatory lung growth, 46:326
Fourier analysis, spirometric curves, 53:977
lung function after, static (puppy), 50:1146
structural changes, lung and pulmonary artery, 53:859
Pneumonia
pneumococcal, positive end-expiratory pressure effects, pulmonary, 50:517
pneumococcal lobar
effects, lung mechanics, 50:283
gas exchange and pulmonary perfusion, 50:524
positive end-expiratory pressure effects, pulmonary, 50:517
Pneumonitis
acid aspiration, 49:150
canine acid, positive end-expiratory pressure and position effects, 52:147
Pneumotachography
flow-volume relations, 41:120
helium-oxygen breathing, flowmeter calibration, 51:1038
nasal flowmeter, self-retaining, preterm infant, 48:569
Pneumotachometer
calibration, computerized, 53:280
ventilation measurement, neonates, 53:1307
Pneumotaxic center, ventilation regulation, 41:612
Pneumothorax
chemoreceptor activity, aortic, 51:665
reexpansion pulmonary edema, 46:31
Poikilotherms
acid-base regulation, 45:922
ventilation and (alligator), 52:114
Poiseuille's equation,
gas viscosity measurement, 53:290
pressure-flow relations, bronchial tree, 51:1072
Poisson's ratio, elasticity, lung, model, 51:254
Polarization, single axons (crayfish), 47:561
Polarography
hypodermic needle oxygen tension electrode, 48:186
oxygen uptake, tissue, continuous measurement, 43:370
Pollution
oxidant air
bronchial hyperirritability, 43:626
pulmonary function, exercise effects, 43:409
Polycythemia
erythropoiesis, splenic, 48:857
high-altitude
aging and, 45:1019
propranolol treatment, 48:473
hypervolemic, physiological effects, newborn, 53:865
work capacity, high altitude, 49:311
Polyethylene, gas partial pressure, intracerebral tissue, 44:528
Polygraphic monitoring, nasal flowmeter, preterm infants, 48:569
Polymorphonuclear leukocytes: *see* Leukocytes
Polynomial function, lung: *see* Lung, function
Polyoxyethylene (20) sorbitan monooleate, surfactant deactivation, alveolar function following, 51:895
Polypeptides, trachea and bronchus and, 41:62
Polypnea, hypocapnic, phrenic activity, 47:91
Pons, gasping, respiratory pattern characterization, 50:984
Pontogeniculoccipital waves, rapid-eye-movement sleep, 48:54
Pooling, peripheral vascular, renal response to immersion, 45:786
Pores, Kohn, transpulmonary and vascular pressure effects, 51:739
Pore size, pulmonary vascular, embolization and (sheep), 45:590
Positive end-expiratory pressure: *see* Pressure
Positive-pressure breathing: *see* Respiration
Positive-pressure ventilation: *see* Ventilation
Postcapillary changes, blood pH, acetazolamide titration, 45:565
Postcapillary resistance: *see* Resistance
Postinspiratory mixing, cardiogenic oscillations and, lung, 51:922
Postnatal age: *see* Age
Postnatal development: *see* Newborn
Postural tremor: *see* Tremor
Posture
arm exercise, aerobic and glycolytic metabolism, 47:754
asynchronous ventilation (horse), 48:97
body position
collateral ventilation mechanics, 50:358
unilateral pneumonitis and, 52:147
body tilts, forearm and finger blood flow responses, 46:288
changes
dynamic compliance, youth, 42:706
gas distribution, intrapulmonary, 42:391
thoracoabdominal motion, 45:581
consciousness and, end-expiratory volume, 53:1071
cutaneous vasodilation and sweating, exercise, 50:814
diffusing capacity and
nitroglycerin effects, exercise, 52:851
single exhalation, 43:617
exercise and, plasma volume changes, 45:414
flow-volume curves and, 53:1175
force environmental effects on regional pulmonary displacements and volumes, 44:216
functional residual capacity, 44:291
head-down tilt
water and salt excretion, 49:576
zero gravity and, cardiovascular adaptation, 46:541
heat-up tilt, pulmonary circulatory behavior, 45:249
horizontal effects, reflex control, heart rate (monkey), 52:1552
immersion and, renal responses, 45:786
lateral, alveolar expansion gradient, 43:32
lung emptying, 43:983
plasma volume changes, humid heat, 47:798
prone
gas distribution, regional intrapulmonary, 45:528
respiratory mechanics, halothane-enflurane anesthesia, 46:646
pulmonary perfusion and ventilation-perfusion, anesthesia-paralysis, 43:993
quiet breathing and hyperpnea, abdominal muscle use, 52:700
recumbent, respiratory mechanics, thiopental sodium anesthesia, 46:716
seated and supine, diffusing capacity increases and, 51:858
sitting, pulmonary blood pressure, flow, and volume, 46:36
standing, initial heart rate response, autonomic mechanisms, 49:809
supine
exercise, hypoxia, 51:148
fluid-electrolyte distribution, drinking and, 48:838
partial curarization, respiratory mechanics in, 52:57
thermoregulation, hot humid environment, 48:999
tilt, passive, cardiopulmonary readjustments, 47:503
tilt tolerance, orthostatic response, 51:1404
upper airway patency, infant, 48:500
upper body, ventilation and, 52:879
upright and recumbent, respiratory muscle activity, 51:1552
upright and supine, regional lung water, 49:547
various maneuvers, abdominal muscle activity during, 51:1471
ventilation-perfusion, awake and anesthetized-paralyzed men, 47:745
ventilatory reflexes and, 51:660
ventilatory response and, carbon dioxide, 53:761
Potassium
alcohol effects, exercise, heat, 50:1006
chlorpromazine effects, exercise, heat, 50:509
deficiency, breathing patterns, 43:1063
depletion
dietary, exercise performance, 45:728
hyperthermia and heatstroke, exercise, 51:8
hypoxic hypocapnia, 44:175
excretion, immersion and volume expansion, renal response (monkey), 48:243
heat injury, 45:1
homeostasis, cerebrospinal fluid, 51:369
measurement, estimation of body fat, 41:223
metabolism, effects of de- and rehydration, 41:457
muscle, after exercise, 45:474
plasma, orthostatic responses, fainting, 51:1404
plasma content, exercise, heat dehydration and, 50:1255
total body, loss, estimation, 43:331
Potassium chloride
depolarization, hypoxic vasoconstriction, lung, 49:450
hypoxia effects, pulmonary vascular response (pig), 50:561
plasma content, treadmill exercise effects, 53:1529
Potassium cyanide, respiratory responses, 43:1075
Potassium ions
contractions, skeletal muscle, 45:234
plasma, training and heat acclimatization, 43:591
Potential difference
cerebrospinal fluid-blood, acid-base balance regulation, 51:369

cornea, 40:447
Potentials
action
axons, hyperbaric air and hydrostatic pressure effects (crayfish), 47:561
bundle branch and subadjacent muscle, 42:235
conduction velocity, muscle fatigue, 43:750
correlates of pressure-induced changes in cardiac conduction, 47:1169
airway transepithelial, species and regional differences, 48:169
anaerobic and aerobic, muscular, in hypertrophy, 46:738
evoked, cytochrome aa_3 and, 43:858
membrane, resting, sodium electrogenic pump and (guinea pig, bovine), 51:346
somatosensory, evoked, hyperbaric environment, 47:804
streaming, tracheal epithelium, 51:363
synaptic, hyperbaric air effects (mollusk), 47:568
Power output: *see* Exercise
Power spectra, 40:44
analysis, muscle fatigue, 43:750
Power supply: *see* Exercise
Precapillary resistance: *see* Resistance
Precooling, body temperature and exercise, 50:772
Predictive Studies IV, tremor and somatosensory studies, hyperbaric environment, 47:804
Pregnancy
cerebrospinal fluid acid-base balance, arterial blood and, progesterone effects, 51:1433
diabetes, fetal lung maturation, 48:643
exercise, 48:34
cardiac output, uterine blood flow and, 40:725
high altitude
infant birth weight and, 52:695
maternal hyperventilation effects, 52:690
hypercapnia, uterine and umbilical circulation and, 41:727
no-decompression dives, fetal response (sheep), 48:776
prenatal isoxsuprine effects, pulmonary oxygen toxicity, newborn, 48:505
pulmonary hypertension, high mountain disease (cow), 46:184
Pregnancy: *see also* Fetus, vascular reactivity and, lung, 53:703
Prekallikrein, fibrinolysis and, exercise effects, female, 53:330
Preload
intrapleural pressure effects, left ventricular, 50:1027
mild exercise, myocardial function and hypertrophy, 46:354
negative-pressure breathing, 48:977
ventricular
hypoxia and sinoaortic denervation, 43:1012
inspiration and, 47:582
Prematurity: *see* Infant
Preoptic-anterior hypothalamus: *see* Hypothalamus
Preoptic temperature: *see* Temperature
Prescriptive zone, body temperature, industrial workers, determinants, 43:347
Pressor response
isometric exercise, 50:32
pulmonary, prostaglandin synthesis inhibition, awake state, 52:705
Pressors
cardiac output, muscle ischemia, 45:574
cardiovascular, dependency on ischemic muscle mass, 45:762
Pressor tests, cold, heart rate protocols and, 51:516
Pressure: *see also* Blood pressure
abdominal, inspiratory pressure swings, partitioning, 44:200
air, pulmonary mechanics, 50:747
airway
brain hypoxia (goat), 49:497
carbon dioxide, breathing frequency, 52:190
continuous positive, lung fluid accumulation, 45:284
negative, breathing patterns, 50:552
peribronchial fluid pressure and, 48:177
positive, expiratory time, newborn, 45:18
pulmonary, injury model, 52:543
raised, hepatic blood flow, 47:290
upper, patency, infant, 48:500
airway occlusion
thoracic volume and, muscular effects, 43:312
ventilatory response to acute carbon dioxide exposure, 45:611
airway positive, anesthesia-paralysis, 43:993
alveolar
airway resistance measurement, interrupter method, 48:1092
bronchial asthma, 52:939
nonhomogeneous, airway closure, 49:398
partial, sinusoidal and impulse work loads, 48:289
respiratory muscle effects, 52:638
ambient
exercise ventilatory mechanics, 44:231
physical performance, 46:984
aortic, positive-pressure inflation, 49:124
arterial
angiotensin antagonism at exercise during sodium depletion, 45:403
angiotensin antagonism during exercise, 43:440
carbon dioxide partial, ventilatory response (pony), 52:1614
chemoreceptor activity, pneumothorax effects, 51:665
contour analysis, 40:171
converting enzyme inhibition and, exercise, 53:576
dietary potassium depletion, 45:728
exercise effects, hypertension, 53:891
exercise, microspheres, 52:1629
left, venous air emboli and (sheep), 51:887
mean systemic, vascular communications, 50:1045
pulmonary, blood flow and, hypoxia, 52:1575
pulmonary, catheterization, 51:1047
atrial filling, positive end-expiratory pressure and, 44:743
arterial oxygen, oleic acid dose-related edema, perfused lung, 50:1115
barometric, tidal volume, pattern and nasal temperature effects, 49:319
breathing, responses (man and guinea pig), 47:119
bronchial
airway compliance, 52:357
density dependence, maximum expiratory flow, 53:397
capillary, critical, isolated and intact lung, 48:438
carbon dioxide: *see* Carbon dioxide
cardiac, acute prolonged hypoxia, 43:784
cerebrospinal fluid
positive end-expiratory pressure and, 44:25
pulmonary hemodynamic responses, 46:84
pulmonary hypertension, adrenal component, 47:153
pulmonary venoconstriction, 49:73
colloid osmotic
albumin effects, edema, lung, 50:1065
carbon dioxide and air mixtures, 44:254
conductance-recoil, computerized measurement, 44:611
critical, hypoxic pulmonary vasoconstriction and, 53:1583
diaphragmatic, measurement, gastric-esophageal probe, 47:628
diastolic coronary, time index, exercise and, 43:988
elastic recoil, during lung growth, 40:953, 44:521
end-diastolic ventricular, hypoxia and aortic denervation, 43:1012
end-expired, surfactant release, lung, 51:90
end-tidal, arterial carbon dioxide pressure and, exercise, 47:954
environmental, infertility and, 53:1207
esophageal
airway occlusion, anesthesia, 51:143
anesthesia, 45:255, 49:[illegible]7
expiratory flow, 45:840
measurement, 46:927
measurement, neonate, 52:491
positive end-expiratory pressure and, 51:798
rib cage, force-balance analysis, 53:756
extra-airway, 45:417, 437
extrapericardial, positive end-expiratory pressure and, 51:798
eye, isobaric gas counterdiffusion, 47:220
fatigue and, diaphragm, 53:1190
flow-static recoil, lung, normal, 43:942
fluid
capsular and intra-alveolar, lung, 52:1444
intra-alveolar, estimation of pulmonary interstitial and capillary pressures, 47:643
force-length relations, normal diaphragm, 53:405
gas density, transducer frequency response, 47:631
gas: *see* Gas, or the specific gas
gas space, subcutaneous tissue, isobaric counterdiffusion, 47:224
gastric, rib cage, force-balance analysis, 53:756
gradient
pleural, 40:417, 50:84
vertical pleural, inflection points, 47:931
helium, convulsions and, 53:192
high
barbiturates and, 43:221
central nervous system, maturation, newborn, 49:390
inner ear dysfunction (monkey), 49:1070
high ambient, respiratory control, 48:528
high-pressure neurological syndrome, 43:173, 183, 45:742, 747, 756, 46:128
hydrostatic
action potentials, cardiac, 47:1169
action potentials, single axons (crayfish), 47:561
atrial conduction and excitability, 45:24
blood plasma pH changes, 50:320
increased, lung water, 50:905
ion transport, erythrocytes, 49:224
permeability and, lung water, 50:905
plethysmograph with servo control of, 41:107
visceral pleural fluid movement, 51:671
hyperbaric
cytochrome aa_3 oxidation, cerebral cortex, 43:873
nerve activity (crustacean), 45:742
oxygen toxicity, brain, 49:700
synaptic patterns, modification (mollusk), 47:568
hypoxic response, plasma and platelets and, isolated lung, 51:875
inspiratory

Pressure (continued)
maximal, marathon running and, 52:821
partitioning between diaphragm and intercostal/accessory muscles, 44:200
phospholipid release, lung, 47:285
ventilatory muscle endurance, 52:757
inspiratory occlusion
electromagnetic valve, 45:481
ventilatory and central respiratory response to hyperbaric nitrogen, 45:756
interstitial
excised lung lobes, 48:450
peribronchial fluid pressure and, 48:177
interstitial fluid
alveoli, anesthesia (sheep), 53:96
isolated perfused lung, 48:677
measurement, micropipettes, 53:737
perivascular, isolated lung, 48:939
perivascular, micropipette measurement, 52:9
water immersion and, 51:686
weight gain and, lung lobe, 52:173
intra-alveolar fluid, edema effects, pulmonary, 51:911
intracranial
air embolism, 50:967
lung fluid-protein exchange (sheep), 48:273
positive end-expiratory pressure effects, 44:25
pulmonary venous response, 48:957
Starling resistor regulation, 53:1496
intraesophageal, functional residual capacity, infant, 51:270
intrapleural
changes, infant, 52:1667
heart ventricles, left, 50:1027
intrathoracic
breathing changes, perception, 50:78
cardiac response, 47:257
cough effects, 53:1039
pneumothorax effects, 51:665
shape-related increase during immersion, 43:297
intratracheal, breathing, fetal (lamb), 47:527
intrauterine, 41:316
left atrial, lymph flow, seizures and (sheep), 53:432
left ventricular
exercise training, 43:977
measurement, $+G_2$ stress (miniature swine), 47:1148
transmural, pulsus paradoxus, 45:598
liquid, alveolar, micropipettes, 53:737
lower body negative, training and, hypophysectomy, 53:448
lung
constant inflation, absolute lung volume estimation, 47:907
half-inflated, curve fitting analysis, 42:111
indicator curves, multiple (sheep), 44:245
interstitial and capillary, 44:267
interstitial fluid, extra-alveolar vessels, 44:759
interstitial fluid, pulmonary edema, 49:815
interstitial (sheep), 46:932
periarterial, parenchyma and length changes (pig), 47:666
perivascular, sitting position, 46:36
perivascular, parenchyma and length changes (pig), 47:666
recoil, static, sex and age differences, 46:556
lung lobes
interstitial fluid, estimation, 46:1003
interstitial fluid, wick-catheter technique, 46:950
isogravimetric, microvascular estimation, 46:1003
perivascular, continuum mechanics analysis, 46:419
lung recoil
alveolar duct, 52:1064
consciousness and posture effects, 53:1071
growth and, 44:521
halothane, 40:300, 49:300
halothane-enflurane, 46:646
oxygen breathing at low lung volume, 43:138
static elastic, 51:1115
static, maximum flow relations, 45:840
surface area, tension and, 50:921
microvascular
granulocytopenia (sheep), 52:155
5-hydroxytryptamine infusion, lung, 52:634
lung lobe, 53:158
lung lymph fistula (goat), 48:399
mouth, bronchial asthma, 52:939
mouth occlusion, diaphragmatic electromyography, 43:262
muscle, fascia effects, hindlimb, 51:317
negative lower body
cardiovascular adaptation, 46:541
circulatory response, 52:184
electrical activity, diaphragm, quadriplegic men, 51:654
neurons (mollusk), 47:568
occlusion, 41:41
active sleep, newborn, 46:1081
aerosolized histamine effects, 53:690
breathing, rib cage and abdomen, 50:412
chest wall, awake state, 50:134
elastic loading during carbon dioxide rebreathing, 49:669
expiratory loading, 49:601
human anesthetic effects (cat), 44:596
hypoxemia, newborn (monkey), 51:1169
inspiratory, breath-to-breath monitoring, 51:520
loaded breathing and, anesthesia, 53:355
neural-mechanical outputs, respiratory, 51:990
respiratory neuromuscular output, breathholding, 50:435
respiratory response, oxygen, newborn (lamb), 52:428
tracheal, pentobarbital effects, newborn, 42:845
tracheal, respiratory control, newborn, 44:304
oncotic
pulmonary hypoperfusion, 50:102
visceral pleural fluid movement, 51:671
osmotic
desert walks, 40:236
measurement, carbon dioxide correction, 44:474
perfusion
cerebral, positive end-expiratory pressure and, 44:25, 52:231
hypoxic pulmonary vasoconstriction and, 51:1543
hypoxic pulmonary vasoconstriction, 49:189
peribronchial
excised lung, 45:858
parenchyma shear modulus and lung volume, 44:859
pericardial
cardiac fossa, 53:57
positive end-expiratory pressure and, 44:743
pharyngeal
breathingh coordination, infant, 50:851
upper airway occlusion during sleep, pathogenesis, 44:931
pleural
cardiac fossa, 53:57
cardiac response, 47:257
changes, breath sounds and, 46:361
distribution, gas volume, infant, 52:995
expiratory muscle, 52:930
inspiratory pressure swings, partitioning, 44:200
lateral posture, 43:32
lung volume, ventricular function, 50:630
measurement, 46:927, 52:491
nonuniformity, panting frequency, 52:739
positive, anesthesia-paralysis, 43:993
positive end-expiratory
applied as a ramp, hemodynamic effects of, 53:1239
blood flow, regional pulmonary (pig),47:1245
blood flow and, ventilation-perfusion, 46:278
cardiac output, thermodilution technique (pig), 51:584
cardiovascular effects, 44:743
cerebrospinal fluid pressure and, 52:231
extrapericardial and esophageal pressure and, 51:798
fluid leaks, extra-alveolar vessels,44:759
hypoxia and lung inflation (sheep), 45:949
intracranial pressure response, 44:25
left ventricular diastolic, shifts, 48:670
left ventricular function, 51:541, 52:254
lobar pneumonia, 50:517
lung water content and, 53:9
measurement (small animals), 43:755
pulmonary blood flow, 47:938
pulmonary edema, 43:14, 49:815
renal dysfunction, 50:643
Starling resistor regulation, 53:1496
temporary unilateral pulmonary artery occlusion, 51:845
transmural cardiac pressure during, 53:385
unilateral pneumonitis, 52:147
ventricular function, 50:630
ventricular function curves and, 51:1367
protein osmotic, alveoli, anesthesia (sheep), 53:96
pulmonary
interstitial and capillary, intra-alveolar fluid pressure, 47:643
transmural hypoxia, 49:189
pulmonary artery
arachidonic acid, 44:397
capillary recruitment during airway hypoxia, 47:383
(harbor seal), 45:718
lung inflation and edema, 45:442
prostaglandin H_2 analog, 44:406
prostaglandins, 44:397
wedge, cardiovascular effects, 44:743
pulmonary capillary, positive-pressure ventilation and, 47:453
pulmonary interstitial hydrostatic, compliance and, 53:324
pulmonary microvascular, surgery (sheep), 50:1358
pulmonary vascular
lung inflation and, 43:1089
serotonin and, 48:606
pulmonary venous, steady-state collateral resistance, 49:643
regional transpulmonary, ventilatory frequency effects, 51:678
repetitive impulse activity and generation, axonal (crustacean), 45:742, 747
respiratory
papain exposure, 46:61
phrenic activity and, airway occlusion, 51:99

phrenic activity and volume changes, lung, 51:109
reversal
anesthesia-induced, 43:183
high-pressure neurological syndrome, 43:221
surface, surfactant aggregation and, lung, 51:646
threshold
neurological syndrome convulsion, 43:173
resistive load detection, 49:958
tissue, isobaric counterdiffusion, 47:224
tracheal
during airway occlusion, 40:345
fluid dynamic factors in measurement, 51:218
tracheal occlusion, temperature and carbon dioxide interactions, 43:449
transdiaphragmatic
forced expiratory vital capacity and, 51:1515
hyperinflation, asthma, 50:279
marathon running, 52:821
phrenic output and, 51:99
relaxed and forced vital capacity, 47:38
respiratory responses, 51:1150
transducers: *see* Transducers
transmural cardiac, ventilation with positive end-expiratory pressure, 53:385
transpulmonary
high altitude, 47:670
lung inflation and, 43:1089
pore size, alveolar, 51:739
pulmonary edema formation, 43:14
pulmonary mechanics, 50:747
vascular communications, 50:1045
transrespiratory
breathing responses (man and guinea pig), 47:119
ventilatory reflexes and, 51:660
upper airway, genioglossus muscle, respiratory activity, 52:438, 445
vapor, respiratory gas analysis, 43:164
vascular
collateral ventilation changes and, lung, 53:70
peribronchial fluid pressure and, 48:177
pore size, alveolar, 51:739
pulmonary edema formation, 43:14
venous
central, zero gravity, 46:541
central, rest and exercise, 48:977
ventricular, anoxia effects, 53:726
wedge, pulmonary artery, cardiovascular effects, 44:743
Pressure-area relations, diastolic, shifts, positive end-expiratory pressure and, 48:670
Pressure-diameter behavior, bronchial, parenchymal shear modulus and lung volume effects, 44:859
Pressure-diameter relations
behavior, parenchymal vessels (pig), 47:666
bronchi, normal excised lung, 45:45
Pressure-flow relations
airway, relations between flow, curvilinearity and density dependence, 48:878
alveolar, breathing air, helium-oxygen, and sulfur hexafluoride-oxygen, 51:1033
aortic, positive end-expiratory pressure effects, left ventricular, 51:541
bronchial tree, 51:1072
central airway, 50:1293
isovolume
computational model, respiratory flow, 52:44
intrapulmonary bronchi, excised lung, 52:295
wave-speed limitations, 43:498
wave-speed theory, 43:516
pulmonary, data-averaging circuit, 47:721
pulmonary artery
graded hypoxia, species differences (cat, dog, rabbit, ferret, pig), 51:1214
hypoxia (pig), 49:820
skin, 40:597
unsteady, central airway, 51:1338
Pressure gradient
pleural, immersed lung lobes, 51:1457
ventilatory frequency effects, 51:678
vertical pleural
elasticity, lung, 51:254
thoracic restriction effects, 51:1115
Pressure-heart relations, exercise conditioning, aortic constriction and, methoxamine effects, 52:967
Pressure-length relations, bronchi, normal excised lung, 45:45
Pressure loads, ischemia, exercise, muscle, 52:340
Pressure-volume loops, surface tension-surface area relations calculated from, 53:1512
Pressure-volume relations
abdominothoracic, during contraction, statics and dynamics, 44:829, 840
air and saline, emphysema, 48:284
airway, interstitial fluid pressure and, 42:476
alveolar, transvascular fluid filtration determination, 42:476
alveolar-surface, sympathetic influence in hyperventilation, 44:327
anesthesia, halothane-enflurane, 46:646
arterial (mouse deer), 42:679
autonomic control, fetal lungs, 43:1039
betamethasone effects, fetal lung (monkey), 47:377
bronchial segments, contracted, 50:1236
changes, after pilocarpine administration, 41:7
chest restriction and, 51:26
chest wall
anesthesia, 45:255
halothane, 49:300
measurement, 46:927
normal (bonnet and rhesus monkey), 46:166
thiopental sodium anesthesia, 46:716
collateral ventilation, excised lungs, 50:927
cortisol effects, fetal, diabetic mother, 49:971
degassing effects, lung, 51:391
diabetes, fetal lung, 48:643
diastolic, 41:362
diving, 40:320
during growth, 40:953
elastic recoil, elasticity, lung, 51:254
emphysema, lung, model, 51:321
end-expiratory, positive, air embolism and, 42:368
esophageal, balloon technique, infant, 49:735
exponential analysis
aging lung, 47:683
lung, 52:838
helium-oxygen, 42:899
high altitude, lung lobes, 49:79
hydrostatic, anesthesia reversal (fish), 42:329
inflection point
lungs, 43:983, 50:927
three-balloon catheter system, 47:931
inspiratory muscle activity, chronic airway obstruction, 51:1388
interstitial, perivascular, isolated lung, 48:939
interstitial fluid effects, lung, 52:260
intracranial, pulmonary vascular response, role of sympathetic mechanisms, 42:335
intraesophageal pressure, functional residual capacity, infant, 51:270
lung
antigen exposure and immunization, 46:346
collagenase, elastase, saline filled, 42:206
curve fitting analysis, 42:111
development, fetal (monkey), 43:92
elasticity and, 41:129
excised, 49:558
excised right and left, 46:463
expansion, regional, at total capacity, 45:363
exponential, deflation and inflation, 46:387
half-inflated, curve-fitting analysis, 42:111
model, 51:353
thiopental sodium anesthesia, 46:716
multiple curves, determination of lung surface tension and air space dimensions, 43:730
occlusion, tracheal, pentobarbital effects in newborn, 42:845
pleural, gradient, anesthesia-paralysis, 42:391
pneumonectomy (puppy), 50:1146
positive, intermittent, air embolism and, 42:368
postural effects (horse), 48:97
prepartum maturation, cortisol and, lung, fetal (sheep), 51:384
prolonged hypercapnic, lung, 52:1156
pulmonary, at high altitude, 49:79
pulmonary artery, prostaglandin synthesis inhibition, 42:903
pulmonary mechanics assessment, 41:20
respiratory, small carnivore (ferret), 52:832
respiratory system, curarization, 44:589
static, intact and excised lungs (monkey), 44:547
steady-state collateral resistance, 49:643
stress-free equilibrium, lungs, 43:3
temperature effects
lung, 51:823
lung mechanics, 53:567
trapped air, 40:915
ventilatory frequency, lung, 51:678
Pressure-volume reserve, lung, aging effects, normal human adult, 43:1054
Pressurization, multiple, hematologic changes, 42:838
Probes: *see also* specific type
electromagnetic flow, pulmonary vascular responses, newborn (lamb), 48:188
esophageal temperature, position, electrocardiographic verification, 47:638
gastric-esophageal, transdiaphragmatic pressure measurement, 47:628
Prochlorperazine, asphyxia, ventilatory response to, 53:637
Progesterone
cerebrospinal fluid acid-base balance , arterial blood and, pregnancy, 51:1433
exercise, 44:109
lung maturation and, fetal (sheep), 51:384
menstrual cycle
exercise performance, 51:1493
teenage athletes, 50:545
pulmonary vascular reactivity, pregnancy, 53:703
respiratory drives, exercise and, menstrual cycle, women, 50:1300
thermal effects, udder (sheep), 43:668
ventilatory response, time course and mechanism, 44:939
Prolactin
hypoxia effects, 53:815
lung maturation and, fetal (sheep), 51:384
menstrual cycle, teenage athletes, 50:545
Propranolol
adrenergic blockade, exercise (sheep), 52:315

Propranolol (continued)
anaphylaxis and, lung, 46:919
carotid baroreflexes and, 41:383
contraction, trachealis muscle, 48:329
coronary vascular resistance, exercise effects, 53:631
energy sources, mobilization, exercise, 44:869
epinephrine response, exercise, 42:525
exercise, heart rate, 40:741
fluid secretion, tracheal gland (ferret), 49:1027
glucagon response, exercise, 42:525
heart, exercising, 42:878
heart rate control, athletes, 52:1652
heart rate recovery and, exercise, 53:1572
histamine bronchoconstriction, adrenergic influences, 44:340
histamine release, lung, 44:455
histamine response, airway, 48:613
inhibitory effects, bronchial smooth muscle, 46:787
ion transport, tracheal epithelium, 47:397
microvascular response, skeletal muscle, cold acclimation, 44:190
norepinephrine and anemia, blood flow, hindlimb, 51:565
oxygen balance, myocardial, during exercise, 49:28
pulmonary response after, asthma (Basenji-Greyhound), 51:1423
pulmonary vascular response, intracranial pressure increase, 42:335
pyrogenesis, endotoxin-induced, 40:35
β-receptor blockade, 40:855
respiratory and metabolic responses to, exercise, 51:788
respiratory ciliary activity, 48:868
right ventricular hypertrophy, high altitude, 48:473
sympathetic control, lung fluid filtration (sheep), 51:88
uptake, lung, 52:393
Proprioceptors: *see* Receptors
Propylthiouracil, respiratory capacity, thyroid-deficient muscle, 49:102
Prostacyclin
infusion, pulmonary microvascular response, awake state (sheep), 52:1338
inhibition, pulmonary pressor response after, awake state, 52:705
pulsatile flow, hypoxic pulmonary vasoconstriction and, 53:1583
vasodilator effects, pulmonary and systemic, 45:408
Prostaglandin A_1, metabolism, pulmonary endothelium, smooth muscle (pig), 46:211
Prostaglandin E, arterial level, lung effects, 50:1161
Prostaglandin E_1
capillary recruitment, airway hypoxia, 47:383
diffusing capacity during hypoxia, capillary recruitment, lung, 50:165
gas exchange surface area, intrapulmonary blood flow and, 52:1575
^{3}H-labeled, cardiopulmonary bypass, 52:887
hyperthermia, work and, heat, 51:62
hyperthermia (monkey), 44:751
pulmonary vascular responses, newborn (lamb), 48:188
shunt fraction and, hypoxic vasoconstriction, 53:44
uptake, perfused lung, 50:428
Prostaglandin E_2, hypoxic, vasoconstriction, arachidonic acid, 49:107
Prostaglandin endoperoxides, pulmonary vascular bed, 42:953
Prostaglandin F, arterial level, lung effects, 50:1161
Prostaglandin $F_{1\alpha}$, 6-keto, hypoxic, vasoconstriction, arachidonic acid, 49:107
Prostaglandin $F_{2\alpha}$
airway diameters and, 53:1005
asthma, lung mechanics in, 44:150
hemodynamic responses, lobar venous occlusion, 47:145
hypoxia effects, pulmonary vascular response (pig), 50:561
metabolism, pulmonary endothelium, smooth muscle (pig), 46:211
pulmonary vascular responses, newborn (lamb), 48:188
pulmonary vasomotion, distribution of vascular resistance and, lung lobe, 45:545
responsiveness, vagal effects, 47:13
Prostaglandin H_2
airway diameters and, 53:1005
pulmonary vascular bed, 42:953
Prostaglandin H_2 analog, airway effects, 44:406
Prostaglandin I_2: *see also* Prostacyclin
bronchoconstriction, 49:521
hypoxic, vasoconstriction, arachidonic acid, 49:107
Prostaglandin intermediates, pulmonary vascular bed, 42:953
Prostaglandins
anaphylaxis, lung, 53:589
arachidonic acid and, lung function, 44:397
hypoxic pulmonary vasoconstriction and, 41:211
hypoxic vasoconstriction, alveolar, 45:33
metabolism
lung, kinetic model, 47:404
lung (pig), 46:211
plasma, exercise effects, hypertension, 53:891
pulmonary, clearance, 50:1161
smooth muscle reactivity, muscle (monkey), 50:513
surfactant release and, lung, 51:90
synthesis
inhibition, hypoxic pulmonary vasoconstriction, 42:903
inhibition, pulmonary pressor responses, awake state, 52:705
tracheal fluid and surfactant, fetal (lamb), 51:1562
synthetase inhibitors, pulmonary vasoconstriction and, 41:714
temperature regulation and (monkey), 50:1248
trachea and bronchus and, 41:62
vascular effects, lung (sheep), 48:581
vascular hypertrophy, hypoxic pulmonary hypertension (cattle), 46:517
Protein
breakdown, exercise-induced, skeletal muscle, 53:1144
calorie deficiencies, undernourished adult male, 44:209
catabolism
acute cold exposure effects, 53:367
muscle glycogen levels, during exercise, 48:624
charge state, 40:752
clearance
alveoli, anesthesia (sheep), 53:96
lung, after coronary ligation (sheep), 47:792
cold exposure effects, muscle, 52:1250
compensatory growth, lung, 43:27
composition, tracheobronchial secretions, 45:182
connective tissue, turnover estimation, 41:295
content, pulmonary, status epilepticus (sheep), 52:91
contractile, sarcoplasmic reticulum, exercise-trained heart, 48:409
degradation
amino acid effects, lung, 47:1058
exercise effects (rat, human), 52:27
isolated perfused lung, 47:72
lung, 43:463
pulmonary macrophages, 47:79
dietary, fat-free body mass, 42:731
diffusion, lung, 42:144
edema fluid, lung lobe, 48:444
exchange
defibrinogenation effects, pulmonary microembolization (sheep), 53:895
fluid and, pulmonary arterial occlusion effects (sheep), 53:543
lung fluid and, adrenoceptor control (sheep), 51:88
lung fluid and, efferent duct (sheep), 50:1372
lung fluid and, microemboli effects (sheep), 51:461
surgery (sheep), 50:1358
flux
α-naphthylthiourea and, lung, 52:1316
pulmonary, noninvasive measurement (sheep), 45:225
pulmonary transvascular (sheep), 47:1315
fractions, thermal dehydration, 50:38
G_z acceleration, 42:67
interstitial
heat acclimatization, 50:597
shifts, thermal dehydration, 47:738
intravascular masses, trained boys and fit young men, 43:1085
lung, metabolism, fasting effects, 43:463
lymph, 43:894
clearance and flux, surgery (sheep), 50:1358
flux, hypoxia, 52:370
metabolism
exercise effects, 50:41
lung, 47:72, 1058
pulmonary surfactant, 48:812, 53:1
surfactant, 42:483
wheel cage running (kangaroo rat), 44:17
muscular atrophy, 43:656
opsonic, deficiency, lung fluid, during sepsis (sheep), 49:693
permeability: *see also* Permeability
alveolar epithelium, alloxan edema, 44:353
alveolar flooding, 42:144
plasma
acute heat stress and, 41:708
bed rest with exercise, 42:59
blood volume and, heat acclimatization, 50:597
bronchiolar oxygen inhibition, 44:659
dry-heat acclimation, summer and winter, 50:792
exercise in heat, 40:55
graded activity, 50:123
humid heat, 40:786
hypervolemia, 48:657
hypervolemia, exercise training, 48:665
hypoxic effects, exercise, supine posture, 51:148
labeled, exercise effects, 42:865
prostaglandin E_1 uptake, perfused lung, 50:428
shifts, exercise in heat, 47:798
thermoregulation during exercise, 43:1026
treadmill exercise effects, 53:1529
pulmonary surfactant-associated activity, 49:34
serum
exercise, 42:739
heat exposure, 42:252
hemoconcentration parameter, 42:739
sieving, alveolar, 42:144
skeletal muscle immobilization, recovery, 47:435
synthesis
cold exposure effects, 53:367
exercise, 52:458
exercise-induced changes, skeletal muscle, 53:1144
hypertrophic skeletal muscle, 46:835
immobilized limb muscle, 47:974

limb immobilization, gastrocnemius muscle, 51:73
limb immobilization, skeletal muscle and, 52:1113
lung, 43:463
lung perfusion in situ, 47:325
total, exercise, 40:150
total serum, exercise, treadmill (horse), 50:864
training and heat acclimation, sedentary females, 47:978
transport
lung, 50:1
lungs, after shock (sheep), 46:498
turnover
lung, 47:1058
pneumonectomy, 46:326
Protein-fluid exchange
lung
intracranial hypertension, sympathetic mechanisms (sheep), 48:273
sympathetic nerve stimulation (sheep), 47:1025
Protein kinase
activity, heat acclimation and, liver (hamster), 53:716
fat cell ghosts, physical training effects, 42:884
training and adipose tissue lipolysis, 50:250
Protein-lymph ratio
intracranial hypertension (sheep), 48:273
lung lymph fistula (goat), 48:399
Proteolysis, lung, 47:72, 1058
Prothrombin, turnover, exercise, 42:865
P-450: *see* Cytochrome P-450
Psychophysics, resistive load detection, 49:958
Puberty, hematological responses, exercise, males, 46:823
Pulmonary acinus, gas mixing in, 52:624
Pulmonary and pulmonary vascular processes: *see* Lung; *see also* Airway; Blood flow; Capillaries; Circulation; Compliance; Conductance; Congestion; Development; Edema; Embolism; Embolization; Hemodynamics; Hypertension; Microcirculation; Microembolism; Pressure; Pressure-flow relations; Receptors; Reflexes; Resistance; Shunt; Vasoconstriction; Vasodilation; Vasomotion; Venoconstriction; Volume
Pulmonary arterioles, oxygen uptake, reflection spectrophotometric measurement, 48:848
Pulmonary artery
aerobic-induced response, 42:438
baroreceptors: *see* Receptors
blood, mixed venous and arterial carbon dioxide pressure, single breath, 50:196
catheterization, closed-chest, 51:1047
circulation, acute hypoxia and (pig), 52:811
distension, phrenic nerve activity, 46:625
endothelial cells, carbonic anhydrase localization in (calf), 53:914
exercise effects, hypertension, 53:891
growth (pig), 45:806
5-hydroxytryptamine effects, neuroeffector junction, 51:693
hypoxia, 40:533
volume characteristics, 42:519
ligation, bronchovascular resistance and, 53:1044
morphology, high-altitude hypertension, species differences (cattle, swine, dogs, sheep), 51:1251
occlusion
positive end-expiratory pressure, 50:630
shock and, propranolol uptake, lung, 52:393
occlusion and reperfusion effects, extravascular fluid accumulation, 50:102
phospholipid release, 47:285
pressure-diameter behavior, parenchyma and length changes (pig), 47:666
pressure-flow relations: *see* Pressure-flow relations
pressure: *see* Pressure
pulsatile blood flow, awake state, 50:805
reactivity and contractility, vasoactive agents, 49:1016
structural changes, pneumonectomy and, 53:859
temporary unilateral occlusion, microvascular injury, 51:845
transmural pressure, hypoxia, 49:189
transmural pressure, hypoxic pulmonary vasoconstriction and, 51:1543
Pulmonary bubbles, hydrodynamic features of, model, 51:1002
Pulmonary C-fibers, contraction and relaxation, tracheal, 52:984
Pulmonary cilia, β-adrenergic stimulation, 48:868
Pulmonary defense mechanisms (snake), 50:979
Pulmonary disease, chronic obstructive, diffusing capacity, 43:617
Pulmonary endothelium
damage, 5-hydroxytryptamine clearance measurements, 46:1178
lung-lymph fistula, model (sheep), 52:1664
microvascular injury, shock and reinfusion, 50:1227
prostaglandins A_1 and $F_{1\alpha}$, metabolism (pig), 46:211
Pulmonary extraction, 5-hydroxytryptamine, 46:1178
Pulmonary fibrosis
penicillamine and bleomycin, 49:1083
regional and diffuse, lung elasticity (baboon), 47:138
Pulmonary insufficiency, microembolization, 43:51
Pulmonary interdependence
airway collapsibility, 50:325
long volume, collateral ventilation and, 49:9
Pulmonary mechanics
breathing and, raised air pressure, 50:747
endotoxin, platelet serotonin, 50:178
normal (ferret), 50:799
Pulmonary metabolism, prostaglandins, arterial levels, 50:1161
Pulmonary morphometry, vesicle distribution, air-blood barrier, 50:334
Pulmonary perfusion
gas exchange
pneumococcal lobar pneumonia, 50:524
positive end-expiratory pressure effects, pneumonia, 50:517
Pulmonary response
endotoxin, platelet serotonin, 50:178
sepsis, pulmonary edema and (dog, baboon), 50:1198
vascular, vasoconstrictor agents, hypoxia effects (pig), 50:561
Pulmonary statics, sex, age, and emphysema, 49:558
Pulmonary tissue, volume and blood flow of, normal and edematous lungs, 51:1375
Pulmonary vascular bed
diffusing capacity, exhaled, lung model, 48:648
precapillary blood oxygen pressure and, intact chest, 51:1009
Pulmonary vascular distension, reflects effects, airway, 49:620
Pulmonary vascular response, intracranial pressure increase, role of sympathetic mechanisms, 42:335
Pulmonary vascular tone
histamine effects, 51:1320
pulsatile blood flow, awake state, 50:805
sympathetic control, lung fluid filtration (sheep), 51:88
ventilation-perfusion relations and, obliterative hypertension, 51:607
Pulmonary vasculature
biogenic amines, newborn, 50:118
diminished sensitivity, hypoxia (hamster), 52:1571
hypoxic response, plasma and platelets and, isolated lung, 51:875
Pulmonary veins
growth (pig), 45:806
interdependence, excised lobes, 48:450
intracranial pressure, increased, 48:957
pressure: *see* Pressure
responses, newborn (lamb), 48:188
Pulmonary vessels
carbon dioxide infusion, respiratory regulation, 45:109
distal, hypertension and, 51:755
engorgement, respiratory mechanics and, 45:119
interdependence
isolated lobes, continuum mechanics analysis, 46:419
pressure-diameter (pig), 47:666
Pulsating bubble technique
for evaluating pulmonary surfactant, 43:198
pulmonary surfactant-associated proteins, 49:34
Pulse
acoustic
airway geometry, 43:523
response, central airways, 48:896
mean pressure, 40:253
method, respiratory system compliance measurement, 49:1116
oxygen, work rate, optimal, mountaineers, 44:952
rate
prescriptive zone, industrial workers, 43:347
rectal temperature and, prolonged work, 44:450
Pulse-flow measurement, lung compliance, 50:1318
Pulsus paradoxus
mechanisms, in upper airway obstruction, 45:598
respiratory effects, 44:703, 46:411, 47:1295
Pump
piston, respiration simulation, 50:663
sodium, electrogenic, smooth muscle, airway (guinea pig, bovine), 51:346
sodium-potassium, thermogenesis, 42:150
Pump-perfused skeletal muscle: *see* Muscle, skeletal
Puromycin, sulfated mucous glycoprotein secretion, trachea, 50:383
Pyrenebutyric, oxygen tension, cerebral cortex, hyperbaric conditions, 46:53
Pyrenebutyric acid, optical oxygen probe, cerebral cortex, 41:593
Pyridine nucleotide, fluorescence, 41:480
Pyrogenesis, endotoxin-induced, propranolol effects, 40:35
Pyrogenicity, endotoxin, neonatal, 42:355
Pyrogenic sensitivity, neonatal, 42:355
Pyrogens
endotoxic, hypoxia, 49:294
leukocytic, ontogeny, 42:355
Pyruvate
infusion, glycogen depletion during exercise, 45:425
lactate levels, pH effects in hypoxia, 42:44
lung, elevated oxygen pressure, 45:56
metabolism, hyperbaric oxygen exposure, lung, 46:943
oxidation, respiratory capacity, muscle, 49:102
oxidation capacity, functional overload, skeletal muscle, 50:1272
oxygen affinity, blood, reduction, 47:478
production, granular pneumocytes, pri-

Pyruvate (continued)
mary culture, 49:743
respiratory acidosis effects, exercise, 53:63
responses during exercise, 41:683
serotonin uptake, lung, 46:447
Pyruvate-lactate ratio, lung, 43:238

Q

Q_{10} effect, recovery oxygen, 48:540
Quadriceps femoris muscle, phosphagen and lactate contents, after exercise, 43:852
Quadriplegia
diaphragm responses, men, 51:654
inspired volume, 53:1481
thoracic reflexes, stabilizing loaded ventilation, 43:339

R

Racing: *see* Exercise
Radiation
nonionizing, temperature and adrenocortical responses to (monkey), 53:1565
pulmonary fibrosis, lung elasticity (baboon), 47:138
radiofrequency, heat dissipation and, 53:316
red blood cell membrane, oxygen uptake, 49:306
Radioactive particles, inhaled, clearance, respiratory tract (chicken), 53:1423
Radiography
lung shape, normal gravity and weightlessness, 47:851
lung volume, measurement, supine portable chest radiographs, 47:1332
Radioimmunoassay, aldosterone, urinary, 42:643
Radionuclide cardiac angiography: *see* Angiography
Radionuclide studies: *see also* Microspheres
albumin clearance, alveoli, 43:487
apoprotein metabolism, surfactant, 42:483
bronchial clearance, exercise and eucapnic hyperventilation effects, 43:46
cardiac output, shunt components (lamb), 43:352
coagulation during exercise, 42:865
coronary vasodilator reserve, flow distribution and, during exercise, 43:988
detection, storage telemetric system, 41:416
glucose oxidation, prolonged exercise, 43:258
histamine, pulmonary edema (sheep), 43:99
metabolism, lung tissue slices, 43:902
mucociliary clearance, 42:761
pulmonary perfusion, gas exchange and, 42:279
ventilation distribution, frequency dependence, 42:548
Radiopaque markers
lung mechanics, 40:118
mitral regurgitation, 40:132
parenchymal, 45:363
Radiotelemetry: *see* Telemetry
Radiotracers, pulmonary microvascular clearance of, pulmonary edema, 50:1337
Ramp, function: *see* Exercise
Rapid-eye-movement sleep: *see Sleep*
Raynaud's phenomenon
blood pressure, digital, 43:907
finger rewarming, air temperature and smoking, 52:1167
Reabsorption, tubular, 41:457
Reagents, matched, for Scholander gas analyzer, 43:164
Rebreathing
abdominal muscle activity, various maneuvers, 51:1471
blood flow
lung tissue, 44:795
pulmonary capillary, tissue volume and, 49:910
carbon dioxide: *see also* Carbon dioxide
cardiac output estimation, during swimming, 44:821
diaphragmatic electromyographic response, 43:262
pressure differences due to slow pH equilibration, 45:666
carbon monoxide: *see also* Carbon monoxide
inspired concentration effects, 52:109
pulmonary diffusing capacity, 51:571
diffusing capacity, lung volumes and, 47:32, 49:566
effects, lung model, 44:795
exercise studies
children, 45:1005
electromagnetic valve, 53:286
switching valves, 48:386
hemodynamics, exercising teenagers and asthmatic children, 46:293
high ambient pressure, inspired gas densities and, respiratory control, 48:528
hyperventilation effects, 52:1161
lung tissue volume, 44:795
in edema, 44:782, 48:66, 1038
pulmonary capillary blood flow and, 52:1375
measurements, after saline infusion, 43:246
phrenic and hypoglossal responses, carbon dioxide, 53:1504
pulmonary diffusing capacity, oxygen and carbon monoxide, 51:1643
uneven gas mixing, dead space measurement, 53:930
vascular volume, pulmonary circulation, 44:956
Rebreathing system, heated, for infants, 43:155
Rebreathing technique, acetylene, pulmonary tissue volume, lung, 48:799
β-Receptor blockade: *see* Blockade
Receptors
acetylcholine, thoracic duct, 49:1010
adrenergic
cerebral circulation, 40:797
corticosteroid effects, lung, 53:731
oxygen balance, myocardial, during exercise, 49:28
selective stimulation, trachealis muscle, 51:428
training bradycardia and, 51:1232
α-adrenergic
contraction, trachealis muscle, 48:329
inhibitory innervation, trachealis muscle (guinea pig), 50:374
smooth muscle, tracheal and bronchial, 45:307
thoracic duct, 49:1010
β-adrenergic
cardiac density, hypoxia effects, 50:363
distribution, airways, 48:16
energy sources, mobilization during exercise, 44:869
humoral agents, 43:612
inhibitory innervation, trachealis muscle (guinea pig), 50:374
ion transport, tracheal epithelium, 47:397
right ventricular hypertrophy at high altitude, 48:473
smooth muscle reactivity, airway (monkey), 50:513
training effects, heart, 52:113
adrenoceptor control, lung fluid and protein exchange (sheep), 51:88
airway
intrapulmonary, rapidly adapting, 48:511
loaded breathing and, anesthesia, 53:355
smooth muscle (baboon), 48:947
airway stretch, pulmonary congestion and edema, 43:107
γ-aminobutyric acid, respiratory depression and, hindbrain, 51:1278
arterial, carotid body sensitivity, arterial carbon dioxide pressure, 45:768
autonomic, airway carbon dioxide and, 52:190
baroreceptors
blood flow control, skin, exercise, 48:717
hyperpnea and, diving (duck), 52:206
muscle, ischemia, 52:340
pulmonary arterial, congestion and edema, 43:107
pulmonary arterial, distension and, 46:625
reflex stimulation, blood flow and, lung, 52:1128
summated circulatory response, 52:184
bronchopulmonary, antigen-induced tachypnea, 42:101
carbon dioxide
closed-loop respiratory system (chicken), 48:1029
discharge, venous carbon dioxide tension and (duck), 53:1386
intrapulmonary, loading and (duck), 52:1272
intrapulmonary, respiratory pattern changes (chicken), 52:162
threshold mechanism, inspiratory (avian), 47:233
cardiac, vagal afferents, 47:312
cardiopulmonary, anodal block, 42:461
carotid
blood and relative tissue oxygen tension, brain and muscle, 45:419
cerebrospinal fluid pH and, 45:275
chemoreceptors
afferents, aortic and carotid bodies, relative latency, 48:362
aortic, denervation (pony), 49:964
aortic, function, 42:344
aortic, hypercapnia and hypoxia, 51:55
aortic, metabolic alkalosis and, 53:75
aortic, pneumothorax effects, 51:665
aortic and carotid, anemia, 44:696
aortic and carotid body, hypotension and, 48:781
aortic body, carbon dioxide tension, 47:858
aortic, dopamine effects, 53:596
arterial, dopamine and, 49:45
arterial, neural response, dopamine blockade, 50:172
arterial, ventilatory response to hypoxia, 42:492
carbon dioxide, breathing pattern and (chicken), 52:162
carbon dioxide, carotid body, 49:45
carbon dioxide, modulating ventilatory activity, 53:185
carbon monoxide, cortisol, hypoxia, 52:1092
carbon monoxide, responses, 50:580
carboxyhemoglobinemia effects, 50:580
cardiovascular, 41:336
carotid, bilateral resection, exercise hyperpnea, 46:908
carotid, denervation, hypoxic arousal and, sleep, 51:1294
carotid, denervation (pony), 49:964
carotid, function, 42:344
carotid, function, respiration, newborn, 51:630
carotid, hypercapnia and hypoxia, 51:55
carotid, hypoxic, ventilatory response, neonatal (lamb), 47:927
carotid, inspiratory onset and, 52:863
carotid, metabolic aspects, 50:884

carotid, neural response, dopamine blockade, 50:172
carotid, stimulation, respiratory neuron response to, 51:816
carotid, stimulation by doxapram, 52:1261
carotid, ventilatory response to carbon dioxide (sheep), 51:1398
carotid body, 50:129
carotid body, cortisol, hypoxia, 52:1092
carotid body, naloxone effects, 51:1533
carotid body, ventilatory control and, exercise, 52:1013
carotid body, ventilatory dynamics in hyperoxia and sinusoidal work, 48:1083
carotid body, heart rate and, diving (duck), 53:1405
carotid body, hyperpnea and, diving (duck), 52:206
carotid sinus, phrenic and hypoglossal motoneurons, 53:1504
central, 41:41
central, hypercapnia and isocapnic hypoxia, 43:812
central and peripheral, phrenic and hypoglossal motoneurons, 53:1504
central, ventilation and (turtle), 53:1365
central, ventilatory response to carbon dioxide (duck), 50:1121
cortisol and, hypoxia, 52:1092
denervation, ventilatory response, fetal (lamb), 42:630
discharge, inspiration and (duck), 53:1392
genioglossus muscle, inspiratory activity, 49:801
hypercapnia and hypoxia effects, phrenic nerve, 51:732
hypoxia and hypercapnia, carotid and aortic bodies, 52:596
hypoxia, ventilatory adaptation, 44:763
hypoxic, cardiac and coronary dynamics, 43:1012
interaction, stimuli effects, 52:602
intrapulmonary, awake state, 52:672
intrapulmonary, carbon dioxide effects, awake state (rooster), 53:1371
intrapulmonary, end-tidal carbon dioxide response, 48:1077
intrapulmonary, ventilatory response to carbon dioxide (duck), 50:1121
medullary, metabolic acidosis and alkalosis, 48:355
medullary, respiratory regulation, newborn (lamb), 47:1212
mixed venous, ventilation and, 52:1192
mixed venous, ventilatory response to carbon dioxide, 48:337
muscle, ischemia, 52:340
oxygen, energy metabolism and, 51:438
oxygen tension, microelectrode tip position, 49:916
peripheral, arousal response to hypoxia, 51:40
peripheral, denervation during hypoxia (goat), 50:392
peripheral function, denervation (pony), 49:964
peripheral, hyperpnea and, exercise (goat), 52:1216
peripheral, isoproterenol and, 47:352
peripheral, oxygen and carbon dioxide effects, preterm infant, 41:609
peripheral, ventilatory control in hypoxemia, 41:878
peripheral, ventilatory response at high altitude, 43:114
plasma carbonic anhydrase effects, exercise, 49:708
respiratory, responses, 43:1075
respiratory and cardiovascular responses to exercise (duck), 47:827
respiratory response, oxygen, newborn (lamb), 52:428
systemic hypoxia, 52:570
ventilatory control and, sleep, 53:307
ventilatory response, acid-base infusions, exercise, 44:28
ventilatory responses, cardiac output changes, 51:1103
cholinergic, corticosteroid effects, lung, 53:731
chromophore protein, carbon dioxide and oxygen tension changes, 47:858
exercise ventilation and, 45:557
gain, normal and carotid body-resected subjects, 46:843
H_2
airway (monkey), 49:729
antagonism, histamine response, airway, 48:613
antagonists, epithelial ion transport, 42:735
H_1 and H_2
airway reactions (sheep), 49:826
pulmonary and systemic circulation (sheep), 53:175
histamine
airway smooth muscle reactivity (monkey), 50:513
pulmonary vascular, newborn (lamb), 49:380
pulmonary vascular tone and, 51:1320
hydrogen ions, central, tidal volume and, 45:502
insulin, fat cells, exercise, 51:1500
irritants
in *Ascaris suum* allergy (monkey), 45:846
pulmonary response to aerosol histamine, 42:946
reflex effects, lung, 45:212
J, 41:1
hypoxia, 46:1143
reflex effects, lungs, 45:212
lung, rapidly adapting, histamine stimulation, 43:397
mechanoreceptors
costovertebral joint, respiratory pattern changes, 48:862
pulmonary, genioglossus muscle, inspiratory activity, 49:801
upper airway pressure changes, genioglossus muscle and, 52:445
metabolic, muscle reflexes and, 50:784
muscarinic
airway smooth muscle, 52:1084
corticosteroid effects, lung, 53:731
serotonin effects, bronchoconstriction, 52:964
muscarinic cholinergic, hypoxia-induced changes, heart, 50:1017
muscle
reflexes and, exercise, 50:784
stimulation, ventilatory change, cerebellar role, 47:1062
muscle ischemia, 45:574, 762
neuroepithelial cells, gill (fish), 53:1342
opiate
naloxone effects, 51:1533
respiratory control and, newborn, 53:1063
respiratory control during hypoxia, newborn, 51:122
performance
cardiopulmonary interdependence, 52:333
hypervolemia, aerobic power and exercise, 52:1186
peripheral
respiratory response to hydrochloric acid acidosis, 46:1138
tissue, stimulation of ventilation by 2,4-dinitrophenol, 47:1066
ventilatory drive in metabolic acidosis, 46:913
proprioceptors, respiratory pattern, 43:20
pulmonary
breathing during congestion, 45:385
threshold mechanism, inspiratory (avian), 47:233
pulmonary stretch
control of expiration, 52:1296
discharge patterns, eupnea, hypercapnia and hypoxia, 53:346
frequency response to carbon dioxide, lung lobe, 47:1201
modulating ventilatory activity, 53:185
slowly adapting, 48:511
stretch
airway distension, extrapulmonary, 46:890
airway, inhaled carbon dioxide effects, newborn, 53:1461
breathing during tracheal distension, 48:794
reflex effects, lung, 45:212
thermal, summated circulatory response, 52:184
thoracic, ventilatory stimulation, 41:639
tracheal, topical anesthesia, 47:1123
training and, hypophysectomy, 53:448
upper airway, stimulus to, 51:1189
vagal
bronchopulmonary, hypoxia and hypercapnia, 48:163
bronchopulmonary, ozone-induced tachypnea, 46:1108
ozone-induced bronchial hyperirritability, 43:626
respiratory control, 43:844
vascular muscle, vasoactive agents, 49:1016
Recirculation
hyperventilation effects, 52:1161
lung perfusion, exercise, 50:1071
Recirculation time, exercising children, 45:1005
Recoil, lung: *see* Lung
Recoil pressure: *see* Pressure
Recompression, surfactant effects, air embolism, 52:119
Recruitment
motor unit
locomotory muscle fiber activity, 44:358
speed and gait effects (lion), 43:672
pulmonary capillary, hemorrhagic shock, 45:298
pulmonary vascular, edema formation, 43:14
vascular, krypton-81m measurement, 44:115
Rectum
temperature, sweating regulation, thermal transients, 52:1147
viscoelastic properties, 41:677
Recumbency, prolonged, blood volume, pulmonary, 50:950
Red blood cells: *see* Erythrocytes
Refeeding, fat-free body mass, 42:731
Reflection spectrophotometry: *see* Spectrophotometry
Reflexes
action tremor, exercise-induced, ankle, 53:1164
activity, rib cage distortions, intercostal muscles and, 52:517
airway
breathing during tracheal distension, 48:794
bronchial C-fiber stimulation, 51:485
during sleep, 47:17
left heart, 49:620
lung and somatic afferents, 52:984
pressure change effects, genioglossus muscle, 52:438
resistance, 49:620
ammonia inhalation, lungs, 45:212
apneic, chemical specificity of, laryngeal (puppy), 53:455
baroreceptor, 41:111, 383, 574
heart rate control, body position effects (monkey), 52:1552
stimulation, blood flow and, lung,

Reflexes (continued)
52:1128
systemic hypoxia, 52:570
baroreflexes
blood flow control, skin, exercise, 48:717
cardiopulmonary, pulmonary congestion and edema, 43:107
carotid, modulation of responsiveness, 41:383
graded muscle ischemia and, 41:693
muscle ischemia, cardiovascular responses, 45:762
pulmonary breathing control, 45:385
sensitivity, 41:36
Bezold-Jarsich, vagal afferents, 47:312
bronchoconstriction: *see* Bronchoconstriction
bronchopulmonary, during sleep, 47:17
capsaicin-induced, 47:961
carbon dioxide, pulmonary mechanics, 47:1201
cardiovascular, muscles, limbs, exercise, 50:784
chemoreceptors
carbon dioxide, airway, 48:337
hypoxic response in sleep, newborn (calf), 48:892
peripheral, respiratory control, newborn, 48:587
chemoreflexes
blood flow, cutaneous, 53:920
breathing regulation, high altitude, newborn, 44:673
carotid body, hypoxemia and, 52:1416
dopamine effects, breathing, 50:892
lung, bronchial C-fiber stimulation, 51:485
lung, tracheal contraction and, 52:984
lung, tracheal gland secretion and, 53:985
muscle ischemia, 45:574, 52:340
peripheral, hypoxia, endorphin effects, newborn, 51:122
respiratory, loop gain, central and peripheral, 46:843
Cushing
cerebrospinal fluid pressure-induced pulmonary hypertension, adrenal component, 47:153
pulmonary hemodynamic responses, 46:84
pulmonary venoconstriction, 49:73
diving: *see* Diving
electrocutaneous, neuromuscular weakness, 52:416
ether inhalation, 45:212
exercise
muscle ischemia, 45:574
skin blood flow control, 46:780
expiratory, laryngeal stimulation, sleep, 45:681
expiratory airflow, duration and, 42:80
extravagal, tracheal distension, 50:421
fastigial, 41:574
Gauer-Henry, 40:605
Head's paradoxical, 41:502
Hering-Breuer, 40:281, 41:1, 688
airway distension, extrapulmonary, 46:890
airway occlusion, anesthesia, 51:143
anesthesia, 45:171
brain hypoxia and ventilation (goat), 53:212
breathing frequency, carbon dioxide and, lung lobe, 47:1201, 52:190
enkephalin effects, newborn, 53:1063
expiratory facilitatory, expiratory time control, 52:1296
inflation, anesthesia, species differences (human, cat), 51:1162
inflation, pentobarbital effects, newborn, 42:845
inflation, respiratory control, newborn, 44:304
inspiratory duration, 45:80
inspiratory duration, infants, 45:202
inspiratory inhibition, 46:669
inspiratory inhibition, phasic lung volume changes, 48:302
inspiratory motor output, 49:609
ozone-induced tachypnea, mechanism, 46:1108
respiratory control, anesthesia, 51:19
sulfur dioxide effects in anesthesia, 43:844
ventilatory pattern, 45:171
inflation-augmentation, 41:502
inspiratory-augmenting, threshold changes, 53:1152
inspiratory inhibitory, chest wall, human anesthetics and (cat), 44:596
inspiratory timing, maturational changes, newborn, 50:1282
intercostal, inspiratory duration, infants, 45:202
intercostal muscle, sleep breathing patterns, infants, 48:139
intercostal-phrenic, 40:357
J, 41:1
hypoxia and, 46:1143
knee-jerk, 41:1
laryngeal
arousal response to hypoxia, 51:40
sleep, 45:681
motor system, 41:1
neonatal respiratory, 41:1
parasympathetic, cervical trachealis muscle, 53:617
phrenic
intercostal, neonatal respiratory control, 42:362
intercostal, respiratory control, neonatal, 42:362
phrenic inhibitory, intercostal, maturational changes, newborn, 50:1282
potentiation, training and immobilization, thenar muscles, 53:419
respiratory
breathing through inspiratory resistor, 41:285
cervical cord injury, 52:748
inspiratory inhibition, 45:80
muscles, exercise, 50:754
negative-pressure breathing, 50:552
neonatal sighing, 41:502
phrenic nerve, 46:625
positive-pressure breathing, 45:495
regulation after *Ascaris suum* antigen inhalation, 42:101
thoracic deafferentation, 52:757
thoracic dorsal rhizotomy, 43:20
transrespiratory pressure and (man and guinea pig), 47:119
vagal receptors and, 41:310
respiratory control
ozone effects, 48:163
ozone exposure, 46:1108
secretion and, tracheal gland, 53:985
skin blood flow, control, 47:1188
Stapedius, neuromuscular weakness and, 52:416
stimulation, gastric irritation, tracheal mucus gland, 52:1153
stretch, lung, 53:1239
thermal, blood flow control, skin, during exercise, 48:717
thoracic, stabilizing loaded ventilation in normal and cord-injured man, 43:339
tracheal contraction, bronchial C-fiber stimulation, 51:485
tracheal distension, 50:421
vagal
active sleep, newborn, 46:1081
aerosolized histamine effects, 53:690
bronchoconstriction, 47:13
cardiopulmonary function, lung lavage and hypoxia, 43:778
chemical stimuli effects, upper airway muscles, 52:530
expiratory elastic and resistive loading, 46:730
gastric irritation, tracheal mucus gland, 52:1153
inhibitory, phasic lung volume change, 48:302
lung volume after antigen infusion, 45:957
ovalbumin-induced lung disease (pony), 53:719
physiological and pharmacological properties, trachealis muscle, 49:84
respiratory muscle electrical activity, 42:287
reversible paralysis, diaphragm, 51:1150
ventilatory
quadriplegia, men, 51:654
transrespiratory pressure effects, 51:660
viscerosomatic, abolition, during oxygen deprivation, 46:1143
Refractory period, asthma, exertion, 50:503
Regeneration, autografted limb muscle, 44:431
Regional environment: *see* Environment
Regression analysis: *see also* Models, and the specific subject and site
muscle fatigue, 43:750
respiratory, resistance, central and peripheral, 45:375
respiratory parameters, using forced oscillatory impedance data, 43:322
strained least-squares, time-constant histograms, 51:1581
Rehydration
glucose levels (camel), 42:690
renin-aldosterone system (camel), 44:926
sodium and potassium metabolism and, 41:457
Renin
activity
concentration and, 41:26
graded exercise, 50:123
$+G_z$ acceleration, 40:911
angiotensin antagonism
exercise, 43:440
exercise, during sodium depletion, 45:403
converting enzyme inhibition and, exercise, 53:576
exercise, hypoxia, 52:320
heat exposure, 42:554
hypoxic decompression, 43:421
plasma activity
chair rest and water immersion, 48:79
distance running, 50:709
exercise, 49:930
exercise effects, hypertension, 53:891
heat stress, 41:323
hypervolemia, 48:657
hypervolemia, exercise-training induced, 48:665
hypotension and, exercise, 51:298
isoproterenol and exercise effects, 45:870
orthostatic responses, fainting, 51:1404
running exercise, 41:26
saline loading effects, heat acclimatization, 50:605
zero gravity, cardiovascular adaptation, 46:541
Renin-aldosterone axis, hypoxia, exercise and, 52:320
Renin-aldosterone system, dehydration (camel), 44:926
Renin-angiotensin-aldosterone system, 41:26, 462
Renin-angiotensin system: *see also* Angiotensin
hypoxia, 46:227
pathophysiological states, vascular reactivity, 48:308
splanchnic vasoconstriction, heat stress and, 52:1438
vascular response, heat stress, renal (ba-

boon), 43:739
Renin substrate, dehydration (camel), 44:926
Reperfusion: *see* specific subject and site
Repetitive impulse generation: *see* Impulse generation
Reproductive hormones, thermal effects (sheep udder), 43:668
Reserpine
high pressure, central nervous system, maturation, newborn, 49:390
high-pressure neurological syndrome, 43:221, 46:756
Resident-gas technique
airway closure, lung, 50:55
anesthesia, airway closure and, 47:874
Residual capacity: *see* Capacity
Residual volume: *see* Volume
Resistance
active flow, respiratory system, 53:149
airflow, 40:177
equation of motion, cyclist, 47:201
frequency dependence, pulmonary, 47:161
histamine release, lung, 44:455
nasal, exercise effects, 46:369
vocal cord movements, eupnea, 52:773
wind assistance, running, 48:702
airway
acoustic area, 48:896
alae nasi activation and, 52:1432
altitude acclimatization, 52:1407
body plethysmography failure in, 52:949
bronchial asthma, 52:939
bronchomotor tone, excised lungs, 49:270
central and peripheral, lung volume and, 44:728
computer-assisted determination, 50:672
exercise, 50:1087
forced airflow oscillation, 51:715
forced random noise resistance parameters, 51:33
frequency dependence, respiratory impedance and, 51:621
gas flow rate effects, 41:234
glottis area, 43:603
histamine receptors (sheep), 49:826
infant, 43:144
low-frequency periodic flow, 47:347
lung volume, 46:67
maximal flow viscosity and density dependence, 48:313
measurement, in infancy, 43:155
measurement, interrupter method, 48:1092
newborn, 51:641
noninvasive measurement, 46:399
peripheral, excised right and left lungs, 46:463
peripheral, forced expiration indices, 50:15
peripheral, isovolume pressure-flow relations, 52:295
pressure-flow relations, 51:1033, 1072, 1338
pulmonary congestion and, 49:620
sepsis, pulmonary edema and (dog, baboon), 50:1198
small, hypocapnia, 46:966
small, lung volume, 49:9
small, vagal stimulation, 49:287
steady flow, model, 49:417
supraglottic, occlusive sleep apnea and, 53:1158
tracheal pressure measurement, 51:218
upper, postpanting, 48:1024
vagal effects, 47:13
vagal stimulation, histamine, 50:1286
bronchovascular, blood flow and, 53:1044
central
bronchomotor tone, 49:270
children, 47:551
chest wall
forced oscillation technique, 42:650
papain exposure, 46:61
collateral
alveolar level, 48:982
cigarette smoking and, 53:582
edema fluid accumulation and, lung, 53:70
lung, 52:1426
lung volume, 46:67
collateral flow, and time constants, lungs (dog, horse), 44:63
corneal, 40:447
coronary vascular, exercise effects, 53:631
erythrocyte membrane, oxygen uptake, 49:[illegible]
expiratory, sulfobromophthalein sodium excretion and, 43:714
flow, loading, breathing pattern variability, 50:299
frequency dependence, spontaneous breathing, lung and chest wall, 49:408
interlobar, collateral ventilation, 46:658
laryngeal, fluid dynamic factors, tracheal pressure, 51:218
lung, exercise, 49:506, 511
lung tissue, vagal stimulation and aerosol histamine effects, 51:477
mucus-lined tubes, steady and oscillatory flow, 52:1172
nasal, alae nasi activation and, 52:1432
nonlinear, impedance of, 53:1643
oscillatory flow
central airway, 50:1293
straight tubes and airway cast, 52:1097
peripheral
acute anemia, 52:16
exercise and, 53:1589
(mouse deer), 42:679
newborn, 53:1220
precapillary and postcapillary, catecholamines, lung (sheep), 50:1353
pulmonary, 40:496
airway response measurement techniques, 52:1363
and systemic, 40:549
antigen-induced tachypnea, 42:101
asthma, 40:889, 49:953
atropine effects (Basenji-Greyhound), 50:761
automated, 40:110
breathing frequency responses to pulmonary carbon dioxide, lung lobes, 47:1201
bronchomotor tone, 49:270
data-averaging circuit, 47:621
effects of gas density, viscosity, and flow rates, 41:388
esophageal balloon technique, infants, 49:735
expiratory flow and density dependence, 49:897
forced oscillation technique, 42:650
frequency dependence and gas physical properties, 47:161
hypoxia, isocapnic, 42:413
inhaled histamine effects, 47:51
lobar venous occlusion, 47:145
localization of airway constriction, 41:396
longitudinal distribution, hypoxia, 47:532
methysergide effects, endotoxin response, 50:185
nonadrenergic bronchodilation, 52:562
normal (ferret), 50:799
rapid vital capacity expirations, 49:142
systemic venous hypertension effects, lung water, 51:592
tissue, bronchomotor tone, 49:270
total, normal (bonnet and rhesus monkey), 46:176
pulmonary vascular
atelectatic lung, 46:1047
atelectasis, lung lobes, 50:1022
cardiac output, 46:315
catecholamine effects (sheep), 50:1353
cerebrospinal fluid pressure, 46:84, 49:73
defibrinogenation effects, 49:841
embolization (sheep), 45:590
exercise and, 52:976
functional diagram, 52:1035
graded hypoxia, species differences (cat, dog, rabbit, ferret, pig), 51:1214
granulocytopenia effects (sheep), 52:155
histamine response, newborn (lamb), 49:380
5-hydroxytryptamine infusion, 52:634
hypoxic compartment size and, 53:626
hypoxic, longitudinal distribution, 44:493
hypoxic (pig), 49:820
hypoxic, potentiation by ethyl alcohol, 44:76
hypoxic, temperature dependency, 42:56
increased, force environment, 44:384
intracranial pressure increases, 42:335, 50:967
intrapulmonary shunt, 46:315
longitudinal distribution, 43:1089, 1093
lung fluid-protein exchange during intracranial hypertension (sheep), 48:273
lung inflation and, 45:442, 53:1110
lung volume and, 52:914
microembolization, 43:51
oleic acid dose-related edema, perfused lung, 50:1115
osmolality, 42:941
ozone effects (sheep), 48:789
partitioning of, arterial and venous occlusion, 52:710
pressure-flow course, 48:878
pulsatile flow and, 53:1583
regional, α-adrenergic blockade, hindlimb, 48:630
serotonin-vagus interaction, 44:144
sodium nitroprusside and, 51:288
steady-state, 49:643
sympathetic control (sheep), 51:88
venous, lung lobe, serotonin effects, 48:606
ventilation-perfusion relations in, 51:607
respiratory
anaphylaxis, lung, 46:919
anesthesia, 49:197
arachidonic acid, 44:397
averaging, technique, 42:650
central and peripheral estimation, 45:375
equipment effects, 42:28
estimation using forced oscillatory impedance data, 43:322
forced random noise analysis, young children, 47:169
fractionating, children, 47:551
frequency dependence, healthy children, 47:268
interrupter technique, 52:549
noise parameters, 52:1530
occlusive sleep apnea, 48:432
oscillation method for measurement, 46:956
papain exposure, 46:61
prostaglandin H_2 analog, 44:406
prostaglandins, 44:397
prostaglandins and arachidonic acid, 53:1005
pulmonary impedance measurement, 52:725
spontaneous breathing, 49:408
work tolerance, 42:444
respiratory flow, single-breath method, anesthesia, 52:1266
skin, gas flow, 49:438
steady flow, central airway, 50:1293

Resistance (continued)
subendocardial, exercise effects, 49:444
thermal, variations, 43:59
thoracic, airflow, 48:957
training: *see* Exercise, training
upstream
lung mechanics and, 51:1115
small airway dimensions, 52:346
transpulmonary pressure and, 45:840
vascular
anemia, norepinephrine and propranolol, hindlimb, 51:565
arterial lung lobe, serotonin effects, 48:606
cerebral, blood flow-arterial carbon dioxide pressure sensitivity, neonatal, 49:113
collateral, pulmonary venous pressure, 49:643
collateral flow, partitioning, vagal stimulation, lung, 49:287
coronary, exercise training, 45:604
exercise (duck, pigeon), 53:207
in cerebral circulation, 40:797
intestinal heat stress and, α-adrenergic control (baboon), 48:759
lung lobe, 53:158
lung lobe, edema, 48:444
lung lobe, pulmonary vasomotion, 45:545
muscle reflexes and, exercise, 50:784
passive body tilts, 46:288
ventricular volume overload and cardiac output, 49:482
viscous
expiratory flow, 47:490
trachea, 44:137
Resistive load: *see* Load; loading
Resistivity, electrical, blood during work, 45:459
Resonant frequency, spontaneous breathing, lung and chest wall, 49:408
Respiration: *see also* Breath holding; Breath sounds; Rebreathing
abdominal muscle activity, various maneuvers, 51:1471
adaptations, altitude changes and, 41:159, 168
added loads, ventilatory drive effects, 53:901
aerosol deposition sites, excised lung, 53:824
air, helium-oxygen, and sulfur hexafluoride-oxygen, pressure-flow curves, alveolar, 51:1033
airflow, upper airway, neonatal, 53:805
airway
distension, extrapulmonary, 46:890
negative pressure, 50:552
resistance, newborn, 51:641
alveolar gases, forcing, time courses, 52:1353
γ-aminobutyric acid effects, hindbrain, 51:1278
aortic chemoreceptor afferents, 48:362
apneic breathing, fetal (lamb), 47:527
apneustic, 40:281
artificial, gas exchange measurement, 51:1451
Ascaris suum antigen effects, role of vagus nerves, 42:101
augmented
mechanical load influences, 50:299
threshold changes, 53:1152
automated assessment, 40:619, 50:663
breath-by-breath measurement, computer-based system, 42:968
breathing
changes, perception, 50:78
depth, timing and, anesthesia, 51:19
carbon dioxide, inspired, ventilatory response, 49:1000
cardiac performance and, 44:703
carotid chemoreceptor function, newborn, 51:630
central
depression, β-endorphin, 50:1011
hyperbaric nitrogen and, 45:756
neural afterdischarge, vagal afferent input, 45:339
cerebrospinal fluid bicarbonate, control, 40:559
cold water immersion, 43:211
constant flow, longitudinal mixing in pulmonary airways, 44:297
core cooling, heat loss-induced, metabolic response, 50:829
cytochrome aa_3 and, 43:873
deflation effects, negative-pressure breathing, 50:552
diaphragm length changes, volume displacement and, 53:750
diaphragm size, weight and muscularity effects, 52:64
dopamine effects, chemoreflexes, 50:892
dynamics
infant, 52:1209
step work load, 52:1198
efforts, parasternal intercostal muscle activation, 52:524
elastic load sensations, aging effects,50:844
endurance time, raised air pressure, 50:747
ether effects, newborn, 40:281
exercise
antigen-induced, 42:101
bicycle, dynamic and steady-state responses, 42:959
cost of, 50:1087
prolonged, 50:27
recovery from, 47:514
exercise apparatus (monkey), 44:129
exhalation
diffusing capacity, lung model, 48:648
slow, diffusing capacity-lung volume relations, 49:566
expiration
during diving, 45:783
forced, 49:142
forced, airway compliance and, 52:357
forced, comparison of measures, 42:607
forced, plethysmography, 50:658
forced, variability, 46:565
maximal, airway closure, 48:695
phase III and IV, metabolic gas effects, single-breath, 50:487
prolonged, mixed venous and arterial carbon dioxide pressure, 50:196
pulmonary stretch receptors and, 52:1296
steady flow, 51:1331
expiratory duration
exercise hyperthermia, 47:1039
phrenic activity, hypercapnia and vagotomy, 47:91
raised air pressure, 50:747
reflex control, 42:80
expiratory flow: *see* Flow; Flow rate; Flow-volume relations
expiratory flow-volume curves: *see* Expiratory flow-volume relations
expiratory loading, 49:601
expiratory maneuvers, quick-release, 47:1043
expiratory muscle weakness, cough dynamics, *d*-tubocurarine, 51:494
expiratory pause, occlusive sleep apnea, 48:432
expiratory time, lung volume effects, newborn, 45:18
expired gas, measurement, 46:1196
first breath, chemoreceptors and, fetal (lamb), 42:630
fixed volume, paralyzed animals, 45:133
fluid shifts, zone I lungs, 48:246
gas: *see also* Gas, or the specific gas
breathing, pulmonary, 52:221
exchange, delayed kinetics, exercise, 52:921
generation and regulation, in utero, fetal (lamb), 47:527
heat loss: *see also* Heat
asthma, 48:619
sympathomimetics and, 52:1119
helium-oxygen, flowmeter calibration, 51:1038
hemodynamics, left ventricular, 47:1295
hypercapnic stimulation, fetus in utero (sheep), 50:701
hyperoxia, intermittent exposure, 42:593
indices, forced peripheral airways and, 50:15
inspiration
carbon dioxide, isocapnic hyperpnea and, awake state (pony), 47:445
deep, asthma, 50:1079
genioglossus muscle, 49:801
initiation by carbon dioxide threshold mechanism (avian), 47:233
lengthening, intrapulmonary chemoreceptor discharge and (duck), 53:1392
normal and loaded, cardiovascular function and, 47:582
off-switch threshold, pentobarbital effects, newborn, 42:845
upper airway muscle, 49:638
inspiration and expiration
forced noise mechanical parameters during, 52:1530
upper body posture effects, 52:879
inspiratory activity
central generated, rate of rise, sleeping infant, 46:998
diaphragmatic, electromyogram, spectral analysis, 46:152
static, rib cage, deformation, 46:1071
inspiratory capacity, partial curarization, diaphragm, 48:921
inspiratory drive, hypoxia and high altitude, neonate, 48:587
inspiratory duration, 45:80
exercise hyperthermia, 47:1039
intercostal muscle reflex, sleeping infant, 48:139
phasic vagal influence, 49:609
phrenic activity, hypercapnia and vagotomy, 47:91
raised air pressure, 50:747
reflex maturation, infant, 45:202
inspiratory inhibition
flow rate effects, 46:669
sustained by phasic lung volume changes, 48:302
inspiratory motor output, phasic vagal influence, 49:609
inspiratory muscle tone, asthma, 49:869
inspiratory occlusion pressure, breath-to-breath monitoring, 51:520
inspiratory off-switching, phasic lung volume changes, 48:302
inspiratory off-switch threshold
elastic loading, 49:669
sleeping infants, 46:998
inspiratory pressure, phospholipid release, lung, 47:285
inspiratory profile, hypoxia and high altitude, neonate, 48:587
inspiratory-terminating vagal stimulus constant, 50:1183
inspiratory timing, reflex changes, maturation, newborn, 50:1282
inspired air, diffusing capacity at different lung volumes, 47:32
inspired concentrations, carbon monoxide uptake and, 52:109
inspired gas distribution, 49:279
inspired time, exercise tidal volume, 46:322
intermittent positive-pressure, blood flow, liver, 47:290
ischemic muscle mass, pressor dependency, 45:762
left ventricular performance, 46:411
lengthening, intrapulmonary chemoreceptor discharge and (duck), 53:1392
liquid, 40:745

liquid and protein clearance, alveoli, anesthesia (sheep), 53:96
load compensation, 40:895, 53:766
  infants, 40:357
loaded breathing, 40:177
  active impedance, 53:149
  cervical cord injury, 52:748
  quadriplegics, 53:1481
  reflex response to, anesthesia, 53:335
  rib cage distortions, intercostal muscles and, 52:517
  sensation, 52:578
  thoracic deafferentation, 52:757
longitudinal mixing, pulmonary airways, 46:799
lung volume
  diving and, 45:783
  low, chest strapping, 50:650
lung water, after extracellular fluid volume expansion, 42:624
magnitude estimation, elastic loads, aging effects, 50:844
maturation, neonatal (lamb), 47:927
maximal work capacity and, hypoxic woman, 47:1223
maximum forced expiration, force-velocity relations, muscle, 52:930
measurement
  dense gas, 47:631
  flowmeter, hot-wire, 47:1131
metabolism and, salicylate and 2,4-dinitrophenol effects, 53:925
microvascular pressure, 5-hydroxytryptamine infusion, lung, 52:634
mitochondrial
  cardiac, physical conditioning effects, 45:978
  hyperbaric oxygenation effects, spermatozoa (ram), 50:531
mode, airway secretory response, 46:205
multiple-breath nitrogen washout, lung emptying patterns, 44:424
negative-pressure
  immersion, 44:679
  immersion diuresis, 42:915
  resting and exercise, 48:977
  timing, 50:552
neonatal, 41:502
  response to airway occlusion, 41:634
neural-mechanical relations, model, 51:963, 979, 990
neural stimulation and, 40:23
noise effects, 49:985
nonchemical stimuli, 47:1105
nonrebreathing valve, small animals, 44:974
obstruction, high ambient pressures and inspired gas densities, 48:528
occluded inspiratory efforts, phrenic output and, 51:99
occlusive sleep apnea, 48:432
onset of, infant, cesarean section delivery, 52:716
oxygen
  cost, endurance training, 45:885
  norepinephrine response, exercise, 51:176
  solute permeability, alveolar epithelium, 50:859
ozone exposure, 43:82, 46:1108
panting: *see* Panting
periodic
  factors inducing, 53:644
  sleeping infant, 48:139
pilocarpine-induced breathing, fetal (lamb), 50:1348
positive-pressure
  cardiopulmonary interdependence, 52:333
  intracranial pressure and, 44:25
  respiratory muscle, electrical activity, 42:287
  respiratory pattern, 45:495
  responses (man and guinea pig), 47:119
postnatal, carotid chemoreceptor function, 51:630
poststimulation, 45:339
pressure breathing
  negative, 50:552
  single motor unit activity, diaphragm, 50:348
  ventilatory reflexes and, 51:660
prolonged work, hypoxic women, 49:367
pulmonary congestion, left atrial distension and, 45:385
pulmonary mechanics and, raised air pressure, 50:747
quiet breathing, abdominal muscle use, 52:700
response slopes, directional analysis, 45:823
second-phase breathing, arterial carbon dioxide tension, heat stress (sheep), 50:315
simulation, piston pump, 50:663
single-breath oxygen test, lung emptying, 43:983
single-cycle, frequency dependence of dynamic compliance, 48:45
sinus node function, systemic hypoxia, 52:570
skin, noninvasive monitoring, electrodes, 51:1027
sleep, 40:688
  loss effects, 53:855
spontaneous
  chest wall mechanics, 49:408
  chest wall motion, 49:279
  comparison with positive-pressure, 41:341
  fetal (lamb), 47:527
  hemorrhage and shock, 42:279
  intrapleural pressure effects, left ventricular, 50:1027
  lung mechanics, 49:408
  mass spectrometry, 53:770
  pulmonary nitrogen washout, 46:1184
swallowing and, infant, 50:851
synchronization of frequency, somatic afferent stimulation, 40:138
tepid water immersion, 44:683
timing
  costovertebral joint movement, 48:862
  elastic and resistive loading, 46:730
  hypoxia, high altitude and, neonate, 48:587
  hypoxia, hypercapnia effects and, 51:732
  lung volume and chemical drive interaction, 42:287
tissue, cold acclimatization, 42:150
tracheal distension, 48:794
treadmill running, refrigerated apparatus, 52:495
urinary bladder afferent, 48:826
ventilatory endurance measurement, muscle, 52:757
volume-time relations, 40:177
  sulfur dioxide effects, 43:844
water-air, gas exchange organs, vertebrates, 53:1321
water-breathing animals, oxygen-carbon dioxide mixing system, 51:229
water loss, rest and exercise (monkey), 49:789
work of
  at increased ambient pressure, 44:231
  at raised nitrogen pressure, 45:756
  exercise, 50:1087
Respiratory acidosis: *see* Acidosis
Respiratory activity
  brain stem, computer simulation, 41:931
  pattern development, fetal in utero (sheep), 50:693
  upper airway pressure changes and, genioglossus muscle, 52:438
Respiratory afferents, breathing rhythm, 45:11
Respiratory afterdischarge, pharmacologic study, 50:239
Respiratory alkalosis: *see* Alkalosis
Respiratory analysis
  breath-by-breath variation, functional residual capacity, 46:1122
  computer-based system, 42:968
  on-line digital integration, 43:375
Respiratory burst, superoxide release and, alveolar macrophages, 53:685
Respiratory capacity: *see* Capacity
Respiratory center
  neural oscillator persistence, 46:1191
  phrenic activity, hypercapnia and vagotomy, 47:91
  sensitivity, 40:805
Respiratory chemoreflex: *see* Chemoreflexes
Respiratory cilia, activity, β-adrenergic stimulation, 48:868
Respiratory compliance: *see* Compliance
Respiratory conductance: *see* Conductance
Respiratory control: *see also* Respiratory regulation
  acid-base balance, cerebral interstitial fluid, 53:1551
  β-adrenergic blockade effects, exercise, 51:788
  airflow, newborn, 53:805
  airway
    occlusion, 51:99
    resistance, newborn, 51:641
  brain hypoxia and, vagus nerve (goat), 53:212
  breathing depth and, anesthesia, 51:19
  carbon dioxide
    awake state (rooster), 53:1371
    carotid chemoreceptors (sheep), 51:1398
    inhaled, airway stretch receptors, newborn, 53:1461
    rebreathing, diaphragmatic and genioglossal electromyogram, 50:1052
    receptors, intrapulmonary (chicken), 52:162
    response, arterial, awake state, 52:672
    responses, computer simulation, 50:835
    yoga, 51:1625
  cardiac output changes, pacemaker, 51:1103
  carotid body denervation effects, arousal response to hypoxia, 51:40
  central, reflex-induced apnea, newborn (pig), 50:874
  cesarean section delivery, infant breathing, 52:716
  chemical, sleep, 53:307
  chemoreceptor interaction and, 52:602
  chest wall configuration and occlusion pressure, awake state, 50:134
  circulatory occlusion, exercise, 50:718
  dopamine blockade, carotid chemoreceptors, 50:172
  enkephalin maturational effects, newborn, 53:1063
  eupnea, vocal cord movements and, 52:773
  exercise, 51:194
  fetus, in utero (sheep), 50:693
  hypercapnia and hypoxia effects, 51:732
  hypercapnic stimulation, fetus, in utero (sheep), 50:701
  hyperpnea
    diving (duck), 52:206
    vocal cords, 52:780
  hypoxia
    endorphin action, newborn, 51:122
    sleep, 52:309
  inspiratory muscle activity, chronic airway obstruction, 51:1388
  kainic acid effects, ventrolateral solitary nucleus, 52:131
  mechanical load influences, 50:299
  naloxone effects
    chemoreception and ventilation, 51:1533

Respiratory control (continued)
newborn, 50:713
parasternal intercostal muscle activation, breathing efforts, 52:524
periodic breathing, factors inducing, 53:644
phrenic neural activity, lung inflation, 50:149
postnatal maturation of, oxygen drive, newborn (lamb), 52:428
prochlorperazine effects, asphyxia, 53:637
pulmonary stretch receptors, expiration control, 52:1296
quadriplegia, men, 51:654
regulation, carotid chemoreceptors, 52:863
salicylate and 2,4-dinitrophenol effects, 53:925
sleep loss effects, 53:855
stepping frequency and, exercise, awake state, 51:835
stimulus duration and carbon dioxide partial pressure effects, newborn (piglet), 53:105
transrespiratory pressure effects, 51:660
upper airway pressure changes and, genioglossus muscle, 52:438, 445
upper airway receptors, stimulus to, 51:1189
volume changes, lung, 51:109
young twins, 52:537
Respiratory cycle, timing, ventilatory adaptations to resistive loading, 52:607
Respiratory depression, γ-aminobutyric acid receptors, hindbrain, 51:1278
Respiratory distress syndrome
adult, endotoxin infusion and (sheep), 53:967
alveolar carbon dioxide measurement, infant, 45:648
automated nitrogen-washout method, infant, 52:1378
betamethasone and, fetal (monkey), 47:377
positive end-expiratory pressure, 44:25
prenatal isoxsuprine, 48:505
pulmonary edema, 50:1337
surfactant extracts and, neonate, 53:838
Respiratory drive
elastic loading, 49:669
exercise and, menstrual cycle, women, 50:1300
neural, inspiratory occlusion valve, 45:481
Respiratory equipment
breathing patterns, 48:577
endurance, hard work, 42:28
instrumentation, barometric measurement of tidal volume, 49:319
programmable gas mixer, 49:160
Respiratory exchange ratio
anaerobic threshold detection, 53:1184
metabolic gas effect, inert gas patterns, 50:487
Respiratory failure
asphyxia, progressive, neonatal, 43:468
cardiogenic shock and, 51:499
diaphragmatic fatigue, 43:189
detection by phrenic stimulation, 50:538
electromyogram pattern, 46:1
newborn, 46:688
endotoxin infusion and (sheep), 53:967
experimental, hemodynamics and mediators in (sheep), 52:1230
force-velocity relations, expiratory muscle, 52:930
hypoxic pulmonary vasoconstriction, 49:189
inspiratory muscle fatigue and, 46:897
ventilatory muscle development, newborn, 44:909
Respiratory flowmeter: *see* Flowmeter
Respiratory flow: *see* Flow
Respiratory frequency
airway
carbon dioxide and, 52:190
impedance and, model, 47:347
obstruction, 44:538
antigen-induced tachypnea, vagal control, 42:101
Ascaris suum antigen inhalation, 42:101
breathing apparatus and, 53:1281
breathing control, young twins, 52:537
carbon dioxide responses, ambient temperatures, 47:522
characteristics, 41:101
cycling with sinusoidally varying pedal rate, 44:97
dead space volume, measurement, 47:319
dependency, hysteresis, 49:142
equipment effects, 42:28
exercise hyperthermia, 47:1039
functional residual capacity and, 46:867
inspiratory muscle activity, chronic airway obstruction, 51:1388
measurement, respiratory jacket for children, 45:630
oxygen cost, 45:885
phrenic activity, hypercania and vagotomy, 47:91
pulmonary carbon dioxide reflexes, isolated lung lobe, 47:1201
resistance
dependence, 47:347
healthy children, 47:268
stepping frequency and, exercise, awake state, 51:835
vagal afferents, cardiac, 47:312
ventilatory pattern, REM sleep, infant, 53:52
Respiratory functions
energy metabolism determination, 42:117
whole blood (mouse deer), 42:673
Respiratory impedance: *see* Impedance
Respiratory inertance: *see* Inertance
Respiratory inhibition
prolonged central, reflex-induced apnea, newborn (pig), 50:874
sympathetic afferents (dog, monkey), 44:718
Respiratory irritants: *see* Irritants; Pollutants
Respiratory jacket, ventilatory measurements, children, 45:630
Respiratory mask
lung function and, model, 53:1050
rest and exercise, 52:500
Respiratory mechanics, 40:729
aging (normal human adult), 43:1054
airway obstruction, 44:538
anesthesia, 45:255, 49:197
halothane-enflurane, 46:646
body position changes, 45:581
collagenase effects, 42:206
curarization, 44:589
density dependence, maximum expiratory flow, 53:397
diaphragm, costal and crural parts, 53:30
expiratory flow-volume curves, analysis, 44:156
fluid dynamic factors, tracheal pressure measurement, 51:218
forced expiration indices, peripheral airway resistance, 50:15
forced oscillatory, after papain exposure, 46:61
forced random noise analysis, young children, 47:169
forced random noise resistance parameters, 51:33
fractionating respiratory resistance, children, 47:551
functional residual capacity, 46:867
halothane, 49:300
hamster, 40:936
immersion, 44:679
inspiratory pressure swings, partitioning, 44:200
interlobar collateral ventilation, 46:658
load influences, breathing pattern variability, 50:299
measurement, 46:927
endotracheal tube, 41:590
single-breath method, anesthesia, 52:1266
methacholine (sheep), 44:479
neuromuscular blockade, 47:1162
normal (bonnet and rhesus monkey), 46:166, 176
partial curarization, 49:1049
pentobarbital effects, newborn, 42:845
plethysmography, fast integrated flow (mouse, rat, guinea pig, hamster), 50:1104
progressive partial curarization, supine position, 52:57
pulmonary vascular engorgement, effects, 45:119
small carnivore (ferret), 52:832
thiopental sodium anesthesia, 46:716
timing, occlusive sleep apnea, 48:432
Respiratory monitor
chemoreceptors, aortic and carotid, response to hypotension, 48:781
neonates, 46:1200
Respiratory movements
blood flow control in
central neural production of, 53:1653
periodic breathing, 53:644
fetal, 42:661
fetal (lamb), 47:527
hyperpnea, vocal cords, 52:780
measurements, magnetometer, 49:355
phrenic nerve section effects, fetal (lamb), 51:293
restriction effects, rib cage and abdomen, 50:412
Respiratory muscle: *see* Muscle, respiratory
Respiratory neurons, medullary activity, tonic and phasic rapid-eye-movement sleep, 48:54
Respiratory oscillations, altitude effects, 48:545
Respiratory output
movement restriction effects, rib cage and abdomen, 50:412
naloxone-induced enhancement, 47:1105
neural-mechanical relations, 51:963
neuromuscular, breath holding, 50:435
Respiratory parameters, estimation with forced oscillatory impedance data, 43:322
Respiratory pattern
added loads, breathing, 52:578
aerosol deposition sites and, excised lung, 53:824
altitude acclimatization and, 52:1407
anesthesia, species differences (human, cat), 51:1162
arterial carbon dioxide tension effects, heat stress (sheep), 50:315
asphyxia, progressive, neonatal, 43:468
barometric measurement of tidal volume, 43:319
breathing apparatus and, 53:1281
carbon dioxide effects, diving, 46:1076
carbon dioxide rebreathing, diaphragmatic and genioglossal electromyogram, 50:1052
carotid body denervation, awake state, 46:1127
changes, intrapulmonary carbon dioxide receptors and (chicken), 52:162
computer-aided magnetometer measurement, 44:623
control, 45:495
negative airway pressure, 50:552
correlations, mechanical load influences, 50:299
costovertebral joint movement, 48:86
development, fetus, in utero (sheep), 50:693
elastic loading, 49:669
hypercapnic hyperpnea, 47:778

exercise
carbon dioxide effects and, 47:192
hyperthermia, 47:1039
fatigue and, diaphragm, 53:1190
gasping, 50:984
hypoxia, 42:492
intercostal muscle reflexes, sleeping infant, 48:139
kainic acid effects, ventrolateral solitary nucleus, 52:131
loaded breathing, anesthesia, 53:355
lung volume, chemical drive interaction and, 42:287
maturation, sleeping infant, 46:998
muscular vibrations and, 51:262
newborn, 44:304
optimal, hypercapnic exercise, 48:1065
oscillatory, apnea and, infant, 52:1288
parturient, 42:661
potassium depletion and, 43:1063
respiratory apparatus, 48:577
respiratory mask, rest and exercise, 52:500
temperature, 42:492
thoracic dorsal rhizotomy, 43:20
variation, mechanical load influences, 50:299
ventilatory monitoring, plethysmography, awake state (sheep), 51:1657
ventilatory response to carbon dioxide, posture effects, 51:1625, 53:761
volume changes, lung, 51:109
waking and sleeping, hypoxia, 44:512
Respiratory phases, hypoxia, body temperature effects, 42:492
Respiratory physiology, bronchoalveolar milieu, awake state (sheep), 50:665
Respiratory pressure: *see* Pressure
Respiratory profile, microbubbles, filtration, lung, 47:537
Respiratory properties, blood, embryo (geese), 53:1432
Respiratory quotient, 41:302
exhaustive activity (marine inguana), 48:689
flow-through respirometry, 42:120
hemodialysis, 50:259
measurement, hyperoxia, 51:725
metabolic gas effects, single-breath nitrogen tests, 53:789
single-breath nitrogen test, gas exchange and, 50:1156
Respiratory rate
control, 40:138
dehydration effects, high ambient temperature, 51:46
exercise tidal volume, 46:322
helium-oxygen environment, 50:478
positive-pressure inflation, 49:124
regulation, mechanical loads, 46:743
Respiratory reflexes: *see* Reflexes
Respiratory regulation, 40:805, 895, 41:1, 93: *see also* Respiratory control
acid-base balance, cerebrospinal fluid (pony), 45:94
acute hyponatremia, 49:95
afferents, 45:11
airway, distension, extrapulmonary, 46:890
altitude, high, newborn, 48:587
anesthesia, 43:844
arousal, 49:801
awake state (dog), 45:109, 47:1099
body temperature effects (alligator), 52:114
breathing depth and, anesthesia, 51:19
bronchopulmonary reflexes, sleep, 47:17
carbon dioxide
inspired, end-tidal response to, 48:1077
intravenous and airway, 48:337
carbon dioxide load, metabolic, 50:45
carbon dioxide sensitivity, 50:956
carbon monoxide inhalation (goat), 43:455
carotid body, sensitivity to arterial carbon dioxide pressure, 45:768
carotid chemoreceptor resection, 46:908
central, human anesthetic effects (cat), 44:586
central chemical, term newborn (lamb), 47:1212
cerebral fluids, high altitude (goat), 47:508
cerebrospinal fluid bicarbonate and, 49:778
chemical
brain blood flow and reduction (goat), 47:1289
during hypercapnia and hypoxia, 43:971
morphine, 47:112
chemoreceptors, fetal (lamb), 42:630
chemoreceptor stimuli and, 41:612
chest wall afferents, 42:362
diving, 46:1076
elastic loading, hypercapnic hyperpnea, 47:778
esophageal diaphragmatic, electromyography, 47:1234
exercise, 42:403
carbon dioxide and, 47:192
duck, 47:827
muscular (pony), 45:94
phasic, hindlimb, 46:878
steady-state, hypoxic, 46:438
exercise hyperpnea, 49:239
expiratory time, lung volume effects, newborn, 45:18
fetal (lamb), 47:527
frequency responses, pulmonary carbon dioxide, isolated lung lobe, 47:1201
Geman-Miller oscillator model, 46:1191
genioglossus muscle and, 49:801
high altitude, neonatal, 44:673
high ambient pressures, 48:528
hyperbaric nitrogen, 45:756
hypercapnia, newborn, 50:566
hypercapnic exercise, 48:1065
hypoxia
brain (goat), 49:497
neonatal (lamb), 47:927
newborn, 48:587
sleep and, newborn (calf), 48:892
hypoxic chemosensitivity, asthmatics, 46:632
hypoxic drive
endurance athletes, familial aspects, 44:464
head injury, hyperventilation, 49:52
inspiratory duration, maturation of reflexes, infant, 45:202
inspired carbon dioxide, 49:1000
intercostal muscle reflex, infant, 48:139
isoproterenol, 47:352
laryngeal stimulation, during sleep, 45:681
left atrial distension, 45:385
low and high altitude, Sherpas, 49:374
lung inflation, 45:212
maturation, sleeping infants, 46:998
metabolic acidosis and alkalosis, responses to, 355
Mueller maneuver, 42:717
naloxone, 47:1105
ventilatory depression, 52:1030
negative-pressure breathing, 50:552
neural, 42:80, 48:302
inspiratory inhibition, 46:669
newborn, 40:352, 357
ozone exposure and, 46:1108
pentobarbital effects, newborn, 42:845
pH, cerebrospinal, 45:275
phrenic activity, hypercapnia and vagotomy, 47:91
phrenic nerves, 46:625
pilocarpine effects, fetal (lamb), 50:1348
plasma carbonic anhydrase effects, exercise, 49:708
positive-pressure breathing, 45:495
premature, 41:41
premature infant (monkey), 48:347
pulmonary congestion, 45:385
rapid-eye-movement sleep, 47:1304
reflex, ozone effects, 48:163
response slopes, directional analysis, 45:823
sleep
breathing patterns, infant, 48:139
infant, 48:684
sodium bicarbonate, hydrochloric acid, potassium cyanide and, 43:1075
sudden death syndrome, infant, 50:1313
thoracic deafferentation, load-compensating mechanisms, 52:757
tracheal distension, 48:794
transrespiratory pressure (man and guinea pig), 47:119
vagal afferents, 45:339
ventilatory acclimatization, altitude, 45:275
ventilatory response, cervical cord injury, 52:748
waking and sleeping, hypoxia, 44:512
Respiratory resistance: *see* Resistance
Respiratory response
β-adrenergic blockade effects, exercise, 51:788
carbon dioxide, 41:41
at raised nitrogen pressure, 45:756
intravenous and intrapulmonary, 45:109
exercise (duck), 47:827
fatigue and lifting, 45:60, 64
graded muscle ischemia, 41:693
hydrochloric acid acidosis, carotid body denervation, 46:1138
neuron, hypercapnia and carotid chemoreceptor stimulation, 51:816
postnatal maturation of, oxygen drive, newborn (lamb), 52:428
reversible paralysis, diaphragm, 51:1150
Respiratory rhythmicity
afferents in, 45:11
genesis (avian), 47:233
metabolic carbon dioxide load, 50:45
Respiratory scaling, cold acclimation, developing lung, 48:886
Respiratory sensation
breathing changes, perception, 50:78
inspiratory load effects, 50:162
resistive load detection, 49:958
ventilatory drive and, 53:901
Respiratory stimuli
nonchemical, 45:339
nonspecific, genioglossus muscle, 49:801
ventilatory response
hypercapnia and hypoxia, 43:971
normal, time course and mechanism, 44:939
Respiratory system
active impedance of, 53:149
closed-loop, carbon dioxide threshold mechanism (chicken), 48:1029
compliance, pulse method of measuring, 49:1116
curarization, pressure-volume relations, 44:589
mechanical properties, 51:109
phrenic nerve section effects, fetal (lamb), 51:293
time constant, single-breath method of measurement, anesthesia, 52:1266
Respiratory tract
inertia, oscillation method for measurement, 46:956
inhaled aerosol clearance (chicken), 53:1423
secretions, transport, tracheal epithelium, 49:905
Respiratory transients, breath-by-breath analysis, 46:1122
Respiratory valve: *see* Valves
Respiratory volume: *see* Volume
Respiratory work
diaphragmatic fatigue, 43:189

Respiratory work (continued)
head-out exercise, body plethysmography, 47:1336
muscle fatigue
diaphragmatic, newborn, 46:688
inspiratory, 46:897
Respirometry, flow-through, 42:120
Respirometry systems, nitrogen calibration of, 51:772
Rest: *see also* Exercise
arterial blood gases, normal, 46:806
bed
exercise and, thermoregulation, 48:72
fluid and electrolyte shifts after $+G_z$ acceleration, 42:67
chair, fluid shifts and endocrine responses, 48:79
heat balance (monkey), 49:789
liver metabolites during, 51:1326
metabolic rate, long-term fasting (penguin), 49:888
negative pressure breathing, 48:977
norepinephrine effects, hypothalamus, 49:937
plasma volume changes, humid heat, 47:798
plasma-volume electrolyte-distribution, sodium ion and calcium ingestion, 48:838
thermoregulation
posture and humidity effects, 48:999
sex differences, 45:908
Restraint
antirotary device, 42:449
myocardial infarction size, 47:393
physical, heat production and, hypoxia, 51:1601
ventilatory response, acute carbon dioxide exposure, 45:611
Resuscitation, hemorrhagic shock, pulmonary microvascular response (sheep), 46:498
Reticulocytosis, splenic, polycythemia and high-altitude exposure, 48:857
Reticuloendothelial function, fibronectin deficiency, lung (sheep), 49:693
Retrograde catheters: *see* Catheters
Retrograde flow: *see* Blood flow
Rewarming
hypothermia and, norepinephrine turnover, myocardial (hamster), 50:962
inhalation, from hypothermia, 46:1061
Reynold's number
pressure-flow relations
bronchial tree, 51:1072
pulmonary, 48:878
Rheology
erythrocytes, 42:941
mucus, tracheobronchial, 42:797
stiffened lung, 47:360
Rheometer, magnetic, mucus rheology, 42:797
Rhizotomy, thoracic dorsal, respiratory response, 43:20
Rhythm
automatic ventilatory, brain stem neurogenesis, 51:204
axonal, pressure and temperature in (crustacean), 45:742
biological nonstationarity, 48:557
circadian
continuous light and (hen), 51:1145
diurnal variation and endurance, muscle and liver glycogen content, 47:425
environmental synchronizers (squirrel monkey), 43:795
evaporation, during sleep, 42:50
internal body temperature, 41:15
diurnal, heat avoidance, 43:573
environmental synchronizers (squirrel monkey), 43:795
respiratory: *see* Respiration
Rhythmicity
inspiratory, threshold mechanism (avian), 47:233
respiratory
closed loop (chicken), 48:1029
genesis (avian), 47:233
Rib cage
curarization, 44:589
deformation
alveolar pressure swings and, 52:638
forced expiratory maneuvers, 50:84
static inspiratory efforts, 46:1071
diaphragm
costal and crural parts of, 53:30
force-balance analysis, 53:756
distortions, intercostal muscles and, inspiratory loads, 52:517
mechanics
acute diaphragm paralysis, 53:373
body position changes, 45:581
during sleep, 43:600
motion, neonatal respiratory control, 42:362
movement restriction
breathing effects, 50:412
lung mechanics, 49:946, 51:1115
tidal volume, during carbon dioxide rebreathing, 46:709
Ribonucleic acid
exercise and, myocardial function and hypertrophy, 46:354
exercise-induced changes, skeletal muscle, 53:1144
Roentgenography, nasal mucus, velocity, 44:964
Rohrer equation
pressure-flow relations, bronchial tree, 51:1072
respiratory impedance, postpanting, 48:1024
Rotation
barbecue spit, motion sickness, 50:469
earth-horizontal and earth-vertical, motion sickness, 50:469
Rowing: *see* Exercise
R-R interval
cold pressor tests, heart rate protocols and, 51:516
initial response to standing, 49:809
Rudolph valve: *see* Valves
Running: *see* Exercise
Ruthenium red
exercised-trained heart, 42:426
uptake, exercise-trained heart, 42:426

S

Saccharomyces cerevisiae, bubble formation, intracellular, lack of, 47:1270
Salbutamol
bronchodilator dose-response curves, measurement, 50:1193
tonic inspiratory muscle activity, asthma, 50:279
Salicylate
2,4-dinitrophenol and, respiration and metabolism, 53:925
phrenic nerve, stimulation, 46:1029
Saline
infusion, rebreathing pulmonary capillary and tissue volume, 43:246
loading effects, adrenocortical hormone levels, heat acclimatization, 50:605
volume-pressure curves, emphysemia, 48:284
Saline-filled lung: *see* Lung
Salmonella enteritidis, endotoxin, hypoxia, 49:294
Salt
excretion, head-down tilt, 49:576
intake, blood pressure and, 40:601
myofibrillar, sensitivity, exercise-trained heart, 43:977
physiological solution, lung perfusion, prostaglandin E_1 uptake, 50:428
sensitivity
hypertension, exercise, 52:1608
myofibrillar, exercise-trained heart, 43:977
Saphenous vein, intravascular temperature, submaximal exercise, men, 51:1092
Saralasin
exercise, during sodium depletion, 45:403
exercise and, 43:440
vascular response, renal, to heat stress (baboon), 43:739
Sarcolemma, skeletal muscle, limb immobilization effects, 52:1113
Sarcoplasmic reticulum
developmental changes, 49:583
exercised heart, 42:426
running-trained, 48:409
Sartorius muscle, contractility, fatigue and recovery (frog), 45:899
Saturation
kinetics, carbon monoxide transport, lung, 50:1061
oxygen tension and, interconversion, blood, 51:1080
Sauna
exposure, sweat composition and, 53:1540
hemoconcentrations, 42:744
Sch 1000, inhalation, lung mechanics, 46:217
Scholander gas analyzer: *see* Gas analyzer
Sciatic nerve, stimulation, breathing, fetal (lamb), 47:527
Seasonal acclimation
catecholamine-synthesizing enzymes, adrenal (vole), 44:59
thyroid metabolism (camel), 45:540
Sedentary state
left ventricular performance, 48:130
metabolic transients, 47:761
sweat evaporation, 42:787
Seizure, lung lymph flow and, left atrial pressure elevation effects (sheep), 53:432
Self-association, hemoglobin concentrations, 52:124
Semicarbazide, ventilation, pulmonary amine removal and, 44:553
Sensitivity, myofibrillar salt, exercise-trained heart, 43:977
Sensitization, serotonin-vagus interaction, lung, 44:144
Sensory nerves, unmyelinated, intrapulmonary airway, 48:511
Sepsis
bacterial, lung fluid balance (sheep), 49:693
gram-negative, endotoxin, pulmonary response, 50:178
pulmonary microvascular permeability following, 52:403
pulmonary response, pulmonary edema and (dog, baboon), 50:1198
radiotracer clearance, pulmonary edema, 50:1337
Septicemia, respiratory failure, endotoxin and (sheep), 53:967
Serotonin
β-adrenergic mechanisms, pulmonary circulation, 43:612
clearance, lung indicator-dilution measurement, 46:1178
depression, lung, during oxygen exposure, 42:33
efferent vagus nerves and, interaction, lung, 44:144
elevated temperature effects, brain (quail), 45:705
endurance training, brain levels, 46:19
hemodynamic responses, lobar venous occlusion, 47:145
indicator curves, multiple, lung (sheep), 44:245
methysergide effects, endotoxin response, 50:185
neuroepithelial cells, gill (fish), 53:1342
obesity and, response to endurance training, 46:19

partitioning, pulmonary vascular resistance, 52:710
platelet, pulmonary response to endotoxin, 50:178
pulmonary inactivation, 48:606
pulmonary vasoconstriction, 49:73
pulmonary vasomotion and distribution of vascular resistance, lung lobe, 45:545
respiratory afterdischarge, 50:239
thermal effects, hypothalamus, rest and exercise, 49:937
uptake
2-deoxyglucose and, lung, 46:447
elevated oxygen pressure, 45:56
lung, 51:405
oxygen tension and, endothelial cells (calf), 50:1212
uptake and metabolism, lung, newborn, 50:118
vagal bronchoconstriction and, lungs, 52:964
vascular resistance and compliance, lung lobe, 53:158
Serum
constituents: *see* specific substance
creatinine, 41:323
electrolytes, 41:26
protease inhibitor, 41:174
sodium, 41:323
Serum factor, endotoxin-induced, cold sensitization, 46:14
Servo-control, end-tidal carbon dioxide, paralyzed animals, 45:133
Sex differences
cardiac function, hypertrophy, exercise, 50:1140
cardiac responses, exercise training, 50:112
cooling, local, 44:813
diaphragm response, quadriplegic men, 51:654
dry-heat responses, aerobic capacity, 50:65
elastic recoil, exponential analysis, 47:683
heat acclimatization, activity, 52:825
heat exposure, 44:1
humid and dry heat, 49:1
humid heat exposure, 49:254
impedance cadiac output, arm exercise, women, 51:1488
intrathoracic airway, 46:556
lipid metabolism, endurance-trained muscle, 47:787
pressure-volume relations, excised lung, 49:558
prolonged work, hypoxic women, 49:367
pulmonary mechanics and, 41:20
respiratory drives, exercise and, menstrual cycle, 50:1300
sweating, exercise-induced, women, 51:1526
swimming, front crawl, analysis, 43:475
thermoregulation, resting men and women, 45:908
training frequency adaptation, skeletal muscle, female, 51:746
Sex hormones, metabolism, physical exercise and, 48:765
Shaking stress: *see* Stress
Shear modulus
bronchial pressure-diameter behavior, parenchymal, 44:859
elastic contents, lung parenchyma, 44:853
measurements, lung, 47:175
Shell, diffusion area, incubation at high altitude (chick egg), 45:551
Shivering
cold exposure effects, amino acids, muscle, 52:1250
cold-induced, 41:142
glucose kinetics in, endogenous glucagon effects, 52:1458
insulin, calorigenic effect, 47:342
neural signals and thermosensitivity, spinal cord, 42:154
thermogenesis: *see* Thermogenesis
thermogenic control, during exercise, 47:1084
threshold, 40:404
in hypercapnia, 41:67
precooling effects, exercise, 50:772
thermal insulation and, sponge diving, 52:845
Shock
cardiogenic, respiratory muscle fatigue, 51:499
circulatory, pulmonary perfusion and gas exchange, 42:279
hemorrhagic
anemia and, 47:882
carbon dioxide partial pressure monitoring, transcutaneous, 50:1220
oxygen affinity, 47:889
platelet sequestration, lung, 50:1306
pulmonary capillary permeability, 45:298
pulmonary microvascular response (sheep), 46:498
lung
physiology and morphology of, 50:1227
propranolol uptake, 52:393
microvascular injury, pulmonary, 50:1227
pulmonary microvascular permeability following, 52:403
small airways, impairment, 46:792
Shunt: *see also* Bypass
alveolar-arterial oxygen gradient, exercise, altitude, 50:1129
arteriovenous, 40:927
bidirectional, cardiac output components (lamb), 43:352
cardiopulmonary bypass
5-hydroxytryptamine clearance, 46:1178
hypopnea consequent to reduced pulmonary blood flow, 46:1171
ventilation with and without lungs, 47:1176
central vascular, arterial oxygen tension with, 53:1360
circulatory, organ tensions, cerebral cortex, hyperbaric conditions, 46:53
flow, lobar atelectasis, 50:341
fraction, vasoconstriction strength and, atelectasis, 53:44
hexose monophosphate, hypetrophic skeletal muscle, 46:835
inert gas elimination, lung, 44:258
intrapulmonary
cardiac output, 46:315
chest strapping and, pulmonary function, 51:26
contusion and, 47:729
gas exchange and pulmonary perfusion, pneumonia, 50:517
pneumococcal lobar pneumonia, 50:524
left-to-right, pulmonary arterial pressure in lung inflation and edema, 45:442
lobar acid injury, 49:150
lung, right-to-left, awake and anesthetized-paralyzed man, 47:745
peripheral arteriovenous, pulmonary embolism, 49:476
physiological, pulmonary vascular response, 42:335
pulmonary
atelectasis, 42:196
flow mechanism with hemorrhage, 42:196
pulmonary edema, cardiac output increase, 53:1273
quantitation, double indicator and oxygen techniques for, 41:409
ratios, oxygen-induced alterations, 47:1112
right-to-left, intrapulmonary blood flow redistribution, 52:96
Sialidase, red blood cell membrane, oxygen uptake, 49:306
Sickle cell anemia
blood flow, skeletal muscles, 46:1035
chemoreceptor stimulation, aortic and carotid, 44:696
oxygen transport, 44:36
hemorrhagic shock, 47:882
turbulent blood flow, 40:60
Sickling, process, turbulent blood flow, 40:60
Sigh feature, automatic, for animal ventilators, 48:567
Sighs, breathing pattern variation and mechanical loading, 50:299
Silicone rubber cast, collateral resistance at alveolar level, excised lung, 48:982
Sindbis virus, infection, survival in cold during, 47:923
Single-breath method
cardiac output, 50:200
diffusing capacity: *see* Diffusing capacity
hypoxic chemosensitivity, 46:632
measurement
blood flow, pulmonary, 52:104
cardiac output, 53:1034
respiratory anesthesia, 52:1266
nitrogen test
excised lung, 51:1568
metabolic gas effects, inert gas pattern, 50:487
phases III and IV slopes, 49:552, 50:1156, 53:789
washout, ventilation distribution, growth changes, 51:699
oxygen test, lung emptying, 43:983
venous and arterial carbon dioxide pressure, 50:196
washout
airway closure measurement, 50:587
collateral ventilation, excised lung, 50:927
nitrogen and helium, simultaneous, 44:499
phase III and IV, airway closure measurement, 50:587
phase V, lung, 52:34
Sinoaortic denervation, cardiac and coronary dynamics, hypoxia, 43:1012
Sinus arrhythmia, age variations, 41:734
Sinus nerve, discharge, carotid body, 50:129
Sinus node
modulation of, systemic hypoxia, 52:570
training bradycardia effects, β-adrenergic receptors and, 51:1232
Sinusoidal forcing function, alveolar amplitude response technique, lung perfusion, exercise, 50:1071
Sinusoidal work: *see* Exercise, sinusoidal
Sitting position: *see* Posture
Skating: *see* Exercise
Skeletal measurements, exercise, bed rest and, 43:126
Skeletal muscle: *see* Muscle, skeletal
Skiing: *see* Exercise
Skin
blood flow: *see* Blood flow
conductance, heat exposure, 44:1
evaporative heat transfer coefficient, 46:522
experimentally induced frostbite, 41:551
gas exchange, vertebrate, 53:1321
gas space pressure, isobaric counterdiffusion, 47:224
healed grafted, vasomotor control, 51:168
heat conductance, bed rest after exercise, 48:72
humidity, measurement of, 41:256
insulation, rest and exercise, cold water, 52:1557
oxygen, nitrogen, and carbon dioxide, transfer, 49:438
permeability: *see* Permeability
resistance, gas flow, 49:438

Skin (continued)
respiration, noninvasive monitoring, electrodes, 51:1027
surface area, humid and dry heat, men and women, 49:1
sweating: *see also* Sweating
severe exercise, 41:772
tail: *see* Tail-skin
temperature: *see* Temperature, body
vascular responses, heat stress effects, exercise and, 53:744
vasoconstriction, cold-induced, 43:770
vasodilation, heat-induced, 43:770
vasomotion, central and peripheral temperature effects (squirrel monkey), 48:89
water loss, transepidermal, gas-stream sweat capsule heater, 44:981
wettedness, thermoregulatory strain, 44:889
Skinfold, convective, heat transfer coefficient in water, 42:93
Skinning technique, 40:101
Sleep
airway occlusion, pathogenesis, 44:931
apnea
airway resistance and, 53:1158
breathing patterns, infant, 48:139
canopy ventilation monitor, 48:724
intercostal muscle reflexes, infant, 48:139
oscillatory breathing patterns and, infant, 52:1288
respiratory mechanics and timing, 48:432
arousal, ventilatory, and airway responses to bronchopulmonary stimulation, 47:17
behavioral active, reduced lung volume, newborn, 46:1081
carbon dioxide sensitivity, premature infant (monkey), 48:347, 50:956
carotid body denervation effects, arousal response to hypoxia, 51:40
carotid chemodenervation, hypoxic arousal and, 51:1294
chest wall afferents, neonate, 42:362
chest wall mechanics, adolescents, 51:557
diaphragm mechanics, 43:600
evaporation, variations, 42:50
exercise, 44:945
functional residual capacity maintenance, inspiratory muscle tone effects, newborn, 51:830
hypoxia and hypercapnia during, ventilatory control, 53:307
intercostal muscle reflex, breathing patterns and, infant, 48:139
laryngeal reflexes, 45:681
levels of serum growth hormone and, 41:523
loss, short-term, breathing and, 53:855
metabolism and thermoregulation during, heat and cold exposure, 51:948
muscle activity, upper airway, 49:638
muscle tone, diaphragmatic, 47:1304
non-REM
inspiratory onset regulation, 52:863
ventilatory adaptations to resistive loading, 52:607
periodic breathing, factors inducing, model, 53:644
quiet
carbon dioxide-induced ventilatory changes,infant, 48:684
infant, 48:139
rapid-eye-movement
breathing rhythm, 45:11
carbon dioxide-induced ventilatory changes, infant, 48:684
hypoxia, 44:512
infant, 48:139, 53:52
medullary respiratory neuron activity, 48:54
tonic vs. phasic, ventilatory responses, 47:1304
waking and ventilatory response to laryngeal stimulation, 45:681
rapid-eye-movement and quiet, maturation of ventilation, infant, 46:998
respiratory activity, fetus, in utero (sheep), 50:701
respiratory load compensation, 40:895
respiratory regulation, 40:688
sudden infant death syndrome, ventilatory response, hypoxic, 50:1313
ventilation measurement, canopy ventilation monitor, 48:724
ventilatory response, hypoxia
newborn calf, 48:892
puppy, 52:309
Sleep-activity state patterns, respiratory activity, fetal, in utero (sheep), 50:693
Slow waves, spontaneous, airway smooth muscle (guinea pig, bovine), 51:346
Smog: *see also* Pollution
oxidant, work performance, 42:531
Smoking
asymptomatic, 40:468
finger rewarming and, 52:1167
flow, maximum, time dependence, 47:1043
histamine effects, airway responses, 42:508
lung impairment, 40:464
methacholine inhalation, bronchial responsiveness to, 52:1464
nitrogen washout, pulmonary, real-time moment analysis, 46:1184
respiratory resistance and, diving, 52:549
Smooth muscle: *see* Muscle, smooth
Snorkeling, negative-pressure breathing, 48:977
Sodium
acute hyponatremia, 49:95
depletion, angiotensin antagonism at rest and exercise, 45:403
dietary restriction, isoproterenol and exercise effects, 45:870
excretion, exercise effects, kidney, 51:1618
indicator, lung water, 52:792
metabolism, dehydration and rehydration, 41:457
muscle, after exercise, 45:474
plasma
concentration, intravascular volume and tonicity, 44:69
graded activity, 50:123
treadmill exercise effects, 53:1529
pump: *see* Pump
serum, heat and dehydration effects (cattle), 48:249
single-breath washout, lung, 52:34
temperature control, during exercise, calcium-sodium theory (monkey), 43:689
transport
catecholamine effects, tracheal epithelium, 47:397
chloride transport and, interaction, tracheal mucosa, 46:111
Sodium bicarbonate
infusion, oxygen uptake, 45:399
ingestion, hypoxic hypocapnia, 44:175
in vivo sensor, 40:625
respiratory responses, 43:1075
Sodium chloride
hypertonic, lung tissue volume and, 51:1443
transport, autonomic agents and, excised airways, 52:893
Sodium cyanide
chemoreceptor function, aortic and carotid, 42:344
secretion and, tracheal submucosal glands, 52:1416
Sodium ions
ingestion, plasma volume-electrolyte distribution, rest and exercise, 48:838
plasma, thermoregulation, during exercise, 43:1026
transport, chloride transport and, interdependence, tracheal epithelium, 47:598
Sodium nitroprusside, hypoxic pulmonary vasoconstriction and, 51:288
Sodium *o*-iodobenzoate, hemoglobin-oxygen affinity and, 41:900
Sodium pentobarbital: *see* Pentobarbital
Sodium-potassium-ATPase
characterization, tracheal epithelium, 48:1008
exercise training, heart, 52:1133
ion metabolism, erythrocytes, 49:224
Sodium-potassium pump: *see* Pump
Sodium salicylate, ventilatory stimulation, 41:639
Solenoid valve, ventilator, 44:640
Soleus muscle
ankle plantarflexion, joint position and, 52:1636
electromyography, 52:451
fiber number, fasting effects, 53:1234
immobilization, recovery, 47:435
surface pH, measurement techniques, 52:85
Solubility
coefficient, Ostwald's xenon, 48:178
gases: *see* Gas, and the specific gas
Solutes
alveolar epithelial, transport, lung inflation effects (bullfrog), 52:1498
lung, permeability, alveolar edema and, 53:121
permeability
alveolar epithelial, lung inflation effects, 49:1032
alveolar epithelium, in alloxan edema, 44:353
transport
acid effects, alveolar epithelium (bullfrog), 52:902
alveolar epithelium (bullfrog), 50:1263
Solute transudation, pore-membrane models, 51:1574
Solvent, flow, pore-membrane models, 51:1574
Somatic afferents, lung and, tracheal contraction and relaxation, 52:984
Somatosensory evoked potentials: *see* Potentials
Somatosensory studies, hyperbaric environment, 47:804
Somatostatin
glucose, glucagon and insulin turnover, exercise effects (sheep), 47:273
glucose kinetics and, shivering, 52:1458
Somatotype, 43:834
Somesthesia, 40:824
Sonic propagation, upper airway, 49:326
Sound, speed, upper airway, 49:326
Spaceflight, renal response, 49:184
Space sickness, rotation, 50:469
Species differences
airway transepithelial potentials, 48:169
antigen exposure, pulmonary effects, 46:346
barometric measurements, tidal volume, 49:319
carbon dioxide pressure gradients, hypocapnia, 43:480
carbonic anhydrase, pulmonary (human, monkey, rat), 52:352
carbonic anhydrase activity, vascular, 49:211
exercise stress responses (dog and miniswine), 52:1077
flow-volume curves, normal (bonnet and rhesus monkey), 46:176
functional residual capacity, dynamic mechanisms (mice and hamsters), 46:867

heart rate, high-pressure convulsions, 47:834
high-pressure neurological syndrome, 46:128
hypoxic pulmonary vasoconstriction, 49:189
length-diameter relations, bronchial (pig, dog, human), 50:1168
lung
inflation, anesthesia (human, cat), 51:1162
volume, pleural pressure measurement and, 46:927
mucous transport, tracheal (guinea pig, rabbit, dog), 51:1612
oxygenation and mitochondrial activity, brain (turtle, rat), 53:1354
oxygen toxicity, neonatal and adult, 45:699
plethysmography, fast integrated flow (mouse, rat, guinea pig, hamster), 50:1104
pulmonary artery, response to hypoxia, 42:438
respiratory mechanics, normal (bonnet and rhesus monkey), 46:166, 167
respiratory responses, increased transrespiratory pressure (man and guinea pig), 47:119
sepsis, lung water changes (dog, baboon), 50:1198
single-breath diffusing capacity, lung volumes and (small mammals), 48:1052
skin vasodilation, 41:528
sodium electrogenic pump, airway smooth muscle (guinea pig, bovine), 51:346
ventilatory adaptation, to hypoxia, 44:763
Spectral analysis
electromyogram: *see* Electromyography
frequency dependence, respiratory impedance partitioning and, lung, 51:621
power, electromyography, endurance, 53:779
respiratory impedance, young children, 47:169
Spectrometry
infrared, deuterium oxide and indocyanine green measurement, blood flow, 50:1367
mass
acetyline solubility, blood, 48:1035
arterial blood gases, 50:1362
blood gases, 40:443
corrections for response time and delay, 51:1417
diffusing capacity for isotopic oxygen and carbon monoxide, 51:1643
energy expenditure, doubly labeled water method of measurement, 53:955
gas analyzer response time, gas exchange computations, 47:1118
gas partial pressure, intracerebral tissue, 44:528
glucose oxidation, prolonged exercise, 43:258
hypoxic vasoconstriction, 49:107
leucine and urea metabolism, exercise, 52:458
leucine and urea metabolism, cold exposure effects, 53:367
membrane catheters, ventilation-perfusion ratio, 53:770
oxygen depletion, blood gas analysis, 51:232
oxygen diffusing capacity, lung, 46:100
pulmonary diffusing capacity, carbon monoxide, 51:571
quadropole, trace gas analysis, 44:634
rebreathing, pulmonary capillary and tissue volume, after saline infusion, 43:246
Spectrophotometry
reflection
cytochrome aa_3, cerebral cortex, 43:858, 873
oxygen uptake, pulmonary arterioles, 48:848
Spectroscopy, dynamic laser-scattering, respiratory ciliary activity, 48:868
Spectrum, power, normal breath sounds, 50:307
Spermatozoa
fertility, high environmental pressure effects, 53:1207
motility, hyperbaric oxygenation effects, mitochondrial respiration (ram), 50:531
Sperm cells, hyperbaric oxygen, mitochondrial (ram), 50:531
Sphygmomanometry, electronic, semiautomatic blood pressure monitoring, 43:379
Spinal column, rigid suspension, mechanical apparatus for, 41:431
Spinal cord
automatic ventilatory patterns , brain stem genesis of, 51:204
blood flow: *see* Blood flow
cervical, injury, loaded breathing, 43:339
injury, diaphragm responses, quadriplegic men, 51:654
lesion, chest wall vibration effects, ventilation, 50:107
neural signals, sorting, in cold exposure, 42:154
oxygen tension of, embryo (chicken), 53:1455
transsection, phrenic nerve activity, 46:1029
Spindles, intercostal, 40:352
Spirography
active impedance, respiratory system, 53:149
expiration, forced, measurement, 42:607
forced expiratory, 40:329
Spirometric parameters, time-constant histograms, forced expired volume signal, 51:1581
Spirometry
capacitance, lung degassing, 48:370
Fourier analysis of, 53:977
immersion, 44:679
noninvasive
exercise and carbon dioxide effects, breathing pattern, 47:192
response to carbon dioxide, posture effects, 53:761
transit-time analysis, healthy children and adults, 46:263
Splanchnic metabolism, 41:683
Splanchnic organs, citrate, arteriovenous differences, during exercise, 46:120
Splanchnic responses, high altitude, 43:204
Spleen, erythropoiesis: *see* Erythropoiesis
Stair-climbing: *see* Exercise
Standing: *see* Posture
Stapedius reflex: *see* Reflexes
Starling resistor
expiratory flow, wave-speed limitation, 43:516
hypoxic vasoconstriction, fluid filtration and, lung (pig), 51:1065
intrathoracic airway mechanics, sex and age differences, model, 46:556
regulation, cerebral venous outflow, 53:1496
Starvation: *see* Fasting
Static recoil pressure: *see* Pressure
Statistical analysis: *see* Models, and the specific subject and site
Statistics, use in journals, 51:539
Status epilepticus, lymph flow during, pulmonary (sheep), 52:91
Steady flow resistance: *see* Resistance
Steady-state
lung vascular permeability (sheep), 45:590
muscular efficiency, 43:431
severe rowing, 45:87
treadmill exercise, 45:1009
Stellate ganglion
stimulation
pulmonary hemodynamic responses, 46:84
pulmonary vasomotion and distribution of vascular resistance, lung lobe, 45:545
Stenosis, aortic, myocardial hypertrophy and, 47:651
Stepping frequency, respiratory frequency and, exercise, awake state, 51:835
Step-test exercise: *see* Exercise
Stereology
lung, in emphysema, 43:721
nitrogen dioxide-oxygen tolerance, lung, 44:370
Sternomastoid, upper body posture effects, ventilation, 52:879
Sternum, mechanics, acute diaphragm paralysis, 53:373
Steroid anesthesia, high-pressure neurological syndrome, 43:183
Steroids
anabolic, hindlimb immobilization and, 52:1643
lung development, fetal (monkey), 47:377
Stewart-Hamilton method, 40:266
Stiffness, muscle, cantilever beam design, 42:786
Stilt walking: *see* Exercise
Stimulants, respiratory, ventilatory response, during hypercapnia and hypoxia, 43:971
Stimulation: *see also* specific subject and site
hypercapnic, respiratory activity, fetal, in utero (sheep), 50:701
microelectrode: *see* Microelectrodes
selective autonomic, dimethylphenylpiperazinium, 51:428
vagal, bronchoconstriction, serotonin interaction, 52:964
Stimulus duration, central apnea recover and, newborn (piglet), 53:105
Stimulus-response relations
airway smooth muscle, asthmatic model, 46:681
asthma, dose-response effects of atropine, 53:1576
Stimulus threshold, aortic body chemoreceptors, 47:858
Stochastic description, inert gas exchange, 47:1263
Stop-flow technique, postcapillary changes, blood pH, 45:565
Storage stress, erythrocyte response, ozone exposure, 45:893
Strain gauge arch, contraction in vivo, trachealis muscle, 48:329
Stratification
gas mixing, lung, 40:362, 51:243
gas transport, 47:296
Streaming potentials: *see* Potentials
Strength
isometric, posture effects, 45:270
muscular, adolescent males, 43:834
physical, with apnea and facial immersion, female swimmers, 45:875
training: *see* Exercise
Streptozotocin, diabetes, insulin and, exercise performance, 50:482
Stress: *see also* specific condition
acceleration: *see also* G_z stress
right ventricular pressure response (miniature swine), 53:908
adaptation
dynamic bronchial collapsibility,

Stress (continued)
42:699
stiff excised lung, 47:360
analysis, 40:508
lung parenchyma, artifically produced holes, 43:648
cardiac hypertrophic, LDH, 40:923
cardiovascular responses, plasma catecholamines and, 47:1207
centrifugation, pituitary-gonadal function, 48:1
combined heat and dehydration, acceleration response, 47:197
erythrocyte and plasma volume changes, 50:1255
exercise, physiological responses, species differences (dog and miniswine), 52:1077
+G_z, regional blood flow, measurement (miniature swine), 47:1148
general response, endogenous opiates and, 52:1245
gravity: *see* Gravity; Hypergravity; Acceleration
mechanical or shaking, oxygen consumption (chick embryo), 46:298
nonspecific, glycogen and, 51:1428
oscillatory, cardiac function, 47:612
physical: *see* Exercise
plasma osmolality, 47:1031
relaxation, airway dimensions and resistance, 49:270
storage, erythrocyte response to ozone exposure, 45:893
temperature-humidity, exercise and, lung function, 53:1015
temperature: *see* Temperature, environmental
testing, switching valves, 48:386
thermal, 40:605
ventilatory, phospholipid release, lung, 47:285
Stressor responses, food and water intake, estrous cycle variations in the heat, 42:874
Stressors, biomechanical, oxygen uptake, 49:881
Stress relaxation, stretch activation and, bronchial segments, 50:1236
Stress-strain relations, 40:634
bronchial-arterial interdependence, lung, 52:1000
Stretch activation, stress relaxation and, bronchial segments, 50:1236
Stretch receptors: *see* Receptors
Stroke, heat: *see* Heatstroke
Stroke index, impedance cardiography for determination of, 41:797
Stroke volume: *see* Volume
Strontium, transcapillary exchange, tibia, 40:17
Structural studies, pulmonary circulation, growth (pig), 45:806
Structure-function relations, pulmonary, analysis by lung shrinkage and chemical fixation, 48:382
S-T segment, microwave radiation effects, heart, 50:931
Subendocardial resistance: *see* Resistance
Submaxillary gland, cellular dynamics, heat acclimation and, 44:21
Submersion: *see also* Diving; Immersion
cardiac function and, 48:977
partial, volume shifts, isolated lung lobes, 47:1143
Submucosal gland
gastric irritation, reflex stimulation and, 52:1153
tracheal, hypoxemia and secretion, 52:1416
Subsarcolemmal mitochondria: *see* Mitochondria
Substrates
delivery, pulmonary artery occlusion effects (sheep), 53:543
dependency, pulmonary artery, hypoxia, 42:438
glycerol, exhaustive exercise, 50:94
oxidation capacity, functional overload effects, skeletal muscle, 50:1272
protein degradation, pulmonary macrophages, 47:79
protein metabolism, lung, 47:1058
utilization, muscle glycogen levels, 48:624
Succinate dehydrogenase
activity, autografted limb muscle, 44:431
endurance training effects, 42:753
exercise training, heart, 52:1133
granular pneumocytes, primary culture, 49:743
training, 40:149
Succinate oxidase, skeletal muscle, 49:627
Sucrose
alveolar epithelium permeability, 52:3
^{14}C-labeled, lung permeability indicator in histamine edema (sheep), 43:99
hedonic response, 41:77
indicator, lung water, 52:792
permeability, cerebrovascular, microwave exposure, 49:218
transcapillary exchange, tibia, 40:17
transport, alveolar epithelium, 47:846
Sucrose space, extravascular, lung (sheep), 46:932
Sudden infant death syndrome
carbon dioxide, stretch receptors and, 53:1461
carbon dioxide sensitivity, infant, 50:956
hypoxic ventilatory response, infant, 50:1313
reflex-induced apnea, respiratory inhibition following (pig), 50:874
sleep state, premature newborn (monkey), 48:347
stimulus duration and carbon dioxide partial pressure effects, newborn, (piglet), 53:105
Sugar, uptake, feeding and fasting, lung, 44:380
Suits
anti-G, cardiovascular dynamic changes due to G_z stress, 43:765
water-perfused, temperature controlled system, 42:636
Sulfate
absorption, 40:648
radioactive, oral administration of, 40:648
Sulfobromophthalein sodium, excretion, cholecystokinin octapeptide effects, 43:714
Sulfur dioxide
airway reactivity after, allergy (sheep), 51:1651
respiratory control, anesthesia, 43:844
Sulfur hexafluoride
breathing, alveolar-arterial oxygen pressure difference, 45:512
cardiac function and, embryo (chick), 51:1017
diffusion, hyperbaric environments, lung, 51:243
helium and, acid-base balance, embryo (chick), 50:819
inhaled, penetration into alveolar space, 43:403
longitudinal mixing, pulmonary airways, 44:297, 46:799
lung recoil, 49:142
mixing, airway model, 52:1476
pulmonary resistance, frequency dependence, 47:161
solubility and partition coefficients, brain and blood, 46:1169
supersaturation (piglet), 44:914
transport, pulmonary interdependence, 47:296
ventilation-perfusion inhomogeneity, 45:512
washout experiments, lung models, 51:1122
Sulfur hexafluoride-oxygen, pressure-flow curves, alveolar, 51:1033
Superoxide, release, hyperoxia effects, alveolar macrophages, 53:685
Superoxide dismutase
activity, in hypoxia, 42:107
continuous oxygen exposure effects, lung, 51:1220
low-level hyperoxia, 51:577
oxygen toxicity, neonatal and adult, 45:699
prenatal isoxsuprine effects, newborn, 48:505
pulmonary, preexposure to hypoxia (rat, mouse, hamster), 53:475
tolerance and cross-tolerance, pulmonary, 44:364
Supersaturation
counterperfusion, diffusion of gas and, 42:758
decompression studies, 41:348
isobaric
factors determining temporal pattern, 51:852
inert gas transport, risk, 46:1157
isobaric counterdiffusion, subcutaneous tissue, 47:224
isobaric inert gas (piglet), 44:914
Supersensitivity, training and, 42:935
Supine position: *see* Posture
Surface-active material: *see* Surfactant
Surface area
activity, natural surfactant treatment, premature newborn (lamb), 51:306
body, swimming, front crawl, analysis, 43:475
lung, oxygen diffusing capacity, 46:100
mechanical structure, alveolar duct, 52:1064
radiative, hyperthermia, running (sled dog), 51:135
recoil pressure and, lung, 50:921
skin, humid and dry heat, men and women, 49:1
Surface area-mass ratio, humid and dry heat, men and women, 49:1
Surface forces
degassing effects, lung, 51:391
temperature and, excised lungs, 51:823
Surface pressure: *see* Pressure
Surface tension: *see also* Lung
air embolism, pulmonary, model, 51:1002
alveolar, micropipettes, 53:737
gas nucleation, 53:940
natural surfactant treatment, premature newborn (lamb), 51:306
recoil pressure and, lung, 50:921
surfactant aggregation and, lung, 51:646
temperature and, lung surfactant, 51:509
temperature dependence, lung, 51:1108
Surface tension: *see* Lung
Surface tension-surface area relations, pressure-volume loops, 53:1512
Surfactant
air embolism and, 52:119
airway expansion, peripheral pulmonary, photography, 42:976
alveolar surface activity, sympathetic influence in hyperventilation, 44:327
alveolar volume-surface area, 47:990
apoproteins, intracellular metabolism, pulmonary, 48:812
artificial, preparation, 49:34
cholinergic control, 43:39
cortisol effects, fetal, diabetic mother, 49:971
deactivation, alveolar function following, 51:895
defense mechanisms, pulmonary (snake), 50:979
detergent-rinsed lung, mechanical properties and morphology, 47:1002
diabetes, lung, fetal, 48:643

fetal, 43:1039
rhesus monkey, 43:92
homeostasis, lung, swimming exercise, 53:1521
kinetics, lung, 51:248
lipid fluidity, lung, 51:509
lungs
apoprotein metabolism, 42:483
fasting, 42:88
fetal, 52:1420
hydrocortisone, 42:202
protein metabolism, 42:483
metabolism, lungs, newborn (lamb), 49:1091
phospholipids
control of release, lung, 51:90
metabolism, hyperoxia, lungs, 51:1198
pleural, boundary lubrication imparted by, 53:463
prenatal isoxsuprine and, newborn, 48:505
pressure-volume relations, lung, fetal (monkey), 47:377
prostaglandins and, fetal (lamb), 51:1562
pulmonary, 53:1
phrenic nerve section effects, fetal (lamb), 51:293
prepartum maturation and, fetal (sheep), 51:384
type II pneumocytes, 53:555
pulmonary surface tension, air space dimensions and, multiple pressure-volume curves, 43:730
pulsating bubble technique, evaluation, 43:198
pulse-flow measurement, lung compliance, 50:1318
regional pulmonary perfusion, edema and, 49:834
release, air inflation and, excised lung, 51:905
secretion, pilocarpine-produced, 41:7
stability and composition, lung, 47:604
temperature and ventilation effects, lungs, 51:646
ventilatory control, 43:39
Surfactant extract, treatment with, lung expansion and, neonate, 53:838
Surgery
lung fluid, protein exchange and (sheep), 50:1358
postoperative nitrogen balance, exercise effects, 46:141
Survival threshold, age and altitude tolerance, 50:367
Survival time
extreme heat, thermoregulation during, strain differences, 52:410
heat injury, 45:1
Swallowing
breathing and, infants, 50:851
reflexive, upper airway pressure changes and, 52:445
Sweat
composition, exercise and heat, 53:1540
dripping
evaporative efficiency, 46:522
skin, air velocity and heat acclimation effects, 47:1194
evaporation, humid environment, sedentary man, 42:767
evaporative loss, severe work, 47:770
loss, humid and dry heat, men and women, 49:1
quantitative detection, electrocapillary flowmeter, 49:342
suppression, humid and dry heat, men and women, 49:1
testing, resistance hygrometry, 41:777
urea nitrogen levels, exercise and, 48:624
Sweat capsule heater, temperature control, skin, 44:981
Sweating: *see also* Temperature, skin
absence, hemoconcentration, 42:744
central and peripheral heating, spinal man, 40:701
control
severe work, 47:770
skin temperature and, 47:591
cutaneous vasodilation and, upright exercise effects, 50:814
eccrine
characteristics of (monkey), 53:425
thermal balance study (monkey), 46:268
efficiency, skin wettedness and, effects of air velocity and heat acclimation, 47:1194
electrolytes, 40:6
exercise-induced, women, 51:1526
gravity-free environment, 45:430
heat acclimation, exercise training and, 43:133
heat acclimatization, 40:768
effects, exercise, 50:741
heat loss, prostaglandin E_1 hyperthermia (monkey), 44:751
hypothalamic temperature, 40:653
measurement, dew-point temperature sensor, 52:1658
onset, 47:306
plasma electrolytes, thermoregulation during exercise, 43:1026
positive and negative rate component, 47:306
postural exercises, hot, humid environment, 48:999
precooling effects, exercise, 50:772
rate
blood volume effects, exercise, 51:1594
cutaneous vasodilation and, exercise effects, 50:814
dry-heat acclimation, summer and winter, 50:792
exercise and heat acclimation, 43:678
exercise-induced, women, 51:1526
exercise thermoregulation after bed rest, 48:72
heat exposure, 44:1
local, 40:701
neck vs. chest cooling, 40:668
regulation, thermal transients, 52:1147
responses, heat acclimation and conditioning, 46:675
sensitivity
dry-heat acclimation, summer and winter, 50:792
dry-heat responses, sex differences, 50:65
endurance conditioning and, 43:822
extensive healed burns, 53:1019
sensitivity and capacity, age effects, female, 53:671
set-point during exercise, 45:451
suppression, desert walks, 40:236
threshold, 40:404
nocturnal lowering, 41:15
threshold temperature, 40:701
transient rises of air temperature, 44:284
wettedness
heat and wind exposure, 46:340
sweat evaporative efficiency and, 46:522
Swimming: *see* Exercise
Switching valve, lightweight remotely actuated, for rebreathing exercise studies, 48:386
Sympathectomy
cardiac effects, 47:312
chemical, pulmonary hypoxic vasoconstriction, 46:529
partial, exercise capacity and cardiac performance after, 53:242
Sympathetic activity, inhibition, cerebrovascular responses to carbon dioxide and (goat), 53:873
β-Sympathetic blockade: *see* Blockade
Sympathetic control, lung fluid filtration (sheep), 51:88
Sympathetic efferents, respiratory inhibition (dog, monkey), 44:718
Sympathetic mechanisms
lung fluid-protein exchange, intracranial hypertension (sheep), 48:273
pulmonary vascular response, intracranial pressure increase, 42:335
Sympathetic nerves
activity
exercise, oxygen breathing, 51:176
hypothermia (hamster), 50:962
alveolar surface activity, hyperventilation, 44:327
cardiac and coronary dynamics, hypoxia, 43:1012
histamine-induced contraction, trachealis, 53:21
norepinephrine response, cold water, 43:216
postexercise norepinephrine and, 47:1311
pulmonary vascular response, hypoxia, 43:65
Sympathetic nervous system
exercise training, 42:935
intestinal circulation, heat stress (baboon), 48:759
muscular glycogenolysis, adrenal medullary hormones, 50:21
plasma norepinephrine response, exercise training and, 51:812
Sympathetic responses, vasoconstrictive, concussive brain trauma, 49:856
Sympathetic stimulation
hemodynamic response, lobar venous occlusion, 47:145
lung fluid, protein exchange and (sheep), 47:1025
Sympathoadrenal activity, cold effects, 53:610
Sympathoadrenal adaptation, endurance exercise training, time course, 45:370
Sympathoadrenal response, myocardial infarction, in restraint and exercise, 47:393
Sympathoadrenal system, 41:631
catecholamine excretion, high altitudes, 42:728
Sympatholytics, 40:855
epinephrine response, hypoxia, 42:525
Sympathomimetics
aminophylline, supramaximal thermogenesis and, 53:16
inhaled, respiratory heat loss and, 52:1119
Synapse, facilitation and bursting patterns, modification by hyperbaric air (mollusk), 47:568
Synchronizers, environmental: *see* Rhythm, circadian
Synergist ablation, skeletal muscle enlargement, 50:936
Synergistic behavior, inspiratory muscle fatigue, newborn, 51:547
Synthase, glycogen repletion, cardiac, 42:240
Systolic blood pressure: *see* Blood pressure
Systolic ejection, exercise, 50:1173
Systolic ejection rate
exercising, noninvasive methods for measuring, 44:55
oxygen uptake, exercise, 44:44
Systolic time interval
cardiovascular function, 41:52
exercising, noninvasive method for measuring, 44:55
oxygen uptake, exercise, 44:44
postexercise, 45:1002
semiautomatic processing of, 40:105

T

Tachycardia, hypoxia, sinoaortic denervation and, 43:1012
Tachypnea
antigen-induced
vagal control, 42:101
vagal mechanisms and (pony), 53:719

Tachypnea (continued)
hypoxia-induced, brain monoamine metabolism, 49:769
ozone-induced, mechanism, 46:1108
response, ozone-induced, to hypoxia and hypercapnia, 48:163
vagal afferents, cardiac, 47:312
Tantalum, airway diameter and, 53:1005
Tantalum bronchography, 41:581, 43:643
airway dimensions and resistance, excised lung, 49:270
Taylor diffusion: *see* Diffusion
Taylor dispersion
airway, pulmonary gas exchange, 49:232
alveolar space, inhaled sulfur hexafluoride and helium, 43:403
gas, hyperbaric environment and, lung, 51:243
gas mixtures, inhaled (pig), 43:391
pulmonary airways, 46:799
Teenagers: *see* Adolescents
Telemetry
microampere radiotelemetry transmitter, measurement of temperature from unrestrained subjects, 44:607
radiotelemetry
renal function, cold and dehydration effects (prairie dog), 42:295
temperature transmitter (small animals), 45:1016
Temperature: *see also* Cold; Heat; Thermoregulation
acclimation, prostaglandins and (monkey), 50:1248
acid-base balance, ventilation and (iguana), 51:452
acid-base status (alligator), 45:922
age and altitude tolerance, 50:367
air
finger rewarming and, 52:1167
sweating during transient rises, 44:284
ambient
hyperthermia, running (sled dog), 51:135
prostaglandin E_1 hyperthermia (monkey), 44:751
anesthesia reversal (fish), 42:329
arousal episodes and, hibernation (ground squirrel), 52:216
blood-gas partition coefficient and, 51:1357
Bohr effect, dependence, 43:545
changes, long-term exposure, adaptive changes and, 52:1008
coefficient, oxygen pressure, equations, 46:599
comfort, muscular work and, 48:1020
control, direct current proportional circuit, 43:160
convulsions, high pressure, 43:173
core cooling, metabolic response, 50:829
corticosterone, thyrotropin and, microwave-induced relations, 50:399
cyclic, monoamines, brain (quail), 45:705
dependence, monolayer stability and, 51:1108
dew-point, expired gas measurements, 46:1196
environmental
acclimation, hexose transport, intestinal, in heat exposure, 47:87
airway secretions, 46:205
ambient, carbon dioxide responses, 47:522
catecholamines, brain (quail), 45:705
circulatory regulation during exercise, 46:430
energy density and, 51:327
equivalent, rest and exercise (monkey), 49:789
humid, plasma volume changes, 47:798
prescriptive zone, in industrial workers, 43:347
regulation, β-adrenergic responsiveness, 49:923
regulation, intestinal blood flow (baboon), 48:759
temperate, exercise effects, 43:678
temperate, heat tolerance prediction, 43:684
thyroid metabolism, seasonal (camel), 45:540
equilibration, rapid vital capacity expirations, 49:142
exercise
cutaneous vascular responses, 53:744
precooling, 50:772
tidal volume, 47:1041
exercise apparatus (monkey), 44:129
heat acclimatization
blood volume responses, 50:597
saline loading effects, adrenocortical hormone levels, 50:605
hemoglobin-ligand interaction, whole blood, 43:545
hibernation: *see* Hibernation
high ambient, dehydration effects on thermoregulation, 51:46
high-pressure neurological syndrome, 46:756
lung mechanics and, 53:567
minimum surface tension and, lung surfactant, 51:509
oxygen affinity and, blood, 53:87
Q_{10} effect, recovery oxygen, 48:540
radiotelemetry transmitter (small animals), 45:1016
rational effective, exercise and heat, 44:889
regulation
body fluid and hematologic adjustments (monkey), 52:1024
cutaneous vascular response, exercise and hypoxia, 53:920
cutaneous vasodilation and sweating, exercise, 50:814
helium-oxygen environment, 50:478
hypergravity, unrestrained rats, 46:1049
hypohydration and, a singular view, 47:1
renin-angiotensin system effects, 52:1438
vasomotor control, healed grafted skin, 51:168
repetitive axon activity (crustacean), 45:742
response, microwave exposure and (monkey), 53:1565
seasonal acclimation, catecholamine-synthesizing enzymes, adrenal (vole), 44:59
sensor, dew-point, 52:1658
set point, precooling effects, 50:772
shivering: *see* Shivering
sodium pump, airway smooth muscle (guinea pig, bovine), 51:346
steady, heat balance and (steer), 52:324
surface forces and, excised lungs, 51:823
surfactant aggregation and, lung, 51:646
sweating, heat acclimatization effects, exercise, 50:741
water: *see* Water
xenon partition coefficient, tissue-blood, 49:178
Temperature, body
acid-base regulation and (lizard), 50:779
adaptative changes, long-term temperature exposure, 52:1008
aerobic power, peak, 46:885
arm-leg ergometry, 40:85
avoidance behavior, 43:573
axilla, female, 49:1042
brain
bradycardia, 46:905
rapid cooling, exercise (hamster), 51:1349
running (quail), 50:1277
breathing pattern, 41:492
carbon dioxide and, 46:491
interaction on phrenic activity and tracheal occlusion pressure, 43:449
central, vasomotor thresholds (squirrel monkey), 48:89
changes in acid-base balance, 40:752, 762
circulation, regulation during exercise, 46:430
cold-induced shivering and, 41:142
cold water immersion, 43:211
colonic
apomorphine and pimozide effects, exercise, 49:363
exercise, treadmill, 44:571
heating patterns, thermal resistance variations, 43:59
microwave effects, 48:927
control, water-perfused suit, 41:656
core
behavioral regulation (monkey), 42:559
catecholamines during cold adaptation, 46:662
cold water immersion, 43:216
exercise, severe, effects, 44:559
heat production, thermoregulatory, 42:377
hypoxia-induced changes (monkey), 42:273
intravascular volume and tonicity, 44:69
respiratory evaporative heat loss during exercise, 46:978, 49:979
skin blood flow, reflex control, 47:1188
corticosterone and, microwave effects, 44:438
cyclic activity, continuous light (hen), 51:1145
day-night cycles in, steady temperature environment (steer), 52:324
deep, reproductive hormone effect (sheep), 43:668
digital, blood pressure, measurement after cooling, 43:907
elevation, cardiovascular response in spontaneous hypertension, 45:521
esophageal
blood flow, skin, during exercise, 43:790
exercising asthmatic and nonasthmatic subjects, 46:484
estrogen effects, cold exposure, 47:59
exercise, maximal, 46:885
finger, rewarming, air temperature and smoking effects, 52:1167
gradients, whole-body hypothermia (pig), 47:712
heat acclimatization, 40:768
hypercapnia, 46:491
hyperthermia: *see* Hyperthermia
hypothalamic
prostaglandin E_1 hyperthermia (monkey), 44:751
respiratory evaporative heat loss during exercise (goat), 46:978
respiratory evaporative heat loss, exercise, 49:979
sweating, 40:653
variable open-loop gain, 48:495
hypothermia: *see* Hypothermia
hypoxic pulmonary vasoconstriction, 41:56
internal
blood flow, leg (baboon), 50:974
blood flow during exercise, 46:457
intracellular pH and (iguana), 53:1466
intravascular, submaximal exercise, men, 51:1092
lethal, 43:59
pig, 47:712
mean, 40:384
measurement, neonatal, 43:1102
metabolic, hypoxia-induced (monkey), 41:273
metabolic heat production, microwave exposure and (monkey), 52:1049
metabolic recovery, exhaustive exercise (marine iguana), 48:689

microampere radiotelemetry transmitter, measurement in unrestrained subjects, 44:607
microwave exposure and (monkey), 53:1565
muscle, force-velocity relations, 42:471
nasal, barometric measurement of tidal volume, 49:319
organ, heatstroke, 43:292
physical performance, 46:855
physical training effects, water and land, 53:1291
preoptic, 40:694
  behavioral thermoregulation (monkey), 42:559
prescriptive zone, determinants, in industrial workers, 43:347
pyrogenesis, 40:29
rectal
  aerobic performance during severe work, 47:770
  bed-rest thermoregulation, 48:72
  carbon dioxide and, 47:522
  dry-heat acclimation, summer and winter, 50:792
  exercise and, 42:22
  exercise and heat acclimation, 43:678, 684
  exercise in heat, 40:55
  helium-oxygen environment, 50:478
  hypervolemia, 48:657
  marathon running, 42:18
  oxygen consumption, 45:381
  prolonged exercise, 50:27
  pulse rate and, relations during prolonged work, 44:450
  reactions, men and women, 49:1
  sleep stages, heat and cold exposure, 51:948
  sweating control, skin, 47:591
  sweating onset, 44:284
  sweating responses, 46:675
  work, physical and biophysical limits, clothed men and women, 44:918
rectal and skin, 40:668
  extensive healed burns, 53:1019
rectal-pulse rate relations, prolonged work, 44:450
regional, measurement, 49:533
regulation, 40:404
  adenosine monophosphate, cyclic after thermal stress, 42:257
  apomorphine effects, during exercise, 49:363
  blood flow, leg (baboon), 50:974
  blood flow, skin, 47:1188
  blood flow during exercise, 43:790, 46:457
  body fluid and hematologic adjustments (monkey), 49:431
  calcium ions, brain, exercise (monkey), 43:689
  endotoxic fever, hypoxia, 49:294
  exercise, treadmill, 44:571
  intravascular volume and tonicity, 44:69
  neural signals, spinal cord, 42:154
  pimozide effects, during exercise, 49:363
  postural exercises, hot humid environment and, 48:999
  prostaglandins and (monkey), 50:1248
  renin-angiotensin role, renal vascular response (baboon), 43:739
  respiratory acidosis, 46:491
  respiratory evaporative heat loss, exercise, 49:979
  running (quail), 50:1277
  strain, exercise and heat, 44:889
  sweating, onset, 44:284
  vasomotor thresholds (squirrel monkey), 48:89
response to ascorbic acid, 41:202
skin
  aerobic performance during severe work, 47:770
  behavioral thermoregulation (monkey), 42:559
  blood flow, reflex control, 47:1188
  central thermoregulatory control, blood flow, leg (baboon), 50:974
  cold water immersion, 43:211
  control, water-perfused suit, 42:636
  exercise and heat exposure effects, 52:734
  exercise and hypoxia effects, 53:920
  facial, 40:127
  heat production, thermoregulatory, 42:377
  local control, gas-stream, sweat capsule heater, 44:981
  reactions, men and women, 49:1
  reproductive hormone effects (sheep), 43:668
  rest and exercise (monkey), 49:789
  shower spray facility for, 40:641
  sleep stages, heat and cold exposure, 51:948
  sweating, 591, 770, 47:306
  sweating, exercise and, women, 51:1526
  sweating regulation, thermal transients, 52:1147
  tepid water immersion, 44:683
  wettedness and sweating efficiency, 47:1194
sleep variations, 41:50
sublingual, female, 49:1042
sweating sensitivity, endurance conditioning, 43:822
tail skin
  catecholamines and, 42:349
  chronic cold exposure, 49:923
  cold, exercise training and, 53:665
  exercise, treadmill, 44:571
tepid water immersion, 44:683
thermoregulation, behavioral and autonomic, 40:694
tympanic, 40:384
  sweating control, 47:591
vaginal, 49:1042
ventilatory control and (alligator), 52:114
ventilatory response to hypoxia, 41:492
Temperature-pressure interaction, heart rate, 47:834
Tendons
  aerobic capacity, physical activity and hypophysectomy, 44:542
  capillary bundles, intermittent flow (guinea pig, bullfrog), 46:696
Tenotomy, gastrocnemius, work-induced hypertrophy, 46:654
Tension: *see also* Muscle
  gas: *see* Gas, or the specific gas
  longitudinal
    tracheal, expiratory flow changes, 43:537
    trachealis muscle, 48:320
Tension-time index, coronary, exercise and, 43:988
Teratogenicity, high environmental pressure and, infertility, 53:1207
Terbutaline
  antigen-induced tachypnea, 42:101
  calcium effects, tracheal epithelium, 44:900
  sodium ions, chloride transport and, tracheal epithelium, 46:598
Testis, weight, infertility and, environmental pressure effects, 53:1207
Testosterone
  centrifugation stress, 48:1
  plasma, treadmill exercise, 49:249
  pubertal stage differences, exercise and, 46:823
Testosterone propionate, immobilization and, hindlimb, 52:1643
Tetracaine, topical, tracheal receptors and, 47:1123
Tetrodotoxin
  fluid secretion, tracheal glands (ferret), 49:1027
  inhibitory effects, bronchial smooth muscle, 46:787
Thenar muscles, neuromuscular adaptation, training and immobilization, 53:419
Theophylline
  airway smooth muscle response, 47:330
  sodium and chloride transport, tracheal mucosa, 46:111
  surfactant release and, lung, 51:90
Thermal balance
  behavior, muscular work, 48:1020
  endurance conditioning, 43:822
  extensive healed burns, 53:1019
  rest, postural exercise and, 48:999
  studies (monkey), 46:268
Thermal chamber, 40:641
Thermal conductivity, inhalate, hypothermia, 47:228
Thermal control, respiratory evaporative heat loss, exercise and, 49:979
Thermal dehydration
  hematologic responses, 50:38
  leukocyte responses, 50:38
  plasma water shifts, 47:738
Thermal effects
  apomorphine and pimozide, during exercise, 49:363
  norepinephrine injection, hypothalamic, in rest and exercise, 49:937
  reproductive hormones, udder (sheep), 43:668
Thermal factors, hypervolemia, 48:657
Thermal features, axilla, female, 49:1042
Thermal gradients, tissue, at 42°C (pig), 47:712
Thermal hyperpnea: *see* Hyperpnea
Thermal increment, inhalation rewarming from hypothermia, 46:1061
Thermal insulation, shivering threshold, sponge diving, 52:845
Thermal maximum, critical, heatstroke, 43:292
Thermal polypnea, exercise, 50:1087
Thermal receptors: *see* Receptors
Thermal reflexes: *see* Reflexes
Thermal resistance: *see* Resistance
Thermal responses
  cold hyperbaric helium-oxygen, 49:1099
  exercise, severe, 47:770
Thermal stimulus, temperature control apparatus, 43:160
Thermal stress: *see* Heat exposure
Thermal topography, axilla, female, 49:1042
Thermodilution
  cardiac output measurement, artificial ventilation (pig), 51:584
  circulatory response to, anesthesia and, 53:1625
  rest and exercise, cardiac output, 52:1493
Thermoelectric apparatus, temperature control, 43:160
Thermogenesis
  control, in cold exposure, variable open-loop gain and, 48:495
  diet-induced, mechanical efficiency, 45:345
  helium-oxygen-induced changes, 42:694
  hypoxia, physical restraint effects, 51:1601
  modulation, feeding, 49:975
  nonshivering
    adaptive changes, temperature exposure, 52:1008
    creatine metabolism, skeletal muscle, 44:12
    ketone bodies, 42:159
    ouabain-sensitive tissue respiration, 42:150
    spinal cord, 42:154
  norepinephrine-induced, diet and exercise effects, 52:556
  prediction equation, 42:377
  shivering, 43:770

Thermogenesis (continued)
inhalation rewarming from hypothermia, 46:1061
shivering and nonshivering, 40:29, 35, 41:848
endotoxic fever, hypoxia, 49:2946
sodium-potassium pump, 42:150
supramaximal, aminophylline and, 53:16
Thermogenic control, exercise, cold environment, 47:1084
Thermometry, submaximal, concentric and eccentric exercise, 49:16
Thermoregulation
acceleration effects, 42:74
active skin vasodilation, 41:528
arterial carbon dioxide tension effects, respiratory pattern, heat stress (sheep), 50:315
autonomic, 40:694
behavioral
heat avoidance, 43:573
(monkey), 42:559
blood flow
carotid, 52:1138
peripheral (chicken), 44:81
skin, during exercise, 46:780, 48:717
blood volume alteration effects, exercise, 50:292
body cooling and, 53:1228
central, adenosine monophosphate, cyclic, 42:257
cerebral, 40:543
cold exposure, 49:663
variable open-loop gain and, 48:495
cold hyperbaric helium-oxygen exposure, 49:1099
colonic heating patterns, 43:59
core cooling, respiratory heat loss-induced, 50:829
critical thermal maximum, 40:683
dehydration effects, high ambient temperature, 51:46
endotoxin and, neonatal, 42:355
exercise
after bed rest, 48:72
heat exposure and, 52:734
hot environments, 41:815
in cold, 47:1084
in heat, 41:57
plasma electrolytes during, 43:1026
severe, 47:770
women and prepubertal girls, 43:1046
extensive burns, healed, 53:1019
extreme heat, strain differences, 52:410
forearm venous volume, exercise and body heating, 48:114
gular flutter (quail), 40:521
heat storage regulation, exercise, 40:384
heat stress and, 53:1171
helium-oxygen environment, 50:478
hydration state, 49:715
hypergravity, 49:663
unrestrained rats, 46:1049
hypervolemic polycythemia effects, newborn, 53:865
hypohydration, voluntary, boys, 48:104
hypothalamic pathways, 43:770
hypothalamus, 40:514
hypothermia, drug modifications, 41:559
insulation, rest and exercise, cold water, 52:1557
leukocytic pyrogen, neonatal, 42:355
long-distance runners, 40:404
marathon running, 42:903
measurement, neonatal, 43:1102
metabolic heat production, microwave exposure and (monkey), 52:1049
microampere radiotelemetry transmitter, unrestrained subjects, 44:607
microwave bioeffects, relations, 50:399
prolonged work, hypoxic women, 49:367
prostaglandin E_1 hyperthermia (monkey), 44:751
reproductive hormones, udder (sheep), 43:668
response to cold, altitude variations, 41:848
rest, postural exercises, hot, humid environment, 48:999
resting, men and women, 45:908
runners, 46:1086
set point, dry-heat acclimation, 50:792
shivering
cold-induced, 41:142
hypercapnia, 41:67
shower spray facility for, 40:641
skin temperature effects, blood flow, leg (baboon), 50:974
skin wetting, severe exercise, 41:772
sleep, 42:50
sleep stages, heat and cold exposure, 51:948
sweating
control, 47:591
hypothalamic temperature and, 40:653
responses, age effects, female, 53:671
set point during exercise, 45:451
thermal balance study (monkey), 46:268
treadmill running, refrigerated apparatus, 52:495
Thermoregulatory limits
clothed men and women, 44:918
wind and heat exposure, 46:340
Thermoregulatory set point, humid and dry heat, men and women, 49:1
Thermoregulatory strain, indices, exercise and heat, 44:889
Thermosensitivity, spinal cord neural signals, 42:154
Thioflavin S, coronary collateral circulation, exercise, 52:376
Thiopental
anesthesia, mucociliary clearance, measurement, 42:451
respiratory control, 44:596
Thiopental sodium, respiratory mechanics, recumbent position, 46:716
Thirst: *see* Drinking
Thoracic cage, restriction, lung mechanics and, 51:1115
Thoracic deafferentation, load-compensating mechanisms and, 52:757
Thoracic duct: *see also* Lymph ducts
α-adrenergic innervation, 49:1010
lung lymph fistula (goat), 51:226
Thoracic gas
compression, maximal expiration and, 48:695
volume
Boyle's law determination, abdominal gas effects, 44:469
computer determination, 48:911
nonhomogenous alveolar pressure, airway closure, 49:398
Thoracic pressure: *see* Pressure
Thoracic resistivity, stroke volume calculation, impedance cardiography, 50:191
Thoracic volume: *see* Volume
Thoracoabdominal configuration
static inspiratory efforts, 46:1071
vital capacity, relaxed and forced, 47:38
Thoracoabdominal mechanics, anesthesia-paralysis, 42:391
Thoracoabdominal motion
body position change, 45:581
posture effects, respiratory muscle activity, 51:1552
Thoracotomy
lung-lymph fistula, model (sheep), 52:1664
perfusion regulation, atelectatic lung (pig), 52:647
Thorax
configuration, elasticity model, lung, 51:254
fluid volume, at high altitude, 47:670
reflexes, stabilizing loaded ventilation, normal and cord-injured man, 43:339
rhizotomy, dorsal, respiratory response, 43:20
Threshold pressure: *see* Pressure
Thrombin
activity, exercise, 48:821
pulmonary embolization and, lung fluid balance effects (sheep), 52:1565
Thrombocytopenia, diving, 42:838
Thromboresistance, 40:476
Thrombus, formation, 41:646
Thyroid gland
deficiency
exercise capacity and cardiac function, 49:1022
muscle, respiratory capacity, 49:102
metabolism, dehydration (camel), 45:540
Thyroid hormone
metabolism
cold exposure, 51:1157
hepatic, cold exposure, 49:386
thermogenesis regulation, diet and exercise effects, 52:556
Thyroid-stimulating hormone
altitude-induced changes, thyroid function and, 53:313
exercise, altitude, food effects and, 45:350
seasonal and dehydration effects (camel), 45:540
Thyrotropin
altitude effects, thyroid function, 53:313
microwave effects, 48:927
temperature, corticosterone and, microwave-induced relations, 50:399
Thyroxine
deiodination, cold exposure, 51:1157
exercise, altitude, food effects and, 45:350
hypothermia, 42:694
L-labeled, deiodination, hepatic, cold acclimation, 49:386
lung development, fetal, in culture, 48:872
microwave effects, 48:927
plasma, altitude effects, thyroid, 53:313
Tibia, transcapillary exchange, strontium and sucrose, 40:17
Tibialis anterior muscle, contraction, joint position and, 51:160
Tidal volume: *see* Volume
Tilt, body: *see* Posture
Time constant: *see also* specific subject and site
airway resistance, computer-assisted determination, 50:672
cerebral blood flow, in sinusoidal hypoxia (goat), 46:721
corrections for response time and delay, mass spectrometry, 51:1417
flow dependence, gas distribution, 45:733
frequency dependence, regional transpulmonary pressure and, 51:678
oxygen and carbon dioxide, delay and response compensation, 52:79
oxygen electrode, recessed, 45:145
Time course
barbiturate effects, high-pressure neurological syndrome, 43:221
hormonal adaptation, physical training, 46:766
phrenic activity and respiratory pressures, airway occlusion, 51:99
Time domain, normal breath sounds, 50:307
Time factors, convulsions, high-pressure, 43:173
Time series analysis, respiratory oscillations, 48:545
Tissue: *see also* specific type and site
adipose: *see* Adipose tissue
amino acid concentrations, exercise effects, 50:41
brown adipose: *see* Brown fat
buffering, 45:115
carbonic anhydrase activity, vascular, 49:211
conductance, heat measurement, 49:533
connective

physical training, 44:50
respiratory mechanics, lungs, 42:206
elastic forces, effect of emphysema, 41:332
forces, degassing effects, lung, 51:391
gain, energy density of, cold-specific feeding response, 51:327
glycogen, exercise endurance and, 47:425
gradient, thermal, at 42°C (pig), 47:712
hypermetabolism, dinitrophenol-stimulated ventilation, 43:72
hysteresis: *see* Hysteresis
inert gas washout, diffusion and, 45:903
lactate, exercise, 44:350
metabolism
continuous measurement, 43:370
oxygen measurement of, 53:1634
oxygen deficiency, lactate responses, arterial, 42:39
oxygen pressure
arterial hyperoxia, 46:973
recessed oxygen electrode, 45:145
peripheral, hypermetabolism, 47:1066
pH, intracellular, regulation during hypercapnia, 45:115
pressure: *see* Pressure
resistance: *see* Resistance
respiration: *see* Respiration
thermal insulation, shivering threshold and, diving, 52:845
volume: *see* Volume, or the specific site
Tissue-blood, partition coefficient, xenon, 49:178
Titration, carbon dioxide excretion, oxygen uptake and, measurement of, 52:786
Titrium dilution, lean body mass and total body water, estimation, 42:803
Tongue
inspiratory activity, muscular, 49:801
upper airway occlusion, during sleep, 44:931
Tonicity, intravascular, body temperature regulation, 44:69
Tonometer, calibration and evaluation, oxygen microelectrodes, 46:1016
Tonometry, 40:815
Torque-velocity relations, muscle fibers, female athletes, 47:388
Torsion test, lung parenchyma, 44:853
Toxicity, oxygen: *see* Oxygen
Toxicology
inhalation, airway reactivity, 46:189
ozone inhalation, 43:82
tolerance and cross-tolerance, nitrogen dioxide and oxygen, pulmonary, 44:364
Tracer-bolus method, gas exchange, measurement, 50:898
Tracers: *see also* Radionuclide studies
nonradioactive, trace gas analysis, 44:634
priming, bicarbonate pool, 45:137
Trachea
α-adrenergic receptors, smooth muscle, 45:307
airway area, acoustic inferences, 48:749
airway surface liquid, 50:613
calcium effects, sulfated mucous glycoprotein secretion, 52:198
carbachol effects (monkey), 49:729
chloramphenicol influx, hyperoxia effects, 50:234
ciliated cells, β-adrenergic stimulation, 48:868
compliance: *see* Compliance
contractile force, continuous stretch, smooth muscle, 52:655
contraction and relaxation, lung and somatic afferents, 52:984
diameter, 51:767
speed and, 49:326
distended, respiratory reflexes, 50:421
distension, breathing and, 48:794
electrical properties, epithelium, calcium effects, 44:900
enzymatic transport measurements, epithelium, 48:1008
fluid: *see* Fluid
ganglia, vagal motor pathway, barbiturate effects (ferret), 53:253
innervation, parasympathetic, 53:617
intubation
blind oral, 51:243
topical anesthesia of tracheal receptors, 47:1123
longitudinal tension, expiratory flow changes, 43:537
mucociliary clearance, measurement, 42:451
mucociliary transport, 51:1057
mucus gland, gastric irritation, reflex stimulation and, 52:1153
mucus: *see* Mucus
muscarinic receptors, smooth muscle, 52:1084
occlusion pressure: *see* Pressure
presence on nonadrenergic inhibitory nervous system, 41:764
pressure: *see* Pressure
receptors: *see* Receptors
reflex: *see* Reflexes
smooth muscle, pH, in respiratory acidosis, 42:408
sodium and chloride transport, interaction, 46:111
sodium ions and chloride transport, epithelial, interdependence, 47:598
submucosal glands, hypoxemia and secretion, 52:1416
sulfated mucous glycoprotein secretion, 50:383
transepithelial potentials, species and regional differences, 48:169
viscoelastic properties, 44:137
Tracheal cannula, pressure measurement, fluid dynamic factors, 51:218
Tracheal cartilage, overlapping, mechanical activities, 48:320
Tracheal epithelium
calcium effects, sulfated mucous glycoprotein secretion, 52:198
electrical transport properties, 42:735
fluid transport, 49:905
ion transport, catecholamine effects, 47:397
nonelectrolyte permeability, 51:363
posterior, diffusion barriers, 52:1223
sulfated mucous glycoprotein secretion, 50:383
Tracheal gland
fluid secretion, adrenergic and cholinergic nerves (ferret), 49:1027
secretion, reflex control of, 53:985
Trachealis muscle
cervical, parasympathetic innervation, 53:617
contraction, α-adrenergic receptors, 48:329
dose-response relations, 49:84
histamine-induced contractions, sympathetic inhibition and, 53:21
innervation, inhibitory (guinea pig), 50:374
mechanical activities, spontaneous, 48:320
selective autonomic stimulation, dimethylphenylpiperazinium, 51:428
Tracheal pouch, mucus clearance, bullfrog palate studies, 42:761
Tracheobronchial fluid, temperature, humidity, breathing modes and, effects, 46:205
Tracheobronchial mucosa, permeability: *see* Permeability
Tracheobronchial mucus: *see* Mucus
Tracheobronchial particle penetration, 41:920
Tracheobronchial secretion
cholinomimetic stimulation, 45:190
collection of, 40:247
glycoprotein, mucous, composition, 45:182
Tracheobronchial tight junctions, horseradish peroxidase permeability, 45:939
Tracheobronchial transport, sodium-chloride interaction, 46:111
Tracheobronchial tree
effect of aerosol adrenergic agents, 41:146
pressure-flow curves, 48:878
Training: *see* Exercise
Transaminases, serum, exertion-induced heatstroke, 45:463
Transdiaphragmatic pressure: *see* Pressure
Transducer
chronic intestinal activity, 41:942
electromanometric, blood pressure measurement, embryo (chick), 51:1023
isometric force, muscle, 40:243
muscle, cantilever beam design, 42:786
pressure
air-filled differential, dynamic characteristics, 46:608
frequency response, gas density and, 47:631
volume and flow, frequency response measurement, 47:462
Transfer function, cardiorespiratory and gas exchange dynamics, sinusoidal and impulse work loads, 48:289
Transferrin, ^{133}-labeled, transvascular flux, pulmonary (sheep), 45:225
Transfusion
gas exchange, pulmonary, 42:279
hemorrhage, shock and, 42:279
positive end-expiratory pressure, renal dysfunction, 50:643
Transient analysis, metabolic and respiratory, breath-to-breath measurement, 51:1662
Transit time
capillary, carbonic anhydrase and, lung, 44:882
ether, pulmonary circulation, 44:956
mean, platelet sequestration, lung, 50:1306
spirogram, healthy children and adults, 46:263
Transmission, central autonomic, exercise and, 46:19
Transport: *see* specific subject and site
Transpulmonary mechanics, parameter estimation, models, 52:955
Transpulmonary pressure: *see* Pressure
Transrespiratory pressure: *see* Pressure
Transthoracic admittance measurement, 40:451
Transvascular fluid shift: *see* Fluid
Transverse fissure, displacement, elasticity model, lung, 51:254
Travenol membrane oxygenator, 40:476
Treadmill exercise: *see* Exercise
Tremor
helium-oxygen compression chamber, 47:804
hypotheses, 40:44, 990
normal hand, 40:44
Triacylglycerols, endogenous, lipoprotein lipase and, muscle, exercise, 52:1059
Triglyceride
secretion rate, diabetes, physical training, 52:1514
uptake, chylomicron, contracting skeletal muscle, 49:851
Triiodothyronine
altitude effects, thyroid function, 53:313
brown adipose tissue lipolysis, head and cold acclimation, 43:1007
3,5,3′-labeled, hepatic, cold acclimation, 49:386
metabolism
exercise, altitude, food effects and, 45:350
seasonal and dehydration effects

Triiodothyronine (continued)
(camel), 45:540
Tritium space, body water, effects of running, 45:999
Trotting: *see* Exercise
Trypsin, granular pneumocytes, primary culture, 49:743
Tryptophan, L-labeled, hypothermia, treadmill performance in the heat, 47:813
T-1284 space, fluid-electrolyte distribution, sodium ion and calcium ion ingestion, 48:838
***d*-Tubocurarine**, cough dynamics, progressive expiratory muscle weakness, 51:494
Tubular myelin, defense mechanisms, pulmonary (snake), 50:979
Tumors, hypertrophic skeletal muscle, work-induced, 46:654
Tween 20: *see* Polyoxyethylene (20) sorbitan mono-oleate
Twitch, muscular: *see* Muscle
Tympanic membrane, temperature: *see* Temperature, body
Tyrosine hydroxylase, adrenal, seasonal acclimation (vole), 44:59

U

Ultrasonic Doppler detector, venous bubbles, gas elimination and (goat), 51:1238
Ultrasonic flow measurement, isolated perfused lung lobe, 48:444
Ultrasonography, abdominal muscle activity, 51:1471
Uncouplers, oxidative phosphorylation, peripheral tissue, 47:1066
Undernutrition: *see* Feeding; Fasting
Underwater physiology: *see* Diving; Immersion; Submersion
Uninephrectomy, 40:601
Unsteady state, coronary artery disease, exercise responses, 46:1132
Urea
absorption, pulmonary edema, 44:576
alveolar epithelium permeability, 52:3
^{14}C-labeled, lung permeability indicator in histamine edema (sheep), 43:99
increased excretion, exercise (rat, human), 52:27
metabolism
acute cold exposure and, 53:367
exercise and, 52:458
nitrogen, muscle glycogen levels, 48:624
reabsorption, kidney (kangaroo), 42:636
serum, urine and, sweat levels, exercise and, 48:624
urinary, muscle atrophy in hypokinesia, 48:479
Uremia, breathing control and, 41:216
Urinary bladder
afferents, respiration and, 48:826
hyperbaric oxygen studies in, 40:483
Urinary excretion, exercise, 48:930
Urine
aldosterone
extraction and radioimmunoassay, 42:643
running exercise and, 41:26
catecholamine excretion, 41:631
hypoxia, 52:304
electrolytes, 40:6
flow rate, hypoxia effects, 53:815
osmolality, 42:636
output, immersion diuresis, 42:19
Uterus
activity, 41:316
contraction, oxygen changes, mathematical model, 42:179
respiratory activity, fetus, hypercapnia (sheep), 50:701
respiratory pattern development, fetal (sheep), 50:693

V

Vacuum degassing, lung, two methods, 48:370
Vagal afferents
cardiac, apnea, hypotension, respiratory frequency, and tachypnea, 47:312
cardiopulmonary, anodal block, 42:461
central neural respiratory afterdischarge, 45:339
phrenic neural activity augmentation, lung, 50:149
tachypneic response, hypoxia and hypercapnia, 48:163
Vagal blockade: *see* Blockade
Vagal C-fibers, afferent, bradykinin stimulation, intrapulmonary airway, 48:511
Vagal cooling, antigen-induced tachypnea, 42:101
Vagal effects
bronchoconstriction, 47:13
phasic, inspiratory motor output, 49:609
Vagal efferents, exercise asthma, 42:746
Vagal-histamine interactions, airway response, 45:40
Vagal influence, phasic, respiratory control, 44:596
Vagal mechanisms, lung disease, ovalbumin-induced (pony), 53:719
Vagal motor pathway, barbiturate effects, trachea at ganglia (ferret), 53:253
Vagal receptors: *see* Receptors
Vagal reflexes: *see* Reflexes
Vagal section, lung volume, 45:957
Vagal tone
inhibition, airway, 46:256
pulmonary mechanics and, 41:581
Vagotomy
aerosol histamine and, airway responses, 45:40
airway diameter, prostaglandins and arachidonic acid, 53:1005
airway occlusion, 40:345
apnea reversal, oscillation-induced, 51:1484
arachidonic acid and prostaglandins, lung function, 44:397
brain hypoxia, breathing control and (goat), 53:212
breathing patterns, 43:1063
β-endorphin effects, central cardiorespiratory depression, 50:1011
hypercapnia and, phrenic activity, 47:91
hypotension, 47:312
immersion diuresis, 42:915
inspiration, cardiovascular function and, 47:582
phrenic nerve activity, 46:1029
prostaglandin H_2 analog, airway, 44:406
respiratory inhibition (dog, monkey), 44:718
right ventricular load, ventilation and, 53:218
thoracic volume-airway occlusion pressure relations, 43:312
tidal volume, 45:502
ventilatory control, alveolar ventilation-perfusion, 52:245
ventilatory response to muscular exercise, humoral factors, 47:126
Vagus efferents, serotonin and, interaction, lungs, 44:144
Vagus nerve
antigen-induced bronchoconstriction, atropine effects (Basenji-Greyhound), 50:761
Ascaris suum antigen-induced tachypnea, 42:101
brain hypoxia, breathing control and (goat), 53:212
bronchial irritability, ozone-induced, 43:626
bronchoconstriction, general anesthesia effects, 53:126
cardiac, heart rate control and (dogfish), 53:1330
central neural respiratory afterdischarge, 45:339
control
athletes, 52:1652
respiration, hypoxia and high altitude effects, neonates, 48:587
denervation effects, arousal response to hypoxia, 51:40
direct and reflex bronchoconstriction, histamine aerosol inhalation induced, 50:869
histamine effects, collateral channels, 51:1314
innervation, cervical trachealis muscle, 53:617
input, central processing, 50:1183
inspiratory inhibition, 46:669
inspiratory-terminating stimulus, temporal changes, 50:1183
lung receptors, histamine stimulation, 43:397
pulmonary mechanics and, 41:310
pulmonary response, aerosol histamine, 42:946
respiratory control, anesthesia, 51:19
respiratory inhibition, apnea, newborn (pig), 50:874
respiratory load compensation, 40:895
respiratory reflexes, tracheal distension, 50:421
respiratory regulation, 40:688, 41:1
stimulation
aerosol histamine and, hysteresis, lung recoil, 51:477
airway changes, volume history and, 47:657
bronchial reactivity, 43:643
bronchoconstriction and, 50:1286
collateral resistance, time constant, lungs, 49:287
frequency dependence, respiratory impedance partitioning and, lung, 51:621
pulmonary surfactant and, 43:39
tachypnea
hypoxia and hypercapnia, 48:163
ozone-induced, 46:1108
trachea at ganglia (ferret), 53:253
upper airway pressure changes, genioglossus muscle response to, 52:445
Valsalva maneuver
breath-holding time, 42:717
circulatory effects, 40:434
Valves
electromagnetic
inspiratory occlusion pressure, 45:481
rebreathing studies, exercise, 53:286
gas, respiratory, 41:939
J, dead space, tidal volume relations, 49:528
nonrebreathing system, 40:108, 44:974
Rudolph, dead space, tidal volume relations, 49:528
Van Slyke apparatus, modified, 50:1093
Vapor pressure: *see* Pressure
Vascular bed, pulmonary, prostaglandin I_2 effects, 45:408
Vascular communications, bronchial pulmonary, 50:1045
Vascular compliance: *see* Compliance
Vascular conductance: *see* Conductance
Vascular embolization: *see* Embolization
Vascular endothelium: *see* Lung
Vascular engorgement, pulmonary, respiratory mechanics and, 45:119
Vascular hypertrophy: *see* Hypertrophy
Vascular perfusion fixation, lung, shrinkage, 48:382
Vascular permeability: *see* Permeability
Vascular pooling, peripheral, renal response to immersion, 45:786

Vascular reactivity
aerobic conditions, 42:438
cold-induced responses, catecholamines, 42:349
hypoxia, 42:438
pathophysiological states, angiotensin I conversion and, 48:308
pulmonary
cold-induced pulmonary hypertension (cattle), 45:469
intracranial pressure increase, role of sympathetic mechanism, 42:335
Vascular recruitment: *see* Recruitment
Vascular resistance: *see* Resistance
Vascular responses
pulmonary, newborn (lamb), 48:188
steady-state, graded hypoxia, lung, species differences (cat, dog, rabbit, ferret, pig), 51:1214
Vascular sensitivity, norepinephrine, exercise, 51:282
Vascular tissue, carbonic anhydrase activity, 49:211
Vascular waterfall
negative-pressure breathing, 48:977
Starling resistor regulation, 53:1496
Vasculature, pulmonary, biogenic amines, newborn, 50:118
Vasoactive agents
circulating, pulmonary hypertension, 49:66
circulation, cerebrospinal fluid pressure-induced pulmonary hypertension, 47:153
pulmonary artery, reactivity and contractility, 49:1016
Vasoactivity, pulmonary, acute hypoxia and (pig), 52:811
Vasoconstriction
alveolar, aspirin, 45:33
cutaneous, 41:826
cold-induced, 43:770
healed grafted skin, 51:168
heat stress, exercise and, skin, 53:744
histamine antagonists, 40:496
hypoxic
arachidonic acid, 49:107
calcium effects, lung, 49:450
pregnancy, 53:703
shunt fraction and, atelectasis, 53:44
stability, alveoli, 49:846
hypoxic pulmonary, 40:216, 41:449, 714, 42:196
after chemical sympathectomy, 46:529
alveolar and venous oxygen tension and, 53:134
antigen challenge (sheep), 49:22
arterial oxygen pressure and, 51:871
atelectasis, lung lobes, 50:1022
attenuation by pulsatile flow, lung, 53:1583
baroreceptor reflex stimulation effects, lung, 52:1128
blood flow reduction, 46:1047
calcium effects, lung, 49:450
cyclic, 41:466
effects (pig), 50:561
fluid filtration and (pig), 51:1065
gas exchange and, 53:1100
hypoxic compartment size and, 53:626
interlobar,collateral ventilation, 46:658
lung segment size and oxygen tension effects, 51:1543
potentiation by ethyl alcohol, 44:76
prostaglandins and, 41:714
prostaglandin synthesis inhibition, effects, 42:903
repeated intermittent, 43:662
response, continuity, 49:189
(sheep), 45:949
sodium nitroprusside and, 51:288
temperature dependency, 42:56
norepinephrine and α-block effects, oxygen uptake and blood flow, hindlimb, 51:1245
pulmonary
air embolism and, 51:211
circulatory volume, 44:956
converting enzyme inhibition effects, 53:1546
hypercapnia and (bullfrog), 53:1556
neurogenic, 42:335
pregnancy-induced, high mountain disease (cow), 46:184
serotonin, 48:606
sympathetic innervation and hypoxia, 43:65
reflex, 41:865
response to cold, thermoregulation, 53:1228
splanchnic, heat-stress and, renin-angiotensin system effects, 52:1438
Vasoconstrictor responses
hypoxia, isolated lung (pig), 49:820
pulmonary, precapillary hypoxemia, 51:1009
Vasoconstrictors
pulmonary, β-adrenergic mechanisms, 43:612
pulmonary vascular response, hypoxia effects (pig), 50:561
Vasoconstrictor tone, oxygen extraction, during hypoxia, 45:219
Vasodilation
active, healed grafted skin, 51:168
cold-induced, 40:455
in frostbite, 41:551
coronary, hypoxia and sinoaortic denervation, 43:1012
cutaneous, 41:826
sweating and, upright exercise effects, 50:814
with heat stress, 41:528
exercise, heat exposure and, 52:734
heat-induced, cutaneous, 43:770
pulmonary, prostacyclin effects, 45:408
thermally induced (chicken), 44:81
threshold, nocturnal lowering, 41:15
Vasodilator reserve, coronary, exercise and, 43:988
Vasodilator responses, hypoxia, isolated lung (pig), 49:820
Vasodilators
pulmonary
during high permeability (sheep), 46:146
sodium nitroprusside and, 51:288
Vasomotion, pulmonary, distribution of vascular resistance, lung lobe, 45:545
Vasomotor control
cutaneous, healed grafts, 51:168
forearm, during exercise and body heating, 48:114
lung inflation, 45:212
Vasomotor inhibition, cardiopulmonary, anodal block, 42:461
Vasomotor thresholds, central and peripheral temperature effects (squirrel monkey), 48:89
Vasopressin: *see also* Antidiuretic hormone
arginine
high altitude pulmonary edema, 46:41
hypervolemia, 48:657
concentration, exercise, 49:930
diuresis and, water immersion, 51:1384
endocrine responses, chair rest and water immersion, 48:79
excretion, distance running, 50:709
graded activity, 50:123
plasma
hypovolemia, exercise training-induced, 48:665
orthostatic responses, fainting, 51:1404
water immersion and, osmoregulation, 51:686
Vasoreactivity, pulmonary, atelectatic lung, 46:1047, 50:1022
Vastus lateralis, pH effects, electromyography, cycling exercise, 52:1181
Velocity: *see also* Force-velocity relations
conduction, action potential in muscle
fatigue, 43:750
maximal, muscle temperature effects, 42:471
nasal mucus, exercise effects, 46:369
training, specificity, muscular power improvements, 51:1437
Venoconstriction
normocapnic hypoxia, 40:96
pulmonary, cerebrospinal fluid pressure, 49:73
Venom, viper, pulmonary edema (sheep), 47:213
Venous admixture
pneumococcal lobar pneumonia, 50:524
pulmonary microembolization, 43:51
Venous capacity: *see* Capacity
Venous distension, acute, 41:865
Venous flow velocity: *see* Flow velocity
Venous occlusion, 41:865
lung lobe, hemodynamic responses, 47:145
plethysmography: *see* Plethysmography
pulmonary vascular resistance, lung inflation effects, 53:1110
Venous outflow, cerebral, Starling resistor regulation, 53:1496
Venous pooling, bed-rest deconditioning, exercise and, 52:1343
Venous pressure: *see* Pressure
Venous resistance: *see* Resistance
Venous return
exercise, 50:1173
intrathoracic volume and pressure, 47:257
positive end-expiratory pressure, 50:630
positive-pressure inflation, 49:124
Venous ultrasound, arterial hemodynamics, 41:946
Ventilation: *see also* Hyperventilation
acclimation, hypoxic hypocapnia, 44:175
acclimation and deacclimation, human-like adaptation, model, 44:763
acid-base balance and, temperature effects (iguana), 51:452
acid-base infusions, 44:28
acid-base regulation and, cerebrospinal fluid, hypercapnia, newborn, 50:566
acute hyponatremia, 49:95
β-adrenergic blockade effects, exercise, 51:788
alveolar
arterial blood gases, normal, at rest and exercise, 46:806
carbon dioxide effects (sheep), 51:1398
liquid breathing, 49:262
metabolic carbon dioxide load, 50:45
anaerobic threshold, computer determination, 52:1349
anesthesia-paralysis, 42:391
arterial carbon dioxide response, intravenous carbon dioxide, awake state (dog), 47:1099
arterial oxygen pressure and, carbon dioxide effects, 52:287
artificial
servo-control, paralyzed animals, 45:133
thermodilution measurement of cardiac output (pig), 51:584
asynchronous, postural effects (horse), 48:97
ataxic patterns, gasping, 50:984
bed-rest deconditioning, exercise and, 52:1343
biogenic amines, pulmonary removal, 44:553
body temperature effects (alligator), 52:114
brain
hypoxia and (goat), 49:497
hypoxia and, vagus nerve effects (goat), 53:212
monoamine metabolism and, 49:769
breathing frequency, airway carbon dioxide and, 52:190
carbon dioxide

Ventilation (continued)
breathing, awake state (pony), 47:445
chemosensitivity and, pulmonary, 52:1192
intravenous and intrapulmonary, 45:109
carbon dioxide-induced changes, normal sleeping infant, 48:684
cardiopulmonary bypass, with and without lungs, 47:1176
carotid body chemoreception and, naloxone effects, 51:1533
carotid body denervation, 44:28
changes in distribution, growth and, lung, 51:699
chemical and nonchemical components, during hypercapnic exercise, 48:1065
chemical control, 42:667
central nervous system (turtle), 53:1365
chemodenervation, peripheral, fetal (lamb), 42:630
chemoreceptor denervation, hypoxia (goat), 50:392
chest wall vibration effects, spinal cord lesion, 50:107
circulatory occlusion, exercise, 50:718
collateral, 40:216
body position and cholinergic blockade effects, 50:358
carbon dioxide as a determinant, 45:69
cigarette smoking and, 53:582
edema fluid accumulation and, lung, 53:70
excised lung, 50:927
high-altitude pulmonary hypertension, species differences (cattle, swine, dogs, sheep), 51:1251
histamine effects, vagal, 51:1314
hypocapnia, 46:966
interlobar, 46:658
local regulation by carbon dioxide and oxygen, 40:819
lung, 51:313, 52:1426
lung volume effects, 46:67, 49:9
pore size, alveolar, 51:739
residual volume, induced bronchospasm, 53:361
constant-flow, apnea, 53:483
continuous positive-pressure
pulmonary edema, 40:568
ventricular function and, 51:1367
control
hypoxia effects (sea bass), 53:1336
isocapnic metabolic acidosis and alkalosis, 51:276
contusion, pulmonary, 47:718
cost, constant-load exercise, 45:381
dead space
measurement of, 53:297
panting (antelope, dik-dik), 44:534
dead space measurement, arterial pH ventilator, 51:154
dinitrophenol-stimulated, role of tissue hypermetabolism, 43:72
distribution
weightlessness and, 45:987
central moments, estimation, 46:47
collateral flow resistance and time constants (dog, horse), 44:63
continuous, recovered from inert gas washout, 44:416
flow dependence, 45:733
frequency dependence, 42:548
gas transport, 47:296
histamine receptors (sheep), 49:826
hypobaric decompression, 46:752
inert gas elimination, 42:889
lung, 51:1463
mathematical model, 47:896
measurement, helium bolus and nitrogen techniques, 42:859
dopamine effects, chemoreflexes, 50:892
dynamics
anesthesia, 49:197
exercise, 52:1506
in sinusoidal work, 42:300
step work load, 52:1198
end-expiratory pressure, sulfobromophthalein sodium excretion, 43:714
eucapnic, maturation, carbon dioxide sensitivity and, premature infant (monkey), 48:347
exercise, 40:864, 44:28, 559
bicycle, 42:959
breathing resistance and, 42:444
carotid glomectomy and, 46:908
hyperthermia, 47:1039
maximum, ozone inhalation and, 46:309
passive and active, 42:923
phasic, hindlimb, 46:878
plasma carbonic anhydrase effects, 49:708
recovery from, 47:514
submaximal, in trained state, 48:218
tidal volume, 46:322
ventilatory chemoresponsiveness, 45:557
extracorporeal chemical inputs, 47:1176
force environment, 44:216
guanosine monophosphate, cyclic, lung tissue, 45:487
healthy awake and anesthetized-paralyzed men, 47:745
high altitude, maternal arterial oxygenation, infant birth weight and, 52:695
high-frequency
augmented diffusion, airway, 49:232
carbon dioxide elimination, histamine infusion effects, 53:1256
cardiogenic oscillations, 51:1287
gas exchange during (chicken), 53:1418
pulmonary gas exchange during, 52:1278
respiratory and inert gas exchange, 52:683
high-frequency oscillation and, 48:710, 53:1638
oleic acid lung disease, 50:1056
pulmonary, 51:1507
histamine effects, aerosolized, 53:690
hyperbaric nitrogen, 45:756
hypercapnia, 46:491
mole-rat, 47:1011
prolonged, 51:78
hypoxia, 42:492
chemoreceptor involvement in cortisol, 52:1092
humanlike adaptation, rat as model, 44:763
impaired cardiac acceleration, coronary disease, exercise, 52:71
increased, lung, swimming effects, 53:1521
inhomogeneity
nitrogen washout analysis, 46:1184
nitrogen washout curves, multiple-breath, 48:265
intermittent positive-pressure gas exchange, lungs, 46:1103
isolated perfused newborn lung, assessment, 43:557
kainic acid injection and, ventrolateral solitary nucleus, 52:131
kinetics
exercise, airway obstruction and, 53:1594
transitions from rest and exercise, 43:704
lactate and, exercise, 52:1598
linear programming, specific, 46:579
liquid, cardiovascular adjustments with hyperlactinemia and acidosis, 47:1051
loaded, thoracic reflex stabilization, 43:339
maturation, sleeping infant, 46:998
maximal
airway obstruction, 44:538
pulmonary mechanics, 50:747
maximal voluntary
endurance training, middle-aged men, 46:1039
marathon running, 52:821
partial curarization, diaphragm, 48:921
pulmonary mechanics, 50:747
measurement
barometric, 45:644
during sleep, canopy ventilation monitor, 48:724
two- and four-magnetometer, comparison, 49:355
mechanical
anesthesia-paralysis, 42:391
awake and anesthetized-paralyzed prone man, 45:528
forced airflow oscillation, conductance and, 51:715
gas exchange, 46:1103
inspired gas distribution, 49:279
nonrebreathing valve (small animals), 44:974
pulmonary blood flow, spatial distribution, 47:938
resident-gas and argon-bolus anesthesia, comparison, 47:874
respiratory gas exchange during, 51:1451
tracheal intubation, 51:1657
waking and anesthesia, 47:745
menstrual cycle effects, exercise performance, 51:1493
mescaline, pulmonary removal, 44:553
metabolic acidosis, 46:913
minute
gas exchange indices, 53:1184
measurement, newborn, 50:1098
repeated exercise effects, 53:436
multibreath nitrogen washout, 46:579
naloxone effects, newborn, 50:713
nasal flowmeter, self-retaining, for preterm infant, 48:569
nonuniform, lung lobes, 47:182
nonuniformity, diffusing capacity, exhaled, lung model, 48:648
normocapnic hyperoxia (pony), 48:10
oscillatory, apnea and, vagotomy effects, 51:1484
ovarian hormones and, during exercise, 44:109
oxygen-induced alterations, 47:1112
passive, quadriplegics, 53:1481
passive tilt, 47:503
pH, exercise and, 43:959
phase differences, breath sounds and, 46:361
pneumotachometer for measuring, neonates, 53:1307
positive end-expiratory pressure, renal dysfunction, 50:643
positive-pressure
air embolism, 42:368
atelectasis, lung lobes, 50:1022
cardiovascular effects, 44:743, 47:453
hemodynamic effects of, 53:1239
lung-chest wall interaction, 46:8
servo-respirator construction, 41:252
transvascular fluid filtration determination, 42:476
posture effects, upper body, 52:879
pulmonary
chemoreceptor denervation, hypoxia (goat), 50:392
inspired carbon dioxide, carotid body denervation (pony), 52:1614
pulmonary surfactant and, 43:39
regional
airway closure and closing volume, 46:24
flow dependence, lung, 51:598
lung recoil and gas trapping during oxygen rebreathing at low lung volumes, 43:138
regional distribution
airway closure measurement, 50:587
residual volume, induced bronchospasm, 53:361

regulation, exercise, one-leg training, 52:976
respiratory acidosis effects, exercise, 53:63
respiratory jacket for, in children, 45:630
sequences
breath sounds, 46:361
regional transpulmonary pressure and, 51:678
series, inequality, 46:372
single-breath nitrogen test, 49:552
sleep changes, adolescents, 51:557
slow, trapped gas, lungs, 51:172
specific, multiple-breath nitrogen washout studies, 44:424
spontaneous
atelectasis, lung lobes, 50:1022
lung-chest wall interaction (pig), 46:8
stability, 40:539
standard, high-frequency oscillation compared with, pulmonary injury model, 52:543
stimulation
2,4-dinitrophenol, 47:1066
doxapram, 52:1261
surfactant aggregation and, lung, 51:646
temperature, body, 42:492
uneven, dead space during rebreathing, 53:930
vesicular mapping, lung sounds, 53:603
voluntary, maximum, running, 52:1400
Ventilation-distribution
aerosol deposition sites, excised lung, 53:824
diaphragmatic contraction, lateral posture, 43:32
isoflow volume and, 43:807
Ventilation-perfusion
abnormalities, infant, 45:648
alveolar, maldistribution, ventilatory control during, 52:245
distribution, 41:341, 466
alveolar, gas exchange at increased density, 52:221
chest restriction, 51:26
weightlessness, 45:987
foreign gas distributions, 49:684
gas exchange, 46:1103
liquid breathing, 49:262
nonperfused lung, 51:1261
hematocrit maldistribution, intrapulmonary, 46:240
high cardiac output, lobar atelectasis, 50:341
hypertension, high-altitude pulmonary, species differences (cattle, swine, dogs, sheep), 51:1251
imbalance, 44:277
increase, exercise effects, 52:236
inequalities
alveolar gases and, 46:534
susceptibility of different gases, 46:372
inert gas
elimination, lung, 44:258
solubility, lung tissue homogenates, 46:1207
inhomogeneity, alveolar-arterial oxygen pressure differences, 45:512
mass spectrometry, membrane catheters, 53:770
nonhomogeneity, exercise, altitude, 50:1129
panting effects, pulmonary blood flow, 53:1411
positive end-expiratory pressure, 46:278
pulmonary blood flow and, 53:1100
quadropole mass spectrometry, 44:634
regional distribution, at rest and exercise, 44:115
regional lung function, awake state, 53:1050
regulation
arterial oxygen pressure and, 51:871
atelectatic lung, 46:1047, 50:1022
hypoxic pulmonary vasoconstriction and, 53:134, 53:626
surfactant deactivation, alveolar, 51:895
Ventilation-perfusion ratio
acceleration, exercise and, 40:491
autoregulation, hypoxia, 42:56
distribution limits, from analysis of inert gas elimination, 42:889
elevated alveolar carbon dioxide pressure, 43:357
estimation from inert gas data, enforced smoothing algorithm, 43:1106
local regulation, 40:216
noninvasive frequency response, 41:419
normal, obstruction, 42:548
regional pulmonary perfusion and, in anesthesia-paralysis, 43:993
Ventilation-perfusion relations
gas exchange and, lung, 52:1453
propranolol-vagal-alveolar oxygen interactions, collateral gas flow, lung, 52:1426
Ventilator
arterial pH servo-controlled, dead space measurement, 51:154
automatic sigh feature, 48:567
simple, for respiratory gas studies, 44:640
Ventilatory activity, modulation, lung stretch and carbon dioxide tension interactions, 53:185
Ventilatory adaptations, resistive loading, wakefulness and non-REM sleep, 52:607
Ventilatory compensation, rapid progressive, elastic loading and, 47:778
Ventilatory control
acid-base status and (alligator), 45:922
alveolar ventilation-perfusion, maldistribution, 52:245
carbon dioxide loading, 44:311
cardiac output, right ventricular load and, 53:218
carotid body resection, 45:971
carotid chemoreceptor resection, 46:908
constant-load exercise, 45:381
cycling, sinusoidally varying pedal rate, 44:97
delayed kinetics, exercise, 52:921
dinitrophenol, 43:72
2,4-dinitrophenol, 47:1066
discharge patterns, pulmonary stretch receptors, 53:346
elastic loading, 49:669
exercise
hypercapnia, 48:1065
hyperventilation, McArdle's disease, 52:991
increased external dead space, 48:225
extreme altitude, climbers, 53:886
fluid dynamic factors, tracheal pressure measurement, 51:218
high altitudes, newborn, 44:673
hydrochloric acid acidosis, after carotid body denervation, 46:1138
hypoxemia, during hemodialysis, 50:259
hysteresis, airway, 47:1251
in hypercapnia, 41:839
metabolic acidosis, 46:913
muscular exercise, humoral pathway, 47:126
muscular vibrations and, 51:262
peripheral tissue receptors, 47:1066
pH and blood flow, brain, hypoxia, 53:247
phrenic nerve activity, 46:1029
pulmonary blood flow, reduced, 46:1171
response slopes, directional analysis, 45:832
role of thoracic receptors, 41:639
running (bird), 53:1397
temperature and (alligator), 45:922
venous carbon dioxide tension and (duck), 53:1386
Ventilatory depression, hypoxia-induced, naloxone effects, 52:1030
Ventilatory drive, 40:1012
aspirin ingestion, 43:971
carbon dioxide exposure, acute, 45:611
exercise and, menstrual cycle, women, 50:1300
hypercapnia, prolonged, 51:78
hypoxic, carotid body resection, 45:971
metabolic acidosis, 46:908
respiratory sensation and, 53:901
Ventilatory dynamics
chemoreflex loop gain, 46:843
hyperoxia, sinusoidal work and, 48:1083
sinusoidal and impulse work loads, 48:289
Ventilatory kinetics, exercise and, 46:1054
Ventilatory limits, hypercapnic exercise, 48:1065
Ventilatory mechanics
empty-chest, 47:1176
exercise, increased ambient pressure, 44:231
Ventilatory monitoring, non-invasive, respiratory inductive plethysmography, awake state (sheep), 51:1657
Ventilatory pattern
aerosol deposition sites and, excised lung, 53:824
anesthesia, species differences (human, cat), 51:1162
anesthetic agents, 45:171
automatic, brain stem genesis of, spinal mechanisms, 51:204
carbon dioxide-induced changes, normal sleeping infants, 48:684
maturation, sleeping infants, 46:908
ozone toxicity detection, exercise, 51:415
REM sleep, infant, 53:52
Ventilatory phase duration, carbon dioxide role in (chicken), 53:1378
Ventilatory reflexes: *see* Reflexes
Ventilatory regulation: *see* Ventilatory control
Ventilatory response
acid-base balance and, exercise, 52:1013
altitude, 45:275
asphyxia, prochlorperazine effects, 53:637
aspirin ingestion, hypercapnia and hypoxia, 43:971
bicycling, 45:60
blood flow, brain, graded reduction (goat), 47:104
breathing apparatus and, 53:1281
breathing control, young twins, 52:537
bronchopulmonary stimulation, sleep, 47:17
carbon dioxide, 44:311
awake state (rooster), 53:1371
during respiratory acidosis, 46:491
exposure, acute, 45:611
in divers, 46:1076
inspired, 49:1000
intravenous and airway administration, 48:337
oxygen effects and, preterm infant, 41:609
posture, 53:761
raised nitrogen pressure, 45:756
rebreathing, 46:709
carbon monoxide inhalation, correlation with cerebrovascular responses (goat), 43:455
carbon set-point effects, exercise, 51:185
cardiac output changes, pacemaker, 51:1103
carotid chemoreceptors, carbon dioxide (sheep), 51:1398
cerebrospinal fluid pH, 45:275
cold water immersion, 43:211
elastic loading, hypercapnia, 47:778
endurance running, 52:615
exercise
carbon dioxide and, 47:192
morphine during, 47:112
muscular, humoral pathway, 47:126
repeated, 53:436
steady-state, in hypoxia, 46:438

Ventilatory response (continued)
first-breath, mechanical loads, 46:743
high altitude, threshold stimulus, 43:114
hypercapnic
sleep loss effects, 53:855
variability, 43:1019
hypercapnic and hypoxic, endurance athletes, familial aspects, 44:464
hypercarbic, sudden infant death syndrome, near-miss, 50:1313
hyperoxia, in head injury, 49:52
hypoxemia, occlusion pressure during, newborn (monkey), 51:1169
hypoxia
goat, 46:721
hypercapnia and, sleep, 53:307
hyperoxia and, Sherpas, 49:374
sleep and, newborn (calf), 48:892
sleeping dogs, 44:512
hypoxic
carotid body denervation, 51:40
maturation, neonatal (lamb), 47:927
sudden infant death syndrome, near-miss, 50:1313
inspired carbon dioxide, carotid body denervation (pony), 52:1614
intrapulmonary carbon dioxide receptors and, lung carbon dioxide loading (duck), 52:1272
laryngeal stimulation (sheep), 45:681
maturation of, hypoxia, sleep (puppy), 52:309
mechanical loads, cervical cord injury, 52:748
medroxyprogesterone acetate, time course and mechanism, 44:939
muscle-receptor stimulation, cerebellar role, 47:1062
muscular vibrations, 51:262
pseudorandom binary sequence, exercise, 51:194
REM sleep, 47:1304
respiratory pattern and, carbon dioxide, yoga, 51:1625
rest and exercise, marathon running, 52:388
sodium bicarbonate, hydrochloric acid, potassium cyanide and, 43:1075
tepid water immersion, 44:683
transrespiratory pressure (man and guinea pig), 47:119
Ventilatory stress, phospholipid release, lung, 47:285
Ventricles: *see* Cerebral ventricles; Heart ventricles
Ventriculocisternal perfusion: *see* Perfusion
Ventrolateral solitary nucleus, kainic acid injection, ventilatory effects of, 52:131
Venules, norepinephrine effects, exercise, 51:282
Vesicles
air-blood barrier cells, 50:334
transport, air-blood barrier cells, 50:334
Vestibulocochlear dysfunction, rapid decompression (monkey), 49:1070
Vibrating microelectrodes: *see* Microelectrodes
Vibration
cardiac function and, 47:612
cardiovascular response, 42:682
chest wall, ventilation effects, spinal cord lesion, 50:107
muscle research, cantilever beam design, 42:786
reflex, ventilation effects, spinal cord lesion, 50:107
whole-body, nonsynchronous and synchronous, cardiac responses, 46:549
Videometric analysis, lung expansion, regional, at total lung capacity, 45:363
Videoroentgenography, biplane, lung expansion, regional, at total lung capacity, 45:363
Virus infection, survival in cold, 47:923
Viscera, blood flow: *see* Blood flow
Visceromatic reflexes: *see* Reflexes
Viscoelastic forces, pulse-flow measurement, lung compliance, 50:1318
Viscoelasticity
lung stiffened by hyperinflation, 47:360
mucus, tracheobronchial, 42:797
rectal, anal pressure and, 41:677
Viscoelastic properties, trachea, 44:137
Viscometer, gas viscosity measurement, 53:290
Viscosity
blood
anemia, 44:36
anemia, norepinephrine and propranolol, hindlimb, 51:565
(mouse deer), 42:673
reduced, α-adrenergic blockade effects, 52:16
oxygen transport, anemia and hemorrhagic shock, 47:882
mucus, tracheobronchial, 42:797
pulmonary, longitudinal distribution, 43:1093
rapid vital capacity expirations, 49:142
Viscosity-bolus technique, vascular resistance, pulmonary, 43:1093
Viscous resistance: *see* Resistance
Vital capacity: *see* Capacity
Vitamin E
deficiency
5-hydroxytryptamine clearance, pulmonary, 43:254
serotonin depression, lung, 42:33
lipid peroxidation, 45:927
Vocal cords
movements
airflow and resistance, eupnea, 52:773
comparison during hypoxia and hypercapnia, 53:81
hyperpnea, 52:780
Volume: *see also* Blood volume
airway, histamine stimulation, 47:657
basal excluded, 41:400
bleeding, maximum, in hemorrhage and shock, 42:279
breath
abdominothoracic displacement, 44:623
negative airway pressure, 50:552
cardiac, static exercise, 49:676
circulatory, pulmonary vessels, 44:956
closing, 43:138, 911
active sleep, newborn, 46:1081
airway, 46:24, 50:587
aging effects, 44:195
argon-bolus anesthesia, 47:874
asynchronous onset, 40:305
atropinelike agent, inhaled, 46:256
body position and, 43:983
breath sounds, 46:361
bronchodilation, distribution, 45:778
diaphragmatic contraction, 40:417
expiratory flow rate, 46:1011
gas exchange and, 52:1453
gas, single-breath tests, 50:487
growth changes, lung, 51:699
helium bolus and nitrogen technique, difference, 42:859
hemorrhage and shock, 46:792
nitrogen washout, 40:715
normal (bonnet and rhesus monkey), 46:166
postural effects (horse), 48:97
regional ventilation phase differences, 46:361
single-breath nitrogen washouts, 52:141
single-breath washout test, lung, 52:34
spontaneous breathing, lung and chest wall, 49:408
three-balloon catheter system, 47:931
weightlessness, 45:987
corpuscular
endurance exercise (horse), 51:131
exercise, heat dehydration and, 50:1255
critical, hypothesis, in high-pressure neurological syndrome, 43:221
dead-space
measurement, 47:319
stimulation-induced airway changes, 47:657
vagal stimulation, histamine, 50:1286
diaphragmatic contraction, lateral position, 43:32
diffusing capacity, single exhalation, 43:617
displacement, length changes and, diaphragm, 53:750
divider, minute, simple ventilator, 44:640
end-expiratory
chronic airway obstruction, 51:1388
intercostal muscle reflexes, sleeping infant, 48:139
posture and consciousness effects, 53:1071
erythrocytes
exercise in heat, 47:794
stress and, 47:1031
supine and standing positions, 45:414
excluded, edematous lung, 51:1268
expiratory, forced, 40:329
extracellular fluid
bed rest with isometric and isotonic exercise, 42:59
chair and water immersion, 48:79
lung water and, 42:624
extravascular thermal, atelectasis and embolization effects, lung, 53:1614
feedback
inspiratory inhibition, 46:669, 48:302
phasic, inspiratory inhibition, 45:80
flow, turbulent airflow meter, 42:456
fluid, intrathoracic, high altitude, 47:670
frequency spectra of, forced vital capacity, 53:977
gas: *see also* Gas, or the specific gas
bidirectional respired, integration, 44:619
plethysmographic determination of, 52:798
temperature effects, lung, 53:567
thoracic, airway closure, 49:398
thoracic, Boyle's law determination, abdominal, 44:469
thoracic, computer determination, 48:911
thoracic, measurement of, infant, 52:995
thoracic, panting frequency effects, 52:739
thoracic, respiratory muscle effects, 52:638
heart, age and physical activity effects, 45:709
homeostasis
immersion, 49:184
immersion, renal response (monkey), 48:243
inspiratory, during immersion, 43:297
inspired, sensation of, quadriplegics, 53:1481
interstitial fluid, chair rest and water immersion, 48:79
intrathoracic, cardiac response, 47:257
intravascular, body temperature regulation, 44:69
isoflow, ventilation distribution and, 43:807
left ventricular, coronary artery disease, exercise, 50:636
low, recoil and gas trapping during oxygen breathing, 43:138
lung
absolute, estimation at constant inflation pressure, 47:907
acoustic helium analyzer, 43:911
aerosols, 44:803
airway obstruction, 52:949
airway resistance, central and periph-

eral, 44:728
altitude, 49:79
anesthesia, 45:255
antigen exposure, 46:346
antigen infusion, 45:957
arachidonic acid, 44:397
breathing, 50:650
bronchial asthma, 52:939
bronchial pressure-diameter behavior, 44:859
carbon dioxide and, in divers, 46:1076
cardiac response, 47:257
collateral and airway resistance, 46:67
collateral ventilation, 49:9
diffusing capacity and, 49:566
diffusing capacity during breath holding and rebreathing, 47:32
displacement, intratracheal fixation, 48:389
diving, 40:736, 45:783, 46:639, 1076
electrical activity, respiratory muscle, 42:287
electromyogram, esophageal diaphragmatic, 45:392
end-expiratory, breath-by-breath variation, 46:1122
expiratory time, newborn, 45:18
extravascular thermal, as measure of pulmonary edema, 48:120
fixation, 48:389
force environment, 44:216, 384
force-length relations, diaphragm, 53:405
functional diagram, 52:1035
halothane, 49:300
halothane-enflurane anesthesia, 46:646
hamster, 40:936
helium-oxygen breathing, effects, 42:899
high altitude, 47:670
history, histamine and, 51:806
history of, edema formation and, 45:880
hyperoxia, intermittent exposure, 42:593
hypobaric decompression, 46:752
hypoxia, isocapnic, 42:413
hysteresis, 49:566
immersed man, dilution and plethysmographic techniques, 44:679
measurement, acoustic helium analyzer, 50:203
measurement from supine portable chest radiographs, 47:1332
methacholine inhalation (baboon), 50:754
minimal, deformations, 48:487
multiple-breath nitrogen washout studies, 44:424
normal (ferret), 50:799
oxygen storage (beaver), 42:545
panting frequency effects, 52:739
passive tilt, 47:503
perception, Weber's law, 52:1679
phasic changes, sustained graded inspiratory inhibition, 48:302
phrenic activity and pressure, 51:109
phrenic nerve section effects, fetal (lamb), 51:293
plethysmographic determination, 52:798
plethysmographic estimation of, infants and young children, 53:698
plethysmographic thoracic flow and, computer determination, 48:911
pleural pressure and, measurement, 46:927
pleural pressure and, ventricular function, 50:630
postural changes, 42:706
postural effects (horse), 48:97
prolonged hypercapnia, 52:1156
prostaglandin H_2 analog, 44:406
prostaglandins, 44:397
pulmonary mechanics, 50:747
rebreathing techniques, 49:910
recoil, children, 42:817
reduced, during sleep, newborn, 46:1081
regional, awake and anesthetized-paralyzed prone man, 45:528
regional, elasticity model, 51:254
regional, hematocrit, 46:937
regional, pneumonectomy (puppy), 50:1146
regional, vascular resistance and, 52:914
regression, body weight (monkey), 46:166
residual, aging effects, 44:195
residual, hydrostatic weighing, 49:157
residual, regional distribution, 51:313
resistive load detection, 49:958
respiratory timing, 42:287
resting, ventilatory adaptations to resistive loading, 52:607
sex, age, and emphysema, 49:558
single-breath carbon monoxide diffusing capacity, 46:1149
single-breath diffusing capacity and (small mammals), 48:1052
single-breath nitrogen washouts, 52:141
small carnivore (ferret), 52:832
static, intact and excised lungs and lobes (monkey), 44:547
static and dynamic, age and physical activity effects, 45:709
thiopental sodium anesthesia, 46:716
tidal, breathing frequency, airway obstruction, 44:538
tidal, nonrebreathing valve (small animals), 44:974
transvascular fluid filtration determination, 42:476
upper and lower limits, exponential, 46:387
vagal section after antigen infusion, 45:957
vascular communications, 50:1045
vascular engorgement, 45:119
lung lobes
isolated, shifts with partial submersion, 47:1143
regional and ventilation, distribution, 47:182
lung tissue
acetylene rebreathing technique, 48:799
closed system inert gas absorption, 47:240
diffusing capacity, 47:32
edema, 44:782, 48:1038
hypertonic sodium chloride effects, 51:1443
positive pressure ventilation effects, 47:453
rebreathing, 44:795, 49:910, 52:1375
rebreathing measurements, in edema, 48:66
water tracer, 52:1535
mean corpuscular, marathon running effects, 52:168
minute, carbon dioxide, ambient temperatures and, 47:522
mouth-chest, phase shift, noninvasive measurement, 46:399
normal and edematous lung, 51:1375
overload, ventricular, cardiac output and, exercise, 49:482
phase I, 47:319
plasma
after dehydration, 40:6
altitude, simulated, 44:652
bed-rest deconditioning and exercise, 52:1343
bed rest with isotonic and isometric exercise, 43:1033
chair rest and water immersion, 48:79
changes, simulated high altitude (toad), 51:794
dry-heat acclimation, summer and winter, 50:792
electrolytes and, distribution, sodium ion and calcium ion ingestion, 48:838
exercise, heat dehydration and, 50:1255
exercise in different ambient temperatures, 46:430
exercise thermoregulation after bed rest, 48:72
graded activity, 50:123
heat acclimatization, 50:597
heat and dehydration, 47:197
hydration state, 49:715
hypervolemia, 48:657
hypervolemia, exercise training-induced, 48:665
hypohydration, 47:1
hypotension and, exercise, 51:298
in humid heat, 40:786
orthostatic responses, fainting, 51:1404
pubertal stage differences and exercise, 46:823
regulation, in acute dehydration (desert rodent), 44:585
response to rest, exercise, posture, and humid heat, 47:798
shifts, exercise type, 49:119
shifts, hypoxia effects, exercise, supine posture, 51:148
shifts, thermoregulation during exercise, 43:1026
stress and, 47:1031
striated muscle mass measurement, 51:762
supine and standing positions, 45:414
temperature regulation, 47:1
trained boys and fit young men, 43:1085
training and heat acclimation, sedentary females, 47:978
treadmill exercise effects, 53:1529
pulmonary artery
characteristics, extra- and intraparenchymal segments, 42:519
hypoxia, 43:8
pulmonary capillary, alveolar tissue structure, 53:879
pulmonary interstitial, hypertonic sodium chloride effects, 51:1443
pulmonary vascular, compartments, 46:74
rebreathing, capillary and tissue, after saline infusion, 43:246
red cell
bed rest with exercise, 42:59
G_z acceleration, 42:67
temperature-induced changes in acid-base balance, 40:762
with different carbon dioxide mixtures, 44:254
regional, immersed, shape and lung lobes, 51:1457
regulation
alveolar type II cells, 53:258
brain, hypo- and hypernatremia, newborn, 51:1086
renal, 40:164
residual
airway closure measurement, 50:587
exercise, 49:506, 511
normal (bonnet and rhesus monkey), 46:166
postural effects (horse), 48:97
regional ventilation, bronchospasm, 53:361
steady-state collateral resistance, 49:643
respiratory
panting and (marsupial and rabbit), 42:537
positive-pressure breathing, 45:495
resting, 43:3
stroke
altitude exposure, 42:722
arm training, 45:75

Volume (continued)
assessment, noninvasive techniques, 50:1173
bicycle exercise recovery, 48:833
cardiac output, arm exercise, women, 51:1488
cardiac output and, exercise (duck, pigeon), 53:207
exercise, one-leg training, 52:976
exercise effects, 49:444
exercise training, 42:824
exhaustive exercise, 51:1098
gas mixing and, lung, 53:1603
humid heat, 40:779
impedance cardiography, 52:274
left ventricular, intrapleural pressure effects, 50:1027
physical training effects after myocardial infarction, 47:482
pneumocardiogram relations, 52:1672
pulsed Doppler, exercise, 50:1173
respiration effects, left ventricular, 46:411
step work load effects, 52:1198
systolic time interval and, adjustments during bicycle exercise, 46:588
thoracic resistivity, impedance cardiography, 50:191
treadmill exercise, 50:1206
uterine blood flow, 40:725
venesection and reinfusion, 40:379
ventricular, 40:451
wheelchair and arm crank exercises, 49:784
thoracic, and airway occlusion pressure, relations and muscular effects, 43:312
thoracic gas, infancy, 43:144, 155
tidal
Ascaris suum antigen inhalation, 42:101
barometric measurement, 49:1107
barometric measurement, pattern and nasal temperature effects, 49:319
breathing apparatus and, 53:1281
breathing changes, perception, 50:78
breathing control, young twins, 52:537
carbon dioxide, ambient temperatures and, 47:482
chemodenervation, 45:502
chest wall vibration effects, spinal cord lesion, 50:107
compensation, in cord-injured man, 43:339
consciousness and posture effects, 53:1071
controller, 45:502
dead space, pulmonary patients, 46:534
dynamic mechanisms, 46:867
elastic loads, aging effects, 50:844
exercise, carbon dioxide and, 46:322
exercise and, 40:864, 47:954
exercise hyperthermia, 47:1039
hypoxia and hypercapnia (mole-rat), 47:1011
jacket plethysmography, 52:267
low, penetration of inhaled helium and sulfur hexafluoride into alveolar space, 43:403
measurement, respiratory jacket for children, 45:630
nasal flowmeter, self-retaining, preterm infant, 48:569
pneumotachometer, neonate, 53:1307
quantitation of loss, 40:67
respiratory valve dead space relations, 49:528
rib cage and abdomen-diaphragm contribution, carbon dioxide rebreathing, 46:709
tissue
lung, hypertonic sodium chloride effects, 51:1443
lung, rebreathing and, 52:1375
pulmonary, normal and edematous lungs, 51:1375
rebreathing, after saline infusion, 43:246
temporary unilateral pulmonary artery occlusion, 51:845
variance, longitudinal mixing, pulmonary airways, 44:297, 46:799
venous, forearm, control during exercise and body heating, 48:114
ventilatory, multi-breath nitrogen washout, 46:579
ventricular, head-up tilt, 45:249
water, lung, postmortem (dog, sheep), 52:1661
water immersion, implications for body composition analysis, 43:276
Volume expansion, immersion and, renal responses (monkey), 48:243
Volume-pressure relations: *see* Pressure-volume relations
Volume-referencing, magnetometers, 48:731
Volume signal, forced expired, time-constant histograms, 51:1581
Volume-surface area, alveolar, air- and saline-filled lungs, 47:990
Volume-time relations
respiratory, sulfur dioxide effects, 43:844
tachypneic response, hypoxia and hypercapnia ozone-induced, 48:163
Volume-time threshold, carbon dioxide feedback and (chicken), 53:1378
Volume-to-total lung capacity ratio, regional distribution, residual volume, 51:313
Volume transducers: *see* Transducers
Vorticella, bubble formation, intracellular, lack of, 47:1270

W

Waking responses, hypoxia, sleep state (dog), 44:512
Walking: *see* Exercise
Wall: *see* Airway wall; Alveolar wall; Arterial wall; Chest wall
Waltzing: *see* Exercise
Warm-down: *see* Exercise
Washout: *see* Gas, inert; Helium; Lung; Nitrogen
Water
accumulation, lung interstitial pressure-volume behavior and, 48:939
balance
exercise, wheel cage running (kangaroo rat), 44:17
gravity-free environment, 45:430
body
acute dehydration, heat acclimation (desert rodent), 44:585
changes, simulated high altitude (toad), 51:794
extracellular, effects of running, 45:999
turnover rate (bird), 51:1183
cold
convective heat transfer coefficient, 42:93
stress, shivering threshold and, diving, 52:845
content, blood, during exercise, 42:739
doubly labeled, measurement method, energy expenditure, 53:955
evaporative loss, thermoregulation and, high ambient temperature, 51:46
exchange
airway, exercising asthmatic and nonasthmatic, 46:484
exercise-induced asthma, 46:476
heat and atropine effects, 45:238
excretion, head-down tilt, 49:576
extravascular, 44:493
heart and lungs, after myocardial ischemia, 45:102
hematocrit, lung, 46:937
lung, measurement by transthoracic γ-ray attenuation, 47:1228
lung, newborn, 49:171
measurement, 47:1228
pulmonary, 44:493
regional, lung (sheep), 46:932
extravascular content
pulmonary embolization, 53:1546
pulmonary microembolization (sheep), 53:895
immersion: *see also* Diving; Immersion; Submersion
circulatory responses to, anesthesia and, 53:1625
osmoregulation and, 51:686
vasopressin effects on diuresis, 51:1384
intake, estrous cycle variations, heat effects, 42:874
intracellular, granular pneumocytes, primary culture, 49:743
loss
airway surface, 46:205
evaporative, 40:521, 47:1
evaporative, flow-through respirometry, 42:120
evaporative, in gravity-free environment, 45:430
evaporative, measurement in small animals (pigeon), 43:382
plasma citrate and, during exercise, 46:120
respiratory, rest and exercise (monkey), 49:789
respiratory, thermal balance study (monkey), 46:268
total body, estimation of, 43:331
lung
accumulation, defibrinogenation effects, pulmonary microembolism, 49:841
after extracelular fluid volume expansion, 42:624
atelectasis and embolization effects, 53:1614
cardiac output determination, 53:1125
changing lung mass effects (sheep), 52:1591
dead space during rebreathing, 53:930
edematous, 48:444, 51:1268
extravascular, detection, blood flow, 50:1367
extravascular, electrical admittance measurement, 49:337
extravascular, indicator-dilution technique and, 52:1368
extravascular, myocardial ischemia, 45:102
extravascular, oleic acid and, 48:1045
extravascular accumulation, hyperinflation and atelectasis, 45:284
extravascular content, pulmonary edema, 49:834
extravascular content, pulmonary microembolism, 49:841
fetal and newborn (lamb), 53:992
interactive influences, 50:905
monocrotaline model of noncardiogenic pulmonary edema, 45:962
positive end-expiratory pressure effects, 53:9
prolonged hypercapnia, 52:1156
rebreathing measurement in edema, 48:66
regional extravascular and interstitial, 49:547
sepsis and (dog, baboon), 50:1198
sodium and sucrose indicators, 52:792
systemic venous hypertension and, 51:592
lung lobes, inhaled and injected water tracer, 52:1535
lung volume, postmortem (dog, sheep), 52:1661
osmotic flow, tracheal epithelium, 51:363
oxygen-carbon dioxide mixing system, water-breathing animals, 51:229
plasma, treadmill exercise effects,

53:1529
plasma binding capacity, trained boys and fit young men, 43:1085
requirements, cold exposure (small mammals), 43:121
secretion
airway, histamine effects, 42:735
sodium and chloride ionic transport, tracheal epithelium, 47:598
tracheal epithelium, calcium effects, 44:900
shifts, plasma, during thermal dehydration, 47:738
total body, estimation by ethanol dilution, 42:803
transfer, respiratory, atropine and, 48:619
transport
acid effects, alveolar epithelium (bullfrog), 52:902
alveolar epithelium (bullfrog), 50:1263
tracheal epithelium, 49:905
transport properties, lung inflation effects (bullfrog), 52:1498
tritiated, body water turnover rate (bird), 51:1183
unstirred layer
aliphatic acid permeability, erythrocytes, 53:1138
diffusion barriers, tracheal epithelium, 52:1223
mitochondrial function and, 53:1116
Waterfall, expiratory flow, 43:498, 516
Water-perfused suits, temperature control system, 42:636
Water vapor dryer, for expired gas measurements, 46:1196
Wave-speed theory
expiratory flow, 43:498, 516
helium-oxygen breathing, 47:490
maximal, prediction, 48:991
Weber's law, lung volume, 52:1679
Wedge pressure: *see* Pressure
Weight
body
cold exposure and, 51:327
composition of, 43:331
deficits, 40:786
diaphragm and, 52:64
distribution, effect on body fluids, 41:719
exercise training, 45:605
functional residual capacity, 44:291
humid and dry heat, men and women, 49:1
lung volume and compliance, regression (monkey). 46:166
thermogenesis, at altitude, 45:345
fluid and electrolyte shifts, G_z acceleration, 42:67
heart-body ratio, exercise training, 45:604
heart ventricles, pulmonary circulatory growth (pig), 45:806
hydrostatic, residual volume and functional residual capacity, 49:157
infant, maternal arterial oxygenation and, high altitude, 52:695
loss, evaporative, heat exposure, 42:252
lung, 43:721, 902
lung lobes, contusion and, 47:718
organ, training effects, 42:935
training: *see* Exercise, training
Weightlessness: *see also* Gravity
lung shape, radiography, 47:851
renal response, 49:184
sickness, rotation, 50:469
vasopressin effects, diuresis, water immersion, 51:1384
ventilation and perfusion distribution, 45:987
zero evaporative water loss, 45:430
Wein effect, hypocapnia, 43:489
Wettedness, skin: *see* Sweating
Wheelchair ergometry and exercise: *see* Exercise
White blood cells: *see* Leukocytes; Neutrophils
White noise transmission, regional ventilation phase differences, 46:361
Wick catheter: *see* Catheter
Wilson Universal high-pressure chamber, model, 48:562
Wind
assistance and resistance, running, 48:702
chill frostbite, 41:551
limits, in heat exposure, 46:340
resistance, skating, 40:584
Wire screens, linearity, plethysmography, 50:658
Women: *see also* Sex differences
college, response to work in heat, 43:1046
heart rate, resting and exercise, with apnea and facial immersion, 45:875
sedentary, training and heat acclimation, 47:978
Work: *see also* Exercise
arm and leg, asthma, 42:565
breathing, infant, 52:1209
capacity
bed-rest deconditioning and exercise, 52:1343
heat, alcohol consumption and, 50:1006
hemodynamic response, after β-adrenergic blockade, 42:133
high altitude, polycythemia effects, 49:311
left ventricular, 52:1648
cardiac output, maximal and submaximal, impedance cardiography, 45:459
drop-off, lactate activity, 47:677
duration, recovery oxygen, 48:540
efficiency
precooling effects, 50:772
ramp exercise, 50:217
electrical resistivity, blood, 45:459
endurance, equipment effects, 42:28
energy expenditure, prediction, 43:577
heat and wind exposure, 46:340
heat, prostaglandin E_1, hyperthermia effects, 51:62
hypertrophy: *see* Hypertrophy
hypoxic women, 49:367
industrial, prescriptive zone, determinants, 43:347
internal, definition, 46:79
long-term
breathing control, 50:27
thermoregulatory response, 42:909
maximal capacity
exercise recovery, anaerobic threshold, 51:840
hypoxic women, 47:1223
lifting tasks, 45:60, 64
mechanical, in human movement, new definition, 46:79
muscular, thermal behavior, 48:1020
overload, and isolated paced heart, 41:328
performance
maximal, ozone exposure, 42:531
ozone inhalation, 46:309
physiology
in muscle fatigue, 43:750
numerical technique, 43:375
surface electromyography, 51:1
positive and negative, wind assistance and resistance, 48:702
sinusoidal, ventilatory dynamics, hyperoxia effects, 48:1083
sweating, heat acclimatization effects, 50:741
tolerance
aerobic, 42:444
aging, 43:280
ventilatory, exercise performance after, 52:1581
Work load
absolute, plasma norepinephrine response, 51:812
catecholamines, coronary sinus, 43:801
oxygen consumption, postexercise, glycogen depletion and, 47:514
plasma renin activity, vasopressin concentration and urinary excretion, 49:930
sinusoidal and impulse, cardiorespiratory dynamics and gas exchange, 48:289
step, cardiopulmonary response to, 52:1198
Work rate
exercise, precooling effects, 50:772
muscular efficiency, 43:431
optimal, mountaineers, 44:952
relative, oxygen uptake, 44:877

X

Xenon
gas exchange rates, 50:1325
hypoxic vasoconstriction, stability, alveoli, 49:846
partition coefficient, tissue-blood, 49:178
stochastic description, inert gas exchange, 47:1263
Xenon-127, airway closure measurement, 50:587
Xenon-133
airway closure and closing volume, 46:24
bolus, lung washout, frequency dependence, 45:161
clearance, chest wall motion, 49:279
high-frequency oscillation effects, pulmonary, 51:1507
perfusion
hypoxic vasoconstriction, alveolar, 45:33
pulmonary hypoxic vasoconstriction after chemical sympathectomy, 46:529
regional diffusing capacity, slow exhalation, lung, 52:1487
regional residual volume, gas effects, 44:195
residual volume, regional distribution of, lung, 51:313
technique, ventilation distribution, frequency dependence, 42:548
X-Ray: *see* Radiography

Y

Yoga: *see* Exercise
Young's elasticity modulus
lung, 51:254
parenchyma, 44:853

Z

Zeitgebers, circadian, environmental synchronizers (squirrel monkey), 43:795

AMERICAN PHYSIOLOGICAL SOCIETY
FOUNDED IN 1887